

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE ST26SequenceListing PUBLIC "-//WIPO//DTD Sequence Listing 1.3//EN"
"ST26SequenceListing_V1_3.dtd">
<ST26SequenceListing dtdVersion="V1_3" fileName="F3582PCT.xml" softwareName="WIPO
Sequence" softwareVersion="2.3.0" productionDate="2024-03-04">
  <ApplicantFileReference>F3582PCT</ApplicantFileReference>
  <EarliestPriorityApplicationIdentification>
    <IPOfficeCode>JP</IPOfficeCode>
    <ApplicationNumberText>2023-040005</ApplicationNumberText>
    <FilingDate>2023-03-14</FilingDate>
  </EarliestPriorityApplicationIdentification>
  <ApplicantName languageCode="ja">積水化学工業株式会社</ApplicantName>
  <ApplicantNameLatin>SEKISUI CHEMICAL CO., LTD.</ApplicantNameLatin>
  <InventionTitle languageCode="ja">人工多能性幹細胞の製造方法</InventionTitle>
  <InventionTitle languageCode="en">Method for producing induced pluripotent
stem cells</InventionTitle>
  <SequenceTotalQuantity>15</SequenceTotalQuantity>
  <SequenceData sequenceIDNumber="1">
    <INSDSeq>
      <INSDSeq_length>4</INSDSeq_length>
      <INSDSeq_moltype>AA</INSDSeq_moltype>
      <INSDSeq_division>PAT</INSDSeq_division>
      <INSDSeq_feature-table>
        <INSDFeature>
          <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
          <INSDFeature_qual>
            <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
            </INSDQualifier>
            <INSDQualifier id="q1">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
            </INSDQualifier>
          </INSDFeature_qual>
        </INSDFeature>
      </INSDFeature-table>
      <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q6">

```

```

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>RGDG</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="2">
  <INSDSeq>
    <INSDSeq_length>4</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q7">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
<INSDFeature>
  <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q8">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>

```

```

        <INSDSeq_sequence>RGDA</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="3">
    <INSDSeq>
        <INSDSeq_length>4</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q9">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>
                <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q10">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>RGDV</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="4">
    <INSDSeq>
        <INSDSeq_length>4</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>

```

```

        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q11">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>
                <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q12">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>RGDS</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="5">
    <INSDSeq>
        <INSDSeq_length>4</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                <INSDFeature_qual>

```

```

                                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q13">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                <INSDFeature>
                                    <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier id="q14">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>RGDT</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="6">
    <INSDSeq>
        <INSDSeq_length>4</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q15">

```

```

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
<INSDFeature>
    <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier id="q16">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>RGDF</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="7">
    <INSDSeq>
        <INSDSeq_length>4</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
    <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
    </INSDQualifier>
    <INSDQualifier id="q17">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
    </INSDQualifier>
    </INSDFeature_qual>
</INSDFeature>

```

```

        <INSDFeature>
            <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier id="q18">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
                </INSDQualifier>
            </INSDFeature_qual>
        </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>RGDM</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="8">
    <INSDSeq>
        <INSDSeq_length>4</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                <INSDQualifier id="q19">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        <INSDFeature>
            <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier id="q20">

```

```

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>RGDP</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="9">
  <INSDSeq>
    <INSDSeq_length>4</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
      </INSDQualifier>
    <INSDQualifier id="q21">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
<INSDFeature>
  <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q22">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>

```

```

        <INSDSeq_sequence>RGDN</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="10">
    <INSDSeq>
        <INSDSeq_length>5</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..5</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q23">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>
                <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..5</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q24">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>YIGSR</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="11">
    <INSDSeq>
        <INSDSeq_length>5</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>

```

```

        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..5</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                    <INSDQualifier id="q25">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
            <INSDFeature>
                <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..5</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier id="q26">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        </INSDSeq_feature-table>
        <INSDSeq_sequence>PDSGR</INSDSeq_sequence>
    </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="12">
    <INSDSeq>
        <INSDSeq_length>4</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                <INSDFeature_qual>

```

```

                                <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q27">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                <INSDFeature>
                                    <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..4</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier id="q28">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
                                </INSDQualifier>
                                </INSDFeature_qual>
                                </INSDFeature>
                                </INSDSeq_feature-table>
                                <INSDSeq_sequence>REDV</INSDSeq_sequence>
                                </INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="13">
    <INSDSeq>
        <INSDSeq_length>5</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..5</INSDFeature_location>
                                <INSDFeature_qual>
                                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                                </INSDQualifier>
                                <INSDQualifier id="q29">

```

```

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
    <INSDFeature>
      <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..5</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier id="q30">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>
  </INSDSeq_feature-table>
  <INSDSeq_sequence>IDAPS</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="14">
  <INSDSeq>
    <INSDSeq_length>6</INSDSeq_length>
    <INSDSeq_moltype>AA</INSDSeq_moltype>
    <INSDSeq_division>PAT</INSDSeq_division>
    <INSDSeq_feature-table>
      <INSDFeature>
        <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..6</INSDFeature_location>
      <INSDFeature_qual>
        <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
      </INSDQualifier>
      <INSDQualifier id="q31">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
      </INSDQualifier>
      </INSDFeature_qual>
    </INSDFeature>

```

```

        <INSDFeature>
            <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..6</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier id="q32">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
                </INSDQualifier>
            </INSDFeature_qual>
        </INSDFeature>
    </INSDSeq_feature-table>
    <INSDSeq_sequence>KQAGDV</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
<SequenceData sequenceIDNumber="15">
    <INSDSeq>
        <INSDSeq_length>5</INSDSeq_length>
        <INSDSeq_moltype>AA</INSDSeq_moltype>
        <INSDSeq_division>PAT</INSDSeq_division>
        <INSDSeq_feature-table>
            <INSDFeature>
                <INSDFeature_key>source</INSDFeature_key>

<INSDFeature_location>1..5</INSDFeature_location>
                <INSDFeature_qual>
                    <INSDQualifier>

<INSDQualifier_name>mol_type</INSDQualifier_name>

<INSDQualifier_value>protein</INSDQualifier_value>
                    </INSDQualifier>
                <INSDQualifier id="q33">

<INSDQualifier_name>organism</INSDQualifier_name>

<INSDQualifier_value>synthetic construct</INSDQualifier_value>
                    </INSDQualifier>
                </INSDFeature_qual>
            </INSDFeature>
        <INSDFeature>
            <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..5</INSDFeature_location>
            <INSDFeature_qual>
                <INSDQualifier id="q34">

```

```

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>cell-adhesive amino acid sequence</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
<INSDFeature>
  <INSDFeature_key>SITE</INSDFeature_key>

<INSDFeature_location>4</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q35">

<INSDQualifier_name>note</INSDQualifier_name>

<INSDQualifier_value>D-Phenylalanine</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
<INSDFeature>
  <INSDFeature_key>REGION</INSDFeature_key>

<INSDFeature_location>1..5</INSDFeature_location>
  <INSDFeature_qual>
    <INSDQualifier id="q36">

<INSDQualifier_name>note</INSDQualifier_name>
      <INSDQualifier_value>cyclic
peptide</INSDQualifier_value>
      </INSDQualifier>
    </INSDFeature_qual>
  </INSDFeature>
</INSDSeq_feature-table>
<INSDSeq_sequence>RGDFK</INSDSeq_sequence>
</INSDSeq>
</SequenceData>
</ST26SequenceListing>

```