CLAIMS

1. A content input method, comprising:

(a) displaying an input box and a speech input control in response to a display event of the input box, wherein there is a preset correspondence between the input box and the speech input control,

(i) wherein the input box is a first interface element via which a user enters content,

(ii) wherein the speech input control is a second interface element which is selectable by the user for triggering speech data input, and

(iii) wherein the input box and the speech input control are approximately simultaneously displayed on a same interface;

(b) displaying a speech recording popup window and receiving speech data from the user in response to a speech input operation on a first speech input control, wherein the first speech input control is a speech input control selected by the user,

(i) wherein the speech recording popup window is configured to prompt the user to perform speech input, and the speech recording popup window comprises a third interface element indicating that the user does not input the speech data and a fourth interface element indicating that the user inputs the speech data, and

(ii) wherein the first speech input control selected by the user, the third interface element in the speech recording popup window, and the fourth interface element in the speech recording popup window are three different interface elements that are independent from each other;

(c) converting the speech data into display content to be displayed in a first input box and determining whether there is other content currently displayed in the first input box,

(i) wherein the first input box corresponds to the first speech input control, and

(ii) wherein the first speech input control is displayed in the first input box and a display position of the first speech input control in the first input box moves with an increase or a decrease of the display content in the first input box;

(d) causing to delete the other content from the first input box in response to a determination that there is the other content currently displayed in the first input box; and

(e) displaying the display content in the first input box after the other content is deleted from the first input box.

2. The method according to claim 1, wherein the displaying an input box and a speech input control comprises:

displaying the input box;

detecting whether the input box is displayed; and

displaying the speech input control in a case where the input box is displayed.

3. The method according to claim 1, wherein the displaying an input box and a speech input control comprises:

displaying the input box; and

displaying the speech input control in response to a triggering operation of the user on a shortcut key, wherein the shortcut key is associated with the speech input control.

4. The method according to claim 1, wherein a presentation of the speech input control comprises a speech bubble, a loudspeaker or a microphone.

5. The method according to claim 1, wherein the converting the speech data into display content displayable in the first input box comprises:

converting the speech data to obtain a conversion result;

modifying the conversion result based on a semantic analysis on the conversion result; and

determining the modified conversion result as the display content displayable in the first input box.

6. The method according to claim 5,

(a) wherein the determining the modified conversion result as the display content displayable in the first input box comprises:

(i) displaying the modified conversion result;

(ii) determining the conversion result selected by the user from a plurality of modified conversion results in response to a selection operation of the user for the modified conversion results; and

(iii) determining the conversion result selected by the user as the display content displayable in the first input box, and

(b) wherein:

(i) the plurality of modified conversion results have similar pronunciations, and/or

(ii) the plurality of modified conversion results are search results obtained through an intelligent search.

7. The method according to claim 1, wherein the displaying the display content in the first input box comprises:

detecting whether other display content exists in the first input box when the user inputs the speech data; and

substituting the display content for the other display content in a case where the other display content exists in the first input box.

8. An apparatus, comprising:

one or more processors; and

a storage device for storing one or more programs, wherein the one or more programs, when executed by the one or more processors, cause the one or more processors to implement the method of any one of claims 1-7.

9. A computer readable medium storing a computer program, wherein the computer program, when executed by a processor, cause the processor to implement the method of any one of claims 1-7.