




Fig. 1

2/38




Fig. 2




Fig. 3




Fig. 4




Fig. 5

6/38




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11

12/38




Fig. 12

13/38




Fig. 13




Fig. 14

15/38




Fig. 15

16/38




Fig. 16A




Fig. 16B

17/38




Fig. 17

18/38




Fig. 18A




Fig. 18B

19/38




Fig. 19A




Fig. 19B

20/38




Fig. 20A




Fig. 20B




Fig. 21A




Fig. 21B

22/38



Harvest colons
↓
Isolate lamina propria cells
↓
Cell phenotyping by FACS

Fig. 22A




Fig. 22B




Fig. 22C




Fig. 22D




Fig. 22E




Fig. 22F

25/38




Fig. 23A




Fig. 23B

26/38




Fig. 23C




Fig. 23D

27/38




Fig. 23E




Fig. 24A




Fig. 24B




Fig. 24C




Fig. 24D

29/38




Fig. 24E





Fig. 24F

30/38



= Ig hinge

= peptide linker

● Charged amino acid

○ Oppositely charged amino acid

Fig. 25

31/38

Bispecific IgG-Fab, CH1/CL swap





Fig. 26

IgG-Fab Titer: Chain Swapping
Expression Titer (293-6E) & Chain Swapping




Fig. 27

IgG-Fab Titer: Charge Pair Mutations

Expression Titer (293-6E) & CPM




Fig. 28

**IgG-Fab Purity: Chain Swaps &
Effect of Chain Swapping and CPM on HMW**





Fig. 29






Fig. 31




Fig. 32




Fig. 33