
CLAIMS

What is claimed:

1. A compound, having the structure of Formula (I):



(I)

or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof,

wherein

R^1 is H, halo, or CH_3;


Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, C_{1-6}alkyl, OC_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl, CN, and C_{3-6}cycloalkyl;


(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}alkyl, OC_{1-6}perhaloalkyl, and $(C=O)CH_3$; and

(c) thienyl substituted with one or two members independently selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

R^2 is selected from the group consisting of:


(d)  ; wherein


R^a is each independently selected from the group consisting of: H, halo, OH, C_{1-6}alkyl, C_{1-6}haloalkyl, C_{2-6}alkenyl, C_{2-6}haloalkenyl, C_{2-6}alkynyl, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, OC_{1-6}haloalkyl, OC_{1-6}alkyl, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)N(CH_3)_2$, $C(=O)CH_3$, CN, $NHSO_2CH_3$, SO_2CH_3, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidine-2-one; or two R^a members combine to form a C_{3-6}cycloalkyl or heterocycloalkyl, wherein the cycloalkyl and heterocycloalkyl is optionally substituted one or two F members;

(e)  ; wherein

R^b is each independently selected from the group consisting of: H, OH, F, OCH_3, CH_2OCH_3, and $NHC(=O)CH_3$; or two R^b members come together to form =O;

(f)

 and

(g)  , wherein

R^d is selected from the group consisting of: C_{1-6}alkyl; C_{2-6}alkenyl; C_{1-6}haloalkyl; $CH_2CH_2OCH_3$; CH_2CH_2OH; CH_2CN; NH_2; $NH\text{-}C(=O)CH_3$; C_{3-6}cycloalkyl; C_{3-6}cycloalkyl substituted with two F members; 1-methylazetidin-3-yl; and oxetan-3-yl;

R^e is H or CH_3;


n is 1 or 2; and

m is 1 or 2.

2. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^1 is H.
3. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^1 is F.
4. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^1 is CH_3.
5. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is phenyl substituted with one member


selected from the group consisting of: Cl, F, CH_3, OCH_3, CH_2F, CHF_2, CF_3, CHF_2CH_3, $OCHF_2$, CN, and cyclopropyl.

6. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:




7. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is phenyl substituted with two members each independently selected from the group consisting of: Cl, F, CH_3, CHF_2, CF_3, CHF_2CH_3, OCH_3, $OCHF_2$, and $(C{=}O)CH_3$.

8. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:




9. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is phenyl substituted with three members each independently selected from the group consisting of: halo, and CH_3.

10. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:




11. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is thienyl substituted with one or two members independently selected from: Cl, CH_3, CF_3 and CHF_2.

12. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:



13. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is selected from the group consisting of:




14. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is ; wherein


R^a is each independently selected from the group consisting of: H, Cl, F, OH, CH_3, CH_2CH_3, CH_2F, CHF_2, CF_3, $=CH_2$, $CH=CH_2$, $CH=CH(CH_3)$, $CH=CH(F)$, $CH=CF(F)$, $C^{=}CH$, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, $OCHF_2$, OCF_3, OCH_3, OCH_2CH_3, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)N(CH_3)_2$, $C(=O)CH_3$, CN, $NHSO_2CH_3$, SO_2CH_3, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidine-2-one; or two R^a members combine to form a cyclopropyl, cyclobutyl, or oxetanyl; wherein the cyclopropyl is optionally substituted one or two F members;

and n is 1 or 2.


15. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:




16. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:




17. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:




18. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:




19. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:




20. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:




21. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:



22. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^2 is selected from the group consisting of:



23. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, having the structure of Formula (IA):



(IA)

wherein

R^1 is H, F, or CH_3;

Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, C_{1-6}alkyl, OC_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl, CN, and C_{3-6}cycloalkyl;

(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}alkyl, OC_{1-6}perhaloalkyl, and $(C=O)CH_3$; and

(c) thienyl substituted with one or two members independently selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

R^a is each independently selected from the group consisting of: H, halo, OH, C_{1-6}alkyl, C_{1-6}haloalkyl, C_{2-6}alkenyl, C_{2-6}haloalkenyl, C_{2-6}alkynyl, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, OC_{1-6}haloalkyl, OC_{1-6}alkyl, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)N(CH_3)_2$, $C(=O)CH_3$,

CN, $NHSO_2CH_3$, SO_2CH_3, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidine-2-one; or two R^a members combine to form a C_{3-6}cycloalkyl or heterocycloalkyl, wherein the C_{3-6}cycloalkyl and heterocycloalkyl is optionally substituted one or two F members; and

n is 1 or 2.

24. The compound of claim 23 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein

R^1 is H, F, or CH_3;


Ar^1 is phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-4}alkyl, C_{1-4}perhaloalkyl, OC_{1-4}alkyl, and OC_{1-4}perhaloalkyl;

R^a is each independently selected from the group consisting of: H, Cl, F, OH, CH_3, CH_2CH_3, CH_2F, CHF_2, CF_3, $=CH_2$, $CH=CH_2$, $CH=CH(CH_3)$, CH=CH(F), CH=CF(F), $C^{=}CH$, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, $OCHF_2$, OCF_3, OCH_3, OCH_2CH_3, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)CH_3$, CN, $NHSO_2CH_3$, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidine-2-one; or two R^a members combine to form a cyclopropyl, cyclobutyl, or oxetanyl; wherein the cyclopropyl is optionally substituted one or two F members;

and n is 1 or 2.

25. The compound of claim 23 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein R^1 is H.

26. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, having the structure of Formula (IB):



(IB),

wherein


Ar^1 is selected from the group consisting of:

(d) phenyl substituted with one member selected from the group consisting of: halo, and C_{1-6}perhaloalkyl;

(e) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl; and

(f) thienyl independently substituted with one or two members selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

Ring (A) is selected from the group consisting of:




R^b is each independently selected from the group consisting of: H, OH, F, OCH_3, CH_2OCH_3, and $NHC(=O)CH_3$; or two R^b members come together to form =O;


n is 1 or 2; and

m is 1 or 2.

27. The compound of claim 26 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ring (A) is



28. The compound of claim 1 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, having the structure of Formula (IC):



(IC)

,

wherein

R^1 is H, F, or CH_3;

Ar^1 is selected from the group consisting of:

(d) phenyl substituted with one member selected from the group consisting of: halo, and C_{1-6}perhaloalkyl;


(e) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl; and

(f) thienyl independently substituted with one or two members selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

R^d is selected from the group consisting of: C_{1-6}alkyl; $CH_2CH{=}CH_2$; C_{1-6}haloalkyl; $CH_2CH_2OCH_3$; CH_2CH_2OH; CH_2CN; NH_2; NH-C(=O)CH_3; cyclopropyl; cyclobutyl; 3-bicyclo[1.1.1]pentanyl; 3,3-difluorocyclobutyl; 1-methylazetidin-3-yl; and oxetan-3-yl; and

R^e is H or CH_3.

29. The compound of claim 28 or a pharmaceutically acceptable salt, solvate, stereoisomer, isotopic variant, or N-oxide thereof, wherein Ar^1 is



30. A compound selected from the group consisting of:

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-hydroxy-3-(trifluoromethyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methyleneazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(methylamino)azetidin-1-yl]ethanone;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]-N-methyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(4-Fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

N,N-Dimethyl-2-[6-[6-(trifluoromethyl)-2-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

N,N-Dimethyl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-morpholino-ethanone;
1-Morpholino-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
N-Cyclopropyl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;
N-(1-Methylazetidin-3-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;
1-(3-Fluoroazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(3,3-Difluoroazetidin-1-yl)-2-[6-(2,4-difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(5-chloro-2-thienyl)-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[5-(difluoromethyl)-2-thienyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[3-fluoro-6-[5-(trifluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(3-chlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(fluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(1,1-difluoroethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(1,1-difluoroethyl)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[3-methyl-6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(3,4-dichlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(2,3-dichlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(3-chloro-2-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(Azetidin-1-yl)-2-[6-(3,4-difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[2-fluoro-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(1,1-difluoroethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]-3-methyl-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(4-chloro-3-methylphenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(4-chloro-3-methylphenyl)-3-methyl-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(2-fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethoxy)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[4-chloro-3-(difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[4-chloro-3-(difluoromethoxy)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-(4-fluoro-2-methoxy-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-(3-Acetyl-4-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(azetidin-1-yl)ethanone;
1-(Azetidin-1-yl)-2-[6-(3,4,5-trifluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[2-(trifluoromethyl)-4-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-(5-Chloro-2-thienyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(5-Chloro-2-thienyl)-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[5-(Difluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[5-(Difluoromethyl)-2-thienyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

1-(3-Fluoroazetidin-1-yl)-2-[6-[5-(trifluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3-Fluoroazetidin-1-yl)-2-[3-fluoro-6-[5-(trifluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3-Fluoroazetidin-1-yl)-2-[6-(3-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3-Fluoroazetidin-1-yl)-2-[6-(4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-(3-Chlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

1-(3-Fluoroazetidin-1-yl)-2-[6-(m-tolyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3-Fluoroazetidin-1-yl)-2-[6-[3-(fluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(1,1-Difluoroethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(2,3-Difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(2,4-Difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(3,4-Difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(3,5-Difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(3-Chloro-2-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(3-Chloro-4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

1-(3-Chloroazetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-methyl-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(1,1-Difluoroethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(1,1-Difluoroethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[4-Chloro-3-(1,1-difluoroethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[4-Chloro-3-(1,1-difluoroethyl)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[4-Chloro-3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(4-Chloro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

1-(3-Fluoroazetidin-1-yl)-2-[6-(4-fluoro-2-methoxy-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(2,4-Difluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

2-[6-(3,4-Difluoro-5-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;

1-(3-Fluoroazetidin-1-yl)-2-[6-(3,4,5-trifluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3-Fluoroazetidin-1-yl)-2-[6-[2-(trifluoromethyl)-4-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3-Methylazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

(Racemic) 1-(2-Methylazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

(Racemic) 2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(2-methylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-ethynylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-vinylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-[(Z)-prop-1-enyl]azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(fluoromethyl)azetidin-1-yl]ethanone;

1-[3-(Difluoromethyl)azetidin-1-yl]-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-[3-(Trifluoromethyl)azetidin-1-yl]-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(trifluoromethyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-[(Z)-2-fluorovinyl]azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(2,2-difluorovinyl)azetidin-1-yl]ethanone;

1-(3-Methoxyazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methoxyazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-ethoxyazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(methoxymethyl)azetidin-1-yl]ethanone;

1-[3-(Methoxymethyl)azetidin-1-yl]-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

(Racemic) 2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(1-hydroxyethyl)azetidin-1-yl]ethanone;

1-[3-(Difluoromethoxy)azetidin-1-yl]-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(trifluoromethoxy)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxyazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxyazetidin-1-yl)ethanone;

1-(3-Hydroxyazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(hydroxymethyl)azetidin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-methyl-2-thienyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-(3-Chlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoroazetidin-1-yl)ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(m-tolyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

3-[1-[2-(3,3-Difluoroazetidin-1-yl)-2-oxo-ethyl]pyrazolo[4,3-b]pyridin-6-yl]benzonitrile;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[6-(trifluoromethyl)-2-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[2-(trifluoromethyl)-4-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[5-(trifluoromethyl)-3-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(3,4-difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(3,5-difluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-(3-Chloro-4-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoroazetidin-1-yl)ethanone;

2-[6-(3-Chloro-2-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoroazetidin-1-yl)ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-fluoro-2-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(2-fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[2-fluoro-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[4-fluoro-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[2-fluoro-5-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-[2-methyl-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(4-fluoro-2-methoxy-phenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Difluoroazetidin-1-yl)-2-[6-(3,4,5-trifluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3,3-Dimethylazetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(3-Fluoro-3-methyl-azetidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-dimethylazetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoro-3-methyl-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-ethyl-3-fluoro-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-fluoro-3-(fluoromethyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methoxy-3-methyl-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-ethyl-3-hydroxy-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxy-3-methyl-azetidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-fluoro-3-(hydroxymethyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-fluoro-3-(methoxymethyl)azetidin-1-yl]ethanone;

[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxy-2-methyl-azetidin-1-yl)ethanone;

1-[2-[6-[3-(Trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidine-3-carbonitrile;

1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidine-3-carbonitrile;

1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-3-methyl-azetidine-3-carbonitrile;

1-(3-Acetylazetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]acetamide;

1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-N,N-dimethyl-azetidine-3-carboxamide;

MethylN-[1-[2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]carbamate;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]-2,2,2-trifluoro-acetamide;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]cyclopropanecarboxamide;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]methanesulfonamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methylsulfonylazetidin-1-yl)ethanone;

1-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]azetidin-3-yl]pyrrolidin-2-one;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(1H-imidazol-2-yl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[3-(4-pyridyl)azetidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-pyrimidin-4-ylazetidin-1-yl)ethanone;

1-(5-Azaspiro[2.3]hexan-5-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(2,2-Difluoro-5-azaspiro[2.3]hexan-5-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(6-Azaspiro[3.3]heptan-6-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-oxa-6-azaspiro[3.3]heptan-6-yl)ethanone;

1-(6-Oxa-2-azaspiro[3.3]heptan-2-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-(4-Fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;

1-Pyrrolidin-1-yl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-(3-Cyclopropylphenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;

2-[6-(3,5-Difluoro-4-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-pyrrolidin-1-yl-ethanone;

1-[(3R)-3-Fluoropyrrolidin-1-yl]-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-[(3S)-3-Fluoropyrrolidin-1-yl]-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

(Racemic) (R,S)-2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoropyrrolidin-1-yl)ethanone;

(Racemic) (R,S)-2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoropyrrolidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(3R)-3-fluoropyrrolidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(3S)-3-fluoropyrrolidin-1-yl]ethanone;

(Racemic) (R,S)-2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxypyrrolidin-1-yl)ethanone;

(Racemic) (R,S)-2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxypyrrolidin-1-yl)ethanone;

(Racemic) 2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-methoxypyrrolidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]ethanone;

N-[(3S)-1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]pyrrolidin-3-yl]acetamide;

N-[(3R)-1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]pyrrolidin-3-yl]acetamide;

1-(3,3-Difluoropyrrolidin-1-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoropyrrolidin-1-yl)ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3,3-difluoropyrrolidin-1-yl)ethanone;

(Racemic) 2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-hydroxy-3-methyl-pyrrolidin-1-yl)ethanone;

(Racemic) Trans-2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoro-4-hydroxy-pyrrolidin-1-yl)ethanone;

1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]pyrrolidin-3-one;

1-[2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]pyrrolidin-3-one;

1-(1-Piperidyl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

1-(4,4-Difluoro-1-piperidyl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

N-[1-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-4-piperidyl]acetamide;

2-[6-(4-Fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-1-morpholino-ethanone;

1-[(1R,5S)-3-Azabicyclo[3.1.0]hexan-3-yl]-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(1S,4S)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]ethanone;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-[(1R,4R)-2-oxa-5-azabicyclo[2.2.1]heptan-5-yl]ethanone;

(Racemic) Cis-5-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-3a,4,6,6a-tetrahydro-3H-pyrrolo[3,4-d]oxazol-2-one;

(Racemic) Cis-5-[2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetyl]-1,3,3a,4,6,6a-hexahydropyrrolo[2,3-c]pyrrol-2-one;

2-[6-[5-(Difluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

N,N-Dimethyl-2-[6-[5-(trifluoromethyl)-2-thienyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-[6-(5-Chloro-2-thienyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(5-Chloro-4-methyl-2-thienyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(Difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(Difluoromethyl)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[3-Fluoro-6-(4-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[3-Fluoro-6-(3-fluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3-Chlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

N,N-Dimethyl-2-[6-[2-(trifluoromethyl)-4-pyridyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-ethyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-ethyl-N-methyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-methyl-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[4-Chloro-3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(1,1-Difluoroethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(4-Fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

2-[3-Fluoro-6-(4-fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(4-Chloro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3-Chloro-4-fluoro-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3,4-Dichlorophenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3,5-Difluorophenyl)-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-(3,4-Difluorophenyl)-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;

2-[6-[3-(1,1-Difluoroethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;
2-[6-[3-(1,1-Difluoroethyl)phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;
2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;
2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;
2-[6-[2-Fluoro-3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-(2-methoxyethyl)-N-methyl-acetamide;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-(2-hydroxyethyl)-N-methyl-acetamide;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-N-(2,2,2-trifluoroethyl)acetamide;
N-(Cyanomethyl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;
N-Allyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;
N,N-Dimethyl-2-[6-(3,4,5-trifluorophenyl)pyrazolo[4,3-b]pyridin-1-yl]acetamide;
2-[6-(3,4-Difluoro-5-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;
2-[6-(2,4-Difluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;
N-Cyclopropyl-N-methyl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;
N-Cyclopropyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;
N-Cyclopropyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

N-Cyclopropyl-2-[3-methyl-6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-Cyclopropyl-2-[6-[3-(difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-Cyclobutyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-Cyclobutyl-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

N-Cyclobutyl-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-(3,3-Difluorocyclobutyl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-(3,3-Difluorocyclobutyl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

N-(3-Bicyclo[1.1.1]pentanyl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N-methyl-acetamide;

N-(Oxetan-3-yl)-2-[6-[3-(trifluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]acetamide;

2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-1H-pyrazolo[4,3-b]pyridin-1-yl)-1-(3-(pyridin-3-yl)azetidin-1-yl)ethan-1-one;

2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-1H-pyrazolo[4,3-b]pyridin-1-yl)-1-(3-(pyridin-2-yl)azetidin-1-yl)ethan-1-one;

Methyl (1-(2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-3-fluoro-1H-pyrazolo[4,3-b]pyridin-1-yl)acetyl)azetidin-3-yl)carbamate;

(S)-N-(1-(2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-3-fluoro-1H-pyrazolo[4,3-b]pyridin-1-yl)acetyl)pyrrolidin-3-yl)acetamide;


(R)-N-(1-(2-(6-(3-(Difluoromethyl)-4-fluorophenyl)-3-fluoro-1H-pyrazolo[4,3-b]pyridin-1-yl)acetyl)pyrrolidin-3-yl)acetamide;

1-(3-(Fluoro-18F)azetidin-1-yl)-2-(6-(3-(trifluoromethyl)phenyl)-1H-pyrazolo[4,3-b]pyridin-1-yl)ethan-1-one;

and pharmaceutically acceptable salts, solvates, stereoisomers, isotopic variants, and N-oxides thereof.

31. A compound selected from the group consisting of:
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;
2-[6-(4-Fluoro-3-methyl-phenyl)pyrazolo[4,3-b]pyridin-1-yl]-N,N-dimethyl-acetamide;
2-[6-[4-Chloro-3-(difluoromethoxy)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
1-(Azetidin-1-yl)-2-[6-[3-(difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]-3-fluoro-pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[4-Chloro-3-(difluoromethyl)phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[3-(Difluoromethoxy)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoroazetidin-1-yl)ethanone;
2-[6-[3-(Difluoromethyl)-4-fluoro-phenyl]pyrazolo[4,3-b]pyridin-1-yl]-1-(3-fluoro-3-methyl-azetidin-1-yl)ethanone;
and pharmaceutically acceptable salts, solvates, stereoisomers, isotopic variants, and N-oxides thereof.

32. A pharmaceutical composition comprising: (A) an effective amount of at least one compound selected from compounds of Formula (I):



(I)

and pharmaceutically acceptable salts, solvates, stereoisomers, isotopic variants, and N-oxides of compounds of Formula (I),

wherein

R^1 is H, halo, or CH_3;


Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, C_{1-6}alkyl, OC_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl, CN, and C_{3-6}cycloalkyl;


(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}alkyl, OC_{1-6}perhaloalkyl, and $(C=O)CH_3$; and

(c) thienyl substituted with one or two members independently selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

R^2 is selected from the group consisting of:


(d)  ; wherein

R^a is each independently selected from the group consisting of: H, halo, OH, C_{1-6}alkyl, C_{1-6}haloalkyl, C_{2-6}alkenyl, C_{2-6}haloalkenyl, C_{2-6}alkynyl, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, OC_{1-6}haloalkyl, OC_{1-6}alkyl, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)N(CH_3)_2$, $C(=O)CH_3$, CN, $NHSO_2CH_3$, SO_2CH_3, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidine-2-one; or two R^a members combine to form a C_{3-6}cycloalkyl or heterocycloalkyl, wherein the cycloalkyl and heterocycloalkyl is optionally substituted one or two F members;


(e)  ; wherein

R^b is each independently selected from the group consisting of: H, OH, F, OCH_3, CH_2OCH_3, and $NHC(=O)CH_3$; or two R^b members come together to form =O;

(f)



and



(g) , wherein

R^d is selected from the group consisting of: C_{1-6}alkyl; C_{2-6}alkenyl C_{1-6}haloalkyl; $CH_2CH_2OCH_3$; CH_2CH_2OH; CH_2CN; NH_2; NH-C(=O)CH_3; C_{3-6}cycloalkyl; C_{3-6}cycloalkyl substituted with two F members; 1-methylazetidin-3-yl; and oxetan-3-yl;

R^e is H or CH_3;


n is 1 or 2; and

m is 1 or 2;

and

(B) at least one pharmaceutically acceptable excipient.

33. A method of treating a subject suffering from or diagnosed with a disease, disorder, or medical condition mediated by GluN2B receptor activity, comprising administering to a subject in need of such treatment an effective amount of at least one compound selected from compounds of Formula (I):



(I)

and pharmaceutically acceptable salts, solvates, stereoisomers, isotopic variants, and N-oxides of compounds of Formula (I),

wherein

R^1 is H, halo, or CH_3;


Ar^1 is selected from the group consisting of:

(a) phenyl substituted with one member selected from the group consisting of: halo, C_{1-6}alkyl, OC_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}perhaloalkyl, CN, and C_{3-6}cycloalkyl;


(b) phenyl substituted with two or three members each independently selected from the group consisting of: halo, C_{1-6}alkyl, C_{1-6}perhaloalkyl, OC_{1-6}alkyl, OC_{1-6}perhaloalkyl, and $(C=O)CH_3$; and

(c) thienyl independently substituted with one or two members selected from: halo, C_{1-6}alkyl, and C_{1-6}perhaloalkyl; and pyridine substituted with CF_3;

R^2 is selected from the group consisting of:


(d)  ; wherein


R^a is each independently selected from the group consisting of: H, halo, OH, C_{1-6}alkyl, C_{1-6}haloalkyl, C_{2-6}alkenyl, C_{2-6}haloalkenyl, C_{2-6}alkynyl, CH_2OH, $CH(OH)(CH_3)$, CH_2OCH_3, OC_{1-6}haloalkyl, OC_{1-6}alkyl, $NH(CH_3)$, $NHCO_2CH_3$, $NHC(=O)CH_3$, $NHC(=O)CF_3$, NHC(=O)cyclopropyl, $N(CH_3)C(=O)CH_3$, $C(=O)N(CH_3)_2$, $C(=O)CH_3$, CN, $NHSO_2CH_3$, SO_2CH_3, 1H-imidazol-2-yl, 2-pyridyl, 3-pyridyl, 4-pyridyl, pyrimidin-4-yl, and pyrrolidine-2-one; or two R^a members combine to form a C_{3-6}cycloalkyl or heterocycloalkyl, wherein the cycloalkyl and heterocycloalkyl is optionally substituted one or two F members;

(e)  ; wherein

R^b is each independently selected from the group consisting of: H, OH, F, OCH_3, CH_2OCH_3, and $NHC(=O)CH_3$; or two R^b members come together to form =O;

(f)





(g) , wherein

R^d is selected from the group consisting of: C_{1-6}alkyl; C_{2-6}alkenyl C_{1-6}haloalkyl; $CH_2CH_2OCH_3$; CH_2CH_2OH; CH_2CN; NH_2; NH-C(=O)CH_3; C_{3-6}cycloalkyl; C_{3-6}cycloalkyl substituted with two F members; 1-methylazetidin-3-yl; and oxetan-3-yl;

R^e is H or CH_3;

n is 1 or 2; and

m is 1 or 2.

34. The method of claim 33, wherein the disorder, disease or condition mediated by the GluN2B receptor is selected from the group consisting of: bipolar disorder, major depressive disorder, treatment-resistant depression, post-partum depression, seasonal affective disorder, Alzheimer's disease, Parkinson's disease, Huntington's chorea, multiple sclerosis, cognitive impairment, head injury, spinal cord injury, stroke, epilepsy, dyskinesias, amyotrophic lateral sclerosis, neurodegeneration associated with bacterial or chronic infections, pain, diabetic neuropathy, migraine, cerebral ischemia, schizophrenia, encephalitis, autism and autism spectrum disorders, memory and learning disorders, obsessive compulsive disorder, attention deficit hyperactivity disorder (ADHD) and addictive illnesses.

35. The method of claim 33, wherein the disorder, disease or condition is selected from the group consisting of treatment-resistant depression, major depressive disorder and bipolar disorder.