


- 116 -


CLAIMS

1. A compound of general formula (I):



5 in which :

A is A1 or A2,



o is 0, 1, 2, 3 or 4,

10 R is selected from the group consisting of hydrogen, halogen, cyano, nitro, -OH, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, C₃-C₆-cycloalkyl, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl, -S-C₁-C₄-halogenoalkyl, -S(O)-C₁-C₄-halogenoalkyl and -SO₂-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms,

R_p is selected from the group consisting of hydrogen, C₁-C₄-alkyl,

15 X, Y are independently selected from the group consisting of CR⁷R⁸, O, S, and N-R⁹, wherein at least one of X and Y is CR⁷R⁸, or

X, Y form together a ring member selected from the group consisting of -C(O)-O-, -C(O)-NR⁹-, -S(O)-NR⁹-, -SO₂-NR⁹- and -SO₂-O-,

20 R¹ is selected from the group consisting of hydrogen, cyano, -CHO, -OH, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, C₃-C₆-cycloalkyl, C₃-C₆-halogenocycloalkyl having 1 to 5 halogen atoms, C₃-C₄-alkenyl, C₃-C₄-alkynyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₃-C₆-cycloalkyl-C₁-C₃-alkyl, cyano-C₁-C₄-alkyl, -NH-C₁-C₄-alkyl, -N(C₁-C₄-alkyl)₂, NH₂-C₁-C₄-alkyl-, C₁-C₄-alkyl-NH-C₁-C₄-alkyl-, (C₁-C₄-alkyl)₂N-C₁-C₄-alkyl-, C₁-C₄-alkyl-C(O)-, C₁-C₄-halogenoalkyl-C(O)- having 1 to 5 halogen atoms, C₁-C₄-alkoxy-C(O)-, benzyloxy-C(O)-, C₁-C₄-alkoxy-C₁-C₄-alkyl-C(O)-, -SO₂-C₁-C₄-alkyl, and -SO₂-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms;

25

- 117 -

phenyl-C₁-C₄-alkyl, optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from the group consisting of halogen, -OH, -NO₂, cyano, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl, -S-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, -S(O)-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms and -SO₂-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms;

heterocyclyl-C₁-C₄-alkyl, wherein the heterocyclyl substituent is selected from the group consisting of 4- to 10-membered heterocycloalkyl, 5-membered heteroaryl and 6-membered heteroaryl, each of which is optionally substituted by 1, 2 or 3 substituents independently selected from the group consisting of halogen, -OH, -NO₂, cyano, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl, -S-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, -S(O)-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms and -SO₂-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms,

R² is selected from the group consisting of tetrahydro-2H-pyran-4-yl, 3,6 dihydro-2H-pyran-4-yl, ethyl and 3-fluoroazetidin-1-yl,

R³ is hydrogen or C₁-C₄-alkyl,

R⁴ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₃-C₆-cycloalkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, C₁-C₄-alkyl-C(O)-, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl, preferably hydrogen, halogen and C₁-C₄-alkoxy, more preferably fluorine, chlorine, methoxy and isopropoxy,

R⁵ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₃-C₆-cycloalkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, C₁-C₄-alkyl-C(O)-, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl,

R⁶ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₃-C₆-cycloalkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, C₁-C₄-alkyl-C(O)-, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl,

R⁷ is selected from the group consisting of hydrogen, -OH, fluorine, C₁-C₄-alkyl and C₁-C₄-alkoxy,

R⁸ is selected from the group consisting of hydrogen, -OH, fluorine, C₁-C₄-alkyl and C₁-C₄-alkoxy,

or R⁷ and R⁸ together form an oxo group (=O),

- 118 -

or R⁷ and R⁸ form, together with the carbon atom to which they are attached, a 3- to 6-membered ring selected from the group consisting of C₃-C₆-cycloalkyl and 3- to 6-membered heterocycloalkyl,

R⁹ is selected from the group consisting of hydrogen, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms and C₁-C₄-alkoxy,

5 R¹⁰ is selected from the group consisting of hydrogen, -OH, C₁-C₄-alkyl and C₁-C₄-alkoxy,

R¹¹ is selected from the group consisting of hydrogen, C₁-C₄-alkyl and C₁-C₄-alkoxy,


or R¹⁰ and R¹¹ form, together with the carbon atom to which they are attached, a 3- to 6-membered ring selected from the group consisting of C₃-C₆-cycloalkyl and 3- to 6-membered heterocycloalkyl,

10 Q is 2,3,5-trifluorophenyl,

wherein when Y is O, S or N-R⁹, none of R⁷, R⁸, R¹⁰ and R¹¹ is -OH or C₁-C₄-alkoxy, and

wherein when X is O, S or N-R⁹, none of R⁷ and R⁸ is -OH or C₁-C₄-alkoxy,

and wherein a compound according to the formula




15 is excluded;

or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

2. The compound according to claim 1, wherein:

A is A1 or A2,



20


o is 0, 1, 2, 3 or 4,

- 119 -

- R is selected from the group consisting of hydrogen, halogen, cyano, nitro, -OH, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, C₃-C₆-cycloalkyl, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl, -S-C₁-C₄-halogenoalkyl, -S(O)-C₁-C₄-halogenoalkyl and -SO₂-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms,
- R_p is selected from the group consisting of hydrogen, C₁-C₄-alkyl,
- X, Y are independently selected from the group consisting of CR⁷R⁸, O, S, and N-R⁹, wherein at least one of X and Y is CR⁷R⁸, or
- X, Y form together a ring member selected from the group consisting of -C(O)-O-, -C(O)-NR⁹-, -S(O)-NR⁹-, -SO₂-NR⁹- and -SO₂-O-,
- R¹ is selected from the group consisting of hydrogen, cyano, -CHO, -OH, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, C₃-C₆-cycloalkyl, C₃-C₆-halogenocycloalkyl having 1 to 5 halogen atoms, C₃-C₄-alkenyl, C₃-C₄-alkynyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₃-C₆-cycloalkyl-C₁-C₃-alkyl, cyano-C₁-C₄-alkyl, -NH-C₁-C₄-alkyl, -N(C₁-C₄-alkyl)₂, NH₂-C₁-C₄-alkyl-, C₁-C₄-alkyl-NH-C₁-C₄-alkyl-, (C₁-C₄-alkyl)₂N-C₁-C₄-alkyl-, C₁-C₄-alkyl-C(O)-, C₁-C₄-halogenoalkyl-C(O)- having 1 to 5 halogen atoms, C₁-C₄-alkoxy-C(O)-, benzyloxy-C(O)-, C₁-C₄-alkoxy-C₁-C₄-alkyl-C(O)-, -SO₂-C₁-C₄-alkyl, and -SO₂-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms;
- phenyl-C₁-C₄-alkyl, optionally substituted by 1, 2, 3, 4 or 5 substituents independently selected from the group consisting of halogen, -OH, -NO₂, cyano, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl, -S-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, -S(O)-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms and -SO₂-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms;
- heterocyclyl-C₁-C₄-alkyl, wherein the heterocyclyl substituent is selected from the group consisting of 4- to 10-membered heterocycloalkyl, 5-membered heteroaryl and 6-membered heteroaryl, each of which is optionally substituted by 1, 2 or 3 substituents independently selected from the group consisting of halogen, -OH, -NO₂, cyano, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl, -S-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, -S(O)-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms and -SO₂-C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms,
- R² is selected from the group consisting of tetrahydro-2H-pyran-4-yl, 3,6 dihydro-2H-pyran-4-yl, ethyl and 3-fluoroazetidin-1-yl,

- 120 -

- R³ is hydrogen, or C₁-C₄-alkyl,
- R⁴ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, preferably hydrogen, halogen and C₁-C₄-alkoxy, more preferably fluorine, chlorine, methoxy and isopropoxy,
- R⁵ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂,
- R⁶ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂,
- R⁷ is selected from the group consisting of hydrogen, -OH, fluorine, C₁-C₄-alkyl and C₁-C₄-alkoxy,
- R⁸ is selected from the group consisting of hydrogen, -OH, fluorine, C₁-C₄-alkyl and C₁-C₄-alkoxy, or R⁷ and R⁸ together form an oxo group (=O),
- R⁹ is selected from the group consisting of hydrogen, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms and C₁-C₄-alkoxy,
- R¹⁰ is selected from the group consisting of hydrogen, -OH, C₁-C₄-alkyl and C₁-C₄-alkoxy,
- R¹¹ is selected from the group consisting of hydrogen, C₁-C₄-alkyl and C₁-C₄-alkoxy,
- Q is 2,3,5-trifluorophenyl,
- wherein when Y is O, S or N-R⁹, none of R⁷, R⁸, R¹⁰ and R¹¹ is -OH or C₁-C₄-alkoxy, and wherein when X is O, S or N-R⁹, none of R⁷ and R⁸ is -OH or C₁-C₄-alkoxy,
- and wherein a compound according to the formula




is excluded;

- or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

- 121 -

3. The compound according to claim 1 or 2, wherein:

A is A1 or A2,



o is 0, 1 or 2,

5 R is selected from the group consisting of halogen, C₁-C₄-alkyl and C₁-C₄-alkoxy, cyano, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms,

R_p is selected from the group consisting of hydrogen, C₁-C₄-alkyl,

X, Y are independently selected from the group consisting of CR⁷R⁸, O, S, and N-R⁹, wherein at least one of X and Y is CR⁷R⁸,

10 R¹ is selected from the group consisting of hydrogen, C₁-C₄-alkyl, C₃-C₆-cycloalkyl, C₃-C₄-alkenyl, C₃-C₄-alkynyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₃-C₆-cycloalkyl-C₁-C₃-alkyl, cyano-C₁-C₄-alkyl,

R² is selected from the group consisting of tetrahydro-2H-pyran-4-yl, 3,6 dihydro-2H-pyran-4-yl, ethyl and 3-fluoroazetidin-1-yl,

R³ is hydrogen or C₁-C₄-alkyl,

15 R⁴ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, preferably hydrogen, halogen and C₁-C₄-alkoxy, more preferably fluorine, chlorine, methoxy and isopropoxy,

20 R⁵ is selected from the group consisting of hydrogen, halogen, cyano, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂,

R⁶ is selected from the group consisting of hydrogen, halogen, cyano, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂,

25 R⁷ is selected from the group consisting of hydrogen and C₁-C₄-alkyl,

R⁸ is selected from the group consisting of hydrogen and C₁-C₄-alkyl,

or R⁷ and R⁸ together form an oxo group (=O),

R⁹ is C₁-C₄-alkyl,

- 122 -


R^{10} is selected from the group consisting of hydrogen, -OH, C_1 - C_4 -alkyl and C_1 - C_4 -alkoxy,

R^{11} is hydrogen,

Q is 2,3,5-trifluorophenyl,

wherein when Y is O, S or N- R^9 , R^{10} is not -OH or C_1 - C_4 -alkoxy,

5 and wherein a compound according to the formula




is excluded;

or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

10 4. The compound according to claim 1, 2 or 3, wherein:

A is A1 or A2,



o is 0, 1 or 2,

R is selected from the group consisting of halogen, C_1 - C_4 -alkyl and C_1 - C_4 -alkoxy,

15 R_p is selected from the group consisting of hydrogen, C_1 - C_4 -alkyl,

X is selected from the group consisting of CR^7R^8 , O, S, and N- R^9 ,

Y is CR^7R^8 or O,

R^1 is hydrogen or C_1 - C_4 -alkyl,


R^2 is selected from the group consisting of tetrahydro-2H-pyran-4-yl, 3,6 dihydro-2H-pyran-4-yl,
20 ethyl and 3-fluoroazetidin-1-yl,

R^3 is hydrogen or C_1 - C_4 -alkyl,

- 123 -

- R⁴ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, preferably hydrogen, halogen and C₁-C₄-alkoxy, more preferably fluorine, chlorine, methoxy and isopropoxy,
- 5 R⁵ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy,
- R⁶ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy,
- R⁷ is selected from the group consisting of hydrogen and C₁-C₄-alkyl,
- 10 R⁸ is selected from the group consisting of hydrogen and C₁-C₄-alkyl,
- or R⁷ and R⁸ together form an oxo group (=O),
- R⁹ is C₁-C₄-alkyl,
- R¹⁰ is selected from the group consisting of hydrogen, -OH and C₁-C₄-alkyl,
- R¹¹ is hydrogen,
- 15 Q is 2,3,5-trifluorophenyl,

wherein a compound according to the formula



is excluded;


or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

20


5. The compound according to claim 1, 2, 3 or 4, wherein:

A is selected from the group consisting of


- 124 -



- 125 -



preferably




5

- R^1 is hydrogen or methyl,
 R^2 is selected from the group consisting of tetrahydro-2H-pyran-4-yl, 3,6 dihydro-2H-pyran-4-yl, ethyl and 3-fluoroazetidin-1-yl,
 R^3 is hydrogen or methyl,
 R^4 is selected from the group consisting of hydrogen, fluorine, chlorine, -OH, cyano, methyl, methoxy, trifluoromethyl, trifluoromethoxy and NH_2 , preferably hydrogen, fluorine, chlorine, methoxy and isopropoxy,
 R^5 is selected from the group consisting of hydrogen, fluorine, chlorine, -OH, cyano, methyl, methoxy and trifluoromethyl,
 R^6 is selected from the group consisting of hydrogen, fluorine, chlorine, -OH, cyano, methyl and methoxy,

- 126 -

Q is 2,3,5-trifluorophenyl,

wherein a compound according to the formula




is excluded;


5 or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

6. The compound according to claim 1, 2, 3, 4 or 5, wherein:


A is selected from the group consisting of



- 127 -



preferably




5

R¹ is hydrogen or methyl,R² is selected from the group consisting of tetrahydro-2H-pyran-4-yl, 3,6 dihydro-2H-pyran-4-yl, ethyl and 3-fluoroazetidin-1-yl,R³ is hydrogen or methyl,10 R⁴ is selected from the group consisting of hydrogen, chlorine, fluorine, methyl, methoxy, isopropoxy and trifluoromethyl, preferably chlorine, fluorine, methoxy and isopropoxy,R⁵ is selected from the group consisting of hydrogen, chlorine, fluorine, -OH, cyano, methyl, trifluoromethoxy and NH₂,15 R⁶ is selected from the group consisting of hydrogen, fluorine, chlorine, -OH, cyano, methyl and methoxy,

Q is 2,3,5-trifluorophenyl,

wherein a compound according to the formula

- 128 -



is excluded;

or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

- 5 7. The compound according to any one of claims 1-6, wherein:

R² is tetrahydro-2H-pyran-4-yl,

Q is 2,3,5-trifluorophenyl,

and stereoisomers, tautomers, N-oxides, hydrates, solvates, and salts thereof, and mixtures of same.

- 10 8. The compound according to any one of claims 1-6, wherein:

R² is 3,6-dihydro-2H-pyran-4-yl,

Q is 2,3,5-trifluorophenyl,

or a stereoisomers, tautomers, N-oxides, hydrates, solvates, and salts thereof, and mixtures of same.


- 15 9. The compound according to any one of claims 1-6, wherein:

R² is ethyl,

- 15 R⁴ is selected from the group consisting of hydrogen, halogen, -OH, cyano, C₁-C₄-alkyl, C₃-C₆-cycloalkyl, C₁-C₄-halogenoalkyl having 1 to 5 halogen atoms, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-halogenoalkoxy having 1 to 5 halogen atoms, C₁-C₄-alkyl-C(O)-, -NH₂, -NH(C₁-C₄-alkyl), -N(C₁-C₄-alkyl)₂, -S-C₁-C₄-alkyl, -S(O)-C₁-C₄-alkyl, -SO₂-C₁-C₄-alkyl, preferably hydrogen, halogen and C₁-C₄-alkoxy, more preferably fluorine, chlorine, methoxy and isopropoxy,

- 20 Q is 2,3,5-trifluorophenyl,

- 129 -



with the proviso that R^4 is not hydrogen, when A is ;

and stereoisomers, tautomers, N-oxides, hydrates, solvates, and salts thereof, and mixtures of same.


10. The compound according to any one of claims 1-6, wherein:

5 R^2 is 3-fluoroazetidin-1-yl,

Q is 2,3,5-trifluorophenyl,

and stereoisomers, tautomers, N-oxides, hydrates, solvates, and salts thereof, and mixtures of same.

11. A method of preparing a compound of general formula (I) according to any one of claims 1 to 10,
 10 said method comprising the step of allowing an intermediate compound of general formula **1N** :



1N,

in which A, R^1 , R^3 , R^4 , R^5 , R^6 , and Q are as defined for the compound of general formula (I) according to any one of claims 1 to 10,


15 to react with a compound of general formula **1F** :

R^2H

1F,

in which R^2 is 3-fluoroazetidine,

thereby giving a compound of general formula (I) :




(I),

- 130 -

in which A, R¹, R³, R⁴, R⁵, R⁶, and Q are as defined for the compound of general formula (I) according to any one of claims 1 to 10 and R² is 3-fluoroazetidine,


or the step of allowing an intermediate compound of general formula **1T** :



5

1T,


in which A, R¹, R², R³, R⁴, R⁵ and R⁶ are as defined for the compound of general formula (I) according to any one of claims 1 to 10, and in which Hal is halogen, particularly chlorine, bromine or iodine,



with the proviso that R⁴ is not hydrogen when R² is ethyl and when A is


to react with a compound of general formula **1H** :

10

**1H**,

in which Q is 2,3,5-trifluorophenyl, and each R may be individually H or Me or both R are pinacolate,

thereby giving a compound of general formula (I) :




15

(I),


in which A, R¹, R², R³, R⁴, R⁵, R⁶, and Q are as defined for the compound of general formula (I) according to any one of claims 1 to 10,

or the step of allowing an intermediate compound of general formula **1W** :

- 131 -

**1W,**

in which Q, R², R³, R⁴, R⁵ and R⁶ are as defined for the compound of general formula (I) according to any one of claims 1 to 10,




- 5 with the proviso that R⁴ is not hydrogen when R² is ethyl and when A is to react with a compound of general formula **1M** :

**1M,**

- 10 in which R¹ and A are as defined for the compound of general formula (I) according to any one of claims 1 to 10,


thereby giving a compound of general formula (I) :



(I),

- 15 in which A, R¹, R², R³, R⁴, R⁵, R⁶, and Q are as defined for the compound of general formula (I) according to any one of claims 1 to 10,

or the step of allowing an intermediate compound of general formula **1N** :

**1N,**

- 132 -

in which Q, A, R¹, R³, R⁴, R⁵ and R⁶ are as defined for the compound of general formula (I) according to any one of claims 1 to 10,


to react with a compound of general formula **2A** :



5

2A,


in which R² is ethyl, or 3,6-dihydro-2H-pyran-4-yl,



with the proviso that R⁴ is not hydrogen when R² is ethyl and when A is

Met is magnesium or zinc, and X is chlorine, bromine or iodine,


thereby giving a compound of general formula (I) :



10

(I),


in which A, R¹, R³, R⁴, R⁵, R⁶, and Q are as defined for the compound of general formula (I) according to any one of claims 1 to 10 and R² is ethyl, or 3,6-dihydro-2H-pyran-4-yl, with the proviso that R⁴ is



not hydrogen when R² is ethyl and when A is

15

12. A compound of general formula (II):



(II),

in which :

- 133 -

R² is -OH or as defined for the compound of general formula (I) according to any one of claims 1 to 10,

R³, R⁴, R⁵, R⁶, and Q are as defined for the compound of general formula (I) according to any one of claims 1 to 10, and

5 R^A is H or C₁-C₄-alkyl,

or a stereoisomer, a tautomer, an N-oxide, a hydrate, a solvate, or a salt thereof, or a mixture of same.

13. A pharmaceutical composition comprising a compound of general formula (I) according to any one of claims 1 to 10 and one or more pharmaceutically acceptable excipients.

10

14. A compound of general formula (I) according to any one of claims 1 to 10 or a pharmaceutical composition according to claim 13 for use in the control, treatment and/or prevention of a disease.

15. The compound or the pharmaceutical composition according to claim 14, wherein the disease is a helminthic infection.

16. Use of a compound of general formula (I) according to any one of claims 1 to 10 for the control, treatment and/or prevention of a disease.

20 17. Use of a compound of general formula (I) according to any one of claims 1 to 10 for the preparation of a medicament for the control, treatment and/or prevention of a disease.

25 18. Method for controlling helminth infections in humans and/or animals by administering an anthelmintically effective amount of at least one compound of general formula (I) according to any one of claims 1 to 10 to a human or an animal in need thereof.