
Claims

1. A compound of formula (I):



(I)

or a pharmaceutically acceptable salt, solvate or polymorph thereof, including all tautomers and stereoisomers thereof wherein:

R^1 represents heteroaryl, -carbocyclyl-heteroaryl, -C_{2-6}alkenylheteroaryl, -C_{1-6}alkylheteroaryl, or $(CH_2)_aCR^5R^6(CH_2)_b$heteroaryl wherein a and b independently represent integers 0-5 provided that a + b = 0-5 and R^5 and R^6 are alkylene which together with the carbon to which they are attached form a C_3-C_5 cycloalkyl group;

in which any of aforesaid heteroaryl groups may optionally be substituted by one or more groups selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{1-6}haloalkyl, -C_{1-6}thioalkyl, -SOC_{1-4}alkyl, -SO_2C_{1-4}alkyl, C_{1-6}alkoxy-, -O-C_{3-8}cycloalkyl, C_{3-8}cycloalkyl, -SO_2C_{3-8}cycloalkyl, -SOC_{3-6}cycloalkyl, C_{3-6}alkenyloxy-, C_{3-6}alkynyloxy-, -$C(O)C_{1-6}$alkyl, -$C(O)OC_{1-6}$alkyl, C_{1-6}alkoxy-C_{1-6}alkyl-, nitro, halogen, cyano, hydroxyl, -C(O)OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$C(O)N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$C(O)NH_2$, -$C(O)NH(C_{1-4}alkyl)$ and -$C(O)NH(C_{3-10}cycloalkyl)$;

and in which any of aforesaid carbocyclyl groups may optionally be substituted by one or more groups selected from C_{1-4}alkyl, oxo, halogen and C_{1-4}alkoxy;

R^2 represents H, C_{1-8}alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, -C_{1-4}alkylaryl, -C_{1-4}alkylheteroaryl, -C_{1-4}alkylcarbocyclyl or -C_{1-4}alkylheterocyclyl;

in which any of aforesaid aryl and heteroaryl groups may optionally be substituted by one or more groups selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{1-6}haloalkyl, -C_{1-6}thioalkyl, -SOC_{1-4}alkyl, -SO_2C_{1-4}alkyl, C_{1-6}alkoxy-, -O-C_{3-8}cycloalkyl, C_{3-8}cycloalkyl, -SO_2C_{3-8}cycloalkyl, -SOC_{3-6}cycloalkyl, C_{3-6}alkenyloxy-, C_{3-6}alkynyloxy-, -$C(O)C_{1-6}$alkyl, -$C(O)OC_{1-6}$alkyl, C_{1-6}alkoxy-C_{1-6}alkyl-, C_{1-6}alkoxy-C_{1-6}alkoxy-, nitro, halogen, haloC_{1-6}alkyl, haloC_{1-6}alkoxy, cyano, hydroxyl, -C(O)OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$N(C_{1-4}alkyl)(C_{1-4}alkyl)$-$N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$C_{1-4}$alkyl-$N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$C_{1-4}$alkoxy-$N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$N(C_{3-8}cycloalkyl)(C_{3-8}cycloalkyl)$, -$N(-C_{1-6}alkyl-C_{1-6}alkoxy)(-C_{1-6}alkyl-C_{1-6}alkoxy)$, -$C(O)N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$C(O)NH_2$, -$C(O)NH(C_{1-4}alkyl)$ and -$C(O)NH(C_{3-10}cycloalkyl)$;

and in which any of aforesaid carbocyclyl and heterocyclyl groups may optionally be substituted by one or more groups selected from C_{1-4}alkyl, oxo, halogen, -C(O)C_{1-6}alkyl and C_{1-4}alkoxy;

or R^2 represents phenyl substituted by phenyl, phenyl substituted by a monocyclic heteroaryl group, phenyl substituted by phenoxy, phenyl substituted by heterocyclyl, phenyl substituted by heterocyclyl wherein said heterocyclyl is substituted by phenyl, phenyl substituted by –O-C_{1-4}alkyl-heterocyclyl, phenyl substituted by benzyloxy, phenyl substituted by carbocyclyl, phenyl substituted by carbocyclyl wherein said carbocyclyl is substituted by heterocyclyl, phenyl substituted by –O-carbocyclyl, heterocyclyl substituted by phenyl, carbocyclyl substituted by phenyl, phenyl fused to carbocyclyl, phenyl fused to heterocyclyl, -C_{1-4}alkyl(phenyl substituted by phenyl), -C_{1-4}alkyl(phenyl substituted by a monocyclic heteroaryl group), -C_{1-4}alkyl(phenyl substituted by a monocyclic heterocyclyl group), -C_{1-4}alkyl(phenyl substituted by an –O-carbocyclyl group), -C_{1-4}alkyl(phenyl substituted by benzyloxy), -C_{1-4}alkyl(optionally substituted phenyl fused to optionally substituted carbocyclyl or -C_{1-4}alkyl(optionally substituted phenyl fused to optionally substituted heterocyclyl);

in which any of aforesaid phenyl, benzyloxy and heteroaryl groups may optionally be substituted by one or more groups selected from C_{1-4}alkyl, halogen and C_{1-4}alkoxy,

and in which any of aforesaid carbocyclyl and heterocyclyl groups may optionally be substituted by one or more groups selected from methyl, phenyl, oxo, halogen, hydroxyl and C_{1-4}alkoxy;

R^3 represents H, -C_{1-4}alkyl or aryl;

in which aforesaid aryl may optionally be substituted by one or more groups selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{1-6}haloalkyl, -C_{1-6}thioalkyl, -SOC_{1-4}alkyl, -SO_2C_{1-4}alkyl, C_{1-6}alkoxy-, -O-C_{3-8}cycloalkyl, C_{3-8}cycloalkyl, -SO_2C_{3-8}cycloalkyl, -SOC_{3-6}cycloalkyl, C_{3-6}alkenyloxy-, C_{3-6}alkynyloxy-, -C(O)C_{1-6}alkyl, -C(O)OC_{1-6}alkyl, C_{1-6}alkoxy-C_{1-6}alkyl-, nitro, halogen, cyano, hydroxyl, -C(O)OH, -NH_2, -NHC_{1-4}alkyl, -N(C_{1-4}alkyl)(C_{1-4}alkyl), -C(O)N(C_{1-4}alkyl)(C_{1-4}alkyl), -C(O)NH_2, -C(O)NH(C_{1-4}alkyl) and, -C(O)NH(C_{3-10}cycloalkyl);

or R^2 and R^3 are joined to form a carbocyclyl ring which is optionally substituted by one or more C_{1-2}alkyl groups;

or R^2 and R^3 are joined to form a carbocyclyl ring which is fused to phenyl, wherein aforesaid carbocyclyl and/or phenyl may optionally be substituted by one or more groups selected from C_{1-4}alkyl, halogen and C_{1-4}alkoxy;

or R^2 and R^3 are joined to form a carbocyclyl ring which is fused to monocyclic heteroaryl, wherein aforesaid carbocyclyl and/or heteroaryl may optionally be substituted by one or more groups selected from C_{1-4}alkyl, halogen and C_{1-4}alkoxy;

X represents C=O, O, S, CR^7R^8, -O-CH_2- or –CH_2-CH_2-;

Y represents CHR^9, C=O or C=S;

Z represents –N-R^4, O or CHR^{10}, such that when X represents O or S, Z must represent CHR^{10};

or X and Z represent two adjacent carbon atoms of a phenyl ring which is fused in that position and which is optionally substituted by one or more halogen or C_{1-2}alkyl groups;

R^4 represents H, -C_{1-8}alkyl, -C(O)C_{1-6}alkyl or –NH_2;

R^7 and R^8 independently represent H, -C_{1-4} alkyl or aryl;

in which said aforesaid aryl may be optionally substituted by C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{1-6}haloalkyl, -C_{1-6}thioalkyl, -SOC_{1-4}alkyl, -SO_2C_{1-4}alkyl, C_{1-6}alkoxy-, -O-C_{3-8}cycloalkyl, C_{3-8}cycloalkyl, -SO_2C_{3-8}cycloalkyl, -SOC_{3-6}cycloalkyl, C_{3-6}alkenyloxy-, C_{3-6}alkynyloxy-, -C(O)C_{1-6}alkyl, -C(O)OC_{1-6}alkyl, C_{1-6}alkoxy-C_{1-6}alkyl-, nitro, halogen, cyano, hydroxyl, -C(O)OH, -NH_2, -NHC_{1-4}alkyl, -N(C_{1-4}alkyl)(C_{1-4}alkyl), -C(O)N(C_{1-4}alkyl)(C_{1-4}alkyl), -C(O)NH_2, -C(O)NH(C_{1-4}alkyl) and, -C(O)NH(C_{3-10}cycloalkyl);


R^9 and R^{10} independently represent H or methyl;

provided that the moiety –Y-Z-X- represents a moiety other than –C(=O)-N(-R^4)-C(=O)- or -C(=S)-N(-R^4)-C(=O)-.

2. A compound according to claim 1, wherein R^1 represents unsubstituted heteroaryl or heteroaryl optionally substituted by one or more C_{1-6} alkyl (e.g. methyl), halogen (e.g. fluorine) or C_{1-6} haloalkyl (e.g. trifluoromethyl) groups.

3. A compound according to claim 2, wherein R^1 represents a phenyl ring fused to a 5-membered heteroaryl ring wherein R^1 is linked to the core of formula (I) through the phenyl ring.


4. A compound according to claim 2 or claim 3 wherein R^1 represents




wherein B represents a bond, $-CH_2-$, $-CH_2-CH_2-$, -CH(Me)-, -CH(Me)-CH_2- or $-CH_2$-CH(Me)- and

R^{14} and R^{15} independently represent H or C_{1-2}alkyl.

5. A compound according to claim 4 wherein R^1 represents




or



.

6. A compound according to claim 5 wherein R^1 represents



.

7. A compound according to any one of claims 1 to 6 wherein R^2 represents aryl, heteroaryl, phenyl substituted by phenyl, phenyl fused to heterocyclyl or R^2 and R^3 are joined to form a carbocyclyl ring which is fused to phenyl;
the aforesaid aryl, heteroaryl, phenyl, heterocyclyl and carbocyclyl optionally being substituted.

8. A compound according to claim 7 wherein R^2 represents aryl, heteroaryl, phenyl substituted by phenyl or phenyl fused to heterocyclyl; the aforesaid aryl, heteroaryl, phenyl and heterocyclyl optionally being substituted.

9. A compound according to claim 8 wherein R^2 represents optionally substituted aryl.

10. A compound according to claim 9 wherein R^2 represents phenyl optionally substituted by one or more groups selected from C_{1-6} alkyl, C_{1-6} alkoxy, hydroxyl, haloC_{1-6} alkyl, haloC_{1-6} alkoxy, halogen, C_{1-6}alkoxy-C_{1-6}alkyl-, C_{1-6}alkoxy-C_{1-6}alkoxy-, -N(C_{1-4}alkyl)(C_{1-4}alkyl)-N(C_{1-4}alkyl)(C_{1-4}alkyl), -N(C_{1-4}alkyl)(C_{1-4}alkyl), -N(C_{3-8}cycloalkyll)(C_{3-8}cycloalkyl), -C_{1-4}alkyl-N(C_{1-}

$_4$alkyl)(C_{1-4}alkyl), -C_{1-4}alkoxy-N(C_{1-4}alkyl)(C_{1-4}alkyl), -N(-C_{1-6}alkyl-C_{1-6}alkoxy)(-C_{1-6}alkyl-C_{1-6}alkoxy).

11. A compound according to claim 10 wherein R^2 represents phenyl optionally substituted by one or more groups selected from methyl, methoxy, ethoxy, propoxy, butoxy, pentoxy, isopropyloxy, hydroxyl, trifluoromethyl, tetrafluoroethyloxy, chlorine, fluorine, –$(CH_2)_3$-OMe,–O-$(CH_2)_2$-OMe, –N(Me)-$(CH_2)_2$-N$(Me)_2$, –N(ethyl)(ethyl)), –N(cyclopropyl)(cyclopropyl)), –$(CH_2)_3$-N(methyl)(methyl), –O$(CH_2)_2$-N(methyl)(methyl)), –N($(CH_2)_2$OMe)$(CH_2)_2$OMe)).

12. A compound according to claim 11 wherein R^2 represents phenyl optionally substituted by one or more C_{1-6} alkoxy groups.

13. A compound according to claim 12 wherein R^2 represents phenyl optionally substituted by one or more groups selected from methoxy, ethoxy, propoxy, butoxy, pentoxy or isopropyloxy.

14. A compound according to claim 13 wherein R^2 represents phenyl optionally substituted by a propoxy group.

15. A compound according to any one of claims 1 to 14 wherein R^3 represents H.

16. A compound according to any one of claims 1 to 15 wherein R^4 represents H.

17. A compound according to any one of claims 1 to 16 wherein X represents CR^7R^8, Y represents C=O and Z represents –N-R^4.

18. A compound according to claim 16 wherein X represents CH_2, Y represents C=O and Z represents –NH.

19. A compound according to any one of claims 1 to 16 wherein X represents C=O, Y represents CHR^9 and Z represents –N-R^4.

20. A compound according to any one of claims 1 to 16 wherein X represents CR^7R^8, Y represents C=O and Z represents O.

21. A compound according to any one of claims 1 to 16 wherein X represents CR^7R^8, Y represents CHR^9 and Z represents CHR^{10}.

22. A compound according to any one of claims 1 to 16 wherein X represents S, Y represents C=O and Z represents CHR^{10}.

23. A compound according to any one of claims 1 to 16 wherein X represents S, Y represents C=S and Z represents CHR^{10}.

24. A compound according to any one of claims 1 to 16 wherein X represents CR^7R^8, Y represents C=O and Z represents CHR^{10}.

25. A compound according to any one of claims 1 to 16 wherein X and Z represent two adjacent carbon atoms of a phenyl ring which is fused in that position and is optionally substituted by one or more halogen or C_{1-2}alkyl groups, such as 2,5-dichlorophenyl or 3,4 dichlorophenyl, and Y represents C=O.

26. A compound according to any one of claims 1 to 16 wherein X represents $-O-CH_2-$, Y represents CO and Z represents CHR^{10}.

27. A compound according to any one of claims 1 to 16 wherein X represents $-CH_2-CH_2-$, Y represents CO and Z represents O.

28. A compound according to any one of examples 1 to 235 or a pharmaceutically acceptable salt, solvate or polymorph thereof, including all tautomers and stereoisomers.

29. A compound according to any one of examples 12 to 14 or a pharmaceutically acceptable salt, solvate or polymorph thereof, including all tautomers and stereoisomers.

30. A compound according to claims 1 to 29 for use as a medicament.

31. A pharmaceutical composition comprising a compound according to any one of claims 1 to 29 optionally in combination with one or more therapeutically acceptable diluents or carriers.

32. The pharmaceutical composition of claim 31, which comprises additionally at least one compound, selected from the group consisting of neuroprotectants, antiparkinsonian drugs, amyloid protein deposition inhibitors, beta amyloid synthesis inhibitors, antidepressants, anxiolytic drugs, antipsychotic drugs and anti-multiple sclerosis drugs.

33. The pharmaceutical composition of claim 31 or 32, which comprises additionally at least one compound, selected from the group consisting of PEP-inhibitors, LiCl, inhibitors of inhibitors of DP IV or DP IV-like enzymes, acetylcholinesterase (ACE) inhibitors, PIMT enhancers, inhibitors of beta secretases, inhibitors of gamma secretases, inhibitors of neutral endopeptidase, inhibitors of Phosphodiesterase-4 (PDE-4), TNFalpha inhibitors, muscarinic M1 receptor antagonists, NMDA receptor antagonists, sigma-1 receptor inhibitors, histamine H3 antagonists, immunomodulatory agents, immunosuppressive agents or an agent selected from the group consisting of antegren (natalizumab), Neurelan (fampridine-SR), campath (alemtuzumab), IR 208, NBI 5788/MSP 771 (tiplimotide), paclitaxel, Anergix.MS (AG 284), SH636, Differin (CD 271, adapalene), BAY 361677 (interleukin-4), matrix-metalloproteinase-inhibitors, interferon-tau (trophoblastin) and SAIK-MS.

34. A compound according to any one of claims 1 to 29 or a pharmaceutical composition according to any one of claims 31 to 33 for use in the treatment of a disease selected from the group consisting of Kennedy's disease, duodenal cancer with or without *Helicobacter pylori* infections, colorectal cancer, Zolliger-Ellison syndrome, gastric cancer with or without *Helicobacter pylori* infections, pathogenic psychotic conditions, schizophrenia, infertility, neoplasia, inflammatory host responses, cancer, malign metastasis, melanoma, psoriasis, impaired humoral and cell-mediated immune responses, leukocyte adhesion and migration processes in the endothelium, impaired food intake, impaired sleep-wakefulness, impaired homeostatic regulation of energy metabolism, impaired autonomic function, impaired hormonal balance or impaired regulation of body fluids, multiple sclerosis, the Guillain-Barré syndrome and chronic inflammatory demyelinizing polyradiculoneuropathy.

35. A compound according to any one of claims 1 to 29 or a pharmaceutical composition according to any one of claims 31 to 33 for use in the treatment of a disease selected from the group consisting of mild cognitive impairment, Alzheimer's disease, Familial British Dementia, Familial Danish Dementia, neurodegeneration in Down Syndrome and Huntington's disease.

36. A compound according to any one of claims 1 to 29 or a pharmaceutical composition according to any one of claims 31 to 33 for use in the treatment of a disease selected from the group consisiting of rheumatoid arthritis, atherosclerosis, pancreatitis and restenosis.


37. A method of treatment or prevention of a disease selected from the group consisting of Kennedy's disease, ulcer disease, duodenal cancer with or without *Helicobacter pylori* infections, colorectal cancer, Zolliger-Ellison syndrome, gastric cancer with or without *Helicobacter pylori* infections, pathogenic psychotic conditions, schizophrenia, infertility, neoplasia, inflammatory host responses, cancer, malign metastasis, melanoma, psoriasis, impaired humoral and cell-mediated immune responses, leukocyte adhesion and migration processes in the endothelium, impaired food intake, impaired sleep-wakefulness, impaired homeostatic regulation of energy metabolism, impaired autonomic function, impaired hormonal balance or impaired regulation of body fluids, multiple sclerosis, the Guillain-Barré syndrome and chronic inflammatory demyelinizing polyradiculoneuropathy, which comprises administering to a subject an effective amount of a compound according to any one of claims 1 to 29 or a pharmaceutical composition according to any one of claims 31 to 33.

38. A method of treatment or prevention of a disease selected from the group consisting of mild cognitive impairment, Alzheimer's disease, Familial British Dementia, Familial Danish Dementia, neurodegeneration in Down Syndrome and Huntington's disease, which comprises administering to a subject an effective amount of a compound according to any one of claims 1 to 29 or a pharmaceutical composition according to any one of claims 31 to 33.

39. A method of treatment or prevention of a disease selected from the group consisting of rheumatoid arthritis, atherosclerosis, pancreatitis and restenosis, which comprises administering to a subject an effective amount of a compound according to any one of claims 1 to 29 or a pharmaceutical composition according to any one of claims 31 to 33.

40. A process for preparation of a compound of formula (I) according to any one of claims 1 to 29, which comprises:


(a) preparing a compound of formula (I) from a compound of formula (II):



(II)

wherein R^2, R^3, X, Y and Z are as defined in claim 1;


(b) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO, Z represents $-N-R^4$ and X represents CR^7R^8 and R^8 represents hydrogen by hydrogenation of a compound of formula (III):



(III)

wherein R^1, R^2, R^4 and R^7 are as defined in claim 1;


(c) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO, Z represents CH_2 and X represents CH_2 by hydrogenation of a compound of formula (IV):



(IV)

wherein R^1 and R^2 are as defined in claim 1;


(d) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO, Z represents –N-R^4 and X represents CH_2 from a compound of formula (V):



(V)

wherein R^1, R^2 and R^4 are as defined in claim 1;


(e) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CH_2, Z represents –N-R^4 and X represents CO from a compound of formula (VI):



(VI)

wherein R^1, R^2 and R^4 are as defined in claim 1;

(f) preparing a compound of formula (I) wherein R^1 represents 1H-benzo[d]imidazol-5-yl, R^3 represents hydrogen, Y represents CO, Z represents –NH and X represents CH_2 from a compound of formula (VII):




(VII)

wherein R^2 is as defined in claim 1;

(g) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO and X and Z are joined to form a carbocyclic ring or else X and Z represent two adjacent

carbon atoms of a phenyl ring which is fused in that position and is optionally substituted by one or more halogen or C_{1-2}alkyl groups, from a compound of formula (VIII):



(VIII)

wherein R^1, R^2, X and Z are as defined in claim 1;

(h) preparing a compound of formula (I) wherein X represents S, for example a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO, Z represents $-CH_2$ and X represents S from a corresponding compound in which X represents O;

(i) preparing a compound of formula (I) wherein R^4 represents $-NH_2$ from a corresponding compound of formula (I) wherein R^4 represents H by treatment with nitrite followed by reduction;


(j) preparing a compound of formula (I) wherein R^4 represents $-C_{1-8}$alkyl or $-C(O)C_{1-6}$alkyl from a corresponding compound of formula (I) wherein R^4 represents H by treatment with an alkylating or alkanoylating agent;

(k) interconversion of compounds of formula (I); or

(l) deprotecting a compound of formula (I) which is protected.

CLAIMS

1. A compound of formula (I):



(I)

or a pharmaceutically acceptable salt, solvate or polymorph thereof, including all tautomers and stereoisomers thereof, wherein:

(a) R^1 represents heteroaryl, -carbocyclyl-heteroaryl, -C_{2-6}alkenylheteroaryl, -C_{1-6}alkylheteroaryl, or $(CH_2)_aCR^5R^6(CH_2)_b$ heteroaryl wherein a and b independently represent integers 0-5 provided that a + b = 0-5 and R^5 and R^6 are alkylene which together with the carbon to which they are attached form a C_3-C_5 cycloalkyl group;

in which any of aforesaid heteroaryl groups may optionally be substituted by one or more groups selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{1-6}haloalkyl, -C_{1-6}thioalkyl, -SOC_{1-4}alkyl, -SO_2C_{1-4}alkyl, C_{1-6}alkoxy-, -O-C_{3-8}cycloalkyl, C_{3-8}cycloalkyl, -SO_2C_{3-8}cycloalkyl, -SOC_{3-6}cycloalkyl, C_{3-6}alkenyloxy-, C_{3-6}alkynyloxy-, -$C(O)C_{1-6}$alkyl, -$C(O)OC_{1-6}$alkyl, C_{1-6}alkoxy-C_{1-6}alkyl-, nitro, halogen, cyano, hydroxyl, -C(O)OH, $-NH_2$, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$C(O)N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$C(O)NH_2$, -$C(O)NH(C_{1-4}alkyl)$ and -$C(O)NH(C_{3-10}cycloalkyl)$; and

in which any of aforesaid carbocyclyl groups may optionally be substituted by one or more groups selected from C_{1-4}alkyl, oxo, halogen and C_{1-4}alkoxy;

(b) R^2 and R^3 are independently selected as follows,

(i) R^2 represents

(1) H, C_{1-8}alkyl, aryl, heteroaryl, carbocyclyl, heterocyclyl, -C_{1-4}alkylaryl, -C_{1-4}alkylheteroaryl, -C_{1-4}alkylcarbocyclyl or -C_{1-4}alkylheterocyclyl;

in which any of aforesaid aryl and heteroaryl groups may optionally be substituted by one or more groups selected from C_{1-6}alkyl, C_{2-}

$_6$alkenyl, C_{2-6}alkynyl, C_{1-6}haloalkyl, -C_{1-6}thioalkyl, -SOC_{1-4}alkyl, -SO_2C_{1-4}alkyl, C_{1-6}alkoxy-, -O-C_{3-8}cycloalkyl, C_{3-8}cycloalkyl, -SO_2C_{3-8}cycloalkyl, -SOC_{3-6}cycloalkyl, C_{3-6}alkenyloxy-, C_{3-6}alkynyloxy-, -$C(O)C_{1-6}$alkyl, -$C(O)OC_{1-6}$alkyl, C_{1-6}alkoxy-C_{1-6}alkyl-, C_{1-6}alkoxy-C_{1-6}alkoxy-, nitro, halogen, haloC_{1-6}alkyl, haloC_{1-6}alkoxy, cyano, hydroxyl, -C(O)OH, $-NH_2$, -NHC_{1-4}alkyl, -$N(C_{1-4}$alkyl)(C_{1-4}alkyl), -$N(C_{1-4}$alkyl)(C_{1-4}alkyl)-$N(C_{1-4}$alkyl)(C_{1-4}alkyl), -C_{1-4}alkyl-$N(C_{1-4}$alkyl)(C_{1-4}alkyl), -C_{1-4}alkoxy-$N(C_{1-4}$alkyl)(C_{1-4}alkyl), -$N(C_{3-8}$cycloalkyl)(C_{3-8}cycloalkyl), -N(-C_{1-6}alkyl-C_{1-6}alkoxy)(-C_{1-6}alkyl-C_{1-6}alkoxy), -$C(O)N(C_{1-4}$alkyl)(C_{1-4}alkyl), -$C(O)NH_2$, -$C(O)NH(C_{1-4}$alkyl) and -$C(O)NH(C_{3-10}$cycloalkyl); and

in which any of aforesaid carbocyclyl and heterocyclyl groups may optionally be substituted by one or more groups selected from C_{1-4}alkyl, oxo, halogen, -$C(O)C_{1-6}$alkyl and C_{1-4}alkoxy; or

(2) phenyl substituted by phenyl, phenyl substituted by a monocyclic heteroaryl group, phenyl substituted by phenoxy, phenyl substituted by heterocyclyl, phenyl substituted by heterocyclyl wherein said heterocyclyl is substituted by phenyl, phenyl substituted by –O-C_{1-4}alkyl-heterocyclyl, phenyl substituted by benzyloxy, phenyl substituted by carbocyclyl, phenyl substituted by carbocyclyl wherein said carbocyclyl is substituted by heterocyclyl, phenyl substituted by –O-carbocyclyl, heterocyclyl substituted by phenyl, carbocyclyl substituted by phenyl, phenyl fused to carbocyclyl, phenyl fused to heterocyclyl, -C_{1-4}alkyl(phenyl substituted by phenyl), -C_{1-4}alkyl(phenyl substituted by a monocyclic heteroaryl group), -C_{1-4}alkyl(phenyl substituted by a monocyclic heterocyclyl group), -C_{1-4}alkyl(phenyl substituted by an –O-carbocyclyl group), -C_{1-4}alkyl(phenyl substituted by benzyloxy), -C_{1-4}alkyl(optionally substituted phenyl fused to optionally substituted carbocyclyl or -C_{1-4}alkyl(optionally substituted phenyl fused to optionally substituted heterocyclyl);

in which any of aforesaid phenyl, benzyloxy and heteroaryl groups may optionally be substituted by one or more groups selected from C_{1-4}alkyl, halogen and C_{1-4}alkoxy, and

in which any of aforesaid carbocyclyl and heterocyclyl groups may optionally be substituted by one or more groups selected from methyl, phenyl, oxo, halogen, hydroxyl and C_{1-4}alkoxy; and

(ii) R^3 represents H, -C_{1-4}alkyl or aryl;

in which aforesaid aryl may optionally be substituted by one or more groups selected from C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{1-6}haloalkyl, -C_{1-6}thioalkyl, -SOC_{1-4}alkyl, -SO_2C_{1-4}alkyl, C_{1-6}alkoxy-, -O-C_{3-8}cycloalkyl, C_{3-8}cycloalkyl, -SO_2C_{3-8}cycloalkyl, -SOC_{3-6}cycloalkyl, C_{3-6}alkenyloxy-, C_{3-6}alkynyloxy-, -$C(O)C_{1-6}$alkyl, -$C(O)OC_{1-6}$alkyl, C_{1-6}alkoxy-C_{1-6}alkyl-, nitro, halogen, cyano, hydroxyl, -C(O)OH, -NH_2, -NHC_{1-4}alkyl, -$N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$C(O)N(C_{1-4}alkyl)(C_{1-4}alkyl)$, -$C(O)NH_2$, -$C(O)NH(C_{1-4}alkyl)$ and, -$C(O)NH(C_{3-10}cycloalkyl)$; or

(c) R^2 and R^3 are jointly selected as follows,

(1) R^2 and R^3 are joined to form a carbocyclyl ring which is optionally substituted by one or more C_{1-2}alkyl groups;

(2) R^2 and R^3 are joined to form a carbocyclyl ring which is fused to phenyl, wherein aforesaid carbocyclyl and/or phenyl may optionally be substituted by one or more groups selected from C_{1-4}alkyl, halogen and C_{1-4}alkoxy; or

(3) R^2 and R^3 are joined to form a carbocyclyl ring which is fused to monocyclic heteroaryl, wherein aforesaid carbocyclyl and/or heteroaryl may optionally be substituted by one or more groups selected from C_{1-4}alkyl, halogen and C_{1-4}alkoxy;

(d) X and Z are independently selected as follows,

(i) X represents C=O, O, CR^7R^8, -O-CH_2- or –CH_2-CH_2-; and

(ii) Z represents –N-R^4, O or CHR^{10}, such that when X represents O, Z must represent CHR^{10}; or

(e) X and Z are jointly selected to represent two adjacent carbon atoms of a phenyl ring which is fused in that position and which is optionally substituted by one or more halogen or C_{1-2}alkyl groups; and

(f) Y represents CHR^9, C=O or C=S;

wherein,

R^4 represents H, -C_{1-8}alkyl, -$C(O)C_{1-6}$alkyl or –NH_2;

R^7 and R^8 independently represent H, -C_{1-4} alkyl or aryl;

in which said aforesaid aryl may be optionally substituted by C_{1-6}alkyl, C_{2-6}alkenyl, C_{2-6}alkynyl, C_{1-6}haloalkyl, -C_{1-6}thioalkyl, -SOC_{1-4}alkyl, -SO_2C_{1-4}alkyl, C_{1-6}alkoxy-, -O-C_{3-8}cycloalkyl, C_{3-8}cycloalkyl, -SO_2C_{3-8}cycloalkyl, -SOC_{3-}

$_{6}$cycloalkyl, C_{3-6}alkenyloxy-, C_{3-6}alkynyloxy-, -C(O)C_{1-6}alkyl, -C(O)OC_{1-6}alkyl, C_{1-6}alkoxy-C_{1-6}alkyl-, nitro, halogen, cyano, hydroxyl, -C(O)OH, $-NH_2$, -NHC_{1-4}alkyl, -N(C_{1-4}alkyl)(C_{1-4}alkyl), -C(O)N(C_{1-4}alkyl)(C_{1-4}alkyl), $-C(O)NH_2$, -C(O)NH(C_{1-4}alkyl) and, -C(O)NH(C_{3-10}cycloalkyl); and


R^9 and R^{10} independently represent H or methyl;

provided that the moiety –Y-Z-X- represents a moiety other than –C(=O)-N(-R^4)-C(=O)- or -C(=S)-N(-R^4)-C(=O)-.

2. A compound according to claim 1, wherein R^1 represents unsubstituted heteroaryl or heteroaryl optionally substituted by one or more C_{1-6} alkyl, halogen or C_{1-6} haloalkyl groups.

3. A compound according to claim 2, wherein R^1 represents a phenyl ring fused to a 5-membered heteroaryl ring wherein R^1 is linked to the core of formula (I) through the phenyl ring.

4. A compound according to claim 2 wherein R^1 represents





wherein:

B represents a bond, $-CH_2-$, $-CH_2-CH_2-$, -CH(Me)-, -CH(Me)-CH_2- or $-CH_2$-CH(Me)- and


R^{14} and R^{15} independently represent H or C_{1-2}alkyl.

5. A compound according to claim 4 wherein R^1 represents

or .

6. A compound according to claim 5 wherein R^1 represents



.

7. A compound according to claim 1, wherein R^2 represents aryl, heteroaryl, phenyl substituted by phenyl, phenyl fused to heterocyclyl or R^2 and R^3 are joined to form a carbocyclyl ring which is fused to phenyl; the aforesaid aryl, heteroaryl, phenyl, heterocyclyl and carbocyclyl optionally being substituted.

8. A compound according to claim 7 wherein R^2 represents aryl, heteroaryl, phenyl substituted by phenyl or phenyl fused to heterocyclyl; the aforesaid aryl, heteroaryl, phenyl and heterocyclyl optionally being substituted.

9. A compound according to claim 8 wherein R^2 represents optionally substituted aryl.

10. A compound according to claim 9 wherein R^2 represents phenyl substituted by one or more groups selected from C_{1-6} alkyl, C_{1-6} alkoxy, hydroxyl, haloC_{1-6} alkyl, haloC_{1-6} alkoxy, halogen, C_{1-6}alkoxy-C_{1-6}alkyl-, C_{1-6}alkoxy-C_{1-6}alkoxy-, -N(C_{1-4}alkyl)(C_{1-4}alkyl)-N(C_{1-4}alkyl)(C_{1-4}alkyl), -N(C_{1-4}alkyl)(C_{1-4}alkyl), -N(C_{3-8}cycloalkyll)(C_{3-8}cycloalkyl), -C_{1-4}alkyl-N(C_{1-4}alkyl)(C_{1-4}alkyl), -C_{1-4}alkoxy-N(C_{1-4}alkyl)(C_{1-4}alkyl), -N(-C_{1-6}alkyl-C_{1-6}alkoxy)(-C_{1-6}alkyl-C_{1-6}alkoxy).

11. A compound according to claim 10 wherein R^2 represents phenyl substituted by one or more groups selected from methyl, methoxy, ethoxy, propoxy, butoxy, pentoxy, isopropyloxy, hydroxyl, trifluoromethyl, tetrafluoroethyloxy, chlorine, fluorine, $-(CH_2)_3$-OMe,$-O-(CH_2)_2$-OMe, $-N(Me)-(CH_2)_2-N(Me)_2$, –N(ethyl)(ethyl)), –N(cyclopropyl)(cyclopropyl)), $-(CH_2)_3$-N(methyl)(methyl), $-O(CH_2)_2$-N(methyl)(methyl)), $-N((CH_2)_2OMe)(CH_2)_2OMe)$).

12. A compound according to claim 11 wherein R^2 represents phenyl substituted by one or more C_{1-6} alkoxy groups.

13. A compound according to claim 12 wherein R^2 represents phenyl substituted by one or more groups selected from methoxy, ethoxy, propoxy, butoxy, pentoxy or isopropyloxy.

14. A compound according to claim 13 wherein R^2 represents phenyl substituted by a propoxy group.

15. A compound according to claim 1, wherein R^3 represents H.

16. A compound according to claim 1, wherein R^4 represents H.

17. A compound according to claim 1, wherein X represents CR^7R^8, Y represents C=O and Z represents $-N-R^4$.

18. A compound according to claim 16, wherein X represents CH_2, Y represents C=O and Z represents –NH.

19. A compound according to claim 1, wherein X represents C=O, Y represents CHR^9 and Z represents $-N-R^4$.

20. A compound according to claim 1, wherein X represents CR^7R^8, Y represents C=O and Z represents O.

21. A compound according to claim 1, wherein X represents CR^7R^8, Y represents CHR^9 and Z represents CHR^{10}.




22. A compound according to claim 1, wherein X represents CR^7R^8, Y represents C=O and Z represents CHR^{10}.








23. A compound according to claim 1, wherein X and Z represent two adjacent carbon atoms of a phenyl ring which is fused in that position and is optionally substituted by one or more halogen or $C_{1\text{-}2}$alkyl groups and Y represents C=O.









24. A compound according to claim 1, wherein X represents $-O\text{-}CH_2\text{-}$, Y represents CO and Z represents CHR^{10}.









25. A compound according to claim 1, wherein X represents $-CH_2\text{-}CH_2\text{-}$, Y represents CO and Z represents O.








26. A compound according to any one of examples 1 to 109, 120 to 235:








Example	Chemical Name	Structure
1	5-tert-butyl-1-(1H-benzo[d]imidazol-5-yl)imidazolidin-2-one	
2	1-(1H-benzo[d]imidazol-5-yl)-5-cyclohexylimidazolidin-2-one	
3	1-(1H-benzo[d]imidazol-5-yl)-5-phenylimidazolidin-2-one	








4	1-(1H-benzo[d]imidazol-5-yl)-5-m-tolylimidazolidin-2-one	
5	1-(1H-benzo[d]imidazol-5-yl)-5-(4-methoxyphenyl)imidazolidin-2-one	
6	1-(1H-benzo[d]imidazol-5-yl)-5-(4-methoxyphenyl)imidazolidin-2-one	 enantiomer 1
7	1-(1H-benzo[d]imidazol-5-yl)-5-(4-methoxyphenyl)imidazolidin-2-one	 enantiomer 2
8	(4R,5S)-1-(1H-benzo[d]imidazol-6-yl)-5-(4-methoxyphenyl)-4-methylimidazolidin-2-one	
9	1-(1H-benzo[d]imidazol-5-yl)-5-(3-methoxyphenyl) imidazolidin-2-one	
10	1-(1H-benzo[d]imidazol-5-yl)-5-(2-methoxyphenyl) imidazolidin-2-one	








11	1-(1H-benzo[d]imidazol-5-yl)-5-(4-ethoxyphenyl)imidazolidin-2-one	
12	1-(1H-benzo[d]imidazol-5-yl)-5-(4-propoxyphenyl) imidazolidin-2-one	
13	(R)-1-(1H-benzo[d]imidazol-5-yl)-5-(4-propoxyphenyl) imidazolidin-2-one	
14	(S)-1-(1H-benzo[d]imidazol-5-yl)-5-(4-propoxyphenyl) imidazolidin-2-one	
15	1-(1H-benzo[d]imidazol-5-yl)-5-(4-butoxyphenyl) imidazolidin-2-one	
16	1-(1H-benzo[d]imidazol-5-yl)-5-(4-(pentyloxy)phenyl) imidazolidin-2-one	
17	1-(1H-benzo[d]imidazol-5-yl)-5-(4-isopropoxyphenyl) imidazolidin-2-one	
18	1-(1H-benzo[d]imidazol-5-yl)-5-(4-methoxybenzo[d][1,3] dioxol-6-yl)imidazolidin-2-one	










19	1-(1H-benzo[d]imidazol-5-yl)-5-(2,3-dihydrobenzo[b][1,4] dioxin-6-yl)imidazolidin-2-one	
20	5-(4-(1,1,2,2-tetrafluoroethoxy)phenyl)-1-(1H-benzo[d]imidazol-5-yl)imidazolidin-2-one	
21	1-(1H-benzo[d]imidazol-5-yl)-5-(2,2-difluorobenzo[d][1,3] dioxol-5-yl)imidazolidin-2-one	
22	1-(1H-benzo[d]imidazol-5-yl)-5-(3-fluoro-4-methoxyphenyl) imidazolidin-2-one	
23	1-(1H-benzo[d]imidazol-5-yl)-5-(2,6-difluoro-4-methoxyphenyl) imidazolidin-2-one	
24	5-(4-(2-morpholinoethoxy)phenyl)-1-(1H-benzo[d]imidazol-6-yl)imidazolidin-2-one	
25	5-(4-(3-morpholinopropoxy)phenyl)-1-(1H-benzo[d]imidazol-5-yl)imidazolidin-2-one	
26	5-(2-(2-morpholinoethoxy)phenyl)-1-(1H-benzo[d]imidazol-5-yl)imidazolidin-2-one	








27	1-(1H-benzo[d]imidazol-5-yl)-5-(4-fluorophenyl)imidazolidin-2-one	
28	1-(1H-benzo[d]imidazol-5-yl)-5-(2-fluorophenyl)imidazolidin-2-one	
29	1-(1H-benzo[d]imidazol-5-yl)-5-(3-fluorophenyl)imidazolidin-2-one	
30	1-(1H-benzo[d]imidazol-5-yl)-5-(2,6-difluorophenyl) imidazolidin-2-one	
31	1-(1H-benzo[d]imidazol-5-yl)-5-(3,4-difluorophenyl) imidazolidin-2-one	
32	1-(1H-benzo[d]imidazol-5-yl)-5-(2-fluoro-5-(trifluoromethyl)phenyl) imidazolidin-2-one	
33	1-(1H-benzo[d]imidazol-5-yl)-5-(3-fluoro-5-(trifluoromethyl)phenyl) imidazolidin-2-one	







34	1-(1H-benzo[d]imidazol-5-yl)-5-(2-fluoro-4-(trifluoromethyl)phenyl) imidazolidin-2-one	
35	1-(1H-benzo[d]imidazol-5-yl)-5-(3-fluoro-4-(trifluoromethyl)phenyl) imidazolidin-2-one	
36	1-(1H-benzo[d]imidazol-5-yl)-5-(2-chlorophenyl)imidazolidin-2-one	
37	1-(1H-benzo[d]imidazol-5-yl)-5-(3-chlorophenyl)imidazolidin-2-one	
38	1-(1H-benzo[d]imidazol-5-yl)-5-(2,6-dichlorophenyl) imidazolidin-2-one	
39	1-(1H-benzo[d]imidazol-5-yl)-5-(2,3-dichlorophenyl) imidazolidin-2-one	
40	1-(1H-benzo[d]imidazol-5-yl)-5-(3,4-dichlorophenyl) imidazolidin-2-one	







41	(S)-1-(1H-benzo[d]imidazol-5-yl)-5-(3,4-dichlorophenyl) imidazolidin-2-one	
42	1-(1H-1,3-benzodiazol-5-yl)-5-(4-biphenyl)imidazolidin-2-one	
43	(S)-1-(1H-1,3-benzodiazol-5-yl)-5-(4-biphenyl)imidazolidin-2-one	
44	(R)-1-(1H-1,3-benzodiazol-5-yl)-5-(4-biphenyl)imidazolidin-2-one	
45	1-(1H-1,3-benzodiazol-5-yl)-5-(3-fluoro-4-biphenyl)imidazolidin-2-one	
46	1-(1H-benzo[d]imidazol-5-yl)-5-[4-(3-chlorophenyl)phenyl] imidazolidin-2-one	
47	1-(1H-benzo[d]imidazol-5-yl)-5-(3',4'-dichloro-4-biphenyl)imidazolidin-2-one	








48	1-(1H-benzo[d]imidazol-5-yl)-5-(3-phenylphenyl)imidazolidin-2-one	
49	1-(1H-benzo[d]imidazol-5-yl)-5-[3-(3-chlorophenyl)phenyl] imidazolidin-2-one	
50	1-(1H-benzo[d]imidazol-5-yl)-5-(3-chloro-4-morpholinophenyl) imidazolidin-2-one	
51	1-(1H-benzo[d]imidazol-5-yl)-5-(4-(4-phenylpiperazin-1-yl)phenyl)imidazolidin-2-one	
52	1-(1H-benzo[d]imidazol-5-yl)-5-(2-chloro-6-(4-ethylpiperazin-1-yl)phenyl)imidazolidin-2-one	
53	1-(H-imidazo[1,2-a]pyridin-7-yl)-5-phenylimidazolidin-2-one	
54	1-(H-imidazo[1,2-a]pyridin-7-yl)-5-(4-propoxyphenyl) imidazolidin-2-one	








55	5-(4-butoxyphenyl)-1-(H-imidazo[1,2-a]pyridin-7-yl)imidazolidin-2-one	
56	5-(2,6-difluoro-4-methoxyphenyl)-1-(H-imidazo[1,2-a]pyridin-7-yl)imidazolidin-2-one	
57	1-(H-imidazo[1,2-a]pyridin-7-yl)-5-(4-methoxybenzo[d][1,3]dioxol-6-yl)imidazolidin-2-one	
58	5-(4-(2-morpholinoethoxy)phenyl)-1-(H-imidazo[1,2-a]pyridin-7-yl)imidazolidin-2-one	
59	5-(2,6-difluorophenyl)-1-(H-imidazo[1,2-a]pyridin-7-yl)imidazolidin-2-one	
60	5-(biphenyl)-1-(H-imidazo[1,2-a]pyridin-7-yl)imidazolidin-2-one	
61	5-(3-fluorobiphenyl)-1-(H-imidazo[1,2-a]pyridin-7-yl)imidazolidin-2-one	
62	1-(H-imidazo[1,2-a]pyridin-7-yl)-5-(4-(4-phenylpiperazin-1-yl)phenyl)imidazolidin-2-one	
63	1-(1H-benzo[d]imidazol-5-yl)-5-phenylimidazolidin-4-one	








64	1-(1H-benzo[d]imidazol-5-yl)-5-(2,3,5-trifluorophenyl) imidazolidin-4-one	
65	1-Amino-3-(1H-benzo[d]imidazol-5-yl)-4-(4-methoxyphenyl) imidazolidin-2-one	
66	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-phenyloxazolidin-2-one	
67	(R)-3-(1H-benzo[d]imidazol-6-yl)-4-phenyloxazolidin-2-one	
68	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-isopropyloxazolidin-2-one	
69	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-benzyloxazolidin-2-one	
70	(4S,5R)-3-(1H-benzo[d]imidazol-6-yl)-4,5-diphenyloxazolidin-2-one	











71	(4S,5S)-3-(1H-benzo[d]imidazol-6-yl)-5-methyl-4-phenyloxazolidin-2-one	
72	(S)-3-(1H-benzo[d]imidazol-6-yl)-5,5-dimethyl-4-phenyloxazolidin-2-one	
73	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(4-propoxyphenyl)oxazolidin-2-one	
74	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(2,3-dihydrobenzo[b][1,4] dioxin-7-yl)oxazolidin-2-one	
75	(S)-4-(benzo[d][1,3]dioxol-6-yl)-3-(1H-benzo[d]imidazol-6-yl)oxazolidin-2-one	
76	(4S,5R)-3-(1H-benzo[d]imidazol-6-yl)-4,5-bis(4-propoxyphenyl)oxazolidin-2-one	 diastereomer 1







77	(4S,5R)-3-(1H-benzo[d]imidazol-6-yl)-4,5-bis(4-propoxyphenyl)oxazolidin-2-one	 diastereomer 2
78	3-(1H-benzo[d]imidazol-6-yl)-5-phenyl-4-(4-propoxyphenyl)oxazolidin-2-one	 diastereomer 1
79	-(1H-benzo[d]imidazol-6-yl)-5-phenyl-4-(4-propoxyphenyl)oxazolidin-2-one	 diastereomer 2
80	(S)-4-(4-(2-(piperazin-1-yl)ethoxy)phenyl)-3-(1H-benzo[d]imidazol-6-yl)oxazolidin-2-one	
81	(S)-4-(4-(2-morpholinoethoxy)phenyl)-3-(1H-benzo[d]imidazol-6-yl)oxazolidin-2-one	
82	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(2,3-difluorophenyl)oxazolidin-2-one	







83	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(3-fluorophenyl)oxazolidin-2-one	
84	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(3-fluoro-5-(trifluoromethyl)phenyl) oxazolidin-2-one	
85	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(3-chlorophenyl)oxazolidin-2-one	
86	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(4-chlorophenyl)oxazolidin-2-one	
87	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-[4-(3-chlorophenyl)phenyl] oxazolidin-2-one	
88	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-[3-(3-chlorophenyl)phenyl] oxazolidin-2-one	
89	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(4-(4-phenylpiperazin-1-yl)phenyl)oxazolidin-2-one	









90	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(4-(4-methylpiperazin-1-yl)phenyl)oxazolidin-2-one	
91	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(3-(4-phenylpiperazin-1-yl)phenyl)oxazolidin-2-one	
92	(S)-3-(2-methyl-1H-benzo[d]imidazol-6-yl)-4-phenyloxazolidin-2-one	
93	(S)-4-(1H-benzo[d]imidazol-6-yl)-5-(4-propoxyphenyl)morpholin-3-one	
94	3-(1H-benzo[d]imidazol-6-yl)-4-(4-propoxyphenyl)-1,3-oxazinan-2-one	
95	(S)-3-(H-imidazo[1,2-a]pyridin-7-yl)-4-phenyloxazolidin-2-one	
96	(4S,5R)-3-(H-imidazo[1,2-a]pyridin-7-yl)-4,5-diphenyloxazolidin-2-one	








97	(4S,5R)-3-(imidazo[1,2-a]pyridin-6-yl)-4,5-diphenyloxazolidin-2-one	
98	(S)-3-(H-imidazo[1,2-a]pyridin-7-yl)-4-(4-propoxyphenyl)oxazolidin-2-one	
99	(S)-4-(4-chlorophenyl)-3-(H-imidazo[1,2-a]pyridin-7-yl)oxazolidin-2-one	
100	3-(imidazo[1,2-a]pyridin-7-yl)-4-(4-propoxyphenyl)-1,3-oxazinan-2-one	
101	5-(2-phenylpyrrolidin-1-yl)-1H-benzo[d]imidazole	
102	5-(2-(4-methoxyphenyl)pyrrolidin-1-yl)-1H-benzo[d]imidazole	
103	5-(2-(4-fluorophenyl)pyrrolidin-1-yl)-1H-benzo[d]imidazole	









104	5-(2-(4-chlorophenyl)pyrrolidin-1-yl)-1H-benzo[d]imidazole	
105	5-(2-benzylpyrrolidin-1-yl)-1H-benzo[d]imidazole	
106	5-(2-(4-chlorobenzyl)pyrrolidin-1-yl)-1H-benzo[d]imidazole	
107	5-(2-(4-fluorobenzyl)pyrrolidin-1-yl)-1H-benzo[d]imidazole	
108	5-(pyrrolidin-1-yl)-1H-benzo[d]imidazole	
109	5-(2-(4-methoxybenzyl)pyrrolidin-1-yl)-1H-benzo[d]imidazole	
120	1-(1H-benzo[d]imidazol-5-yl)-5-(4-fluorophenyl)pyrrolidin-2-one	
121	1-(1H-benzo[d]imidazol-5-yl)-5-(4-methoxyphenyl)pyrrolidin-2-one	
122	1-(1H-benzo[d]imidazol-5-yl)-5-(4-propoxyphenyl)pyrrolidin-2-one	
123	1-(1H-benzo[d]imidazol-5-yl)-5-(2,3-dihydrobenzo[b][1,4] dioxin-6-yl)pyrrolidin-2-one	








124	1-(1H-benzo[d]imidazol-5-yl)-5-phenylpyrrolidin-2-one	
125	2-(1H-benzo[d]imidazol-5-yl)-3-phenylisoindolin-1-one	
126	2-(1H-benzo[d]imidazol-5-yl)-3-(4-biphenyl)isoindolin-1-one	
127	2-(1H-benzo[d]imidazol-5-yl)-3-(4-fluorophenyl)isoindolin-1-one	
128	2-(1H-benzo[d]imidazol-5-yl)-3-(3-fluorophenyl)isoindolin-1-one	
129	2-(1H-benzo[d]imidazol-5-yl)-3-(3,5-difluorophenyl)isoindolin-1-one	









130	2-(1H-benzo[d]imidazol-5-yl)-3-(4-chlorophenyl)isoindolin-1-one	
131	2-(1H-benzo[d]imidazol-5-yl)-3-(3,4-dichlorophenyl)isoindolin-1-one	
132	2-(1H-benzo[d]imidazol-5-yl)-3-(3-chloro-5-fluorophenyl)isoindolin-1-one	
133	2-(1H-benzo[d]imidazol-5-yl)-3-(4-methoxyphenyl)isoindolin-1-one	
134	2-(1H-benzo[d]imidazol-5-yl)-3-(4-propoxyphenyl)isoindolin-1-one	
135	2-(1H-benzo[d]imidazol-5-yl)-3-(3-fluoro-4-methoxyphenyl)isoindolin-1-one	









136	2-(1H-benzo[d]imidazol-5-yl)-3-(3,4-dimethoxyphenyl) isoindolin-1-one	
137	3-(benzo[d][1,3]dioxol-6-yl)-2-(1H-benzo[d]imidazol-5-yl)isoindolin-1-one	
138	2-(1H-benzo[d]imidazol-5-yl)-3-(4-phenoxyphenyl)isoindolin-1-one	
139	2-(1H-benzo[d]imidazol-5-yl)-4,7-dichloro-3-(4-methoxyphenyl)isoindolin-1-one	
140	2-(1H-benzo[d]imidazol-5-yl)-5,6-dichloro-3-(4-methoxyphenyl)isoindolin-1-one	
141	2-(1H-benzo[d]imidazol-5-yl)-5,6-dichloro-3-(4-propoxyphenyl)isoindolin-1-one	
142	(S)-2-(1H-benzo[d]imidazol-5-yl)-3-(3,4-dimethoxyphenyl) isoindolin-1-one	
143	(R)-2-(1H-benzo[d]imidazol-5-yl)-3-(3,4-dimethoxyphenyl) isoindolin-1-one	









144	(R)-2-(1H-benzo[d]imidazol-5-yl)-3-(4-propoxyphenyl) isoindolin-1-one	
145	(S)-2-(1H-benzo[d]imidazol-5-yl)-3-(4-propoxyphenyl) isoindolin-1-one	
146	(R)-2-(1H-benzo[d]imidazol-5-yl)-3-(4-chlorophenyl) isoindolin-1-one	
147	(S)-2-(1H-benzo[d]imidazol-5-yl)-3-(4-chlorophenyl) isoindolin-1-one	
148	1-(1H-benzo[d]imidazol-5-yl)-5-(4-phenylcyclohexyl) imidazolidin-2-one	
149	1-(1H-benzo[d]imidazol-6-yl)-5-(1-phenylpiperidin-4-yl)imidazolidin-2-one	
150	1-(1H-benzo[d]imidazol-5-yl)-5-(4-(3-methoxypropyl)phenyl) imidazolidin-2-one	









151	1-(1H-benzo[d]imidazol-5-yl)-5-(4-hydroxyphenyl) imidazolidin-2-one	
152	1-(1H-benzo[d]imidazol-5-yl)-5-(2-hydroxyphenyl) imidazolidin-2-one	
153	1-(1H-benzo[d]imidazol-5-yl)-5-(2,4-dihydroxyphenyl) imidazolidin-2-one	
154	1-(1H-benzo[d]imidazol-5-yl)-5-(3,4-dihydroxyphenyl) imidazolidin-2-one	
155	1-(1H-benzo[d]imidazol-5-yl)-5-(3-hydroxyphenyl) imidazolidin-2-one	
156	1-(1H-benzo[d]imidazol-5-yl)-5-(4-(cyclohexyloxy)phenyl) imidazolidin-2-one	
157	5-(4-(2-methoxyethoxy)phenyl)-1-(1H-benzo[d]imidazol-5-yl)imidazolidin-2-one	
158	(S)-5-(4-(2-(dimethylamino)ethoxy)phenyl)-1-(1H-benzo[d]imidazol-5-yl)imidazolidin-2-one	









159	3-(1H-benzo[d]imidazol-5-yl)-1-phenethyl-4-(4-propoxyphenyl) imidazolidin-2-one	
160	3-(1H-benzo[d]imidazol-5-yl)-1-((naphthalen-2-yl)methyl)-4-(4-propoxyphenyl) imidazolidin-2-one	
161	3-(1H-benzo[d]imidazol-5-yl)-1-(3-phenylpropyl)-4-(4-propoxyphenyl) imidazolidin-2-one	
162	3-(1H-benzo[d]imidazol-5-yl)-1-benzyl-4-(4-propoxyphenyl) imidazolidin-2-one	
163	1-(1H-benzo[d]imidazol-5-yl)-5-(4-fluoro-3-methoxyphenyl) imidazolidin-2-one	
164	1-(1H-benzo[d]imidazol-5-yl)-5-(3-fluoro-4-propoxyphenyl) imidazolidin-2-one	
165	1-(1H-benzo[d]imidazol-5-yl)-5-(2-fluoro-4-propoxyphenyl) imidazolidin-2-one	









166	(S)-1-(1H-benzo[d]imidazol-5-yl)-5-(4-(diethylamino)phenyl) imidazolidin-2-one	
167	1-(1H-benzo[d]imidazol-5-yl)-5-(4-chlorophenyl)imidazolidin-2-one	
168	1-(1H-benzo[d]imidazol-5-yl)-5-(4-cyclohexylphenyl) imidazolidin-2-one	
169	1-(1H-benzo[d]imidazol-5-yl)-5-(4-(4-morpholinocyclohexyl) phenyl)imidazolidin-2-one	
170	(S)-1-(1H-benzo[d]imidazol-5-yl)-5-(4-(1-methylpiperidin-4-yl)phenyl)imidazolidin-2-one	
171	1-(1H-benzo[d]imidazol-5-yl)-5-(4-(tetrahydro-2H-pyran-4-yl)phenyl)imidazolidin-2-one	
172	1-(1H-benzo[d]imidazol-5-yl)-5-(4-(4-oxocyclohexyl)phenyl) imidazolidin-2-one	
173	(S)-1-(1H-benzo[d]imidazol-5-yl)-5-(4-(4,4-difluorocyclohexyl)phenyl)imidazolidin-2-one	









174	1-(1H-benzo[d]imidazol-5-yl)-5-(3-(pyrrolidin-1-yl)phenyl)imidazolidin-2-one	
175	1-(1H-benzo[d]imidazol-5-yl)-5-(4-(piperidin-1-yl)phenyl)imidazolidin-2-one	
176	1-(1H-benzo[d]imidazol-5-yl)-5-(3-(piperidin-1-yl)phenyl)imidazolidin-2-one	
177	1-(1H-benzo[d]imidazol-5-yl)-5-(4-morpholinophenyl) imidazolidin-2-one	
178	5-(4-cyclohexylphenyl)-1-(H-imidazo[1,2-a]pyridin-7-yl)imidazolidin-2-one	
179	1-(H-imidazo[1,2-a]pyridin-7-yl)-5-(4-(pyrrolidin-1-yl)phenyl)imidazolidin-2-one	
180	1-(H-imidazo[1,2-a]pyridin-7-yl)-5-(3-(pyrrolidin-1-yl)phenyl)imidazolidin-2-one	
181	1-(H-imidazo[1,2-a]pyridin-7-yl)-5-(4-(piperidin-1-yl)phenyl)imidazolidin-2-one	








182	1-(H-imidazo[1,2-a]pyridin-7-yl)-5-(3-(piperidin-1-yl)phenyl)imidazolidin-2-one	
183	1-(H-imidazo[1,2-a]pyridin-7-yl)-5-(1-phenylpiperidin-4-yl)imidazolidin-2-one	
184	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(4-(3-methoxypropyl)phenyl) oxazolidin-2-one	
185	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(3-(dimethylamino)propyl) phenyl)oxazolidin-2-one	
186	(S)-3-(7-methyl-1H-benzo[d]imidazol-5-yl)-4-phenyloxazolidin-2-one	
187	(S)-3-(6-fluoro-1H-benzo[d]imidazol-5-yl)-4-phenyloxazolidin-2-one	
188	(S)-3-(7-fluoro-1H-benzo[d]imidazol-5-yl)-4-phenyloxazolidin-2-one	
189	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(cyclohexylmethyl) oxazolidin-2-one	







190	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-cyclohexyloxazolidin-2-one	
191	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(4-phenylcyclohexyl) oxazolidin-2-one	
192	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(1-phenylpiperidin-4-yl)oxazolidin-2-one	
193	(S)-4-(1-acetylpiperidin-4-yl)-3-(1H-benzo[d]imidazol-5-yl)oxazolidin-2-one	
194	3-(1H-benzo[d]imidazol-5-yl)-4-(1-phenylethyl)oxazolidin-2-one	
195	(S)-4-(4-propoxybenzyl)-3-(1H-benzo[d]imidazol-5-yl)oxazolidin-2-one	
196	(S)-4-(4-isopropoxybenzyl)-3-(1H-benzo[d]imidazol-5-yl)oxazolidin-2-one	
197	(S)-4-(4-(cyclohexyloxy)benzyl)-3-(1H-benzo[d]imidazol-5-yl)oxazolidin-2-one	


198	4-(4-morpholinobenzyl)-3-(1H-benzo[d]imidazol-5-yl)oxazolidin-2-one	
199	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-phenethyloxazolidin-2-one	
200	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(cyclohexyloxy)phenyl) oxazolidin-2-one	
201	(S)-3-(7-methyl-1H-benzo[d]imidazol-5-yl)-4-(4-propoxyphenyl)oxazolidin-2-one	
202	(S)-3-(6,7-dimethyl-1H-benzo[d]imidazol-5-yl)-4-(4-propoxyphenyl) oxazolidin-2-one	
203	(S)-4-(4-(2-methoxyethoxy)phenyl)-3-(1H-benzo[d]imidazol-5-yl)oxazolidin-2-one	
204	(S)-4-(4-(2-(dimethylamino)ethoxy) phenyl)-3-(1H-benzo[d]imidazol-5-yl)oxazolidin-2-one	
205	3-(1H-benzo[d]imidazol-5-yl)-4-(2,6-difluoro-4-methoxyphenyl)oxazolidin-2-one	

206	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(4-(diethylamino)phenyl) oxazolidin-2-one	
207	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(4-(bis(2-methoxyethyl)amino) phenyl)oxazolidin-2-one	
208	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(4-(dicyclopropylamino) phenyl)oxazolidin-2-one	
209	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(biphenyl-4-yl)oxazolidin-2-one	
210	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(4-oxocyclohexyl)phenyl) oxazolidin-2-one	
211	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(4-methoxycyclohexyl)phenyl)oxazolidin-2-one	
212	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(4-hydroxycyclohexyl)phenyl)oxazolidin-2-one	
213	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(4-morpholinocyclohexyl) phenyl)oxazolidin-2-one	

214	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(pyrrolidin-1-yl)phenyl)oxazolidin-2-one	
215	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(4-(piperidin-1-yl)phenyl)oxazolidin-2-one	
216	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(3-(piperidin-1-yl)phenyl)oxazolidin-2-one	
217	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(4-morpholinophenyl) oxazolidin-2-one	
218	(S)-3-(1H-benzo[d]imidazol-5-yl)-4-(3-morpholinophenyl) oxazolidin-2-one	
219	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(tetrahydro-2H-pyran-4-yl)phenyl)oxazolidin-2-one	
220	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(1-methylpiperidin-4-yl)phenyl)oxazolidin-2-one	
221	(S)-3-(1H-benzo[d]imidazol-6-yl)-4-(3-(4-methylpiperazin-1-yl)phenyl)oxazolidin-2-one	




222	(S)-3-(3-methylH-imidazo[1,2-a]pyridin-7-yl)-4-phenyloxazolidin-2-one	
223	(S)-3-(3-(trifluoromethyl)H-imidazo[1,2-a]pyridin-7-yl)-4-phenyloxazolidin-2-one	
224	(S)-4-(2,3-dihydrobenzo[b][1,4] dioxin-6-yl)-3-(H-imidazo[1,2-a]pyridin-7-yl)oxazolidin-2-one	
225	(S)-4-(4-cyclohexylphenyl)-3-(H-imidazo[1,2-a]pyridin-7-yl)oxazolidin-2-one	
226	(S)-3-(H-imidazo[1,2-a]pyridin-7-yl)-4-(4-(piperidin-1-yl)phenyl)oxazolidin-2-one	
227	(S)-3-(H-imidazo[1,2-a]pyridin-7-yl)-4-(4-morpholinophenyl) oxazolidin-2-one	
228	(S)-3-(H-imidazo[1,2-a]pyridin-7-yl)-4-(4-(4-phenylpiperazin-1-yl)phenyl)oxazolidin-2-one	

229	(S)-1-(1H-benzo[d]imidazol-5-yl)-5-(4-(bis(2-methoxyethyl)amino)phenyl)imidazolidin-2-one	
230	5-(4-(N-(2-(dimethylamino)ethyl)-N-methylamino)phenyl)-1-(1H-benzo[d]imidazol-5-yl)imidazolidin-2-one	
231	3-(1H-benzo[d]imidazol-5-yl)-4-(4-(4,4-difluorocyclohexyl)phenyl)oxazolidin-2-one	
232	2-(1H-benzo[d]imidazol-5-yl)-4,7-difluoro-3-(4-propoxyphenyl)isoindolin-1-one	
233	2-(H-imidazo[1,2-a]pyridin-7-yl)-3-(3,4-dimethoxyphenyl)isoindolin-1-one	
234	(S)-2-(H-imidazo[1,2-a]pyridin-7-yl)-3-(3,4-dimethoxyphenyl)isoindolin-1-one	

235	(S)-3-(3,4-dimethoxyphenyl)-2-(3-methylH-imidazo[1,2-a]pyridin-7-yl)isoindolin-1-one	

or a pharmaceutically acceptable salt, solvate or polymorph thereof, including all tautomers and stereoisomers.

27. A compound according to any one of examples 12 to 14:

Example	Chemical Name	Structure
12	1-(1H-benzo[d]imidazol-5-yl)-5-(4-propoxyphenyl) imidazolidin-2-one	
13	(R)-1-(1H-benzo[d]imidazol-5-yl)-5-(4-propoxyphenyl) imidazolidin-2-one	
14	(S)-1-(1H-benzo[d]imidazol-5-yl)-5-(4-propoxyphenyl) imidazolidin-2-one	

or a pharmaceutically acceptable salt, solvate or polymorph thereof, including all tautomers and stereoisomers.

28. A pharmaceutical composition comprising a compound of claim 1 optionally in combination with one or more therapeutically acceptable diluents or carriers.


29. The pharmaceutical composition of claim 28, which comprises additionally at least one compound, selected from the group consisting of neuroprotectants, antiparkinsonian drugs, amyloid protein deposition inhibitors, beta amyloid synthesis

inhibitors, antidepressants, anxiolytic drugs, antipsychotic drugs and anti-multiple sclerosis drugs.

30. The pharmaceutical composition of claim 28, which comprises additionally at least one compound, selected from the group consisting of PEP-inhibitors, LiCl, inhibitors of inhibitors of DP IV or DP IV-like enzymes, acetylcholinesterase (ACE) inhibitors, PIMT enhancers, inhibitors of beta secretases, inhibitors of gamma secretases, inhibitors of neutral endopeptidase, inhibitors of Phosphodiesterase-4 (PDE-4), TNFalpha inhibitors, muscarinic M1 receptor antagonists, NMDA receptor antagonists, sigma-1 receptor inhibitors, histamine H3 antagonists, immunomodulatory agents, immunosuppressive agents or an agent selected from the group consisting of antegren (natalizumab), Neurelan (fampridine-SR), campath (alemtuzumab), IR 208, NBI 5788/MSP 771 (tiplimotide), paclitaxel, Anergix.MS (AG 284), SH636, Differin (CD 271, adapalene), BAY 361677 (interleukin-4), matrix-metalloproteinase-inhibitors, interferon-tau (trophoblastin) and SAIK-MS.

31. A process for preparation of a compound of formula (I) according to claim 1, which comprises:


(a) preparing a compound of formula (I) from a compound of formula (II):



(II)

wherein R^2, R^3, X, Y and Z are as defined in claim 1;


(b) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO, Z represents –N-R^4 and X represents CR^7R^8 and R^8 represents hydrogen by hydrogenation of a compound of formula (III):



(III)

wherein R^1, R^2, R^4 and R^7 are as defined in claim 1;


(c) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO, Z represents CH_2 and X represents CH_2 by hydrogenation of a compound of formula (IV):



(IV)

wherein R^1 and R^2 are as defined in claim 1;


(d) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO, Z represents –N-R^4 and X represents CH_2 from a compound of formula (V):



(V)

wherein R^1, R^2 and R^4 are as defined in claim 1;


(e) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CH_2, Z represents –N-R^4 and X represents CO from a compound of formula (VI):



(VI)

wherein R^1, R^2 and R^4 are as defined in claim 1;

(f) preparing a compound of formula (I) wherein R^1 represents 1H-benzo[d]imidazol-5-yl, R^3 represents hydrogen, Y represents CO, Z represents –NH and X represents CH_2 from a compound of formula (VII):



(VII)


wherein R^2 is as defined in claim 1;

(g) preparing a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO

and X and Z are joined to form a carbocyclic ring or else X and Z represent two adjacent

carbon atoms of a phenyl ring which is fused in that position and is optionally substituted by

one or more halogen or $C_{1\text{-}2}$alkyl groups, from a compound of formula (VIII):



(VIII)

wherein R^1, R^2, X and Z are as defined in claim 1;

(h) preparing a compound of formula (I) wherein X represents S, for example a compound of formula (I) wherein R^3 represents hydrogen, Y represents CO, Z represents $-CH_2$ and X represents S from a corresponding compound in which X represents O;

(i) preparing a compound of formula (I) wherein R^4 represents $-NH_2$ from a corresponding compound of formula (I) wherein R^4 represents H by treatment with nitrite followed by reduction;

(j) preparing a compound of formula (I) wherein R^4 represents $-C_{1-8}$alkyl or $-C(O)C_{1-6}$alkyl from a corresponding compound of formula (I) wherein R^4 represents H by treatment with an alkylating or alkanoylating agent;

(k) interconversion of compounds of formula (I); or

(l) deprotecting a compound of formula (I) which is protected.

32. A compound according to claim 2, wherein C_{1-6} alkyl is methyl, halogen is fluorine, or C_{1-6} haloalkyl is trifluoromethyl.

33. A compound according to claim 23, wherein the optionally substituted phenyl ring comprises 2,5-dichlorophenyl or 3,4-dichlorophenyl.