




FIG. 1A




FIG. 1B




FIG. 2A




FIG. 2B

3/23




FIG. 3




FIG. 4

4/23




FIG. 5




FIG. 6

5/23




FIG. 7




FIG. 8




FIG. 9

7/23




FIG. 10

8/23




FIG. 11




FIG. 12A

10/23

Neonate PTE




FIG. 12B

11/23




FIG. 13

12/23




FIG. 13
(Continued)

13/23




FIG. 13
(Continued)

14/23




FIG. 13
(Continued)

15/23




FIG. 14A




FIG. 14B





FIG. 14C



17/23




FIG. 16

18/23




FIG. 16
(Continued)

IL-1b




FIG. 16
(Continued)




FIG. 16
(Continued)

21/23



**Ratio of Geometric Means:
Bexsero vs F2 1:10000****Ratio of Geometric Means:
Bexsero vs F3 1:10000**

FIG. 17A





**Ratio of Geometric Means:
Bexsero vs compound: IL-6****Ratio of Geometric Means:
Bexsero vs compound: TNF-a****Ratio of Geometric Means:
Bexsero vs compound: IL-1b****Ratio of Geometric Means:
Bexsero vs compound: MIP-1b**

FIG. 17B

The chart displays the percentage of live cells for different BEXSERO dilutions across five groups (F1, F2, F3, F4, F5). The y-axis represents '% Live' from 0 to 150. The x-axis shows dilutions from 1/1000000 to 1/100. Error bars are included for all data points.

Group	Dilution	% Live (approx.)
F1	NOAG	105
	1/100	85
	1/1000	80
	1/10000	85
	1/100000	90
F2	1/1000000	95
	1/100000	90
	1/10000	85
	1/1000	75
	1/100	70
F3	1/1000000	105
	1/100000	105
	1/10000	100
	1/1000	75
	1/100	70
F4	1/1000000	105
	1/100000	105
	1/10000	100
	1/1000	75
	1/100	70
F5	1/1000000	105
	1/100000	105
	1/10000	100
	1/1000	75
	1/100	70

FIG. 18




FIG. 19