

(51) International Patent Classification:  
*C08F 10/06* (2006.01)(21) International Application Number:  
PCT/EP2013/062433(22) International Filing Date:  
14 June 2013 (14.06.2013)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
12174212.6 28 June 2012 (28.06.2012) EP(71) Applicant: **LUMMUS NOVOLEN TECHNOLOGY GMBH** [DE/DE]; Gottlieb-Daimler-Str. 8, 68165 Mannheim (DE).(72) Inventors: **NOGAI, Stefan**; Brückenstrasse 6, 69120 Heidelberg (DE). **WINTER, Andreas**; An den Brunnengaerten 3, 67271 Neuleiningen (DE). **DENK-WITZ, Yvonne**; Gontardstr. 32, 68163 Mannheim (DE). **SCHUSTER, Oliver**; Prankelstr. 50, 69469 Weinheim (DE).(74) Agent: **OSHA LIANG SARL**; 32 Avenue de l'Opéra, F-75002 Paris (FR).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: STERICALLY DEMANDING DIALKOXYDIALKYLSILANES AS EXTERNAL DONORS FOR ZIEGLER CATALYSTS FOR THE POLYMERIZATION OF PROPYLENE

FIGURE 3



(57) Abstract: A process for the polymerization of propylene is disclosed. The process may include contacting, in a gas phase polymerization reactor, propylene and optionally one or more comonomers with a catalyst system comprising a Ziegler-Natta catalyst and an external electron donor system comprising di(bicyclo[2.2.1]heptan-2-yl)dimethoxysilane.