


WE CLAIM:

1. A method of treating or preventing acute myeloid leukemia in a subject, comprising administering a compound of Formula I:



(I)

5 or a pharmaceutically acceptable salt thereof;

wherein,

Z_1 is an optionally substituted heteroaryl;

Z_2 is an optionally substituted heterocycloalkyl, optionally substituted heteroaryl or a direct bond;

10 R_1 is alkyl, cyano, $-NR_aR_b$ or optionally substituted groups selected from cycloalkyl, aryl or heterocyclyl; wherein the substituent, at each occurrence, independently is alkyl, alkoxy, halogen, hydroxyl, hydroxyalkyl, amino, aminoalkyl, nitro, cyano, haloalkyl, haloalkoxy, $-OCO-CH_2-O-alkyl$, $-OP(O)(O-alkyl)_2$ or $-CH_2-OP(O)(O-alkyl)_2$;

15 R_2 , at each occurrence, independently is an optionally substituted group selected from alkyl or cycloalkyl; wherein the substituent, at each occurrence, is independently halogen, alkoxy, hydroxyl, hydroxyalkyl, haloalkyl or haloalkoxy;

R_3 , at each occurrence, independently is hydrogen, halogen, alkyl, haloalkyl, haloalkoxy, alkoxy, $-NR_aR_b$, hydroxyl or hydroxyalkyl;

R_a is hydrogen or alkyl;

20 R_b is hydrogen, alkyl, acyl, hydroxyalkyl, $-SO_2-alkyl$ or optionally substituted cycloalkyl;

'm' and 'n' are independently 1 or 2.


2. The method of claim 1, wherein Z_1 is a 5- or 6-membered heteroaryl.

3. The method of claim 1 or 2, wherein Z_1 is an optionally substituted heteroaryl, wherein the optional substituent is alkyl.

4. The method of any preceding claim, wherein Z_1 is tetrazolyl, thienyl, triazolyl, pyrrolyl, pyridyl, pyranyl, pyrazinyl, pyridazinyl, pyrimidyl, imidazolyl, oxadiazolyl, thiadiazolyl, thiazolyl, isothiazolyl, oxazolyl, furanyl and pyrazolyl.

5. The method of any preceding claim, wherein Z_1 is selected from pyridyl and oxazolyl.


5 6. The method of claim 1, wherein the compound is represented by formula (IA)



or a pharmaceutically acceptable salt thereof;

wherein Z_2 , R_1 , R_2 , R_3 , 'm' and 'n' are same as defined in claim 1.

7. The method of claim 1, wherein the compound is represented by formula (IB)




10

or a pharmaceutically acceptable salt thereof;

wherein, Z_2 , R_1 , R_2 , R_3 , 'm' and 'n' are same as defined in claim 1.

8. The method of claim 1, wherein the compound is represented by formula (IC)



or a pharmaceutically acceptable salt thereof;

wherein Z_2 , R_1 , R_2 , R_3 , 'm' and 'n' are same as defined in claim 1.

9. The method of any preceding claim, wherein Z_2 is a 5- or 6-membered heterocycloalkyl
5 or 5- or 6-membered heteroaryl.

10. The method of any one of claims 1-8, wherein Z_2 is heterocycloalkyl or a direct bond.

11. The method of any one of claims 1-9, wherein Z_2 is azetidiny, oxetanyl, imidazolidinyl,
pyrrolidinyl, oxazolidinyl, thiazolidinyl, pyrazolidinyl, tetrahydrofuranyl, piperidinyl,
piperazinyl, tetrahydropyranyl, morpholinyl, thiomorpholinyl, 1,4-dioxanyl, tetrazolyl, thienyl,
10 triazolyl, pyrrolyl, pyridyl, pyranal, pyrazinyl, pyridazinyl, pyrimidyl, piperazinyl, imidazolyl,
oxadiazolyl, thiadiazolyl, thiazolyl, isothiazolyl, oxazolyl, furanyl and pyrazolyl.

12. The method of any one of claims 1-8, wherein Z_2 is pyridyl, pyrazolyl, pyrrolidinyl, or a
direct bond.

13. The method of any one of claims 1-8, wherein Z_2 is a direct bond.

14. The method of any preceding claim, wherein m is 1 and n is 1 or 2.

15. The method of any preceding claim, wherein m and n are each 1.

16. The method of any preceding claim, wherein R_1 is selected from cyano, cycloalkyl,
halogen, $-NR_aR_b$, aryl, and heterocyclyl.

17. The method of any preceding claim, wherein R_1 is selected from cyano, cycloalkyl, aryl, and heterocyclyl.
18. The method of any preceding claim, wherein R_1 is selected from cyclopropyl, cyclohexyl, piperidinyl, and morpholinyl.
- 5 19. The method of any one of claims 1-17, wherein R_1 is optionally substituted heterocyclyl; wherein the substituent is halogen, hydroxyl, hydroxyalkyl or amino.
20. The method of any one of claims 1-17, wherein R_1 is optionally substituted azetidiny, piperidinyl, morpholinyl, pyrrolidinyl or azepanyl.
21. The method of any preceding claim, wherein R_1 is optionally substituted piperidinyl or
10 morpholinyl.
22. The method of any one of claims 1-17, wherein R_1 is optionally substituted phenyl; wherein the substituent is halogen.
23. The method of any one of claims 1-17, wherein R_1 is cyano or cycloalkyl.
24. The method of any one of claims 1-18, wherein R_1 is cyclopropyl or cyclohexyl.
- 15 25. The method of any one of claims 1-16, wherein R_1 is $-NR_aR_b$; R_a is hydrogen; R_b is optionally substituted cycloalkyl; wherein the substituent is hydroxyl.
26. The method of any preceding claim, wherein R_2 is optionally substituted alkyl and the substituent is alkoxy.
27. The method of any one of claims 1-25, wherein R_2 is cyclopropyl or cyclopentyl.
- 20 28. The method of any preceding claim, wherein R_3 is hydrogen, halogen, alkyl, alkoxy, $-NR_aR_b$, hydroxyl or hydroxyalkyl; and R_a and R_b are as defined in claim 1.

29. The method of any preceding claim, wherein R_3 is selected from hydrogen, halogen, alkyl, alkoxy, and hydroxyl.
30. The method of any preceding claim, wherein R_3 is selected from hydrogen, alkyl and - NR_aR_b .
- 5 31. The method of any preceding claim, wherein R_3 is H.
32. The method of claim 1, wherein the compound of formula (I) is selected from:

N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-6-(1H-pyrazol-4-yl) picolinamide;
N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl) oxazole-4-carboxamide;
N-(1-methyl-6-(piperidin-1-yl)-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl) oxazole-4-carboxamide;
N-(2-cyclopentyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl) oxazole-4-carboxamide;
N-(6-cyano-2-cyclopentyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl) oxazole-4-carboxamide;
N-(2-cyclopentyl-6-cyclopropyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl) oxazole-4-carboxamide;
N-(2-cyclopentyl-6-cyclopropyl-2H-indazol-5-yl)-6-(1H-pyrazol-4-yl) picolinamide;
N-(2-cyclopentyl-6-morpholino-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl) oxazole-4-carboxamide;
6'-amino-N-(2-cyclopentyl-6-morpholino-2H-indazol-5-yl)-[2,3'-bipyridine]-6-carboxamide 2,2,2-trifluoroacetate;
N-(6-(3-fluorophenyl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-cyclohexyl-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;

6'-fluoro-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-[2,3'-bipyridine]-6-carboxamide hydrochloride;
N-(6-cyclohexyl-2-methyl-2H-indazol-5-yl)-6-(1H-pyrazol-4-yl)picolinamide hydrochloride;
2'-fluoro-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-[2,3'-bipyridine]-6-carboxamide;
2-(2-chloropyridin-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide hydrochloride;
N-(6-cyclopropyl-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(1-cyclopentyl-6-cyclopropyl-1H-indazol-5-yl)-6-(1-methyl-1H-pyrazol-4-yl)picolinamide;
N-(2-cyclopentyl-6-cyclopropyl-2H-indazol-5-yl)-6-(1-methyl-1H-pyrazol-4-yl)picolinamide;
6-(1-methyl-1H-pyrazol-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
N-(2-cyclopentyl-6-cyclopropyl-2H-indazol-5-yl)-2-(6-methoxypyridin-3-yl)oxazole-4-carboxamide;
2-(6-methoxypyridin-3-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide;
N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-2-(3-methylpyridin-4-yl)oxazole-4-carboxamide;
6-bromo-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
6-chloro-5-methyl-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide
N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-2-(6-methylpyridin-3-yl)oxazole-4-carboxamide;
N-(2-cyclopentyl-6-cyclopropyl-2H-indazol-5-yl)-2-(2-methylpyridin-3-yl)oxazole-4-carboxamide;
N-(2-cyclopentyl-6-cyclopropyl-2H-indazol-5-yl)-2-(3-methylpyridin-4-

yl)oxazole-4-carboxamide;
N-(2-cyclopentyl-6-cyclopropyl-2H-indazol-5-yl)-2-(6-methylpyridin-3-yl)oxazole-4-carboxamide;
6'-amino-3-methyl-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-[2,3'-bipyridine]-6-carboxamide hydrochloride;
5-methyl-6-(1-methyl-1H-pyrazol-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
N-(1-cyclopropyl-6-(piperidin-1-yl)-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
2-(2-hydroxypyridin-3-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide;
(S)-6-(3-aminopyrrolidin-1-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide 2,2,2-trifluoroacetate;
(S)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
N-(1,6-dicyclopropyl-1H-indazol-5-yl)-2-(6-methoxypyridin-3-yl)oxazole-4-carboxamide;
N-(1,6-dicyclopropyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
(S)-N-(6-cyclopropyl-1-methyl-1H-indazol-5-yl)-6-(3-hydroxypyrrolidin-1-yl)picolinamide;
(R)-6-(3-hydroxypyrrolidin-1-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
(S)-6-(3-hydroxypyrrolidin-1-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
6-(3-hydroxypyrrolidin-1-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
(S)-6-(3-aminopyrrolidin-1-yl)-N-(6-cyclopropyl-1-methyl-1H-indazol-5-yl)picolinamide;
(R)-6-(3-aminopyrrolidin-1-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-

5-yl)picolinamide;
(R)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
(S)-2-(3-aminopyrrolidin-1-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide;
N-(6-cyclopropyl-1-methyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(6-cyclopropyl-1-methyl-1H-indazol-5-yl)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)picolinamide;
(S)-N-(6-cyclopropyl-2-methyl-2H-indazol-5-yl)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)picolinamide;
(S)-6-(3-aminopyrrolidin-1-yl)-N-(6-cyclopropyl-2-methyl-2H-indazol-5-yl)picolinamide;
(S)-N-(6-cyclopropyl-2-methyl-2H-indazol-5-yl)-6-(3-hydroxypyrrolidin-1-yl)picolinamide;
(S)-N-(6-cyclopropyl-1-methyl-1H-indazol-5-yl)-2-(3-hydroxypyrrolidin-1-yl)oxazole-4-carboxamide;
(S)-2-(3-aminopyrrolidin-1-yl)-N-(6-cyclopropyl-1-methyl-1H-indazol-5-yl)oxazole-4-carboxamide;
(S)-2-(3-hydroxypyrrolidin-1-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide;
(S)-N-(6-cyclopropyl-1-methyl-1H-indazol-5-yl)-2-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)oxazole-4-carboxamide;
(S)-2-(3-aminopyrrolidin-1-yl)-N-(6-cyclopropyl-2-methyl-2H-indazol-5-yl)oxazole-4-carboxamide;
(S)-N-(6-cyclopropyl-2-methyl-2H-indazol-5-yl)-2-(3-hydroxypyrrolidin-1-yl)oxazole-4-carboxamide;
(S)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
6-((2-hydroxypropyl)amino)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-

yl)picolinamide;
N-(6-(4-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(azetidin-1-yl)-1-methyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(azetidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(3-hydroxyazetidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(1-methyl-6-(pyrrolidin-1-yl)-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(2-methyl-6-(pyrrolidin-1-yl)-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(6-(3-hydroxypyrrolidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(R)-N-(6-(3-hydroxypyrrolidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
N-(6-(3-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(R)-N-(6-(3-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
N-(6-(3-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
N-(6-(azepan-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(azepan-1-yl)-1-methyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-

yl)oxazole-4-carboxamide;
N-(2,3-dimethyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(1,3-dimethyl-6-(piperidin-1-yl)-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-1-(2-methoxyethyl)-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-2-(2-methoxyethyl)-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-1-methyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-fluoropiperidin-1-yl)-1-methyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(3-fluoropiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-(hydroxymethyl)piperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-1,3-dimethyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(3-(hydroxymethyl)piperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-2,3-dimethyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
2-(2-acetamidopyridin-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide;
2-(2-acetamidopyridin-4-yl)-N-(6-(3-fluoropiperidin-1-yl)-2-methyl-2H-indazol-5-yl)oxazole-4-carboxamide;
2-(2-aminopyridin-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide hydrochloride;
N-(6-(4-fluoropiperidin-1-yl)-1,3-dimethyl-1H-indazol-5-yl)-2-(2-

methypyridin-4-yl)oxazole-4-carboxamide;
N-(6-(((1R,4R)-4-hydroxycyclohexyl)amino)-2-methyl-2H-indazol-5-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-(hydroxymethyl)piperidin-1-yl)-1-methyl-1H-indazol-5-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
2-(2-aminopyridin-4-yl)-N-(6-(4-fluoropiperidin-1-yl)-2-methyl-2H-indazol-5-yl)oxazole-4-carboxamide hydrochloride;
N-(6-(4-fluoropiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide hydrochloride;
(S)-N-(6-(4-(hydroxymethyl)piperidin-1-yl)-2-methyl-2H-indazol-5-yl)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)picolinamide;
2-(2-aminopyridin-4-yl)-N-(6-(4-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-5-yl)oxazole-4-carboxamide hydrochloride;
N-(6-(4-(hydroxymethyl)piperidin-1-yl)-1-(2-methoxyethyl)-1H-indazol-5-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(6-(4-(hydroxymethyl)piperidin-1-yl)-1-methyl-1H-indazol-5-yl)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)picolinamide;
N-(6-(4-(hydroxymethyl)piperidin-1-yl)-2-(2-methoxyethyl)-2H-indazol-5-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-(hydroxymethyl)piperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methoxypyridin-4-yl)oxazole-4-carboxamide;
2-(2-acetamidopyridin-4-yl)-N-(6-(4-(hydroxymethyl)piperidin-1-yl)-2-methyl-2H-indazol-5-yl)oxazole-4-carboxamide;
2-(2-aminopyridin-4-yl)-N-(6-(4-(hydroxymethyl)piperidin-1-yl)-1-methyl-1H-indazol-5-yl)oxazole-4-carboxamide hydrochloride;
2-(2-aminopyridin-4-yl)-N-(6-(4-(hydroxymethyl)piperidin-1-yl)-2-methyl-2H-indazol-5-yl)oxazole-4-carboxamide hydrochloride;
N-(6-(4-hydroxypiperidin-1-yl)-1-methyl-1H-indazol-5-yl)-2-(2-methoxypyridin-4-yl)oxazole-4-carboxamide;
2-(2-aminopyridin-4-yl)-N-(6-(3-hydroxypiperidin-1-yl)-2-methyl-2H-

indazol-5-yl)oxazole-4-carboxamide hydrochloride;
2-(2-methoxypyridin-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide;
2-(2-aminopyridin-4-yl)-N-(6-(3-fluoropiperidin-1-yl)-2-methyl-2H-indazol-5-yl)oxazole-4-carboxamide hydrochloride;
(R)-2-(2-aminopyridin-4-yl)-N-(6-(3-hydroxypyrrolidin-1-yl)-2-methyl-2H-indazol-5-yl)oxazole-4-carboxamide hydrochloride;
1-(1,3-dimethyl-5-(2-(2-methylpyridin-4-yl)oxazole-4-carboxamido)-1H-indazol-6-yl)piperidin-4-yl 2-methoxyacetate;
N-(6-(4-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methoxypyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(6-(4-aminopiperidin-1-yl)-1-(2-methoxyethyl)-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(6-(4-aminopiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(6-(4-(hydroxymethyl)piperidin-1-yl)-1-(2-methoxyethyl)-3-methyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-(hydroxymethyl)piperidin-1-yl)-1,3-dimethyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
2-(2-aminopyridin-4-yl)-N-(6-(4-(hydroxymethyl)piperidin-1-yl)-1,3-dimethyl-1H-indazol-5-yl)oxazole-4-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-1-methyl-1H-indazol-5-yl)-2-(2-hydroxypyridin-4-yl)oxazole-4-carboxamide;
2-(2,6-dimethylpyridin-4-yl)-N-(6-(4-hydroxypiperidin-1-yl)-1-methyl-1H-indazol-5-yl)oxazole-4-carboxamide;
(S)-N-(6-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-1-(2-methoxyethyl)-3-methyl-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(1-(2-hydroxyethyl)-6-(4-hydroxypiperidin-1-yl)-1H-indazol-5-yl)-2-(2-

methyipyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-aminopiperidin-1-yl)-2-(2-methoxyethyl)-2H-indazol-5-yl)-2-(2-methyipyridin-4-yl)oxazole-4-carboxamide hydrochloride;
2-(2,6-dimethyipyridin-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide hydrochloride;
2-(2-(dimethylamino)pyridin-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)oxazole-4-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-1-methyl-1H-indazol-5-yl)-2-(2-(methylamino)pyridin-4-yl)oxazole-4-carboxamide;
N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)-2-(2-(methylamino)pyridin-4-yl)oxazole-4-carboxamide;
N-(6-(4-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-(methylsulfonamido) pyridin-4-yl) oxazole-4-carboxamide;
2-(2-(dimethylamino) pyridin-4-yl)-N-(6-(4-hydroxypiperidin-1-yl)-1-methyl-1H-indazol-5-yl) oxazole-4-carboxamide;
N-(6-(4-(aminomethyl)piperidin-1-yl)-1-(2-methoxyethyl)-1H-indazol-5-yl)-2-(2-methyipyridin-4-yl)oxazole-4-carboxamide;
2-(2,6-dimethyipyridin-4-yl)-N-(6-(4-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-5-yl) oxazole-4-carboxamide;
2-(2,6-dimethyipyridin-4-yl)-N-(6-(4-fluoropiperidin-1-yl)-2-methyl-2H-indazol-5-yl) oxazole-4-carboxamide;
Diethyl (1-(1-methyl-5-(2-(2-methyipyridin-4-yl)oxazole-4-carboxamido)-1H-indazol-6-yl)piperidin-4-yl) phosphate; and
Diethyl ((1-(2-methyl-5-(2-(2-methyipyridin-4-yl) oxazole-4-carboxamido)-2H-indazol-6-yl) piperidin-4-yl) methyl) phosphate;

or a pharmaceutically acceptable salt or a stereoisomer thereof.


33. The method of claim 1, wherein the compound is selected from:

N-(2-cyclopentyl-6-morpholino-2H-indazol-5-yl)-2-(2-methyipyridin-4-yl) oxazole-4-carboxamide;

- (R)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)-N-(2-methyl-6-(piperidin-1-yl)-2H-indazol-5-yl)picolinamide;
 N-(6-(4-hydroxypiperidin-1-yl)-2,3-dimethyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide; and
 5 N-(2-cyclopentyl-6-cyclopropyl-2H-indazol-5-yl)-6-(1-methyl-1H-pyrazol-4-yl)picolinamide,
 or a pharmaceutically acceptable salt thereof.

34. The method of claim 1, wherein the compound is selected from:
 N-(6-(3-fluoropiperidin-1-yl)-2-methyl-2H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
 10 2-(2-aminopyridin-4-yl)-N-(6-(4-(hydroxymethyl)piperidin-1-yl)-1,3-dimethyl-1H-indazol-5-yl)oxazole-4-carboxamide;
 N-(6-(4-(aminomethyl)piperidin-1-yl)-1-(2-methoxyethyl)-1H-indazol-5-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide; and
 (S)-N-(6-cyclopropyl-1-methyl-1H-indazol-5-yl)-6-(3-hydroxypyrrolidin-1-yl)picolinamide,
 15 or a pharmaceutically acceptable salt thereof.

35. A method of treating or preventing acute myeloid leukemia in a subject, comprising administering a compound of Formula II:



- 20 or a pharmaceutically acceptable salt thereof;
 wherein
 X₁ and X₃ independently are CH or N; X₂ is CR₂ or N; provided one and not more than one of
 X₁, X₂ or X₃ is N;
 A is O or S;
 25 Y is -CH₂- or O;

Z is aryl or heterocyclyl;

R₁, at each occurrence, is independently halo or optionally substituted heterocyclyl; wherein the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl, hydroxyalkyl or -NR_aR_b;

5 R₂ is hydrogen, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted heterocyclyl or -NR_aR_b; wherein the substituent is alkyl, amino, halo or hydroxyl;

R₃, at each occurrence, is alkyl or hydroxyl;

R_a and R_b are independently hydrogen, alkyl, acyl or heterocyclyl;

'm' and 'n' are independently 0, 1 or 2;

10 'p' is 0 or 1.

36. The method of claim 35, wherein

A is O or S;

Y is -CH₂- or O;

Z is aryl or heterocyclyl;

15 R₁, at each occurrence, is independently halo or optionally substituted heterocyclyl, wherein the substituent is alkyl, aminoalkyl, halo, or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl;

R₂ is hydrogen, cycloalkyl, heterocyclyl or -NR_aR_b;

'm' is 0; and

20 'n' is 1.

37. The method of claim 35, wherein

A is O or S;

Y is -CH₂- or O;


Z is aryl or heterocyclyl;

25 R₁, at each occurrence, is independently halo or optionally substituted heterocyclyl; wherein the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl;

R₂ is hydrogen, cycloalkyl, optionally substituted heterocyclyl or -NR_aR_b, where the substituent is selected from amino, halo or hydroxyl;

'm' and 'n' are independently 0, 1 or 2; and
'p' is 0 or 1.

38. The method of claim 35, or a pharmaceutically acceptable salt thereof, wherein the group




wherein R₂ is as defined in claim 35.

39. The method of any one of claims 35-38, wherein Z is aryl or 5- or 6-membered heterocyclyl.

40. The method of any one of claims 35-38, wherein Z is an optionally substituted
10 heterocyclyl selected from phenyl, furanyl, thienyl, pyrrolyl, pyrazolyl, imidazolyl, oxazolyl, isoxazolyl, thiazolyl, isothiazolyl, 1H-tetrazolyl, oxadiazolyl, triazolyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, azetidinyl, oxetanyl, imidazolidinyl, pyrrolidinyl, oxazolidinyl, thiazolidinyl, pyrazolidinyl, tetrahydrofuranyl, piperidinyl, piperazinyl, tetrahydropyranyl, morpholinyl, thiomorpholinyl, 1,4-dioxanyl, dioxidothiomorpholinyl, oxapiperazinyl,
15 oxapiperidinyl, tetrahydrofuryl, tetrahydropyranyl, tetrahydrothiophenyl, dihydropyranyl and azabicyclo[3.2.1]octanyl; each of which is optionally substituted with alkyl, alkoxy, halo, hydroxyl, hydroxyalkyl or -NR_aR_b; and R_a and R_b are independently hydrogen, alkyl or acyl.

41. The method of claim 35 represented by formula (IIA):



(IIA)

or a pharmaceutically acceptable salt thereof;

wherein A, Y, R_1 , R_2 , R_3 , 'm', 'p' and 'n' are same as defined in claim 35.

5 42. The method of claim 41, wherein

A is O or S;

Y is $-CH_2-$ or O;

R_1 , at each occurrence, is independently halo or optionally substituted heterocyclyl, wherein the
substituent is alkyl, aminoalkyl, halo, or $-NR_aR_b$; where R_a and R_b are independently
hydrogen, alkyl, or heterocyclyl;

10

R_2 is hydrogen, cycloalkyl, heterocyclyl or $-NR_aR_b$;

'm' is 0; and

'n' is 1.

43. The method of claim 41, wherein

15 A is O or S;


Y is $-CH_2-$ or O;

R_1 , at each occurrence, is independently halo or optionally substituted heterocyclyl; wherein the
substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl or $-NR_aR_b$; where R_a and R_b are
independently hydrogen, alkyl, or heterocyclyl;

20 R_2 is hydrogen, cycloalkyl, optionally substituted heterocyclyl or $-NR_aR_b$, where the substituent
is selected from amino, halo or hydroxyl; and

'm' and 'n' are independently 0, 1 or 2.

44. The method of claim 35, represented by (IIB):



or a pharmaceutically acceptable salt thereof;

wherein A, Y, R₁, R₂ and 'n' are same as defined in claim 35.

5 45. The method of claim 44, wherein

A is O or S;

Y is -CH₂- or O;

R₁, at each occurrence, is independently halo or optionally substituted heterocyclyl, wherein the
substituent is alkyl, aminoalkyl, halo, or -NR_aR_b; where R_a and R_b are independently

10 hydrogen, alkyl, or heterocyclyl;

R₂ is hydrogen, cycloalkyl, heterocyclyl or -NR_aR_b; and

'n' is 1.

46. The method of claim 44, wherein

A is O or S;


15 Y is -CH₂- or O;

R₁, at each occurrence, is independently halo or optionally substituted heterocyclyl; wherein the
substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl or -NR_aR_b; where R_a and R_b are
independently hydrogen, alkyl, or heterocyclyl;

R₂ is hydrogen, cycloalkyl, optionally substituted heterocyclyl or -NR_aR_b, where the substituent
20 is selected from amino, halo or hydroxyl; and

'm' and 'n' are independently 0, 1 or 2.

47. The method of formula (I) according to claim 35, is a compound of formula (IIC)



or a pharmaceutically acceptable salt thereof;

wherein A, Y, R₁, R₂ and 'n' are same as defined in claim 1.

48. The method of any one of claims 35-47, wherein R₁ is optionally substituted heterocyclyl; wherein the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl, hydroxyalkyl or -NR_aR_b; and R_a and R_b are independently hydrogen or acyl.

49. The method of any one of claims 36-47, wherein R₁ is optionally substituted heterocyclyl; wherein the substituent is alkyl, aminoalkyl, halo, or -NR_aR_b; and R_a and R_b are independently hydrogen or acyl.

50. The method of any one of claims 35-47, wherein R₁ is optionally substituted heterocyclyl; and the substituent is alkyl, aminoalkyl, halo, or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl.

51. The method of any one of claims 35-47, wherein R₁ is optionally substituted heterocyclyl; and the substituent is alkyl, alkoxy, aminoalkyl, halo, hydroxyl or -NR_aR_b; where R_a and R_b are independently hydrogen, alkyl, or heterocyclyl.

52. The method of any one of claims 48-51, wherein R₁ is pyridyl, pyrazolyl, pyrrolidinyl or piperidinyl.

53. The method of any one of claims 48-51, wherein R₁ is optionally substituted pyrazolyl, wherein the substituent is alkyl, hydroxyl or -NR_aR_b.

54. The method of any one of claims 35-47, wherein R₁ is halo.
55. The method of any one of claims 35-54, wherein R₂ is hydrogen, cycloalkyl, heterocyclyl or -NR_aR_b.
56. The method of any one of claims 35-54, wherein R₂ is hydrogen, cycloalkyl, optionally substituted heterocyclyl or -NR_aR_b, where the substituent is selected from amino, halo or hydroxyl.
57. The method of any one of claims 35-54, wherein R₂ is optionally substituted heterocyclyl selected from piperidinyl, pyrrolidinyl, morpholinyl, piperazinyl, azetidiny, pyrazolyl, furanyl or azabicyclo[3.2.1]octanyl; wherein the substituent is hydroxyl, halo, alkyl or amino.
58. The method of any one of claims 35-54, wherein R₂ is piperidinyl, pyrrolidinyl, morpholinyl, or piperazinyl.
59. The method of any one of claims 35-54, wherein R₂ is hydrogen.
60. The method of any one of claims 35-54, wherein R₂ is cycloalkyl.
61. The method of claim 60, wherein R₂ is cyclopropyl.
62. The method of claim 35-61, wherein R₃ is alkyl.
63. The method of any one of claims 35-62, wherein m is 0 and p is 1.
64. The method of any one of claims 35-62, wherein m is 0 or 2, and p is 0 or 1.
65. The method of claim 35, wherein the compound of formula (II) is selected from:

6'-amino-N-(2-morpholinooxazolo[4,5-b]pyridin-6-yl)-[2,3'-bipyridine]-6-carboxamide;
--

6'-amino-N-(5-cyclopropyl-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-[2,3'-
--

bipyridine]-6-carboxamide hydrochloride;
N-(5-cyclopropyl-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-6-(1H-pyrazol-4-yl)picolinamide hydrochloride;
N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-6-(1H-pyrazol-4-yl)picolinamide;
2-(2-methylpyridin-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
6-chloro-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)picolinamide;
N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-6-(1-methyl-1H-pyrazol-4-yl)picolinamide;
2-(2-chloropyridin-4-yl)-N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
(S)-2-(2-methylpyridin-4-yl)-N-(2-morpholino-5-(pyrrolidin-3-ylamino)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
6'-amino-N-(2-morpholinooxazolo[5,4-b]pyridin-5-yl)-[2,3'-bipyridine]-6-carboxamide;
6'-amino-N-(2-morpholinothiazolo[4,5-c]pyridin-6-yl)-[2,3'-bipyridine]-6-carboxamide;
6'-amino-N-(2-morpholinothiazolo[5,4-b]pyridin-5-yl)-[2,3'-bipyridine]-6-carboxamide;
2-(2-methylpyridin-4-yl)-N-(2-morpholinothiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
6'-amino-N-(2-morpholinothiazolo[4,5-b]pyridin-6-yl)-[2,3'-bipyridine]-6-carboxamide;

N-(2-morpholinothiazolo[4,5-b]pyridin-6-yl)-6-(1H-pyrazol-4-yl)picolinamide;
3-(4-(aminomethyl)piperidin-1-yl)-5-fluoro-N-(2-morpholinothiazolo[4,5-b]pyridin-6-yl)benzamide;
2-(4-(aminomethyl)piperidin-1-yl)-5-fluoro-N-(2-morpholinothiazolo[4,5-b]pyridin-6-yl)benzamide;
2-(2-methylpyridin-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-6-(1H-pyrazol-4-yl)picolinamide;
N-(2,5-di(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-6-(1H-pyrazol-4-yl)picolinamide;
N-(2,5-di(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(2,5-dimorpholinoxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(5-(4-methylpiperazin-1-yl)-2-morpholinoxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-2-(6-methoxypyridin-3-yl)oxazole-4-carboxamide;
N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-3-yl)oxazole-4-carboxamide;
N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-2-(2-hydroxypyridin-3-yl)oxazole-4-carboxamide;
2-(2-hydroxypyridin-3-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-2-(6-hydroxypyridin-3-yl)oxazole-4-carboxamide;
2-(2-methoxypyridin-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;

2-(2-methylpyridin-3-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
2-(3-methylpyridin-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-2-(3-methylpyridin-4-yl)oxazole-4-carboxamide;
2-(6-methylpyridin-3-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
6-(1-methyl-1H-pyrazol-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)picolinamide;
N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-2-(6-methylpyridin-3-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-aminopyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(R)-N-(5-(3-aminopyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(R)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-2-(3-aminopyrrolidin-1-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
(S)-6-(3-hydroxypyrrolidin-1-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)picolinamide;
(S)-6-(3-aminopyrrolidin-1-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)picolinamide;
(S)-2-(3-hydroxypyrrolidin-1-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
(S)-N-(5-cyclopropyl-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(3-

hydroxypyrrolidin-1-yl)oxazole-4-carboxamide;
(S)-2-(3-aminopyrrolidin-1-yl)-N-(5-cyclopropyl-2-morpholinoxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
2-(2-methylpyridin-4-yl)-N-(5-(piperidin-1-yl)-2-(pyrrolidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide hydrochloride;
N-(2-(2,6-dimethylmorpholino)-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(2,5-di(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-6-(1-methyl-1H-pyrazol-4-yl)picolinamide hydrochloride;
6-(1-methyl-1H-pyrazol-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)picolinamide;
N-(2,5-di(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-3-yl)oxazole-4-carboxamide hydrochloride;
N-(2-((2S,6R)-2,6-dimethylmorpholino)-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
2-(2-methylpyridin-3-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
2-(2-hydroxypyridin-3-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
N-(2,5-di(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-2-(2-methoxypyridin-4-yl)oxazole-4-carboxamide;
2-(6-methoxypyridin-3-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
2-(2-methoxypyridin-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-fluoropiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;

2-(6-methylpyridin-3-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
2-(3-methylpyridin-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
(S)-6-(3-aminopyrrolidin-1-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)picolinamide;
(S)-6-(3-hydroxypyrrolidin-1-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)picolinamide;
(S)-6-(3-aminopyrrolidin-1-yl)-N-(2,5-di(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)picolinamide;
(S)-N-(2,5-di(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-6-(3-hydroxypyrrolidin-1-yl)picolinamide;
(S)-2-(3-aminopyrrolidin-1-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-aminopyrrolidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-2-(3-aminopyrrolidin-1-yl)-N-(5-cyclopropyl-2-morpholinothiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
N-(5-cyclopropyl-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-2-(3-hydroxypyrrolidin-1-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(5-cyclopropyl-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-6-(3-hydroxypyrrolidin-1-yl)picolinamide;
(S)-N-(5-cyclopropyl-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(3-

hydroxypyrrolidin-1-yl)oxazole-4-carboxamide;
(S)-N-(5-cyclopropyl-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)picolinamide;
(S)-N-(5-cyclopropyl-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)oxazole-4-carboxamide;
N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(6-methoxypyridin-3-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(6-methoxypyridin-3-yl)oxazole-4-carboxamide;
(R)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(6-methoxypyridin-3-yl)oxazole-4-carboxamide;
(S)-N-(5-(azetidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-6-(3-hydroxypyrrolidin-1-yl)picolinamide;
N-(5-(3-hydroxyazetidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)thiophene-2-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
(S)-N-(5-(3-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(5-(4-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide
(R)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(5-(4-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
N-(5-(azetidin-1-yl)-2-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
2-(2-methylpyridin-4-yl)-N-(2-(piperidin-1-yl)-5-(pyrrolidin-1-yl)thiazolo[4,5-

b]pyridin-6-yl)oxazole-4-carboxamide;
2-(2-methylpyridin-4-yl)-N-(2-morpholino-5-(pyrrolidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
5-(2-methylpyridin-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)furan-2-carboxamide;
N-(5-(azepan-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
2-(2-aminopyridin-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide hydrochloride;
N-(5-(azetidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(R)-N-(5-(3-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(R)-N-(5-(3-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
(S)-6-(1-(2-hydroxypropyl)-1H-pyrazol-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)picolinamide
N-(5-(4-fluoropiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide
N-(5-(4-fluoropiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride
N-(5-(1-methyl-1H-pyrazol-4-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(5-(3-fluorophenyl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(5-(4-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
N-(5-(3-fluoropiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(6-

methoxypyridin-3-yl)oxazole-4-carboxamide;
N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(R)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(6-methoxypyridin-3-yl)oxazole-4-carboxamide;
N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(6-methoxypyridin-3-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)thiophene-2-carboxamide;
N-(5-(azetidin-1-yl)-2-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
2-(2-methylpyridin-4-yl)-N-(2-(piperidin-1-yl)-5-(pyrrolidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
5-(2-methylpyridin-4-yl)-N-(2-morpholino-5-(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)furan-2-carboxamide;
N-(5-(azetidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
2-(2-methylpyridin-4-yl)-N-(2-morpholino-5-(pyrrolidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
N-(5-(4-hydroxypiperidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
(R)-N-(5-(3-hydroxypiperidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;
N-(5-(furan-3-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(5-(3-fluoropiperidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(5-(4-hydroxypiperidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-

methypyridin-4-yl)oxazole-4-carboxamide;
N-(5-(4-fluoropiperidin-1-yl)-2-morpholinooxazolo[4,5-b]pyridin-6-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-aminopiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
2-(2-methypyridin-4-yl)-N-(2-morpholino-5-(1H-pyrazol-4-yl)thiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
N-(5-(6-fluoropyridin-3-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
N-(5-(3-hydroxy-8-azabicyclo[3.2.1]octan-8-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
N-(2-(3-hydroxypiperidin-1-yl)-5-(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
2-(2-acetamidopyridin-4-yl)-N-(5-(4-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
N-(2-(3-hydroxypiperidin-1-yl)-5-(4-hydroxypiperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
2-(2-acetamidopyridin-4-yl)-N-(5-(3-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide;
2-(2-aminopyridin-4-yl)-N-(5-(3-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide hydrochloride;
5-(2-aminopyridin-4-yl)-N-(5-(4-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)furan-3-carboxamide hydrochloride;
2-(2-aminopyridin-4-yl)-N-(5-(4-hydroxypiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide hydrochloride;
2-(2-aminopyridin-4-yl)-N-(5-(4-fluoropiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)oxazole-4-carboxamide hydrochloride;
N-(5-(2-fluoropyridin-4-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methypyridin-4-yl)oxazole-4-carboxamide;
N-(5-(4-fluoropiperidin-1-yl)-2-(3-hydroxypiperidin-1-yl)thiazolo[4,5-b]pyridin-6-

yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(5-(4-aminopiperidin-1-yl)-2-(3-hydroxypiperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride; and
N-(5-(2-hydroxypyridin-4-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;

or a pharmaceutically acceptable salt or a stereoisomer thereof.

66. The method of claim 35, wherein the compound of formula (II) is selected from:

6'-amino-N-(2-morpholinoxazolo[5,4-b]pyridin-5-yl)-[2,3'-bipyridine]-6-carboxamide;

N-(5-(4-hydroxypiperidin-1-yl)-2-morpholinoxazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;

N-(2,5-di(piperidin-1-yl)oxazolo[4,5-b]pyridin-6-yl)-6-(1H-pyrazol-4-yl)picolinamide hydrochloride; and

(R)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinoxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;

or a pharmaceutically acceptable salt thereof.

67. The method of claim 35, wherein the compound of formula (II) is selected from:

N-(5-(3-fluoropiperidin-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-5-(2-methylpyridin-4-yl)furan-2-carboxamide;


N-(5-(azepan-1-yl)-2-morpholinothiazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;

(R)-N-(5-(3-hydroxypyrrolidin-1-yl)-2-morpholinoxazolo[4,5-b]pyridin-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide; and

N-(2,5-di(piperidin-1-yl)thiazolo[4,5-b]pyridin-6-yl)-6-(1H-pyrazol-4-yl)picolinamide.

or a pharmaceutically acceptable salt thereof.

68. A method of treating or preventing acute myeloid leukemia in a subject, comprising administering a compound of Formula (III):



(III)

or a pharmaceutically acceptable salt thereof;

wherein,

5 Z_1 is optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted heterocyclyl or is absent;

Z_2 is optionally substituted cycloalkyl, aryl or heterocyclyl;

R_1 is hydrogen, optionally substituted alkyl, amino, halogen, cyano, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted heterocyclyl, optionally substituted arylalkyl or optionally substituted heterocyclalkyl;

10 R_2 at each occurrence is hydrogen, halogen, amino, optionally substituted alkyl, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted heterocyclyl, optionally substituted arylalkyl or optionally substituted heterocyclalkyl;

R_3 at each occurrence is hydroxy, halogen, optionally substituted alkyl, optionally substituted alkoxy, optionally substituted cycloalkyl or $-NR_aR_b$;

15 R_a and R_b , independently for each occurrence, are hydrogen, optionally substituted alkyl, optionally substituted acyl, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted heterocyclyl, optionally substituted arylalkyl or optionally substituted heterocyclalkyl;

20 m , at each occurrence, is 0, 1 or 2; and


n , at each occurrence, is 0, 1, or 2.

69. The method of claim 68, wherein Z_1 is an optionally substituted heterocyclyl.

70. The method of claim 68 or 70, wherein Z_1 is a heterocyclyl selected from tetrazolyl, thienyl, triazolyl, pyrrolyl, pyridyl, pyranal, pyrazinyl, pyridazinyl, pyrimidyl, imidazolyl, oxadiazolyl, thiadiazolyl, thiazolyl, isothiazolyl, oxazolyl, furanyl, pyrazolyl, benzisoxazolyl,

- benzothiazolyl, benzofuranyl, benzothienyl, benzotriazinyl, phthalazinyl, thianthrene, dibenzofuranyl, dibenzothienyl, benzimidazolyl, indolyl, isoindolyl, indazolyl, quinoliny, isoquinoliny, quinazoliny, quinoxaliny, puriny, pteridiny, 9H-carbazolyl, α -carboline, indoliziny, benzoisothiazolyl, benzoxazolyl, pyrrolopyridyl, furopyridiny, puriny,
- 5 benzothiadiaazolyl, benzooxadiazolyl, benzotriazolyl, benzotriadiaazolyl, carbazolyl, dibenzothienyl, acridiny and pyrazolopyrimidyl.

71. The method of any one of claims 68 - 70, represented by formula (IIIA)




IIIA

- 10 or a pharmaceutically acceptable salt thereof;

wherein Z_2 , R_1 , R_2 , R_3 , m , and n are as defined in claim 68.

72. The method of any one of claims 68 - 70, represented by formula (IIIB)



(IIIB)

- 15 or a pharmaceutically acceptable salt thereof;

wherein, Z_2 , R_1 , R_2 , R_3 , m , and n are as defined in claim 68.

73. The method of any one of claims 68 - 72, wherein Z_2 is a heterocyclyl.

74. The method of any one of claims 68 - 73, wherein Z_2 is a heterocyclyl selected from azetidiny, oxetanyl, imidazolidiny, pyrrolidiny, oxazolidiny, thiazolidiny, pyrazolidiny,

tetrahydrofuranyl, piperidinyl, piperazinyl, tetrahydropyranyl, morpholinyl, thiomorpholinyl, 1,4-dioxanyl, tetrazolyl, thienyl, triazolyl, pyrrolyl, pyridinyl, tetrahydropyridinyl, pyranyl, pyrazinyl, pyridazinyl, pyrimidyl, piperazinyl, imidazolyl, oxadiazolyl, thiadiazolyl, thiazolyl, isothiazolyl, oxazolyl, furanyl, pyrazolyl, indolinyl, indolinylmethyl, 2-aza-
5 bicyclo[2.2.2]octanyl, chromanyl, xanthenyl or pyrrolopyridyl.

75. The method of any one of claims 68 - 74, wherein Z_2 is pyrrolidinyl, piperidinyl, piperazinyl, pyridinyl, pyrimidyl, tetrahydropyridinyl or pyrrolopyridyl.

76. The method of any one of claims 68 - 75, wherein Z_2 is pyrrolidinyl or pyridinyl.

77. The method of any one of claims 68 - 76, wherein R_1 is optionally substituted
10 heterocyclyl.

78. The method of any one of claims 68 - 77, wherein R_1 is heterocyclyl; optionally substituted with halogen, hydroxyl or hydroxyalkyl.

79. The method of any one of claims 68 - 78, wherein R_1 is optionally substituted azetidiny, piperidinyl, morpholinyl, pyrrolidinyl or azabicyclooctanyl.

15 80. The method of any one of claims 68 - 79, wherein R_1 is piperidinyl.

81. The method of any one of claims 68 - 80, wherein R_2 is optionally substituted alkyl.

82. The method of any one of claims 68 - 81, wherein R_2 is alkyl, optionally substituted with heterocyclyl.

83. The method of any one of claims 68 - 80, wherein R_2 is hydrogen.

20 84. The method of any one of claims 68 - 80, wherein R_2 is cyclopropyl.

85. The method of any one of claims 68 - 84, wherein R_3 is halogen, alkyl, haloalkyl, - NR_aR_b , cycloalkyl, hydroxyl or hydroxyalkyl; and R_a and R_b are as defined in claim 113.

86. The method of any one of claims 68 - 85, wherein R₃ is methyl, hydroxyl, or amino.
87. The method of any one of claims 68 - 86, wherein R₃ is hydroxyl or amino.
88. The method of claim 68, wherein
 Z₁ is optionally substituted cycloalkyl, optionally substituted aryl, or optionally substituted heterocyclyl;
 Z₂ is optionally substituted cycloalkyl, aryl or heterocyclyl;
 R₁ is hydrogen, alkyl, amino, halogen, cyano, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted heterocyclyl, arylalkyl or heterocyclalkyl;
 R₂ is amino, alkyl, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted heterocyclyl, arylalkyl or heterocyclalkyl;
 R₃ is hydroxy, alkyl, alkoxy, or -NR_aR_b;
 R_a and R_b, independently for each occurrence, are hydrogen, alkyl, optionally substituted cycloalkyl, optionally substituted aryl, optionally substituted heterocyclyl, arylalkyl or heterocyclalkyl;
 m is 1; and
 n is 1.
89. The method of claim 68, wherein
 Z₁ is heterocyclyl;
 Z₂ is heterocyclyl;
 R₁ is optionally substituted heterocyclyl;
 R₂ is alkyl;
 R₃ is hydroxy, alkyl, or amino;
 m is 1; and
 n is 1.
90. The method of claim 68, wherein the compound of formula (III) is selected from:
- N-(1-methyl-5-(piperidin-1-yl)-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;

N-(2-methyl-5-(piperidin-1-yl)-2H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
(S)-6-(3-hydroxypyrrolidin-1-yl)-N-(2-methyl-5-(piperidin-1-yl)-2H-indazol-6-yl)picolinamide;
(S)-2-(3-aminopyrrolidin-1-yl)-N-(1-methyl-5-(piperidin-1-yl)-1H-indazol-6-yl)oxazole-4-carboxamide;
(S)-2-(3-aminopyrrolidin-1-yl)-N-(2-methyl-5-(piperidin-1-yl)-2H-indazol-6-yl)oxazole-4-carboxamide;
(S)-2-(3-hydroxypyrrolidin-1-yl)-N-(2-methyl-5-(piperidin-1-yl)-2H-indazol-6-yl)oxazole-4-carboxamide;
(S)-6-(3-aminopyrrolidin-1-yl)-N-(2-methyl-5-(piperidin-1-yl)-2H-indazol-6-yl)picolinamide
(S)-6-(3-aminopyrrolidin-1-yl)-N-(1-methyl-5-(piperidin-1-yl)-1H-indazol-6-yl)picolinamide;
(S)-6-(3-hydroxypyrrolidin-1-yl)-N-(1-methyl-5-(piperidin-1-yl)-1H-indazol-6-yl)picolinamide;
(S)-2-(3-hydroxypyrrolidin-1-yl)-N-(1-methyl-5-(piperidin-1-yl)-1H-indazol-6-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(5-(3-hydroxypiperidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(5-(3-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(5-(3-fluoropiperidin-1-yl)-2-methyl-2H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-2-(2-acetamidopyridin-4-yl)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)oxazole-4-carboxamide;
N-(5-(3-fluoropiperidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;

N-(5-(4-hydroxypiperidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-2-(2-aminopyridin-4-yl)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)oxazole-4-carboxamide;
N-(5-(4-fluoropiperidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
N-(5-(4-(hydroxymethyl)piperidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-2-(2,6-dimethylpyridin-4-yl)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)oxazole-4-carboxamide;
(R)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-2-(2-aminopyridin-3-yl)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)oxazole-4-carboxamide Hydrochloride;
6-((S)-3-hydroxypyrrolidin-1-yl)-N-(5-((R)-3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)picolinamide;
6-((S)-3-hydroxypyrrolidin-1-yl)-N-(5-((S)-3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl) picolinamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(1H-pyrrolo[2,3-b]pyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-2-(2-amino-3-fluoropyridin-4-yl)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)oxazole-4-carboxamide;
(R)-2-(2-aminopyridin-3-yl)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)oxazole-4-carboxamide hydrochloride;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(4-methylpiperazin-1-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(piperazin-1-yl)oxazole-4-carboxamide hydrochloride;

(S)-N-(1-ethyl-5-(3-hydroxypyrrolidin-1-yl)-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
(S)-N-(1-cyclopropyl-5-(3-hydroxypyrrolidin-1-yl)-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(1,2,3,6-tetrahydropyridin-4-yl)oxazole-4-carboxamide hydrochloride;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyrimidin-4-yl)oxazole-4-carboxamide hydrochloride;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-4-methyl-2-(2-methylpyridin-4-yl)oxazole-5-carboxamide hydrochloride;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(piperidin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(5-(3-hydroxy-8-azabicyclo[3.2.1]octan-8-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-5-carboxamide;
N-(5-(4-hydroxy-4-(hydroxymethyl)piperidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-5-methyl-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide;
(S)-2-(2-ethylpyridin-4-yl)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)oxazole-4-carboxamide;
2-(2-aminopyridin-4-yl)-N-(5-(4-(hydroxymethyl)piperidin-1-yl)-1,3-dimethyl-1H-indazol-6-yl)oxazole-4-carboxamide hydrochloride;
(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-(piperidin-4-ylmethyl)-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
N-(5-(4-(hydroxymethyl)piperidin-1-yl)-1,3-dimethyl-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;
(S)-2-(2-cyclopropylpyridin-4-yl)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)oxazole-4-carboxamide hydrochloride;

N-(5-(4-hydroxypiperidin-1-yl)-2-methyl-2H-indazol-6-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide hydrochloride; and
--

(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)pyrazolo[1,5-a]pyrimidine-3-carboxamide hydrochloride;

or a pharmaceutically acceptable salt or stereoisomer thereof.

91. The method of claim 68, wherein the compound of formula (III) is selected from:

(S)-2-(3-aminopyrrolidin-1-yl)-N-(2-methyl-5-(piperidin-1-yl)-2H-indazol-6-yl)oxazole-4-carboxamide;

5 6-((S)-3-hydroxypyrrolidin-1-yl)-N-(5-((S)-3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl) picolinamide;

(S)-N-(1-ethyl-5-(3-hydroxypyrrolidin-1-yl)-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride; and

(S)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)-2-(2-methylpyrimidin-4-yl)oxazole-4-carboxamide hydrochloride;

10 or a pharmaceutically acceptable salt thereof.

92. The method of claim 68, wherein the compound of formula (III) is selected from:

(S)-2-(2-cyclopropylpyridin-4-yl)-N-(5-(3-hydroxypyrrolidin-1-yl)-1-methyl-1H-indazol-6-yl)oxazole-4-carboxamide hydrochloride;

15 (S)-N-(1-cyclopropyl-5-(3-hydroxypyrrolidin-1-yl)-1H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride;

N-(2-methyl-5-(piperidin-1-yl)-2H-indazol-6-yl)-2-(2-methylpyridin-4-yl)oxazole-4-carboxamide hydrochloride; and

(S)-6-(3-aminopyrrolidin-1-yl)-N-(1-methyl-5-(piperidin-1-yl)-1H-indazol-6-yl)picolinamide;

20 or a pharmaceutically acceptable salt thereof.

93. The method of any preceding claim, wherein the subject has a mutation in FLT-3 kinase.

94. The method of claim 93, wherein the mutation is an internal tandem duplication (ITD).

95. The method of claim 93, wherein the mutation is selected from D835H, D835V, D835Y, K663Q, N841I, ITD, ITD and D835V, and ITD and F691L.
96. The method of any preceding claim, wherein the AML is resistant to an FLT-3 inhibitor.