Figure 1




Dosing period
Tumor volume (mm3) Geomean ± error
10000
1000
100
10
1
0.1
12
18
24
30
36
42
Days (post-implantation)
Vehicles BID 10/14 4d on/3d off
Capivasertib 130 mg/kg BID 10/14 4d on/3d off
Venetoclax 100 mg/kg QD
Capivasertib 130 mg/kg BID 10/14 4d on/3d off + Venetoclax 100 mg/kg QW
Capivasertib130 mg/kg BID 10/14 4d on/3d off + Venetoclax 100 mg/kg 2QW
Capivasertib 130 mg/kg BID 10/14 4d on/3d off + Venetoclax 100 mg/kg QD 4d on/3d off
Capivasertib 130 mg/kg BID 4d on/3d off + Venetoclax 100 mg/kg QW + Rituximab 10 mg/kg 2QW
RCHOP 1X on Day 1, Rituximab 10 mg/kg 2QW maintenance


Figure 2



Capivasertib 130 mg/kg BID 10/14 4d on/3d off +
Venetoclax 100 mg/kg QD 4d on/3d off

Capivasertib 130 mg/kg BID 4d on/3d off +
Venetoclax 100 mg/kg QW +
Rituximab 10 mg/kg 2QW

Figure 3



Regimen #1. RCHOP 1X on Day 1, Rituximab 10 mg/kg 2QW (days 14-49)

Regimen # 2. Capivasertib 130 mg/kg BID 10/14 4d on/3d off + Venetoclax 100 mg/kg 2QW + Rituximab 10 mg/kg 2QW (days 50-70)

Figure 4




20
10
0
-10
-20
% Body Weight Change (Mean ± SEM)
7
20
23
28
31
36
41
44
49
52
62
70
Days (post-implantation)
Capivasertib 130 mg/kg BID 10/14 4d on/3d off +
Venetoclax 100 mg/kg QD 4d on/3d off
Capivasertib 130 mg/kg BID 10/14 4d on/3d off +
Venetoclax 100 mg/kg QW +
Rituximab 10 mg/kg 2QW

Figure 5



1. RCHOP 1X on Day 1, Rituximab 10 mg/kg 2QW (Days 14-49)

2. Capivasertib 130 mg/kg BID 10/14 4d on/3d off + Venetoclax 100 mg/kg 2QW (+4h) + Rituximab 10 mg/kg 2QW (+15 min) (Days 50-70)