WHAT IS CLAIMED IS:

1. A compound of Formula (I):



(I)

or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

alk is C_{1-6} alkylene substituted with 0-5 R^e;

ring B is independently selected from C_{3-6} cycloalkyl, C_{3-6} cycloalkenyl, aryl, bicyclic carbocyclyl, and 6-membered heteroaryl;

R^1, at each occurrence, is independently selected from H, halogen, NO_2, $-(CH_2)_nOR^b$, $(CH_2)_nS(O)_pR^c$, $-(CH_2)_nC(=O)R^b$, $-(CH_2)_nNR^aR^a$, $-(CH_2)_nCN$, $-(CH_2)_nC(=O)NR^aR^a$, $-(CH_2)_nNR^aC(=O)R^b$, $-(CH_2)_nNR^aC(=O)NR^aR^a$, $-(CH_2)_nNR^aC(=O)OR^b$, $-(CH_2)_nOC(=O)NR^aR^a$, $-(CH_2)_nC(=O)OR^b$, $-(CH_2)_nS(O)_pNR^aR^a$, $-(CH_2)_nNR^aS(O)_pNR^aR^a$, $-(CH_2)_nNR^aS(O)_pR^c$, C_{1-4} alkyl substituted with 0-3 R^e, $-(CH_2)_n$-C_{3-6} carbocyclyl substituted with 0-3 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^2 is independently selected from C_{1-10} alkyl substituted with 0-3 R^e; C_{2-5} alkenyl substituted with 0-3 R^e, aryl substituted with 0-3 R^e, heteroaryl substituted with 0-3 R^e, and C_{3-6} cycloalkyl substituted with 0-3 R^e; provided when R^2 is C_{1-5} alkyl, the carbon atoms and the groups attached thereto except the carbon atom attached to the pyrimidine ring may be replaced by O, N, and S;

R^3 is independently selected from H and C_{1-5} alkyl:

R^4 is independently selected from $-(CR^7R^7)_n$-R^6, $-(CR^7R^7)_nOR^6$, $-(CR^7R^7)_nS(O)_pR^6$, $-(CR^7R^7)_nC(=O)R^6$, $-(CR^7R^7)_nNR^aR^6$, $-(CR^7R^7)_nNR^aC(=O)R^6$, $-(CR^7R^7)_nS(O)_pNR^aR^6$, and $-(CR^7R^7)_nNR^aS(O)_pR^6$;

alternatively, R^3 and R^4 together with the nitrogen atom to which they are both attached form a heterocyclic ring or a spiro heterocyclic ring comprising carbon atoms and

additional 1 to 4 heteroatoms selected from NR^{5a}, O, and S and substituted with 0-5 R^5;

R^5, at each occurrence, is independently selected from OH, halogen, $-(CR^7R^7)_n-R^6$, $-OR^6$, $-S(O)_pR^6$, $-C(=O)R^6$, $-NR^aR^6$, $-C(=O)NR^aR^6$, $-NR^aC(=O)R^6$, $-NR^aC(=O)OR^6$, $-OC(=O)NR^aR^6$, $-C(=O)OR^6$, $-S(O)_pNR^aR^6$, $-NR^aS(O)_pNR^aR^6$, and $-NR^aS(O)_pR^6$;

R^{5a}, at each occurrence, is independently selected from $-C(=O)OR^6$, $C(=O)NR^aR^6$, $-(CR^7R^7)_n-R^6$, $-C(=O)-R^6$, and $-S(O)_pR^6$;

R^6, at each occurrence, is independently selected from $-(CR^7R^7)_n-C_{3-10}$ carbocyclyl and $-(CR^7R^7)_n$-heteroaryl, each substituted with 0-3 R^8;

R^7, at each occurrence, is independently selected from H, C_{1-4} alkyl, and $-(CH_2)_n-C_{3-12}$ carbocyclyl substituted with 0-3 R^e;

R^8, at each occurrence, is independently selected from H, halogen, $-(CH_2)_nOR^b$, =O, $(CH_2)_nS(O)_pR_c$, $-(CH_2)_nC(=O)R^b$, $-(CH_2)_nNR^aR^a$, $-(CH_2)_nCN$, $-(CH_2)_nC(=O)NR^aR^a$, $-(CH_2)_nNR^aC(=O)R^b$, $-(CH_2)_nNR^aC(=O)NR^aR^a$, $-(CH_2)_nNR^aC(=O)OR^b$, $-(CH_2)_nOC(=O)NR^aR^a$, $-(CH_2)_nC(=O)OR^b$, $-(CH_2)_nS(O)_pNR^aR^a$, $-(CH_2)_nNR^aS(O)_pNR^aR^a$, $-(CH_2)_nNR^aS(O)_pR^c$, C_{1-5} alkyl substituted with 0-3 R^e, $-(CH_2)_n-C_{3-6}$ carbocyclyl substituted with 0-3 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^a, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, C_{2-6} alkenyl substituted with 0-5 R^e, C_{2-6} alkynyl substituted with 0-5 R^e, $-(CH_2)_n-C_{3-10}$carbocyclyl substituted with 0-5 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-5 R^e; or R^a and R^a together with the nitrogen atom to which they are both attached form a heterocyclic ring substituted with 0-5 R^e;

R^b, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, C_{2-6} alkenyl substituted with 0-5 R^e, C_{2-6} alkynyl substituted with 0-5 R^e, $-(CH_2)_n-C_{3-10}$carbocyclyl substituted with 0-5 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-5 R^e;

R^c, at each occurrence, is independently selected from C_{1-6} alkyl substituted with 0-5 R^e, C_{2-6}alkenyl substituted with 0-5 R^e, C_{2-6}alkynyl substituted with 0-5 R^e, C_{3-6}carbocyclyl, and heterocyclyl;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, CO_2H, C_{1-6} alkyl substituted with 0-5 R_f, C_{2-6} alkenyl, C_{2-6} alkynyl, $-(CH_2)_n-C_{3-6}$ cycloalkyl,

-$(CH_2)_n$-C_{4-6} heterocyclyl, -$(CH_2)_n$-aryl, -$(CH_2)_n$-heteroaryl, -$(CH_2)_nOR_f$, -$S(O)_pR^f$, -$C(=O)NR^fR^f$, -$NR^fC(=O)R^f$, -$S(O)_pNR^fR^f$, -$NR^fS(O)_pR^f$, -$NR^fC(=O)OR^f$, -$OC(=O)NR^fR^f$ and -$(CH_2)_nNR^fR^f$;

R^f, at each occurrence, is independently selected from H, F, Cl, Br, CN, OH, C_{1-5}alkyl (optionally substituted with halogen and OH), C_{3-6} cycloalkyl, and phenyl, or R^f and R^f together with the nitrogen atom to which they are both attached form a heterocyclic ring optionally substituted with C_{1-4}alkyl;

n, at each occurrence, is independently selected from zero, 1, 2, 3, and 4; and

p, at each occurrence, is independently selected from zero, 1, and 2.

2. The compound according to claim 1, or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

R^1, at each occurrence, is independently selected from H, F, Cl, Br, NO_2, -$(CH_2)_nOR^b$, -$(CH_2)_nC(=O)R^b$, -$(CH_2)_nNR^aR^a$, -$(CH_2)_nCN$, -$(CH_2)_nC(=O)NR^aR^a$, -$(CH_2)_nNR^aC(=O)R^b$, C_{1-4} alkyl substituted with 0-3 R^e, and C_{3-6} cycloalkyl substituted with 0-3 R^e;

R^2 is independently selected from C_{1-5} alkyl substituted with 0-3 R^e; C_{2-5} alkenyl, aryl substituted with 0-3 R^e, heteroaryl substituted with 0-3 R^e, C_{3-6} cycloalkyl, –$(CH_2)_{1-4}OC_{1-5}$alkyl, –$(CH_2)_{1-4}NHC_{1-5}$alkyl, and –$(CH_2)_{1-3}OC_{3-6}$cycloalkyl;

R^3 and R^4 together with the nitrogen atom to which they are both attached form a heterocyclic ring or a spiro heterocyclic ring selected from





R^5, at each occurrence, is independently selected from OH, -$(CR^7R^7)_n$-R^6, -OR^6, -$S(O)_pR^6$, -$C(=O)R^6$, -NR^aR^6, -$C(=O)NR^aR^6$, -$NR^aC(=O)R^6$, -$NR^aC(=O)OR^6$, -$OC(=O)NR^aR^6$, -$C(=O)OR^6$, -$S(O)_pNR^aR^6$, -$NR^aS(O)_pNR^aR^6$, and -$NR^aS(O)_pR^6$;

R^{5a}, at each occurrence, is independently selected from -$C(=O)OR^6$, -$C(=O)NR^aR^6$, -$(CR^7R^7)_n$-R^6, -$C(=O)$-R^6, and -$S(O)_pR^6$;

R^6, at each occurrence, is independently selected from -$(CR^7R^7)_n$-aryl, -$(CR^7R^7)_n$-C_{3-6} cycloalkyl, and -$(CR^7R^7)_n$-heteroaryl, each substituted with 0-3 R^8;

R^7, at each occurrence, is independently selected from H, C_{1-4} alkyl, and -$(CH_2)_n$-C_{3-12} carbocyclyl substituted with 0-3 R^e;

R^8, at each occurrence, is independently selected from H, F, Cl, Br, -OR^b, -$(CH_2)_nC(=O)R^b$, -$(CH_2)_nC(=O)OR^b$, -$(CH_2)_nNR^aR^a$, CN, -$(CH_2)_nC(=O)NR^aR^a$, -$NHC(=O)OR^b$, C_{1-4} alkyl substituted with 0-3 R^e, $(CH_2)_n$-C_{3-6} carbocyclyl substituted with 0-3 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^a, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, -$(CH_2)_n$-C_{3-10}carbocyclyl substituted with 0-5 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-5 R^e; or R^a and R^a together with the nitrogen atom to which they are both attached form a heterocyclic ring substituted with 0-5 R^e;

R^b, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, C_{2-6} alkenyl substituted with 0-5 R^e, C_{2-6} alkynyl substituted with 0-5 R^e, -$(CH_2)_n$-C_{3-10}carbocyclyl substituted with 0-5 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-5 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, -CO_2H, C_{1-6} alkyl substituted with 0-5 R_f, C_{2-6} alkenyl, C_{2-6} alkynyl, -$(CH_2)_n$-C_{3-6} cycloalkyl, -$(CH_2)_n$-C_{4-6} heterocyclyl, -$(CH_2)_n$-aryl, -$(CH_2)_n$-heteroaryl, -

$(CH_2)_nOR_f$, $-S(O)_pR^f$, $-C(=O)NR^fR^f$, $-NR^fC(=O)R^f$, $-S(O)_pNR^fR^f$, $-NR^fS(O)_pR^f$, $-NR^fC(=O)OR^f$, $-OC(=O)NR^fR^f$ and $-(CH_2)_nNR^fR^f$;

R^f, at each occurrence, is independently selected from H, F, Cl, Br, CN, OH, C_{1-5}alkyl (optionally substituted with halogen and OH), C_{3-6} cycloalkyl, and phenyl;

n, at each occurrence, is independently selected from zero, 1, 2, 3, and 4; and

p, at each occurrence, is independently selected from zero, 1, and 2.

3. The compound according to claim 2 having Formula (II):



(II)

or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

ring B is independently selected from






, and

;

R^1, at each occurrence, is independently selected from H, F, Cl, OH, CN, C_{1-4} alkyl, OC_{1-4} alkyl, and C_{3-6} cycloalkyl;

R^2 is independently selected from C_{1-5} alkyl substituted with 0-3 R^e; C_{2-5} alkenyl, aryl substituted with 0-3 R^e, heteroaryl substituted with 0-3 R^e, C_{3-6} cycloalkyl, $-(CH_2)_{1-4}OC_{1-5}$alkyl, and $-(CH_2)_{1-3}OC_{3-6}$cycloalkyl;

R^3 and R^4 together with the nitrogen atom to which they are both attached form a heterocyclic ring selected from



R^5, at each occurrence, is independently selected from OH, -$(CR^7R^7)_n$-R^6, -OR^6, -$S(O)_pR^6$, -$C(=O)R^6$, -NR^aR^6, -$C(=O)NR^aR^6$, -$NR^aC(=O)R^6$, -$NR^aC(=O)OR^6$, -$OC(=O)NR^aR^6$, -$C(=O)OR^6$, -$S(O)_pNR^aR^6$, -$NR^aS(O)_pNR^aR^6$, and -$NR^aS(O)_pR^6$;

R^{5a} is independently selected from -$C(=O)OR^6$, -$C(=O)NR^aR^6$, -$(CR^7R^7)_n$-R^6, -$C(=O)$-R^6, and -$S(O)_pR^6$;

R^6, at each occurrence, is independently selected from -$(CR^7R^7)_n$-aryl, -$(CR^7R^7)_n$-C_{3-6} cycloalkyl, and -$(CR^7R^7)_n$-heteroaryl, each substituted with 0-3 R^8;

R^7, at each occurrence, is independently selected from H, C_{1-4} alkyl, and $(CH_2)_n$-C_{3-12} carbocyclyl substituted with 0-3 R^e;

R^8, at each occurrence, is independently selected from H, F, Cl, Br, -OR^b, -$(CH_2)_nC(=O)R^b$, -$(CH_2)_nC(=O)OR^b$, -$(CH_2)_nNR^aR^a$, CN, -$(CH_2)_nC(=O)NR^aR^a$, C_{1-4} alkyl substituted with 0-3 R^e, -$(CH_2)_n$-C_{3-6} carbocyclyl substituted with 0-3 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^a, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, -$(CH_2)_n$-C_{3-10}carbocyclyl substituted with 0-5 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-5 R^e; or R^a and R^a together with the nitrogen atom to which they are both attached form a heterocyclic ring substituted with 0-5 R^e;

R^b, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, C_{2-6} alkenyl substituted with 0-5 R^e, C_{2-6} alkynyl substituted with 0-5 R^e, -$(CH_2)_n$-C_{3-10}carbocyclyl substituted with 0-5 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-5 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, CO_2H, C_{1-6} alkyl (optionally substituted with F and Cl), OH, OCH_3, OCF_3, -$(CH_2)_n$-C_{3-6} cycloalkyl, -$(CH_2)_n$-C_{4-6} heterocyclyl, -$(CH_2)_n$-aryl, -$(CH_2)_n$-heteroaryl, and -$(CH_2)_nOC_{1-4}$ alkyl; and

n, at each occurrence, is independently selected from zero, 1, 2, 3, and 4.

4. A compound according to claim 3, or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

R^1, at each occurrence, is independently selected from H, F, Cl, OH, CN, C_{1-4} alkyl, and OC_{1-4} alkyl;

R^2 is independently selected from C_{1-5} alkyl substituted with 0-3 R^e; C_{2-5} alkenyl, phenyl substituted with 0-3 R^e, 5- to 6-membered heteroaryl substituted with 0-3 R^e, C_{3-6} cycloalkyl, and $CH_2O(CH_2)_{1-3}CH_3$;

R^3 and R^4 together with the nitrogen atom to which they are both attached form a heterocyclic ring selected from



, and

;

R^5 is independently at each occurrence, selected from OH,























; and

R^8, at each occurrence, is independently selected from H, F, Cl, Br, -OCH_3, -OCF_3, =O, CN, CH_3, CF_3 -$(CH_2)_n$-aryl, -$(CH_2)_n$-C_{3-6} cycloalkyl substituted with 0-3 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^{8a}, at each occurrence, is independently selected from H, CH_3, aryl substituted with 0-3 R^e, and heterocyclyl substituted with 0-3 R^e;

R^a, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, -$(CH_2)_n$-C_{3-10}carbocyclyl substituted with 0-5 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-5 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, CO_2H, C_{1-6} alkyl (optionally substituted with F and Cl), OH, OCH_3, OCF_3, -$(CH_2)_n$-C_{3-6} cycloalkyl, -$(CH_2)_n$-C_{4-6} heterocyclyl, -$(CH_2)_n$-aryl, -$(CH_2)_n$-heteroaryl, and -$(CH_2)_n$$OC_{1-4}$alkyl; and

n, at each occurrence, is independently selected from zero, 1, 2, and 3.

5. A compound according to claim 4, having Formula (III):



(III)

or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

ring B is independently selected from



, and ;

R^1, at each occurrence, is independently selected from H, F, Cl, OH, CN, C_{1-4} alkyl, and OC_{1-4} alkyl;

R^2 is independently selected from C_{1-5} alkyl substituted with 0-3 R^e; C_{2-5} alkenyl, phenyl substituted with 0-3 R^e, 5- to 6-membered heteroaryl substituted with 0-3 R^e, C_{3-6} cycloalkyl, and $CH_2O(CH_2)_{1-3}CH_3$;

R^5 is independently at each occurrence, selected from OH,



 ,  ,  ,  , and

 ;

R^8, at each occurrence, is independently selected from H, F, Cl, Br, $-OCH_3$, $-OCF_3$, =O, CN, CH_3, CF_3, $-C(=O)NH_2$, $-(CH_2)_n$-aryl substituted with 0-3 R^e, $-(CH_2)_n-C_{3-6}$ cycloalkyl substituted with 0-3 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^{8a}, at each occurrence, is independently selected from H, CH_3, aryl substituted with 0-3 R^e, and heterocyclyl substituted with 0-3 R^e;

R^a, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, $-(CH_2)_n-C_{3-10}$carbocyclyl substituted with 0-5 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-5 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, CO_2H, C_{1-6} alkyl (optionally substituted with F and Cl), -OH, $-OCH_3$, $-OCF_3$, $-(CH_2)_n-C_{3-6}$ cycloalkyl, $-(CH_2)_n-C_{4-6}$ heterocyclyl, $-(CH_2)_n$-aryl, $-(CH_2)_n$-heteroaryl, and $-(CH_2)_nOC_{1-4}$alkyl; and

n, at each occurrence, is independently selected from zero, 1, 2, and 3.

6. A compound according to claim 3, or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

R^1, at each occurrence, is independently selected from F, Cl, -OH, $-CH_2CH_3$, $-OCH_3$, and $-OCD_3$;

R^2 is independently selected from C_{1-5} alkyl substituted with 0-3 R^e; C_{2-5} alkenyl, phenyl substituted with 0-3 R^e, 5- to 6-membered heteroaryl substituted with 0-3 R^e, C_{3-6} cycloalkyl, and $-CH_2O(CH_2)_{1-3}CH_3$;

R^3 and R^4 together with the nitrogen atom to which they are both attached form


;

R^5, at each occurrence, is independently at each occurrence, selected from -OH, F, and Cl;

R^{5a}, at each occurrence, is independently selected from


, and

;

R^8, at each occurrence, is independently selected from H, F, Cl, Br, $-OCH_3$, $-O(CH_2)_{1-3}OCH_3$, $-OCF_3$, =O, CN, CH_3, CF_3 $-(CH_2)_n$-aryl, $-(CH_2)_n$-C_{3-6} cycloalkyl substituted with 0-3 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^{8a}, at each occurrence, is independently selected from H, CH_3, aryl substituted with 0-3 R^e, and heterocyclyl substituted with 0-3 R^e;

R^a, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, $-(CH_2)_n$-C_{3-10}carbocyclyl substituted with 0-5 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-5 R^e;

R^b, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, C_{2-6} alkenyl substituted with 0-5 R^e, C_{2-6} alkynyl substituted with 0-5 R^e, -

$(CH_2)_n$-C_{3-10}carbocyclyl substituted with 0-5 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-5 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, CO_2H, C_{1-6} alkyl (optionally substituted with F and Cl), OH, OCH_3, OCF_3, -$(CH_2)_n$-C_{3-6} cycloalkyl, -$(CH_2)_n$-C_{4-6} heterocyclyl, -$(CH_2)_n$-aryl, and -$(CH_2)_n$-heteroaryl; and

n, at each occurrence, is independently selected from zero, 1, 2, and 3.

7. A compound according to claim 1, or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

R^1, at each occurrence, is independently selected from -CH_2OH, -OCH_3, -OCH_3, -OCF_3, OCH_2Ph, -C(=O)NR^aR^a, -NR^aR^a, CH_3, CH_2CH_3, $CH(CH_3)_2$, and cyclopropyl;

R^2 is independently selected from C_{1-4} alkyl substituted with 0-3 R^e; C_{2-4} alkenyl, phenyl substituted with 0-3 R^e, 5- to 6-membered heteroaryl substituted with 0-3 R^e, C_{3-6} cycloalkyl, and $CH_2O(CH_2)_{1-3}CH_3$;

R^3 is independently selected from H and C_{1-4} alkyl:

R^4 is independently selected from -$(CHR^7)_{1-4}$-R^6, -$(CH_2)_{1-3}OR^6$, -$(CH_2)_{1-3}NHR^6$, and -$(CH_2)_{0-3}NHC(=O)R^6$;

R^6, at each occurrence, is independently selected from -$(CR^7R^7)_n$-aryl, -$(CR^7R^7)_n$-C_{3-6} cycloalkyl, and -$(CR^7R^7)_n$-heteroaryl, each substituted with 0-3 R^8;

R^7, at each occurrence, is independently selected from H, C_{1-4} alkyl, and aryl;

R^8, at each occurrence, is independently selected from H, F, Cl, -OR^b, -NR^aR^a, C_{1-4} alkyl substituted with 0-3 R^e, phenyl substituted with 0-3 R^e, and heterocyclyl substituted with 0-3 R^e;

R^a, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, -$(CH_2)_n$-phenyl substituted with 0-5 R^e, and -$(CH_2)_n$-heteroaryl substituted with 0-5 R^e;

R^b, at each occurrence, is independently selected from H, C_{1-6} alkyl substituted with 0-5 R^e, -$(CH_2)_n$-C_{3-10}carbocyclyl substituted with 0-5 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-5 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, CO_2H, C_{1-6} alkyl (optionally substituted with F and Cl), OH, OCH_3, OCF_3, -$(CH_2)_n$-C_{3-6} cycloalkyl, -$(CH_2)_n$-C_{4-6} heterocyclyl, -$(CH_2)_n$-aryl, -$(CH_2)_n$-heteroaryl; and

n is independently selected from zero, 1, 2, 3, and 4.

8. A compound according to claim 5, having Formula (IV):



(IV)

or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

R^1, at each occurrence, is independently selected from F, Cl, OH, C_{1-4} alkyl, and OC_{1-4} alkyl;

R^2 is independently selected from $-CH_2CH_2CH_2CH_3$, $-CH_2CH_2CH(CH_3)_2$, $CH_2CH_2CH_2CF_3$, $-CH_2$-cyclopropyl, $-CH_2CH_2$-cyclopropyl, cyclobutyl, cyclopentyl, $-CH_2O(CH_2)_{1-3}CH_3$, $-CH_2OCH(CH_3)_2$, phenyl substituted with 0-2 R^e, and 5- to 6-membered heteroaryl substituted with 0-2 R^e;

R^5, at each occurrence, is independently selected from

 ,  ,  , and

 ;

R^8, at each occurrence, is independently selected from F, Cl, Br, $-OCH_3$, $-OCF_3$, =O, CN, CH_3, CF_3, $-C(=O)NH_2$, $-(CH_2)_n$-aryl substituted with 0-3 R^e, $-(CH_2)_n-C_{3-6}$ cycloalkyl substituted with 0-3 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, CO_2H, C_{1-6} alkyl (optionally substituted with F and Cl), OH, OCH_3, OCF_3, $-(CH_2)_n-C_{3-6}$ cycloalkyl, $-(CH_2)_n-C_{4-6}$ heterocyclyl, $-(CH_2)_n$-aryl, and $-(CH_2)_n$-heteroaryl; and

n is independently selected from zero, 1, 2, 3, and 4.

9. A compound according to claim 8, or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

R^1 is both CH_2CH_3 or both OCH_3;

R^2 is independently selected from



, 

, 

, 

, and 

;

R^5 is independently at each occurrence, selected from 

and 

;

R^8, at each occurrence, is independently selected from F, Cl, Br, $-OCH_3$, $-OCF_3$, CN, CH_3, and CF_3; and

R^e, at each occurrence, is independently selected from F, Cl, Br, C_{1-3} alkyl, and cyclopropyl.

10. A compound according to claim 5, having Formula (V):



(V)

or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

ring B is independently selected from



, and ;

R^1, at each occurrence, is independently selected from H, F, Cl, OH, CN, and OC_{1-4} alkyl;

R^2 is independently selected from $-CH_2CH_2CH_2CH_3$, $-CH_2CH_2CH(CH_3)_2$, $CH_2CH_2CH_2CF_3$, $-CH_2$-cyclopropyl, $-CH_2CH_2$-cyclopropyl, cyclobutyl, cyclopentyl, $CH_2O(CH_2)_{1-3}CH_3$, and $CH_2OCH(CH_3)_2$, phenyl substituted with 0-2 R^e, and 5- to 6-membered heteroaryl substituted with 0-2 R^e;

R^5, at each occurrence, is independently selected from



, and



;

R^8, at each occurrence, is independently selected from F, Cl, Br, $-OCH_3$, $-OCF_3$, =O, CN, CH_3, CF_3, $-C(=O)NH_2$, $-(CH_2)_n$-aryl substituted with 0-3 R^e, $-(CH_2)_n$-C_{3-6} cycloalkyl substituted with 0-3 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, CO_2H, C_{1-6} alkyl (optionally substituted with F and Cl), OH, OCH_3, OCF_3, $-(CH_2)_n$-C_{3-6} cycloalkyl, $-(CH_2)_n$-C_{4-6} heterocyclyl, $-(CH_2)_n$-aryl, and $-(CH_2)_n$-heteroaryl;

$R^{e'}$ is independently selected from C_{1-2} alkyl, $-CH_2OC_{1-2}$ alkyl, and cyclopropyl; and

n is independently selected from zero, 1, 2, 3, and 4.

11. A compound according to claim 10, having Formula (VI):



(VI)

or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

R^1, at each occurrence, is independently selected from H, F, Cl, OH, CN, and OC_{1-4} alkyl;

R^2 is independently selected from $-CH_2CH_2CH_2CH_3$, $-CH_2CH_2CH(CH_3)_2$, $CH_2CH_2CH_2CF_3$, $-CH_2$-cyclopropyl, $-CH_2CH_2$-cyclopropyl, cyclobutyl, cyclopentyl, $CH_2O(CH_2)_{1-3}CH_3$, and $CH_2OCH(CH_3)_2$,  ,  ,  ,  , and  ;

R^5, at each occurrence, is independently selected from  ,  ,  , and  ,

R^8, at each occurrence, is independently selected from F, Cl, Br, $-OCH_3$, $-OCF_3$, =O, CN, CH_3, CF_3, $-C(=O)NH_2$, $-(CH_2)_n$-aryl substituted with 0-3 R^e, $-(CH_2)_n$-C_{3-6} cycloalkyl substituted with 0-3 R^e, and $-(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, $-CO_2H$, C_{1-6} alkyl (optionally substituted with F and Cl), -OH, $-OCH_3$, $-OCF_3$, $-(CH_2)_n$-C_{3-6} cycloalkyl, $-(CH_2)_n$-C_{4-6} heterocyclyl, $-(CH_2)_n$-aryl, and $-(CH_2)_n$-heteroaryl;

$R^{e'}$ is independently selected from C_{1-2} alkyl, $-CH_2OC_{1-2}$ alkyl, and cyclopropyl; and

n is independently selected from zero, 1, 2, 3, and 4.

12. A compound according to claim 3, having Formula (VII):



(VII)

or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof, wherein:

R^1, at each occurrence, is independently selected from F, Cl, -OH, C_{1-2} alkyl, and -OC_{1-2} alkyl;

R^2 is independently selected from -$CH_2CH_2CH_2CH_3$, -$CH_2CH_2CH(CH_3)_2$, -$CH_2CH_2CH_2CF_3$, -CH_2-cyclopropyl, -CH_2CH_2-cyclopropyl, cyclobutyl, cyclopentyl, -$CH_2O(CH_2)_{1-3}CH_3$, -$CH_2OCH(CH_3)_2$, phenyl substituted with 0-2 R^e, and 5- to 6-membered heteroaryl substituted with 0-2 R^e;

R^3 and R^4 together with the nitrogen atom to which they are both attached form a heterocyclic ring selected from

 and ;

R^5 is independently at each occurrence, selected from

 ,  ,  , and  ;

R^{5a} is  ;

R^8, at each occurrence, is independently selected from F, Cl, Br, -OCH_3, -OCF_3, CN, CH_3, CF_3, -$C(=O)NH_2$, -$(CH_2)_n$-aryl substituted with 0-3 R^e, -$(CH_2)_n$-C_{3-6} cycloalkyl substituted with 0-3 R^e, and -$(CH_2)_n$-heterocyclyl substituted with 0-3 R^e;

R^e, at each occurrence, is independently selected from F, Cl, Br, CN, NO_2, =O, CO_2H, C_{1-6} alkyl (optionally substituted with F and Cl), -OH, $-OCH_3$, $-OCF_3$, $-(CH_2)_n-C_{3-6}$ cycloalkyl, $-(CH_2)_n-C_{4-6}$ heterocyclyl, $-(CH_2)_n$-aryl, and $-(CH_2)_n$-heteroaryl; and n is independently selected from zero, 1, 2, 3, and 4.

13. A compound according to any one of claims 1-12, wherein the compound is selected from:

2-Butyl-5-(3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

(R)-2-Butyl-1-(2,6-dicyclopropylphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

1-(2,6-Dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-5-(3-(pyridin-2-yl)pyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

(S)-2-(2-Cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

(R)-1-(2,6-Bis(methoxy-d_3)phenyl)-2-butyl-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

2-Butyl-6-hydroxy-3-((S)-1-phenylpropyl)-5-((R)-3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-(2-methoxyphenyl)pyrrolidine-1-carbonyl)-2-(5-methylpyridin-3-yl)pyrimidin-4(1H)-one,

(R)-2-(but-3-en-1-yl)-6-hydroxy-3-(2-methoxy-6-methylphenyl)-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(isopropoxymethyl)-5-(3-(p-tolyl)azetidine-1-carbonyl)pyrimidin-4(1H)-one,

2-(cyclopropoxymethyl)-1-(2,6-dimethoxyphenyl)-5-(3-(2-fluorophenyl)pyrrolidine-1-carbonyl)-6-hydroxypyrimidin-4(1H)-one,

(R)-2-(cyclopropoxymethyl)-3-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

(R)-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(isopropoxymethyl)-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

2-(cyclopropoxymethyl)-1-(2,6-dimethoxyphenyl)-5-(3-(2-fluorophenyl)pyrrolidine-1-carbonyl)-6-hydroxypyrimidin-4(1H)-one,

(R)-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-isopentyl-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

2-(cyclopropoxymethyl)-1-(2,6-dimethoxyphenyl)-5-(3-(3-fluorophenyl)pyrrolidine-1-carbonyl)-6-hydroxypyrimidin-4(1H)-one,

(S)-2-(but-3-en-1-yl)-3-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

(R)-3-(2,6-diethylphenyl)-6-hydroxy-2-(isopropoxymethyl)-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

1-(2,6-diethylphenyl)-6-hydroxy-2-(isopropoxymethyl)-5-(3-(pyridin-2-yl)pyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

2-(cyclopropoxymethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-(o-tolyl)pyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

(R)-2-(cyclobutoxymethyl)-3-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

5-(3-(4-chlorophenyl)pyrrolidine-1-carbonyl)-2-(cyclopropoxymethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

5-(3-(2-chlorophenyl)pyrrolidine-1-carbonyl)-2-(cyclopropoxymethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

(R)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

(S)-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-isopentyl-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

1-(2,6-diethylphenyl)-5-(3-(2-fluorophenyl)pyrrolidine-1-carbonyl)-6-hydroxy-2-(isopropoxymethyl)pyrimidin-4(1H)-one,

5-(3-(3-chlorophenyl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxypyrimidin-4(1H)-one,

(R)-2-(but-3-en-1-yl)-3-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

5-(3-(3-chlorophenyl)pyrrolidine-1-carbonyl)-2-(cyclopropylmethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

(S)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(1H)-one,

(R)-2-cyclopentyl-3-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

(S)-2-(cyclopropylmethyl)-3-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

(R)-2-(cyclopropylmethyl)-3-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

(S)-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)-2-(4,4,4-trifluorobutyl)pyrimidin-4(1H)-one,

(S)-2-cyclopentyl-3-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

(R)-2-(but-3-en-1-yl)-6-hydroxy-3-(2-methoxy-6-methylphenyl)-5-(3-phenylpyrrolidine-1-carbonyl)pyrimidin-4(3H)-one,

(S)-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)-2-(4,4,4-trifluorobutyl)pyrimidin-4(1H)-one,

(R)-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylpyrrolidine-1-carbonyl)-2-(4,4,4-trifluorobutyl)pyrimidin-4(1H)-one,

2-butyl-5-(3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-[(*tert*-butoxy)methyl]-5-[3-(2-chlorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(2-chlorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-[(*tert*-butoxy)methyl]-1-(2,6-dimethoxyphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(4-chlorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(4-chlorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(pyridin-4-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(pyridin-4-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-[(*tert*-butoxy)methyl]-1-(2,6-dimethoxyphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-[(*tert*-butoxy)methyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-5-[3-(pyridin-2-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-5-[3-(pyridin-2-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-(5-fluoro-2,3-dihydro-1H-isoindole-2-carbonyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

benzyl N-[(3S)-1-[2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl]carbamate,

5-[(3R)-3-(benzyloxy)pyrrolidine-1-carbonyl]-2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-{1H,2H,3H-pyrrolo[3,4-c]pyridine-2-carbonyl}-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-{5H,6H,7H-pyrrolo[3,4-b]pyridine-6-carbonyl}-1,4-dihydropyrimidin-4-one,

benzyl N-[(3R)-1-[2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl]carbamate,

5-[(3S)-3-(benzyloxy)pyrrolidine-1-carbonyl]-2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[(3S)-3-[(pyridin-2-yl)methoxy]pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-[2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl]-2,3-dihydro-1H-isoindole-5-carbonitrile,

2-butyl-5-(2,3-dihydro-1H-isoindole-2-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-{3-[(4-fluorophenyl)methyl]pyrrolidine-1-carbonyl}-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(pyridin-2-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-{4-[(3-fluorophenyl)methyl]piperazine-1-carbonyl}-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(pyridin-2-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[4-(pyridin-4-yl)piperidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-(4-phenylpiperidine-1-carbonyl)-1,4-dihydropyrimidin-4-one,

5-(3-benzylpyrrolidine-1-carbonyl)-2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-[4-(4-fluorophenyl)piperidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(pyridin-3-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(pyridin-3-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-[3-(3-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-[3-(3-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-5-[3-(pyridin-3-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-5-[3-(3-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-5-[3-(3-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-5-[3-(pyridin-3-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-butyl-3-(2,6-diethylphenyl)-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-(2,6-dimethoxyphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(3-chlorophenyl)azetidine-1-carbonyl]-3-(2,6-dimethoxyphenyl)-6-hydroxy-3,4-dihydropyrimidin-4-one,

2-butyl-3-(2,6-diethylphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-3,4-dihydropyrimidin-4-one,

2-butyl-3-(2,6-diethylphenyl)-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-(2,6-dimethoxyphenyl)-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

5-[3-(2-chlorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(3-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(3-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(2-methylphenyl)pyrrolidine-1-carbonyl]-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-2-[(propan-2-yloxy)methyl]-5-{3-[2-(trifluoromethyl)phenyl]pyrrolidine-1-carbonyl}-1,4-dihydropyrimidin-4-one,

2-(cyclopropoxymethyl)-1-(2,6-dimethoxyphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-2-[(propan-2-yloxy)methyl]-5-{3-[2-(trifluoromethyl)phenyl]pyrrolidine-1-carbonyl}-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

2-(cyclopropoxymethyl)-1-(2,6-dimethoxyphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-[2,6-bis($^2H_3$)methoxyphenyl]-2-butyl-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(2-methylphenyl)pyrrolidine-1-carbonyl]-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

1-[2,6-bis($^2H_3$)methoxyphenyl]-2-(ethoxymethyl)-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

4-{1-[1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl}benzonitrile,

4-{1-[1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl}benzonitrile,

1-[2,6-bis($^2H_3$)methoxyphenyl]-2-(ethoxymethyl)-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-5-(3-phenylazetidine-1-carbonyl)-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(4-methylphenyl)azetidine-1-carbonyl]-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

2-butyl-3-(4,6-dimethoxypyrimidin-5-yl)-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-(4,6-dimethoxypyrimidin-5-yl)-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1S)-1-phenylpropyl]-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(3-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1S)-1-phenylpropyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1R)-2-methoxy-1-phenylethyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1R)-1-phenylethyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1S)-1-phenylpropyl]-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(3-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1S)-1-phenylpropyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-1-(3-methoxyphenyl)ethyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-1-phenylpropyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1R)-1-(2-methoxyphenyl)ethyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-(1-phenylethyl)-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1R)-1-phenylpropyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-1-phenylethyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1S)-1-cyclopropylethyl]-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1R)-2-methoxy-1-phenylethyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1R)-1-phenylpropyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-(2-methyl-1-phenylpropyl)-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-(2-methyl-1-phenylpropyl)-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1S)-1-cyclopropylethyl]-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1R)-1-phenylethyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[1-(2-chlorophenyl)ethyl]-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[1-(2-chlorophenyl)ethyl]-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1R)-1-(2-methoxyphenyl)ethyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-(1-phenylethyl)-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-1-phenylbutyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

3-[(1S)-1-{2-butyl-4-hydroxy-6-oxo-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1,6-dihydropyrimidin-1-yl}ethyl]benzonitrile,

2-butyl-6-hydroxy-3-[(1S)-1-(3-methoxyphenyl)ethyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3-[1-(pyridin-3-yl)ethyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-1-phenylethyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1R)-1-cyclopropylethyl]-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1S)-1-(4-fluorophenyl)ethyl]-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3-[(1S)-1,2,3,4-tetrahydronaphthalen-1-yl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1R)-2,3-dihydro-1H-inden-1-yl]-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3-[1-(pyridin-3-yl)ethyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3-[(1S)-1,2,3,4-tetrahydronaphthalen-1-yl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3-[1-(pyridin-4-yl)ethyl]-3,4-dihydropyrimidin-4-one,

3-[(1S)-1-{2-butyl-4-hydroxy-6-oxo-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-1,6-dihydropyrimidin-1-yl}ethyl]benzonitrile,

2-butyl-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3-(propan-2-yl)-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-1-(2-methoxyphenyl)ethyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-2-methoxy-1-phenylethyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-1-phenylbutyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-2-methoxy-1-phenylethyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1R)-1-cyclopropylethyl]-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-3-[(1S)-1-(2-methoxyphenyl)ethyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1S)-1-(4-fluorophenyl)ethyl]-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1R)-2,3-dihydro-1H-inden-1-yl]-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3,4-dihydropyrimidin-4-one,

2-butyl-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-3-(propan-2-yl)-3,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(2-methoxyphenyl)pyrrolidine-1-carbonyl]-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(2-methoxyphenyl)pyrrolidine-1-carbonyl]-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

2-{1-[1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl}benzonitrile,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidin-4-one,

2-{1-[1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-2-[(propan-2-yloxy)methyl]-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl}benzonitrile,

2-(2-cyclopropylethyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(2-cyclopropylethyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloropyridin-2-yl)-2,5-dihydro-1H-pyrrole-1-carbonyl]-2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(2-cyclopropylethyl)-5-{4-[(2,3-difluorophenyl)methyl]piperazine-1-carbonyl}-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-diethylphenyl)-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(2-cyclopropylethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-2-(1-ethyl-1H-pyrazol-3-yl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-1-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-2-(1-ethyl-1H-pyrazol-3-yl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-1-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-1-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-5-[3-(2-methoxyphenyl)pyrrolidine-1-carbonyl]-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-5-[3-(2-methoxyphenyl)pyrrolidine-1-carbonyl]-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(4-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-2-(1-ethyl-1H-pyrazol-3-yl)-5-[3-(4-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(4-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

1-((S)-1-(3,5-difluorophenyl)propyl)-5-(3-(4-fluoropyridin-2-yl)pyrrolidine-1-carbonyl)-6-hydroxy-2-(4-methylthiazol-2-yl)pyrimidin-4(1H)-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-5-[3-(2-methoxyphenyl)pyrrolidine-1-carbonyl]-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-1-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-2-(1-ethyl-1H-pyrazol-3-yl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-1-[(1S)-1-(3,5-difluorophenyl)propyl]-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-[(1S)-1-(3,5-difluorophenyl)propyl]-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-2-(1-ethyl-1H-pyrazol-3-yl)-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-1-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-6-hydroxy-2-[(propan-2-yloxy)methyl]-5-[3-(pyridin-4-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

5-[4-(6-chloropyridin-3-yl)piperidine-1-carbonyl]-3-(2,6-diethylphenyl)-6-hydroxy-2-[(propan-2-yloxy)methyl]-3,4-dihydropyrimidin-4-one,

5-[3-(4-chlorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-2-(4-fluorophenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(4-fluorophenyl)-6-hydroxy-5-[3-(pyridin-4-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(4-fluorophenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(cyclopropylmethyl)-1-(2,6-dimethoxyphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[4-(6-chloropyridin-3-yl)piperidine-1-carbonyl]-2-(cyclopropylmethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(4-chlorophenyl)pyrrolidine-1-carbonyl]-2-(cyclopropylmethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(2-chlorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-2-(4-fluorophenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(cyclopropylmethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(pyridin-4-yl)pyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-[(4-fluorophenyl)methyl]-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(5-methylpyridin-3-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(5-methylpyridin-3-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-6-hydroxy-5-[3-(2-methoxyphenyl)pyrrolidine-1-carbonyl]-2-(5-methylpyridin-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(6-methylpyridin-2-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(6-methylpyridin-2-yl)-1,4-dihydropyrimidin-4-one,

2-{1-[2-(3-chlorophenyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl}benzonitrile,

2-(3-chlorophenyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methylpyridin-2-yl)-1,4-dihydropyrimidin-4-one,

2-{1-[1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(4-methylpyridin-2-yl)-4-oxo-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl}benzonitrile,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(3-methylphenyl)-1,4-dihydropyrimidin-4-one,

2-{1-[1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(3-methylphenyl)-4-oxo-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl}benzonitrile,

2-{1-[2-(5-chloropyridin-3-yl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl]pyrrolidin-3-yl}benzonitrile,

5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(3-methylphenyl)-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(3-methoxyphenyl)-1,4-dihydropyrimidin-4-one,

5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(3-methoxyphenyl)-1,4-dihydropyrimidin-4-one,

2-(5-chloropyridin-3-yl)-5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(1-methyl-1H-pyrazol-4-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(6-methylpyridin-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(6-methylpyridin-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(2-methylpyridin-4-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(4-fluoro-3-methylphenyl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-2-(4-fluoro-3-methylphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(2-methylpyridin-4-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

2-(5-chloropyridin-3-yl)-5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(3-methoxyphenyl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(4-methylpyridin-2-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(3-methylphenyl)-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(3-chlorophenyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-2-(4-fluorophenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(2-methyl-1,3-thiazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(2-methyl-1,3-thiazol-4-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(4-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(4-methoxypyridin-2-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(5-methylpyridin-2-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[4-(2,3-difluorophenoxy)piperidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(2-methyl-1,3-thiazol-4-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(4-methoxypyridin-2-yl)-1,4-dihydropyrimidin-4-one,

2-(6-chloropyridin-3-yl)-5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(5-chloropyridin-2-yl)-5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(6-chloropyridin-3-yl)-5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-2-(5-methylpyridin-2-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-dimethoxyphenyl)-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

2-(5-chloropyridin-2-yl)-5-[3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-1-[3-(propan-2-yl)phenyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-2-[1-(propan-2-yl)-1H-pyrazol-3-yl]-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-diethylphenyl)-6-hydroxy-2-[1-(propan-2-yl)-1H-pyrazol-3-yl]-1,4-dihydropyrimidin-4-one,

2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1-[3-(propan-2-yl)phenyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[1-(propan-2-yl)-1H-pyrazol-3-yl]-1,4-dihydropyrimidin-4-one,

5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1-[3-(propan-2-yl)phenyl]-1,4-dihydropyrimidin-4-one,

2-(1-ethyl-1H-pyrazol-3-yl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1-[3-(propan-2-yl)phenyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[1-(propan-2-yl)-1H-pyrazol-3-yl]-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-diethylphenyl)-6-hydroxy-2-(2-methyl-1,3-thiazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[2-(propan-2-yl)-1,3-thiazol-4-yl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(2-methyl-1,3-thiazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-2-[2-(propan-2-yl)-1,3-thiazol-4-yl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[2-(propan-2-yl)-1,3-thiazol-4-yl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-6-hydroxy-2-(2-methyl-1,3-thiazol-4-yl)-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(2-methyl-1,3-thiazol-4-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-6-hydroxy-2-(2-methyl-1,3-thiazol-4-yl)-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-diethylphenyl)-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(1-methyl-1H-pyrazol-3-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-diethylphenyl)-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-2-(1-ethyl-1H-pyrazol-3-yl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-2-(1-ethyl-1H-pyrazol-4-yl)-5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-diethylphenyl)-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-diethylphenyl)-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-(2,6-diethylphenyl)-2-(1-ethyl-1H-pyrazol-4-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(4-fluoro-3-methylphenyl)-6-hydroxy-1-[(1S)-1-phenylpropyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(1-ethyl-1H-pyrazol-4-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(1-cyclopropyl-1H-pyrazol-3-yl)-1-(2,6-diethylphenyl)-6-hydroxy-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-6-hydroxy-2-[1-(2-methylpropyl)-1H-pyrazol-3-yl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[1-(2-methylpropyl)-1H-pyrazol-3-yl]-1,4-dihydropyrimidin-4-one,

2-(1-cyclopropyl-1H-pyrazol-3-yl)-1-(2,6-diethylphenyl)-5-[3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-(2,6-diethylphenyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-[1-(2-methylpropyl)-1H-pyrazol-3-yl]-1,4-dihydropyrimidin-4-one,

5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1-[(1S)-1-phenylpropyl]-1,4-dihydropyrimidin-4-one,

5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1-[(1S)-1-phenylpropyl]-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1-[(1S)-1-phenylpropyl]-1,4-dihydropyrimidin-4-one,

5-[3-(2-fluorophenyl)pyrrolidine-1-carbonyl]-6-hydroxy-2-(4-methyl-1,3-thiazol-2-yl)-1-[(1S)-1-phenylpropyl]-1,4-dihydropyrimidin-4-one,

2-(1-cyclopropyl-1H-pyrazol-3-yl)-1-(2,6-diethylphenyl)-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-1-[(1S)-1-(3,5-difluorophenyl)-2-methylpropyl]-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

1-[(1S)-1-(3,5-difluorophenyl)-2-methylpropyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-2-(1-ethyl-1H-pyrazol-3-yl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-(1-cyclopropyl-1H-pyrazol-3-yl)-1-(2,6-diethylphenyl)-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-1,4-dihydropyrimidin-4-one,

6-hydroxy-3-[(1R)-2-methoxy-1-phenylethyl]-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-2-propyl-3,4-dihydropyrimidin-4-one,

6-hydroxy-3-[(1R)-2-methoxy-1-phenylethyl]-5-[(3S)-3-phenylpyrrolidine-1-carbonyl]-2-propyl-3,4-dihydropyrimidin-4-one,

3-[(1S)-1-{2-butyl-4-hydroxy-6-oxo-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-1,6-dihydropyrimidin-1-yl}propyl]benzonitrile,

3-[(1S)-1-{2-butyl-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-4-hydroxy-6-oxo-1,6-dihydropyrimidin-1-yl}propyl]benzonitrile,

3-[(1S)-1-{2-butyl-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-4-hydroxy-6-oxo-1,6-dihydropyrimidin-1-yl}propyl]benzonitrile,

3-[(1S)-1-{4-hydroxy-6-oxo-5-[(3R)-3-phenylpyrrolidine-1-carbonyl]-2-[(propan-2-yloxy)methyl]-1,6-dihydropyrimidin-1-yl}propyl]benzonitrile,

3-[(1S)-1-{2-butyl-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-4-hydroxy-6-oxo-1,6-dihydropyrimidin-1-yl}propyl]benzonitrile,

3-[(1S)-1-{2-butyl-5-[3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-4-hydroxy-6-oxo-1,6-dihydropyrimidin-1-yl}propyl]benzonitrile,

3-[(S)-{2-butyl-5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-4-hydroxy-6-oxo-1,6-dihydropyrimidin-1-yl}(cyclopropyl)methyl]benzonitrile,

3-[(S)-{2-butyl-5-[3-(5-chloropyridin-2-yl)pyrrolidine-1-carbonyl]-4-hydroxy-6-oxo-1,6-dihydropyrimidin-1-yl}(cyclopropyl)methyl]benzonitrile,

3-[(1S)-1-{2-butyl-5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-4-hydroxy-6-oxo-1,6-dihydropyrimidin-1-yl}propyl]benzonitrile,

2-butyl-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1S)-1-(3-methoxyphenyl)propyl]-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-3-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-3-[(1S)-1-(3,5-difluorophenyl)propyl]-6-hydroxy-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1S)-1-phenylpropyl]-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1S)-1-phenylpropyl]-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1S)-1-phenylpropyl]-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1S)-1-phenylpropyl]-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3,4-dihydropyrimidin-4-one,

2-butyl-3-[(1S)-1-(3,5-difluorophenyl)propyl]-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1R)-2-methoxy-1-phenylethyl]-3,4-dihydropyrimidin-4-one,

2-butyl-5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1R)-2-methoxy-1-phenylethyl]-3,4-dihydropyrimidin-4-one,

3-[(S)-{2-butyl-5-[3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl]-4-hydroxy-6-oxo-1,6-dihydropyrimidin-1-yl}(cyclopropyl)methyl]benzonitrile,

2-butyl-5-[3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl]-6-hydroxy-3-[(1R)-2-methoxy-1-phenylethyl]-3,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

5-[3-(2,6-difluorophenyl)pyrrolidine-1-carbonyl]-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-1,4-dihydropyrimidin-4-one,

2-butyl-5-(4-(2,3-dichlorobenzyl)piperazine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(3-(5-chloro-3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

5-(3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxypyrimidin-4(1H)-one,

5-(3-(2,4-difluorophenyl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxypyrimidin-4(1H)-one,

2-(1-(1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl)pyrrolidin-3-yl)benzonitrile,

2-(1-(1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl)pyrrolidin-3-yl)benzonitrile,

2-(1-(2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl)pyrrolidin-3-yl)benzonitrile,

2-(1-(2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl)pyrrolidin-3-yl)benzonitrile,

2-butyl-1-(2,6-dimethoxyphenyl)-5-(3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-(3-(3-fluoropyridin-2-yl)pyrrolidine-1-carbonyl)-6-hydroxypyrimidin-4(1H)-one,

2-(1-(2-(tert-butoxymethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl)pyrrolidin-3-yl)benzonitrile,

2-(1-(2-(tert-butoxymethyl)-1-(2,6-dimethoxyphenyl)-6-hydroxy-4-oxo-1,4-dihydropyrimidine-5-carbonyl)pyrrolidin-3-yl)benzonitrile,

2-butyl-1-(2,6-dimethoxyphenyl)-5-(3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-1-(2,6-dimethoxyphenyl)-5-(3-(5-fluoropyridin-2-yl)pyrrolidine-1-carbonyl)-6-hydroxypyrimidin-4(1H)-one,

5-(3-(3,5-difluoropyridin-2-yl)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(4-(4-chlorophenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-5-(4-(4-fluorobenzyl)piperidine-1-carbonyl)-6-hydroxypyrimidin-4(1H)-one,

5-(4-(4-chlorobenzyl)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxypyrimidin-4(1H)-one,

(S)-5-(3-(benzyloxy)pyrrolidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxypyrimidin-4(1H)-one,

5-(4-(4-chlorophenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxypyrimidin-4(1H)-one,

5-(4-(2-chloro-5-fluorophenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-6-hydroxypyrimidin-4(1H)-one,

1-(2,6-dimethoxyphenyl)-2-(ethoxymethyl)-5-(4-(2-fluorophenyl)piperidine-1-carbonyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-1-(2,6-dimethoxyphenyl)-6-hydroxy-5-(4-(4-(trifluoromethyl)benzyl)piperidine-1-carbonyl)pyrimidin-4(1H)-one,

2-butyl-5-(4-(4-(tert-butyl)phenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(4-(2-chlorophenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(4-(2-chloro-3-fluorophenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(4-(2-chloro-3-fluorophenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(4-(2-chloro-5-fluorophenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(4-(2-chloro-3,5-difluorophenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(4-(2,3-difluorophenoxy)piperidine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

2-butyl-5-(4-(2,3-difluorobenzyl)piperazine-1-carbonyl)-1-(2,6-dimethoxyphenyl)-6-hydroxypyrimidin-4(1H)-one,

or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof.

14. A compound according to claim 1 selected from:



,



,



,



,



,


,


,


,


,


,

or a stereoisomer, an enantiomer, a diastereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof.

15. A pharmaceutical composition, comprising a pharmaceutically acceptable carrier and a compound of any one of claims 1-14, or a stereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof.

16. The compounds or a stereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof according to anyone of claims 1-14 or composition according to claim 15 for use in therapy.

17. A compound or a stereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof according to any one of claims 1-14 or composition according to claim 15 for use in the treatment of cardiovascular diseases.

18. The compound or a stereoisomer, a tautomer, or a pharmaceutically acceptable salt thereof or composition for use according to claim 17 wherein said cardiovascular diseases are coronary heart disease, stroke, heart failure, systolic heart failure, diastolic heart failure, diabetic heart failure, heart failure with preserved ejection fraction, cardiomyopathy, myocardial infarction, left ventricular dysfunction, left ventricular dysfunction after myocardial infarction, cardiac hypertrophy, myocardial remodeling, myocardial remodeling after infarction or after cardiac surgery and valvular heart diseases.