





2
G
L

3/94







FIG. 3

4/94







7/94




FIG. 7

8/94

NuMega Resonance Labs
Sample Name: BC_29_48p 2009ADAR.316A
Acq. Date: Thursday, December 17,
2020

Polarity/Scan Type: Positive Q1 MS




FIG. 8

9/94

NuMega Resonance Labs
Sample Name: BC_29-49P 2009ADAR.414A
Acq. Date: Monday, December 21,
2020

Polarity/Scan Type: Positive Q1 MS




FIG. 9

10/94




FIG. 10

11/94




FIG. 11

12/94





FIG. 12

13/94



14/94





FIG. 14

15/94



16/94




FIG. 16

17/94




FIG. 17

18/94




FIG. 18

19/94




FIG. 19

20/94






FIG. 20





23/94







FIG. 23

24/94







27/94







FIG. 27




28
G
F

29/94







32/94



33/94





35/94




FIG. 35

36/94





FIG. 36



737






FIG. 38



30



41/94





FIG. 41



43/94







FIG. 43

44/94





54



47/94






FIG. 47


2100ADAR.551C.1.fid
2100ADAR.551c
CRO_28_81_f14to17
DMSO, P-31
NUMEGA 01-22-2021



49/94



50/94







FIG. 51



25
G
F

53/94




FIG. 53

54/94




FIG. 54

2103ADAR.747B
CC-39-101
DMSO, P-31
NUMEGA 5-04-2021

55/94




FIG. 55

56/94




FIG. 56

57/94




FIG. 57

58/94






FIG. 58



٥٥






FIG. 61

62/94




FIG. 62

63/94




FIG. 63

64/94




FIG. 64

65/94





FIG. 65



67/94




FIG. 67






FIG. 68



2105ADAR.647A
IR-48-17
DMSO, H-1
NUMEGA 07-01-2021



96
—
E

70/94





FIG. 70



72/94




FIG. 72

73/94




FIG. 73

74/94





FIG. 74

75/94






Fig. 97.

77/94





FIG. 77



79/94






FIG. 79



81/94



82/94





FIG. 82



84/94





FIG. 84

85/94



86/94




FIG. 86

87/94





FIG. 87

88/94



89/94




FIG. 89

90/94





FIG. 90

91/64



92/94




FIG. 92

93/94




FIG. 93

94/94




FIG. 94