



(51) International Patent Classification:

G06F 15/16 (2006.01) *G06F 17/30* (2006.01)
G06F 15/173 (2006.01) *H04L 12/28* (2006.01)

(21) International Application Number:

PCT/IL2014/050186

(22) International Filing Date:

19 February 2014 (19.02.2014)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/766,123 19 February 2013 (19.02.2013) US

(72) Inventor; and

(71) Applicant : RAVE, Elad [IL/IL]; 13 Dov Freidman St.,
5250407 Ramat Gan (IL).(74) Agents: BOROCHOV KORAKH & CO. et al.; P.O.B.
58100, 6158002 Tel Aviv (IL).(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,

BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR,
KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME,
MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,
OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA,
SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM,
ZW.

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
KM, ML, MR, NE, SN, TD, TG).


Published:

- with international search report (Art. 21(3))
- with amended claims (Art. 19(1))

Date of publication of the amended claims: 16 October 2014

(54) Title: INCREASED DATA TRANSFER RATE METHOD AND SYSTEM FOR REGULAR INTERNET USER

FIG. 5A



(57) Abstract: Method for increasing data transfer rates for regular network users, including the procedures of generating a WAN optimization network (WANON), in a network, defining a client, for requesting data, and an origin, from which data is requested, the WANON determining a best requesting node for the client based on a data request, configuring the client to forward the data request to the WANON, the client requesting data by forwarding the data request to the requesting node, the WANON determining a best origin node for retrieving the requested data from the origin according to a network identifier resolution of the origin, the requesting node forwarding the data request to the origin node using WAN optimization, the origin node retrieving the requested data from the origin and transferring the retrieved data to the requesting node using WAN optimization, the requesting node transferring the retrieved data to the client, and updating the WANON.