


Claims

1. A compound, or a pharmaceutically acceptable salt thereof, wherein the compound has the structure of formula (I):



wherein

X is fluorine or chlorine;

R^1 is selected from the group consisting of hydrogen, phenyl, $-C\equiv N$, tetrahydropyranyl, N-methyl-1,2,4-triazolyl, pyrimidinyl, pyridinyl, pyrazinyl, cyclopropyl, $-C\equiv CH$, $-CH=CH_2$, and C_1 - C_3 alkyl, which C_1 - C_3 alkyl is optionally substituted with one or more of: $-OR^{10}$, halogen, $-C\equiv N$, $-N_3$, $-SO_2CH_3$, $-SCH_3$, $-CH=CH_2$, $-CH=NOR^{11}$ and phenyl;

R^2 is selected from the group consisting of hydrogen, $-C\equiv N$, pyridinyl, C_1 - C_3 alkyl, which C_1 - C_3 alkyl is optionally substituted with one or more of: halogen, $-OR^{20}$ and $-CH=NOR^{21}$;

R^3 is hydrogen or C_1 - C_3 alkyl;

R^{10} is for each occurrence independently selected from the group consisting of hydrogen, C_1 - C_4 alkyl and $-(CH_2)_2OCH_3$; and

R^{11} , R^{20} and R^{21} are for each occurrence independently hydrogen or C_1 - C_4 alkyl.

2. The compound, or pharmaceutically acceptable salt thereof, of claim 1, wherein R^{10} is hydrogen, methyl, ethyl or $-(CH_2)_2OCH_3$.
3. The compound, or pharmaceutically acceptable salt thereof, of claim 1 or 2, wherein R^{11} is hydrogen or methyl.
4. The compound, or pharmaceutically acceptable salt thereof, of any one of claims 1-3,

wherein R²⁰ is hydrogen, methyl or ethyl.

5. The compound, or pharmaceutically acceptable salt thereof, of any one of claims 1-4, wherein R²¹ is hydrogen or methyl.

6. The compound, or pharmaceutically acceptable salt thereof, of any one of claims 1-5, wherein R¹ is selected from the group consisting of hydrogen, methyl, ethyl, phenyl, -CH₂-phenyl, -CH₂F, -CH₂OCH₃, -CH₂CH=CH₂, tetrahydropyranyl, -(CH₂)₃OH, -(CH₂)₃F, -(CH₂)₃OH, -(CH₂)₃F, -CH=CH₂, -C≡N, -CH=NOCH₃, -CH₂SCH₃, -CH₂SO₂CH₃, -CH₂N₃, -CH₂OCH₂CH₃, -CH₂O(CH₂)₂OCH₃, cyclopropyl, pyridinyl, -CH(CH₃)OCH₃, pyrimidinyl, pyrazinyl, -C≡CH, N-methyl-1,2,4-triazolyl, -CH(OH)CH₃, -CH=NOH and -CH₂OH.

7. The compound, or pharmaceutically acceptable salt thereof, of any one of claims 1-6, wherein R² is selected from the group consisting of hydrogen, methyl, ethyl, -CH₂F, -CH₂OCH₃, -CH₂OH, -CH=NOH, -CH₂N₃, pyridinyl, -C≡N and -CH=NHOCH₃.

8. The compound, or pharmaceutically acceptable salt thereof, of any one of claims 1-7, wherein R³ is hydrogen or methyl.

9. The compound, or pharmaceutically acceptable salt thereof, of any one of claims 1-8, wherein the compound is selected from the group consisting of:

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-(2-oxo-1,3-oxazolidin-3-yl)-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-[(4R)-4-methyl-2-oxo-1,3-oxazolidin-3-yl]-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-[(5S)-5-methyl-2-oxo-1,3-oxazolidin-3-yl]-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-[(5R)-5-methyl-2-oxo-1,3-oxazolidin-3-yl]-

1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-[(4S)-4-methyl-2-oxo-1,3-oxazolidin-3-yl]-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-8-[(4S)-4-Ethyl-2-oxo-1,3-oxazolidin-3-yl]-11-fluoro-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-8-[(4R)-4-Ethyl-2-oxo-1,3-oxazolidin-3-yl]-11-fluoro-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-[(4R)-2-oxo-4-phenyl-1,3-oxazolidin-3-yl]-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-[(4S)-2-oxo-4-phenyl-1,3-oxazolidin-3-yl]-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-8-[(4R)-4-Benzyl-2-oxo-1,3-oxazolidin-3-yl]-11-fluoro-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-8-[(4S)-4-Benzyl-2-oxo-1,3-oxazolidin-3-yl]-11-fluoro-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-8-(5,5-Dimethyl-2-oxo-1,3-oxazolidin-3-yl)-11-fluoro-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-8-[(5S)-5-Ethyl-2-oxo-1,3-oxazolidin-3-yl]-11-fluoro-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-8-[(5R)-5-Ethyl-2-oxo-1,3-oxazolidin-3-yl]-11-fluoro-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-

pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(4R)-4-(fluoromethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(4S)-4-(fluoromethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(4S)-4-(methoxymethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(4R)-4-(methoxymethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-((S)-5-(fluoromethyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Chloro-8-[(5S)-4-(methoxymethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Chloro-8-[(5R)-4-(methoxymethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

((2R,4S,4aS)-11-Chloro-2,4-dimethyl-8-((R)-5-methyl-2-oxooxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-8-((4S,5R)-4,5-Dimethyl-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-8-((4R,5S)-4,5-Dimethyl-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-8-((S)-4-Allyl-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-((S)-5-(hydroxymethyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

((2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-[(4R-(tetrahydro-2H-pyran-4-yl)-2-oxo-1,3-oxazolidin-3-yl]-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-fluoro-2,4-dimethyl-8-[(4S-(tetrahydro-2H-pyran-4-yl)-2-oxo-1,3-oxazolidin-3-yl]-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-((S)-4-(3-hydroxypropyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-((S)-4-(3-fluoropropyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-((S)-4-(2-hydroxyethyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Chloro-8-((S)-5-(fluoromethyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Chloro-8-((S)-4-(3-hydroxypropyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Chloro-8-((S)-4-(3-fluoropropyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(5S)-4-(methoxymethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-

dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(5R)-4-(methoxymethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(5R)-5-(hydroxymethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(5R)-5-(fluoromethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((S)-2-oxo-4-vinyloxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(5R)-5-[(hydroxyimino)methyl]-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(4S)-3-[(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-2',4',6'-trioxo-1,1',2,3',4,4',4a,6'-octahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidin]-8-yl]-2-oxo-1,3-oxazolidine-4-carbonitrile;

(2R,4S,4aS)-11-Fluoro-8-[(4S)-4-[(methoxyimino)methyl]-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(5R)-5-(methoxyimino)methyl]-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-8-[(5R)-5-(Azidomethyl)-2-oxo-1,3-oxazolidin-3-yl]-11-fluoro-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((R)-4-((methylthio)methyl)-2-oxooxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-

pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((R)-4-((methylsulfonyl)methyl)-2-oxooxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-8-((R)-4-(Azidomethyl)-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-8-((S)-4-(azidomethyl)-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-8-[(4S)-4-(Ethoxymethyl)-2-oxo-1,3-oxazolidin-3-yl]-11-fluoro-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-{(4S)-4-[(2-methoxyethoxy)methyl]-2-oxo-1,3-oxazolidin-3-yl}-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-8-((R)-4-(Difluoromethyl)-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-8-((S)-4-Cyclopropyl-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((R)-2-oxo-5-(pyridin-2-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-fluoro-2,4-dimethyl-8-((S)-2-oxo-5-(pyridin-2-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((R)-2-oxo-4-(pyridin-2-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-fluoro-2,4-dimethyl-8-((S)-2-oxo-4-(pyridin-2-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((R)-2-oxo-4-(pyridin-4-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-fluoro-2,4-dimethyl-8-((S)-2-oxo-4-(pyridin-4-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-((R)-4-((R)-1-methoxyethyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-((R)-4-((S)-1-methoxyethyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((R)-2-oxo-4-(pyrazin-2-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-fluoro-2,4-dimethyl-8-((S)-2-oxo-4-(pyrazin-2-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((R)-2-oxo-4-(pyrimidin-2-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-fluoro-2,4-dimethyl-8-((S)-2-oxo-4-(pyrimidin-2-yl)oxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-8-((S)-4-Ethynyl-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Chloro-2,4-dimethyl-8-((S)-4-methyl-2-oxooxazolidin-3-yl)-2,4,4a,6-

tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-[(4S)-4-(methoxymethyl)-2-oxo-1,3-oxazolidin-3-yl]-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((S)-4-(1-methyl-1H-1,2,4-triazol-5-yl)-2-oxooxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-8-((R)-4-(1-methyl-1H-1,2,4-triazol-5-yl)-2-oxooxazolidin-3-yl)-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-Fluoro-8-((R)-4-((S)-1-hydroxyethyl)-2-oxooxazolidin-3-yl)-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

{(4S)-3-[(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-2',4',6'-trioxo-1,1',2,3',4,4',4a,6'-octahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidin]-8-yl]-2-oxo-1,3-oxazolidin-4-yl}acetonitrile;

(2R,4S,4aS)-8-((R)-4-((R)-1,2-Dihydroxyethyl)-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-8-((R)-4-((S)-1,2-Dihydroxyethyl)-2-oxooxazolidin-3-yl)-11-fluoro-2,4-dimethyl-2,4,4a,6-tetrahydro-1H,1'H-spiro[isoxazolo[4,5-g][1,4]oxazino[4,3-a]quinoline-5,5'-pyrimidine]-2',4',6'(3'H)-trione;

(2R,4S,4aS)-11-fluoro-8-{(4S)-4-[(hydroxyimino)methyl]-2-oxo-1,3-oxazolidin-3-yl}-2,4-dimethyl-1,2,4,4a-tetrahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidine]-2',4',6'(1'H,3'H)-trione;


(5R)-3-[(2R,4S,4aS)-11-Fluoro-2,4-dimethyl-2',4',6'-trioxo-1,1',2,3',4,4',4a,6'-octahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidin]-8-yl]-2-oxo-1,3-oxazolidine-5-carbonitrile; and

(5S)-3-[(2R,4S,4aS)-11-fluoro-2,4-dimethyl-2',4',6'-trioxo-1,1',2,3',4,4',4a,6'-octahydro-2'H,6H-spiro[1,4-oxazino[4,3-a][1,2]oxazolo[4,5-g]quinoline-5,5'-pyrimidin]-8-yl]-2-oxo-1,3-

oxazolidine-5-carbonitrile,

or a pharmaceutically acceptable salt thereof.

10. The compound, or pharmaceutically acceptable salt thereof, of any one of claims 1-9, wherein the compound is represented by the following structural formula:



;

or a pharmaceutically acceptable salt thereof.

11. A pharmaceutical composition comprising a compound of any one of claims 1-10, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable excipient or diluent.

12. The compound of any one of claims 1-10, or a pharmaceutically acceptable salt thereof, for use in treating a bacterial infection or for inhibiting bacterial DNA gyrase.

13. Use of a compound of any one of claims 1-10, or a pharmaceutically acceptable salt thereof, in the manufacture of a medicament for treating a bacterial infection or for inhibiting bacterial DNA gyrase.