(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau

(43) International Publication Date
23 August 2001 (23.08.2001)

PCT

(10) International Publication Number
WO 01/60364 A1

(51) International Patent Classification[7]: A61K 31/44

(21) International Application Number: PCT/US01/04798

(22) International Filing Date: 15 February 2001 (15.02.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/504,560 15 February 2000 (15.02.2000) US

(71) Applicant *(for all designated States except US)*: **SMITHKLINE BEECHAM CORPORATION** [US/US]; One Franklin Plaza, Philadelphia, PA 19103 (US).

(72) Inventors; and

(75) Inventors/Applicants *(for US only)*: **KYLE, Theodore, K.** [US/US]; 2270 Country Club Drive, Pittsburgh, PA 15241 (US). **SHIFFMAN, Saul** [US/US]; 201 N. Craig Street, Pittsburgh, PA 15213 (US).

(74) Agents: **HENDERSON, Loretta, J.** et al.; GlaxoSmithKline, Corporate Intellectual Property, UW2220, 709 Swedeland Road, P.O. Box 1539, King of Prussia, PA 19406-0939 (US).

(81) Designated States *(national)*: AE, AL, AU, BA, BB, BG, BR, BZ, CA, CN, CZ, DZ, EE, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KP, KR, LC, LK, LR, LT, LV, MA, MG, MK, MN, MX, MZ, NO, NZ, PL, RO, SG, SI, SK, SL, TR, TT, TZ, UA, US, UZ, VN, YU, ZA.

(84) Designated States *(regional)*: ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:
— *with international search report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 01/60364 A1

(54) Title: METHOD FOR REDUCING OR ELIMINATING SMOKING

(57) Abstract: This invention is an improved method for reducing or eliminating tobacco usage and the nicotine dependency associated with tobacco usage by gradually decreasing an individual's tobacco consumption over a time period while replacing nicotine from tobacco with an alternative nicotine source.