PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : C07D 495/04, A61K 31/505 — A1

(11) International Publication Number: WO 00/56739

(43) International Publication Date: 28 September 2000 (28.09.00)

(21) International Application Number: PCT/JP00/01777

(22) International Filing Date: 23 March 2000 (23.03.00)

(30) Priority Data:

11/79371	24 March 1999 (24.03.99)	JP
2000/18019	25 January 2000 (25.01.00)	JP

(81) Designated States: AE, AG, AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CR, CU, CZ, DM, DZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MA, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, US, UZ, VN, YU, ZA, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
With international search report.


(71) Applicant *(for all designated States except US)*: TAKEDA CHEMICAL INDUSTRIES, LTD. [JP/JP]; 1–1, Doshomachi 4–chome, Chuo–ku, Osaka–shi, Osaka 541–0045 (JP).

(72) Inventors; and


(75) Inventors/Applicants *(for US only)*: FURUYA, Shuichi [JP/JP]; 7–9–603, Kasuga 1–chome, Tsukuba–shi, Ibaraki 305–0821 (JP). SUZUKI, Nobuhiro [JP/JP]; 1077–50, Oaza–yatabe, Tsukuba–shi, Ibaraki 305–0861 (JP). CHOH, Nobuo [JP/JP]; 7–9–502, Kasuga 1–chome, Tsukuba–shi, Ibaraki 305–0821 (JP). NARA, Yoshi [JP/JP]; 50–A–303 Yamadaminami, Suita–shi, Osaka 565–0823 (JP).

(74) Agent: TAKAHASHI, Shuichi; Osaka Plant of Takeda Chemical Industries, Ltd., 17–85, Jusohonmachi 2–chome, Yodogawa–ku, Osaka–shi, Osaka 532–0024 (JP).

(54) Title: THIENOPYRIMIDINE COMPOUNDS, THEIR PRODUCTION AND USE



(I)



(A)

(57) Abstract

A compound of formula (I) wherein R^1 and R^2 each is hydrogen, hydroxy, C_{1-4} alkoxy, C_{1-4} alkoxy–carbonyl or C_{1-4} alkyl which may be substituted; R^3 is hydrogen, halogen, hydroxy or C_{1-4} alkoxy which may be substituted; or adjacent two R^3 may form C_{1-4} alkylenedioxy; R^4 is hydrogen or C_{1-4} alkyl; R^6 is C_{1-4} alkyl which may be substituted or a group of the formula (A) wherein R^5 is hydrogen or R^4 and R^5 may form heterocycle; and n is 0–5, or a salt thereof, has an excellent GnRH–antagonizing activity, and is useful for preventing or treating sex hormone–dependent diseases.