


We Claim:

1. A compound of formula (I):



or a pharmaceutically acceptable salt or a pharmaceutically acceptable stereoisomer thereof;

wherein,

dotted line[---] represents a single or a double bond;

X is selected from C , $C(O)$, N or O ; wherein C and N are substituted with one or more R_5 to meet the desired valency requirements;

L_1 is a direct bond or a linker selected from $-NH-$, $-NHC(O)-$ or $-NHS(O)_2-$;

L_2 is a linker selected from $-(CHR_6)_n-$, $-C(O)-$ or $-S(O)_2-$;

Cy_1 is an optionally substituted 5-6 membered monocyclic ring containing 1-4 hetero atoms/ hetero groups independently selected from N , NH , O or $-C(O)-$; wherein the optional substituent at each occurrence is independently selected from one or more R_7 ;

Cy_2 is an optionally substituted 4-12 membered monocyclic or bicyclic ring containing 0-3 hetero atoms/groups independently selected from N , NH , O or S ; wherein the optional substituent at each occurrence is independently selected from one or more R_8 ;

R_1 is selected from hydrogen, alkyl, alkenyl, haloalkyl, hydroxyalkyl, alkoxyalkyl, aminoalkyl, heterocyclyl or heterocyclalkyl;

R_2 and R_3 independently are hydrogen, alkyl or together form an oxo group;

R_4 at each occurrence is independently selected from hydrogen, alkyl, cycloalkyl, cyanoalkyl, hydroxyalkyl, or optionally substituted haloalkyl; wherein the optional substituent is one or more hydroxyl;

R_5 at each occurrence is independently selected from hydrogen, alkyl, haloalkyl, cycloalkyl or cyano;


R_6 is hydrogen or alkyl;

R_7 is selected from alkyl, hydroxy or cycloalkyl;

R₈ is selected from alkyl, alkoxy, amino, cyano, halogen, haloalkyl, hydroxy, -C(O)alkyl or optionally substituted heterocyclyl; wherein the optional substituent is selected from one or more alkyl or hydroxy; and

n is an integer selected from 1 or 2.


- 5 2. The compound according to claim 1, wherein X is CH or O.
3. The compound according to claim 1, wherein Cy₁ is 3,5-dimethylisoxazole.
4. The compound according to claim 1, wherein L₁ is direct bond.
5. The compound according to claim 1, wherein L₂ is -CH₂-.
6. The compound according to claim 1, wherein Cy₂ is optionally substituted pyridyl or
- 10 optionally substituted phenyl.
7. The compound according to claim 6, wherein the optional substituent is halogen, haloalkyl, alkoxy, amino or cyano.
8. The compound according to claim 1, wherein R₄ is alkyl, cyanoalkyl, hydroxyalkyl and optionally substituted haloalkyl; wherein the optional substituent is hydroxy.
- 15 9. The compound according to claim 1 is a compound of formula (Ia):



wherein,

R₁, R₂, R₃, R₄, Cy₁, Cy₂, L₁, L₂ and n are same as defined in claim 1; or a pharmaceutically acceptable salt or a pharmaceutically acceptable stereoisomer thereof.


- 20 10. The compound according to claim 1 is a compound of formula (Ib):



wherein,

the dotted line, R₁, R₂, R₃, R₄, Cy₁, Cy₂, L₁, L₂ and n are same as defined in claim 1; or a pharmaceutically acceptable salt or a pharmaceutically acceptable stereoisomer thereof.

11. The compound according to 1 is a compound of formula (Ic):



5 wherein,

the R₁, R₂, R₃, R₄, Cy₁, Cy₂, L₁ and L₂ are same as defined in claim 1; or a pharmaceutically acceptable salt or a pharmaceutically acceptable stereoisomer thereof.

12. A compound according to claim 1 selected from the group consisting of:

Compound No.	IUPAC Name
1.	4-(4-chlorobenzyl)-7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-3,4-dihydro-2H-benzo[b][1,4]oxazine;
2.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-((5-methoxypyridin-2-yl)methyl)quinolin-2(1H)-one;
3.	6-(3,5-dimethyl-4H-1,2,4-triazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
4.	1-(4-chlorobenzyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxyquinoxalin-2(1H)-one;
5.	1-(4-chlorobenzyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-3,4-dihydroquinolin-2(1H)-one;
6.	4-(1-(4-chlorophenyl)ethyl)-7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-3,4-dihydro-2H-benzo[b][1,4]oxazine;
7.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(1-(pyridin-3-yl)ethyl)-3,4-dihydro-2H-benzo[b][1,4]oxazine;
8.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyrazin-2-ylmethyl)quinolin-2(1H)-one;

9.	6-(3,5-dimethylisoxazol-4-yl)-1-((3-fluoropyridin-2-yl)methyl)-7-methoxyquinolin-2(1H)-one;
10.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)-3,4-dihydroquinolin-2(1H)-one;
11.	4-((3-chlorophenyl)sulfonyl)-7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-3,4-dihydro-2H-benzo[b][1,4]oxazine;
12.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(pyridin-3-ylsulfonyl)-3,4-dihydro-2H-benzo[b][1,4]oxazine;
13.	N-(4-(4-chlorobenzyl)-6-methoxy-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-7-yl)-3,5-dimethylisoxazole-4-sulfonamide;
14.	1-((4-chlorophenyl)sulfonyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxyquinolin-2(1H)-one;
15.	1-(4-chlorobenzoyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxyquinolin-2(1H)-one;
16.	2-((7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-2H-benzo[b][1,4]oxazin-4(3H)-yl)methyl)aniline;
17.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(pyridin-4-ylmethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
18.	4-(4-chlorobenzyl)-7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-2H-benzo[b][1,4]oxazin-3(4H)-one;
19.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(1-(pyridin-4-yl)ethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one (Isomer-1);
20.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(1-(pyridin-4-yl)ethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one (Isomer-2);
21.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(pyridin-3-ylmethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
22.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(pyridin-2-ylmethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
23.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-((tetrahydro-2H-pyran-4-yl)methyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
24.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(1-(pyridin-3-yl)ethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one (Isomer-1);

25.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(1-(pyridin-3-yl)ethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one (Isomer-2);
26.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-((6-methoxypyridin-3-yl)methyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
27.	6-((7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-3-oxo-2H-benzo[b][1,4]oxazin-4(3H)-yl)methyl)nicotinonitrile;
28.	4-((5-chloropyridin-2-yl)methyl)-7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-2H-benzo[b][1,4]oxazin-3(4H)-one;
29.	7-(3,5-dimethylisoxazol-4-yl)-4-((5-fluoropyridin-2-yl)methyl)-6-methoxy-2H-benzo[b][1,4]oxazin-3(4H)-one;
30.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-((5-methoxypyridin-2-yl)methyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
31.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(1-(pyridin-2-yl)ethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
32.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-((6-methylpyridin-3-yl)methyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
33.	4-(1-(4-chlorophenyl)ethyl)-7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-2H-benzo[b][1,4]oxazin-3(4H)-one (Isomer-1);
34.	4-(1-(4-chlorophenyl)ethyl)-7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-2H-benzo[b][1,4]oxazin-3(4H)-one (Isomer-2);
35.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(2-(pyridin-2-yl)ethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
36.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-3-ylmethyl)quinolin-2(1H)-one;
37.	1-((5-chloropyridin-2-yl)methyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxyquinolin-2(1H)-one;
38.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(2-morpholinoethyl)quinolin-2(1H)-one;
39.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(thiazol-2-ylmethyl)quinolin-2(1H)-one;
40.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(1-(pyridin-2-yl)ethyl)quinolin-2(1H)-

	one;
41.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(1-(pyridin-3-yl)ethyl)quinolin-2(1H)-one;
42.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(2-(pyridin-2-yl)ethyl)quinolin-2(1H)-one;
43.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyrimidin-2-ylmethyl)quinolin-2(1H)-one;
44.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyrimidin-4-ylmethyl)quinolin-2(1H)-one;
45.	6-(3,5-dimethylisoxazol-4-yl)-1-((5-fluoropyridin-2-yl)methyl)-7-methoxyquinolin-2(1H)-one;
46.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
47.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-((5-(trifluoromethyl)pyridin-2-yl)methyl)quinolin-2(1H)-one;
48.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-4,4-dimethyl-1-(pyridin-2-ylmethyl)-3,4-dihydroquinolin-2(1H)-one;
49.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-2,2-dimethyl-4-(pyridin-3-ylmethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
50.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-3-methyl-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
51.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-3,3-dimethyl-1-(pyridin-2-ylmethyl)quinoline-2,4(1H,3H)-dione;
52.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-3,3-dimethyl-1-(pyridin-2-ylmethyl)-3,4-dihydroquinolin-2(1H)-one;
53.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-4-methyl-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
54.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)-4-(trifluoromethyl)quinolin-2(1H)-one;
55.	4-cyclopropyl-6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;

56.	1-(4-chlorobenzyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxyquinolin-2(1H)-one;
57.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(quinolin-2-ylmethyl)quinolin-2(1H)-one;
58.	1-((5-chloropyridin-2-yl)methyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-3-methylquinolin-2(1H)-one;
59.	1-(4-chlorophenethyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-3-methylquinolin-2(1H)-one;
60.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-(piperidin-4-ylmethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
61.	6-(6-hydroxypyridin-3-yl)-7-methoxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
62.	6-(3-cyclopropyl-5-methylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
63.	7-methoxy-6-(5-methylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
64.	7-methoxy-6-(3-methylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
65.	4-(4-chlorobenzyl)-7-(3,5-dimethyl-1H-pyrazol-4-yl)-6-methoxy-2H-benzo[b][1,4]oxazin-3(4H)-one;
66.	6-(3,5-dimethyl-1H-pyrazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
67.	1-((6-chloropyridin-3-yl)methyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxyquinolin-2(1H)-one;
68.	3-cyclohexyl-6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
69.	3-cyclohexyl-6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-3-ylmethyl)quinolin-2(1H)-one;
70.	7-(3,5-dimethylisoxazol-4-yl)-4-((6-hydroxypyridin-3-yl)methyl)-6-methoxy-2H-benzo[b][1,4]oxazin-3(4H)-one;
71.	7-(3,5-dimethylisoxazol-4-yl)-6-(2-methoxyethoxy)-4-(pyridin-4-ylmethyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
72.	6-(3,5-dimethylisoxazol-4-yl)-7-hydroxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
73.	1-((5-chloropyridin-2-yl)methyl)-6-(3,5-dimethylisoxazol-4-yl)-7-

	hydroxyquinolin-2(1H)-one;
74.	6-(3,5-dimethylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)-7-(2,2,2-trifluoroethoxy)quinolin-2(1H)-one;
75.	6-(3,5-dimethylisoxazol-4-yl)-7-(2-morpholinoethoxy)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
76.	7-(2-(dimethylamino)ethoxy)-6-(3,5-dimethylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
77.	6-(3,5-dimethylisoxazol-4-yl)-7-(piperidin-4-ylmethoxy)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
78.	7-butoxy-6-(3,5-dimethylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
79.	7-(allyloxy)-6-(3,5-dimethylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
80.	6-(3,5-dimethylisoxazol-4-yl)-7-(2-hydroxyethoxy)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
81.	6-(3,5-dimethylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)-7-(2-(pyrrolidin-1-yl)ethoxy)quinolin-2(1H)-one;
82.	6-(3,5-dimethylisoxazol-4-yl)-7-(2-(piperazin-1-yl)ethoxy)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
83.	6-(3,5-dimethylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)-7-(pyridin-4-ylmethoxy)quinolin-2(1H)-one;
84.	6-(3,5-dimethylisoxazol-4-yl)-7-(3-hydroxypropoxy)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
85.	6-(3,5-dimethylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)-7-(trifluoromethoxy)quinolin-2(1H)-one;
86.	6-(3,5-dimethylisoxazol-4-yl)-7-(piperidin-4-yloxy)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
87.	6-(3,5-dimethylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)-7-((tetrahydro-2H-pyran-4-yl)methoxy)quinolin-2(1H)-one;
88.	6-(3,5-dimethylisoxazol-4-yl)-7-(2-(piperidin-4-yl)ethoxy)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;

89.	6-(3,5-dimethylisoxazol-4-yl)-1-(pyridin-2-ylmethyl)-7-(2-(pyrrolidin-3-yl)ethoxy)quinolin-2(1H)-one hydrochloride;
90.	7-(3,5-dimethylisoxazol-4-yl)-6-methoxy-4-((1-propionylpiperidin-4-yl)methyl)-2H-benzo[b][1,4]oxazin-3(4H)-one;
91.	7-methoxy-6-(5-methyl-2-oxo-2,3-dihydro-1H-imidazol-1-yl)-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
92.	3-(7-methoxy-2-oxo-1-(pyridin-2-ylmethyl)-1,2-dihydroquinolin-6-yl)-4-methyl-1H-pyrrole-2,5-dione;
93.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)quinoxalin-2(1H)-one;
94.	N-(4-(4-chlorobenzyl)-6-methoxy-3-oxo-3,4-dihydro-2H-benzo[b][1,4]oxazin-7-yl)-3,5-dimethylisoxazole-4-carboxamide;
95.	4-(4-chlorobenzyl)-7-((3,5-dimethylisoxazol-4-yl)amino)-6-methoxy-2H-benzo[b][1,4]oxazin-3(4H)-one;
96.	6-(3,5-dimethylisoxazol-4-yl)-3-(hydroxymethyl)-7-methoxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
97.	6-(3,5-dimethylisoxazol-4-yl)-3-(fluoromethyl)-7-methoxy-1-(pyridin-2-ylmethyl)quinolin-2(1H)-one;
98.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-((5-(1-methyl-1H-pyrazol-4-yl)pyridin-2-yl)methyl)quinolin-2(1H)-one;
98a	1-((5-bromopyridin-2-yl)methyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxyquinolin-2(1H)-one;
99.	1-((5-(3,5-dimethyl-1H-pyrazol-4-yl)pyridin-2-yl)methyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxyquinolin-2(1H)-one;
100.	6-(3,5-dimethylisoxazol-4-yl)-1-((5-(3-hydroxypyrrolidin-1-yl)pyridin-2-yl)methyl)-7-methoxyquinolin-2(1H)-one;
101.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)-3-(2,2,2-trifluoro-1-hydroxyethyl)quinolin-2(1H)-one;
102.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)-3-(2,2,2-trifluoro-1-hydroxyethyl)quinolin-2(1H)-one (Isomer-1);
103.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)-3-(2,2,2-

	trifluoro-1-hydroxyethyl)quinolin-2(1H)-one (Isomer-2);
104.	6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-1-(pyridin-2-ylmethyl)-3-(2,2,2-trifluoro-1,1-dihydroxyethyl)quinolin-2(1H)-one;
105.	1-(4-chlorophenethyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-3-methyl-2-oxo-1,2-dihydroquinoline-4-carbonitrile; and
106.	2-(1-(4-chlorophenethyl)-6-(3,5-dimethylisoxazol-4-yl)-7-methoxy-2-oxo-1,2-dihydroquinolin-3-yl)acetonitrile,

or a pharmaceutically acceptable salt or a pharmaceutically acceptable stereoisomer thereof.

13. A pharmaceutical composition comprising a therapeutically effective amount of at least one compound of formula (I) according to any of claims 1 to 12, or a pharmaceutically acceptable salt or a pharmaceutically acceptable stereoisomer thereof, in admixture with at least one pharmaceutically acceptable carrier or excipient including mixtures thereof in all ratios, for use as a medicament.

14. A pharmaceutical combination comprising a therapeutically effective amount of at least one compound of formula (I) according to any of claims 1 to 12, or a pharmaceutically acceptable salt or a pharmaceutically acceptable stereoisomer thereof, and at least one therapeutically further active ingredient.

15. A compound according to any of the claims 1 to 12, or a pharmaceutically acceptable salt or a pharmaceutically acceptable stereoisomer thereof, for use in therapy.

16. Use of a compound according to any of claims 1 to 12, in manufacture of a medicament for use in treatment of diseases associated with bromodomain in animals including humans.

17. The use of claim 16, wherein the bromodomain protein is BRD-2, BRD-3 or BRD-4 protein.

18. The use of claim 16, wherein the diseases associated with bromodomain comprise automimmune, inflammatory or cancer.