FIG. 1



8000
6000
4000
2000
0
Intensity (cps)
10.0000
20.0000
30.0000
2theta (deg.)

FIG. 2



4000
3000
2000
1000
0
Intensity (cps)
10.0000
20.0000
30.0000
2theta (deg.)

FIG. 3



Intensity (cps)
12000
10000
8000
6000
4000
2000
0
10.0000
20.0000
30.0000
2theta (deg.)

FIG. 4



4000
3000
2000
1000
0
Intensity (cps)
10.0000
20.0000
30.0000
2theta (deg.)

FIG. 5



20000
15000
10000
5000
0
Intensity (cps)
10.0000
20.0000
30.0000
2theta (deg.)

FIG. 6



Intensity (cps)
5000
4000
3000
2000
1000
0
5.0000
10.0000
15.0000
20.0000
25.0000
30.0000
35.0000
2θ (°)

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



Intensity (cps)
20000
15000
10000
5000
0
10.0000
20.0000
30.0000
2θ (°)

FIG. 12




FIG. 13



14000
12000
10000
8000
6000
4000
2000
0
Intensity (cps)
10.0000
20.0000
30.0000
2θ (°)

FIG. 14



25000
20000
15000
10000
5000
0
Intensity (cps)
10.0000
20.0000
30.0000
2θ (°)

FIG.15




CHANGE IN PLASMA CONCENTRATION OF COMPOUND OF EXAMPLE 1 AND ACTIVE FORM
PLASMA CONCENTRATION (mg/mL)
10
1
0.1
0.01
0.001
0
2
4
6
8
10
TIME (HOURS)
CONCENTRATION OF COMPOUND OF EXAMPLE 1 AFTER ADMINISTRATION OF 3mg/kg OF COMPOUND OF EXAMPLE 1 (CALCULATED AS ACTIVE FORM)
CONCENTRATION OF ACTIVE FORM AFTER ADMINISTRATION OF 3mg/kg OF COMPOUND OF EXAMPLE 1 (CALCULATED AS ACTIVE FORM)
ACTIVE FORM CONCENTRATION AFTER ADMINISTRATION OF 3mg/kg OF ACTIVE FORM

FIG.16


CHANGE IN PLASMA CONCENTRATION OF ACTIVE FORM
PLASMA CONCENTRATION (μg/mL)
1
0.1
0.01
0
2
4
6
8
10
TIME (HOURS)
CHANGE IN ACTIVE FORM CONCENTRATION AFTER ADMINISTRATION OF 0.4 mg/kg OF COMPOUND OF EXAMPLE 1 (CALCULATED AS ACTIVE FORM)
CHANGE IN ACTIVE FORM CONCENTRATION AFTER ADMINISTRATION OF 0.4 mg/kg OF COMPOUND OF ACTIVE FORM