





FIG. 1



Number of Passage in MediV 105

FIG. 2




FIG. 3

		A/New Caledonia (log10 FFU/mL)				A/Hiroshima (log10 FFU/mL)				B/Malaysia (log10 FFU/mL)				A/Vietnam (log10 FFU/mL)			
Sub Clone	Media	3 DPI		4 DPI		3 DPI		4 DPI		3 DPI		4 DPI		3 DPI		4 DPI	
		Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2	Flask #1	Flask #2
1-A	Opti-Pro	8.2±0.06	8.2±0.06	8.2±0.06	8.4±0.06	8.2±0.15	8.1±0.12	8.2±0.06	8.2±0.06	8.1±0.06	8.1±0.06	8.1±0.06	8.1±0.06	8.3±0.00	8.3±0.00	8.4±0.06	8.5±0.00
1-B		8.3±0.06	8.4±0.06	8.4±0.06	8.4±0.10	8.3±0.10	8.3±0.12	8.2±0.06	8.1±0.12	8.1±0.06	7.9±0.06	7.8±0.06	7.8±0.12	8.3±0.00	8.3±0.06	8.5±0.06	8.4±0.06
1-D		8.3±0.00	8.3±0.06	8.3±0.10	8.3±0.06	8.4±0.06	8.2±0.21	8.1±0.06	8.1±0.10	8.0±0.06	8.0±0.00	7.7±0.06	7.7±0.06	8.3±0.00	8.4±0.06	8.5±0.06	8.5±0.00
1-C		8.4±0.06	8.5±0.06	8.4±0.00	8.4±0.10	8.2±0.06	8.2±0.06	8.2±0.00	8.2±0.06	7.9±0.06	7.9±0.06	7.6±0.06	7.7±0.10	8.2±0.00	8.1±0.06	8.4±0.06	8.3±0.06
1-A	MediV-105	8.3±0.10	8.2±0.06	8.3±0.06	8.3±0.06	8.1±0.07	8.1±0.14	8.1±0.00	8.2±0.06	8.0±0.06	8.0±0.06	7.8±0.06	7.8±0.10	8.1±0.06	8.1±0.06	8.3±0.06	8.3±0.06
1-B		8.3±0.10	8.3±0.06	8.3±0.06	8.4±0.06	8.1±0.06	8.3±0.10	8.2±0.10	8.1±0.12	8.1±0.00	8.2±0.06	8.0±0.00	8.0±0.00	8.3±0.06	8.2±0.00	8.4±0.06	8.4±0.06
1-C		8.2±0.06	8.1±0.00	8.0±0.06	8.1±0.12	7.8±0.10	7.9±0.06	7.8±0.12	8.0±0.12	7.9±0.00	8.0±0.06	7.6±0.06	7.7±0.10	8.2±0.12	8.2±0.00	8.3±0.06	8.3±0.00
		9.1±0.06	9.1±0.06	9.2±0.06	9.1±0.10	8.3±0.06	8.3±0.00	8.2±0.06	8.3±0.06	7.9±0.10	7.9±0.10	8.1±0.06	8.0±0.06	8.2±0.06	8.2±0.10	8.3±0.06	8.3±0.06

FIG. 4





FIG. 5A

**FIG. 5B**




FIG. 6




FIG. 7




FIG. 8





FIG. 9

**FIG. 10**





FIG. 11A

**FIG. 11B**




FIG. 12A





FIG. 12B

**FIG. 13**




FIG. 14A




FIG. 14B




FIG. 14C




FIG. 15