


(I)

wherein W, X, A and B are as defined herein, or forms and compositions thereof.

In particular, the present description relates to a use of a compound of Formula (I) or a form or composition thereof in a method for treating or ameliorating HD in a subject in need thereof comprising, administering an effective amount of the compound or a form or composition thereof, to the subject.

The present description further relates to the use of a compound of Formula (I) or a form thereof in combination with agents having additive or synergistic activity, thus providing a combination product for the treatment of HD.

In one aspect of the present disclosure, there is provided a compound of Formula (I) for use in treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the compound of Formula (I) is to be administered to said subject:



(I)

or a form thereof, wherein

W is CH=CH or S;

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂, and wherein C₉₋₁₀cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₄;

R₁ is halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, heterocyclyl-C₁₋₄alkoxy, phenyl, or phenyl-C₁₋₄alkoxy,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₂ is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₂₋₄alkenyl, C₃₋₇cycloalkyl, or heterocyclyl-C₁₋₄alkyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;


R₃ is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, phenyl, or phenyl-C₁₋₄alkoxy;

R₄ is independently selected from halogen, C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino or hydroxyl-C₁₋₄alkyl-amino; and

R₅ is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect of the present disclosure, there is provided a use of a compound of Formula (I) in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the compound of Formula (I) is to be administered to said subject:



or a form thereof, wherein

W is CH=CH or S;

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂, and

wherein C₉₋₁₀cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₄;

R₁ is halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino,

(C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl,

(C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-

carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl,

hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy,

hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-

C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-

amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl,

C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl,

heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl,

heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl,

heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl,

heterocyclyl-C₁₋₄alkoxy, phenyl, or phenyl-C₁₋₄alkoxy,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₂ is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino,

C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkoxy,

C₁₋₄alkoxy-carbonyl, C₂₋₄alkenyl, C₃₋₇cycloalkyl, or heterocyclyl-C₁₋₄alkyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and wherein each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;





R₃ is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, phenyl, or phenyl-C₁₋₄alkoxy;

R₄ is independently selected from halogen, C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino or hydroxyl-C₁₋₄alkyl-amino; and

R₅ is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In a further aspect of the present disclosure, there is provided a compound selected from a compound of Formula (Ia11), Formula (Ia15), Formula (Ia18) or Formula (Ib1):



or a form thereof, wherein (when present),

X is selected from O, NR₅, or a bond;

A is selected from phenyl, thiophenyl, indazolyl, pyridinyl, pyrimidinyl or phenoxy, wherein phenyl and phenoxy are each optionally substituted with 1, 2 or 3 substituents each selected from R_{1a},

wherein thiophenyl, indazolyl, pyridinyl, pyrimidinyl are each optionally substituted with 1 or 2 substituents each selected from R_{1a},

B is selected from 1H-pyrazolyl, piperidinyl, 1,2,3,6-tetrahydropyridinyl, (1*R*,5*S*)-8-azabicyclo[3.2.1]octyl, 8-azabicyclo[3.2.1]oct-2-enyl, 2,6-diazaspiro[3.4]octyl or 2,7-diazaspiro[3.5]nonyl, each optionally substituted with 1 or 2 substituents each selected from R_{4a};

R_{1a} is selected from halogen, hydroxyl, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkoxy, or heteroaryl,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S optionally substituted with 1 or 2 substituents each selected from R_{3a};

R_{3a} is selected from nitro or C₁₋₄alkyl; and,

R_{4a} is C₁₋₄alkyl;

R_{5a} is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect of the present disclosure, there is provided a compound or a form thereof for use in treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the compound or form thereof is to be administered to the subject, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile

6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol

6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol

6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline

N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(imidazo[1,2-a]pyridin-6-yl-pyridazin-3-yl)-methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amine

N-methyl-6-(6-phenylpyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(6-(1H-pyrrol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(6-(1H-pyrazol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
 methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
 N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol
 5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol
 2-fluoro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine
 N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(5-methyl-oxazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol
 2-(((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol
 2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol
 2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 (5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol
 2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol
 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol
 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(7-methyl-2,7-diazaspiro[4.4]nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3,6-diazabicyclo[3.2.1]octan-3-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(2,7-diazaspiro[3.5]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,7-diazaspiro[4.4]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol
 2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(7-(2-hydroxyethyl)-2,7-diazaspiro[4.4]-nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol
 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol
 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 tert-butyl 3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate

7-(3-amino-propoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol
 N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide
 7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol
 1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol
 7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol
 7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol

7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol
 5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol
 3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-benzo[d]imidazol-6-ol
 5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol
 4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol
 4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol
 4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol
 5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol
 6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1,4-dihydroindeno[1,2-c]-1H-pyrazol-7-ol
 6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime
 5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol
 2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol
 9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide
 4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol
 6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one
 4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol
 5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol
 5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol
 1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol

5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol
 5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol
 5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide
 2-(6-((3aR,6aS)-5-(2-hydroxyethyl)hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

2-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 4-(3-hydroxy-4-(6-(5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(3-hydroxy-4-(6-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 2-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 4-(4-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-3-hydroxyphenyl)-1-methylpyridin-2(1H)-one
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-6-ol
 7-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)isoquinolin-6-ol
 1-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1,6-diol
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol
 8-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3-carbonitrile

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(1-methyl-1H-imidazol-4-yl)quinolin-7-ol
 3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol
 3-ethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one
 7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one
 4-methoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(pyrrolidin-1-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-morpholinoquinolin-7-ol
 4-(dimethylamino)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 4-ethoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1-methyl-1H-pyrazol-4-yl)quinolin-7-ol
 4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol
 3-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-bromo-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 5-bromo-3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

6-hydroxy-1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-4(1H)-one
 2,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 4-methoxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 4-(azetidin-1-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolone-4-carbonitrile
 4-cyclopropyl-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol
 4-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(oxetan-3-yl)quinolin-7-ol
 4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-4(1H)-one
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol
 7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carbonitrile

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carbonitrile

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carboxamide

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carboxamide

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxamide

methyl 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxylate

6-hydroxy-7-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile

7-hydroxy-6-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile

7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol

7-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)quinolin-6-ol

1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol

1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

1,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-hydroxy-3-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile

1-amino-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-hydroxy-1,3-dimethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazoline-2,4(1H,3H)-dione

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[d]oxazol-2(3H)-one

2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2H-indazol-6-ol

1-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-indazol-6-ol

6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one

2-ethyl-6-hydroxy-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinolin-1(2H)-one

1-ethoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-1,6-diol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-3-phenylisoquinolin-6-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-isopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-propyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol

3-isopropyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol

3-methyl-7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol

4-chloro-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

4-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

5-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol

5-(2-methoxyquinolin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(3-methoxy-naphthalen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

4-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2-ol

5-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

N-methyl-5-(2-methyl-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

1-methyl-4-(4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-3-(trifluoromethoxy)phenyl)pyridin-2(1H)-one

5-(4-(3,5-dimethyl-1H-pyrazol-4-yl)-2-methoxyphenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2-ol

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalene-2,7-diol

3-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)naphthalene-2,7-diol

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2-ol

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-4-(1H-pyrazol-1-yl)phenol

5-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

3-chloro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

3-methoxy-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-methyloxazol-2-yl)phenol

2-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-5-(1,2,3,6-tetrahydropyridin-4-yl)-1,3,4-thiadiazole

2-(5-(piperazin-1-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(7-methoxyquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazole-2-amine

6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-7-ol

3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzonitrile

3-fluoro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzonitrile

methyl-3-fluoro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzoate

5-(2-methoxy-4-(3-(methylamino)-1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

7-methoxy-6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinoline-2-carbonitrile

4-(3-methoxy-4-(5-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-chloro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

N-methyl-5-(5-(1-methyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-1,3,4-thiadiazole

5-(2-chloro-4-(6-methoxypyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(6-aminopyridin-3-yl)-2-fluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(3-methyl-1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,3-difluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,5-difluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2-chloro-5-fluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(3-fluoro-5-(1H-pyrazol-4-yl)pyridin-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2-aminopyrimidin-4-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(5-(2-aminopyrimidin-4-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2,5-difluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2,3-difluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

4-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

5-(2-fluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-fluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2,3-difluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

6-methoxy-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-3,4-dihydroisoquinolin-1-(2H)-one

5-(2-chloro-4-(1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(1H-1,2,3-triazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(1H-1,2,4-triazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(3-amino-1H-pyrazol-1-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1H-imidazol-1-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2-chloro-4-(1H-imidazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-imidazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2-methoxyphenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(pyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(2-methoxypyridin-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(6-methoxypyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)-1,3,4-thiadiazole

(R)-1-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)morpholin-2-yl)-N,N-dimethylmethanamine

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2-methyl-2,7-diazaspiro[4.5]decan-7-yl)-1,3,4-thiadiazole

2-(2-fluoro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-(2,6-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(3-chloro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2(1H)-one

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(3-(methylamino)-1H-pyrazol-1-yl)phenol

3-fluoro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

3,4-difluoro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

6-hydroxy-5-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-2,3-dihydro-1H-inden-1-one

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

2-(5-(2,6-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

2-(5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-fluoro-2-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

3-chloro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

2-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-5-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)-1,3,4-thiadiazole

2-(2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-3-fluoro-5-(1H-pyrazol-4-yl)phenol

4-methoxy-1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

4-hydroxy-1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[4.5]decan-2-yl)-1,3,4-thiadiazole

(R)-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)piperazin-2-yl)methanol

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzo[b]thiophene-5-carbonitrile

5-(3-chlorobenzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol
 6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol
 2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol
 N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole
 3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine
 3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol
 6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine
 3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol
 6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol
 N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and
 6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In a further aspect of the present disclosure, there is provided a use of a compound or a form thereof in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the compound or form thereof is to be administered to the subject, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol
 2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile
 6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine
 2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol
 6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol
 6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline
 6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline
 N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(imidazo[1,2-a]pyridin-6-yl-pyridazin-3-yl)-methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
 N-methyl-6-(6-phenylpyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(6-(1H-pyrrol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(6-(1H-pyrazol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
 methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
 N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol
 5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol
 2-fluoro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine
 N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(5-methyl-oxazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol
 2-((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol
 2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol

2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol
 2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 (5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol
 2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(1H-pyrazol-1-yl)-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol
 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol
 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(7-methyl-2,7-diazaspiro[4.4]nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3,6-diazabicyclo[3.2.1]octan-3-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(2,7-diazaspiro[3.5]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,7-diazaspiro[4.4]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)-phenol
 2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(7-(2-hydroxyethyl)-2,7-diazaspiro[4.4]nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol
 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol
 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)-phenol
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 tert-butyl (3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate
 7-(3-amino-propoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol
 N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide
 7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol

1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol
 7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol
 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol
 7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol
 7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol
 7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol
 5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol
 3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-benzo[d]imidazol-6-ol
 5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol
 4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol
 4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol
 4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol

5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1,4-dihydroindeno[1,2-c]-1H-pyrazol-7-ol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime

5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol

2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol

9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol

5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol

5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol
 5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide
 2-(6-((3aR,6aS)-5-(2-hydroxyethyl)hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 2-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 4-(3-hydroxy-4-(6-(5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(3-hydroxy-4-(6-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 2-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 4-(4-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-3-hydroxyphenyl)-1-methylpyridin-2(1H)-one
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-6-ol

7-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)isoquinolin-6-ol
 1-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1,6-diol
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol
 8-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3-carbonitrile
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(1-methyl-1H-imidazol-4-yl)quinolin-7-ol
 3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol
 3-ethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one
 7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one
 4-methoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(pyrrolidin-1-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-morpholinoquinolin-7-ol
 4-(dimethylamino)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 4-ethoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1-methyl-1H-pyrazol-4-yl)quinolin-7-ol
 4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol
 3-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-bromo-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 5-bromo-3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 6-hydroxy-1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-4(1H)-one
 2,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 4-methoxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 4-(azetidin-1-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolone-4-carbonitrile

4-cyclopropyl-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol
 4-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(oxetan-3-yl)quinolin-7-ol
 4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-4(1H)-one
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol
 7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carbonitrile
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carbonitrile
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carboxamide
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carboxamide
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxamide
 methyl 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxylate
 6-hydroxy-7-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile
 7-hydroxy-6-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile
 7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)quinolin-6-ol

1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol
 1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 1,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-hydroxy-3-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile
 1-amino-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-hydroxy-1,3-dimethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazoline-2,4(1H,3H)-dione
 6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[d]oxazol-2(3H)-one
 2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2H-indazol-6-ol
 1-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-indazol-6-ol
 6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one
 2-ethyl-6-hydroxy-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinolin-1(2H)-one
 1-ethoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-1,6-diol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-3-phenylisoquinolin-6-ol
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 3-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 3-isopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 3-propyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol
 3-isopropyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol
 3-methyl-7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol

4-chloro-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

4-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

5-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol

5-(2-methoxyquinolin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(3-methoxy-naphthalen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

4-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2-ol

5-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

N-methyl-5-(2-methyl-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

1-methyl-4-(4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-3-(trifluoromethoxy)phenyl)pyridin-2(1H)-one

5-(4-(3,5-dimethyl-1H-pyrazol-4-yl)-2-methoxyphenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one
 5-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2-ol
 3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalene-2,7-diol
 3-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)naphthalene-2,7-diol
 3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol
 3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2-ol
 2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-4-(1H-pyrazol-1-yl)phenol
 5-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 3-chloro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 5-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 3-methoxy-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-methyloxazol-2-yl)phenol
 2-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-5-(1,2,3,6-tetrahydropyridin-4-yl)-1,3,4-thiadiazole
 2-(5-(piperazin-1-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(7-methoxyquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazole-2-amine
 6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-7-ol
 3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzonitrile
 3-fluoro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzonitrile
 methyl-3-fluoro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzoate
 5-(2-methoxy-4-(3-(methylamino)-1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 7-methoxy-6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinoline-2-carbonitrile
 4-(3-methoxy-4-(5-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(3-chloro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one
 5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2-chloro-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 N-methyl-5-(5-(1-methyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 2-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-1,3,4-thiadiazole
 5-(2-chloro-4-(6-methoxypyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(4-(6-aminopyridin-3-yl)-2-fluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2-fluoro-4-(3-methyl-1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2-fluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2,3-difluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2,5-difluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 2-(2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole
 5-(2-chloro-5-fluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(3-fluoro-5-(1H-pyrazol-4-yl)pyridin-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(4-(2-aminopyrimidin-4-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(5-(2-aminopyrimidin-4-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(4-(2,4-dimethylthiazol-5-yl)-2,5-difluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(4-(2,4-dimethylthiazol-5-yl)-2,3-difluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 4-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one
 5-(2-fluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 2-(2-fluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole
 5-(2,3-difluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 6-methoxy-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-3,4-dihydroisoquinolin-1-(2H)-one

5-(2-chloro-4-(1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(1H-1,2,3-triazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(1H-1,2,4-triazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(3-amino-1H-pyrazol-1-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1H-imidazol-1-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2-chloro-4-(1H-imidazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-imidazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2-methoxyphenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(pyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(2-methoxypyridin-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(6-methoxypyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)-1,3,4-thiadiazole

(R)-1-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)morpholin-2-yl)-N,N-dimethylmethanamine

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2-methyl-2,7-diazaspiro[4.5]decan-7-yl)-1,3,4-thiadiazole

2-(2-fluoro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-(2,6-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(3-chloro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2(1H)-one

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(3-(methylamino)-1H-pyrazol-1-yl)phenol

3-fluoro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

3,4-difluoro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

6-hydroxy-5-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-2,3-dihydro-1H-inden-1-one

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

2-(5-(2,6-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

2-(5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-fluoro-2-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

3-chloro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

2-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-5-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)-1,3,4-thiadiazole

2-(2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-3-fluoro-5-(1H-pyrazol-4-yl)phenol

4-methoxy-1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

4-hydroxy-1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[4.5]decan-2-yl)-1,3,4-thiadiazole

(R)-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)piperazin-2-yl)methanol

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzo[b]thiophene-5-carbonitrile

5-(3-chlorobenzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol
 6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol
 2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol

N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole
 3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine
 3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol
 6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine
 3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol
 6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol
 N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect of the present disclosure, there is provided a compound selected from the group consisting of:

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol
 2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol
 N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole
 3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine

3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol
 6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine
 3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol
 6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol
 N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In a further aspect of the present disclosure, there is provided a compound salt or a form thereof for use in treating or ameliorating HD in a subject in need thereof, wherein the compound salt or form thereof is to be administered to the subject, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride
2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride
2-(6-piperazin-1-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol hydrochloride
3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate
3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate
3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate
3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate
6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride
2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol hydrochloride
9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol hydrochloride
3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride
4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride
4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride
5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol hydrochloride

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol formate

7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one hydrochloride

4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol formate

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol hydrochloride

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol formate

4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol formate

6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one hydrochloride

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol hydrobromide

N-methyl-5-(5-(1-methyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine hydrochloride

3-fluoro-2-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol dihydrochloride

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole hydrochloride

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[4.5]decan-2-yl)-1,3,4-thiadiazole hydrochloride

(R)-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)piperazin-2-yl)methanol hydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a prodrug, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect of the present disclosure, there is provided a use of a compound salt or a form thereof in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof, wherein the compound salt or form thereof is to be administered to the subject, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride

2-(6-piperazin-1-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol hydrochloride

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride

2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol hydrochloride

9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol hydrochloride

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol hydrochloride

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol formate

7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one hydrochloride

4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol formate

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol hydrochloride

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol formate

4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol formate

6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one hydrochloride

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol hydrobromide

N-methyl-5-(5-(1-methyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine hydrochloride

3-fluoro-2-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol dihydrochloride

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole hydrochloride

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[4.5]decan-2-yl)-1,3,4-thiadiazole hydrochloride

(R)-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)piperazin-2-yl)methanol hydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a prodrug, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In a further aspect of the present disclosure, there is provided a compound salt selected from the group consisting of:

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride


3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a prodrug, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect of the present disclosure, there is provided an assay for detecting HTT (Huntingtin protein) using capture/detection antibody pairs, wherein: (i) when HTT is total HTT, the capture/detection antibody pairs are selected from MAB2166/MAB2174 and MAB2166/#5656S; and, (ii) when HTT is mutant HTT, the capture/detection antibody pairs are selected from MAB1574/#5656S, P1874/#5656S and MW1/#5656S.

In a further aspect of the present disclosure, there is provided a pharmaceutical composition comprising a compound of Formula (I) in admixture with one or more pharmaceutically acceptable excipient(s) for use in treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the pharmaceutical composition is to be administered to said subject:



(I)

or a form thereof, wherein

W is CH=CH or S;

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂, and wherein C₉₋₁₀cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₄;

R₁ is halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino,

(C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl,

(C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-

carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl,

hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy,

hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-

C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-

amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl,

C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl,

heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl,

heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl,

heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl,

heterocyclyl-C₁₋₄alkoxy, phenyl, or phenyl-C₁₋₄alkoxy,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₂ is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₂₋₄alkenyl, C₃₋₇cycloalkyl, or heterocyclyl-C₁₋₄alkyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and wherein each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;


R₃ is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, phenyl, or phenyl-C₁₋₄alkoxy;

R₄ is independently selected from halogen, C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino or hydroxyl-C₁₋₄alkyl-amino; and

R₅ is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

In another aspect of the present disclosure, there is provided a use of a pharmaceutical composition comprising a compound of Formula (I) in admixture with one or more pharmaceutically acceptable excipient(s) in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the pharmaceutical composition is to be administered to said subject:



or a form thereof, wherein

W is CH=CH or S;

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂, and wherein C₉₋₁₀cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₄;

R₁ is halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino,

(C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl,

(C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-

carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl,

hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy,

hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-

C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-

amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl,

C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl,

heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl,

heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl,

heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl,

heterocyclyl-C₁₋₄alkoxy, phenyl, or phenyl-C₁₋₄alkoxy,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₂ is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₂₋₄alkenyl, C₃₋₇cycloalkyl, or heterocyclyl-C₁₋₄alkyl,


wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and wherein each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₃ is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, phenyl, or phenyl-C₁₋₄alkoxy;

R₄ is independently selected from halogen, C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino or hydroxyl-C₁₋₄alkyl-amino; and
R₅ is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;
wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

DETAILED DESCRIPTION

The present description relates to a method or use of a compound for treating or ameliorating HD in a subject in need thereof comprising administering to the subject an effective amount of a compound of Formula (I):



or a form thereof, wherein

W is CH=CH or S;

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;


A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

What is claimed is:

1. A compound of Formula (I) for use in treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the compound of Formula (I) is to be administered to said subject:



or a form thereof, wherein

W is CH=CH or S;

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂, and

wherein C₉₋₁₀cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₄;

R₁ is halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino,

(C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl,

(C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl,

hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, heterocyclyl-C₁₋₄alkoxy, phenyl, or phenyl-C₁₋₄alkoxy,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₂ is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₂₋₄alkenyl, C₃₋₇cycloalkyl, or heterocyclyl-C₁₋₄alkyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₃ is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy,


(C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, phenyl, or phenyl-C₁₋₄alkoxy;

R₄ is independently selected from halogen, C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino or hydroxyl-C₁₋₄alkyl-amino; and

R₅ is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

2. Use of a compound of Formula (I) in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the compound of Formula (I) is to be administered to said subject:



(I)

or a form thereof, wherein

W is CH=CH or S;

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂, and wherein C₉₋₁₀cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₄;

R₁ is halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, heterocyclyl-C₁₋₄alkoxy, phenyl, or phenyl-C₁₋₄alkoxy,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₂ is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₂₋₄alkenyl, C₃₋₇cycloalkyl, or heterocyclyl-C₁₋₄alkyl, wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and wherein each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;


R₃ is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, phenyl, or phenyl-C₁₋₄alkoxy;

R₄ is independently selected from halogen, C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino or hydroxyl-C₁₋₄alkyl-amino; and

R₅ is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

3. The compound or use of claim 1 or 2, wherein the compound of Formula (I) is selected from a compound of Formula (Ia) and Formula (Ib):



or a form thereof, wherein

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂, and

wherein C₉₋₁₀cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₄;

R₁ is halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino,

(C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl,

C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-

C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-

C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-

C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-

amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl,

C_{3-7} cycloalkyl- C_{1-4} alkoxy, C_{3-7} cycloalkenyl, heteroaryl, heteroaryl- C_{1-4} alkyl,
heteroaryl- C_{1-4} alkyl-amino, heteroaryl- C_{1-4} alkyl-amino-carbonyl,
heteroaryl- C_{1-4} alkyl-carbonyl-amino, heteroaryl- C_{1-4} alkyl-amino-carbonyl- C_{1-4} alkyl,
heteroaryl- C_{1-4} alkyl-carbonyl-amino- C_{1-4} alkyl, heterocyclyl, heterocyclyl- C_{1-4} alkyl,
heterocyclyl- C_{1-4} alkoxy, phenyl, or phenyl- C_{1-4} alkoxy,
wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom
ring members selected from N, O, and S,
wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system
having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and
wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2
substituents each selected from R_3 ;
 R_2 is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C_{1-4} alkyl, halo- C_{1-4} alkyl, amino,
 C_{1-4} alkyl-amino, (C_{1-4} alkyl) $_2$ -amino, amino- C_{1-4} alkyl, amino-carbonyl,
hydroxyl- C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} alkoxy-carbonyl, C_{2-4} alkenyl, C_{3-7} cycloalkyl, or
heterocyclyl- C_{1-4} alkyl;
 R_3 is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C_{1-4} alkyl, amino, C_{1-4} alkyl-amino,
(C_{1-4} alkyl) $_2$ -amino, amino- C_{1-4} alkyl, C_{1-4} alkyl-amino- C_{1-4} alkyl,
(C_{1-4} alkyl) $_2$ -amino- C_{1-4} alkyl, amino-carbonyl, C_{1-4} alkyl-amino-carbonyl,
 C_{1-4} alkyl-amino-carbonyl- C_{1-4} alkyl, C_{1-4} alkyl-carbonyl-amino, C_{1-4} alkyl-carbonyl-amino-
 C_{1-4} alkyl, hydroxyl- C_{1-4} alkyl, C_{1-4} alkyl-carbonyl, C_{1-4} alkoxy, halo- C_{1-4} alkoxy, amino-
 C_{1-4} alkoxy, hydroxyl- C_{1-4} alkoxy, C_{1-4} alkyl- C_{1-4} alkoxy, C_{1-4} alkyl-amino- C_{1-4} alkoxy,
(C_{1-4} alkyl) $_2$ -amino- C_{1-4} alkoxy, C_{1-4} alkyl-carbonyl-amino- C_{1-4} alkoxy, C_{1-4} alkoxy-
 C_{1-4} alkoxy, C_{1-4} alkoxy-carbonyl, C_{1-4} alkoxy-carbonyl-amino, C_{1-4} alkoxy-carbonyl-
amino- C_{1-4} alkoxy, C_{2-4} alkenyl, C_{2-4} alkenyl-amino-carbonyl, C_{3-7} cycloalkyl,
 C_{3-7} cycloalkyl- C_{1-4} alkoxy, C_{3-7} cycloalkenyl, heteroaryl, heteroaryl- C_{1-4} alkyl,
heteroaryl- C_{1-4} alkyl-amino, heteroaryl- C_{1-4} alkyl-amino-carbonyl,
heteroaryl- C_{1-4} alkyl-carbonyl-amino, heteroaryl- C_{1-4} alkyl-amino-carbonyl- C_{1-4} alkyl,
heteroaryl- C_{1-4} alkyl-carbonyl-amino- C_{1-4} alkyl, heterocyclyl, heterocyclyl- C_{1-4} alkyl,
phenyl, or phenyl- C_{1-4} alkoxy;
 R_4 is independently selected from halogen, C_{1-4} alkyl, hydroxyl- C_{1-4} alkyl, amino, C_{1-4} alkyl-
amino, (C_{1-4} alkyl) $_2$ -amino or hydroxyl- C_{1-4} alkyl-amino; and

R₅ is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;


wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

4. The compound or use of any one of claims 1 to 3, wherein:


X is O, NH, N(CH₃) or a bond;


A is aryl, heteroaryl or heterocyclyl,

wherein, aryl is selected from the group consisting of:




wherein, heteroaryl is selected from the group consisting of:







wherein, heterocyclyl is selected from the group consisting of:



B is heterocyclyl selected from the group consisting of:





R_{1a} and R_{1b} are each, where allowed by available valences, one or more substituents each selected from halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, heterocyclyl-C₁₋₄alkoxy, phenyl, or phenyl-C₁₋₄alkoxy,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R_{2a}, R_{2b} and R_{2c} are each, where allowed by available valences, one or more substituents each selected from halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₂₋₄alkenyl, C₃₋₇cycloalkyl, or heterocyclyl-C₁₋₄alkyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;





R₃ is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-

C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, phenyl, or phenyl-C₁₋₄alkoxy; and

R_{4a}, R_{4b}, R_{4c}, R_{4d}, R_{4e}, R_{4f} and R_{4g} are independently selected from halogen, C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino or hydroxyl-C₁₋₄alkyl-amino;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

5. A compound selected from a compound of Formula (Ia11), Formula (Ia15), Formula (Ia18) or Formula (Ib1):



or a form thereof, wherein (when present),

X is selected from O, NR₅, or a bond;

A is selected from phenyl, thiophenyl, indazolyl, pyridinyl, pyrimidinyl or phenoxy,

wherein phenyl and phenoxy are each optionally substituted with 1, 2 or 3 substituents each selected from R_{1a},

wherein thiophenyl, indazolyl, pyridinyl, pyrimidinyl are each optionally substituted with 1 or 2 substituents each selected from R_{1a},

B is selected from 1H-pyrazolyl, piperidinyl, 1,2,3,6-tetrahydropyridinyl, (1*R*,5*S*)-8-azabicyclo[3.2.1]octyl, 8-azabicyclo[3.2.1]oct-2-enyl, 2,6-diazaspiro[3.4]octyl or 2,7-diazaspiro[3.5]nonyl, each optionally substituted with 1 or 2 substituents each selected from R_{4a};

R_{1a} is selected from halogen, hydroxyl, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkoxy, or heteroaryl,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S optionally substituted with 1 or 2 substituents each selected from R_{3a};

R_{3a} is selected from nitro or C₁₋₄alkyl; and,

R_{4a} is C₁₋₄alkyl;

R_{5a} is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

6. The compound of claim 5 wherein (when present):

R_{1a} is selected from fluoro, chloro, hydroxyl, methyl, difluoromethyl, amino, methoxy or 1H-pyrazolyl or 1H-imidazol-1-yl,

wherein 1H-pyrazolyl is optionally substituted with 1 or 2 substituents each selected from R_{3a};

R_{3a} is selected from nitro or methyl or amino; and,

R_{4a} is methyl or ethyl;

R_{5a} is hydrogen or methyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

7. A compound or a form thereof for use in treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the compound or form thereof is to be administered to the subject, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol
2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile
6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine
2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol
6-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol
6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline
6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline
N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
6-(imidazo[1,2-a]pyridin-6-yl-pyridazin-3-yl)-methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
N-methyl-6-(6-phenylpyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
6-(6-(1H-pyrrol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
6-(6-(1H-pyrazol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol

5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol
 2-fluoro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine
 N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(5-methyl-oxazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol
 2-((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol
 2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol
 2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 (5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol
 2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol
 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol
 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(7-methyl-2,7-diazaspiro[4.4]nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3,6-diazabicyclo[3.2.1]octan-3-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(2,7-diazaspiro[3.5]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,7-diazaspiro[4.4]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol
 2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(7-(2-hydroxyethyl)-2,7-diazaspiro[4.4]-nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol
 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol
 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 tert-butyl (3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate
 7-(3-amino-propoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol
 N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide
 7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol
 1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol

7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol
 7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol
 5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol
 3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol

2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-benzo[d]imidazol-6-ol
 5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol
 4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol
 4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol
 4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol
 5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol
 6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1,4-dihydroindeno[1,2-c]-1H-pyrazol-7-ol

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime

5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol

2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol

9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol

4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide

4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol
 5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol
 5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol
 1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol
 5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol
 5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol

5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide

2-(6-((3aR,6aS)-5-(2-hydroxyethyl)hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

2-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-(3-hydroxy-4-(6-(5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

4-(4-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-3-hydroxyphenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

6-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

6-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

7-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-6-ol

7-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)isoquinolin-6-ol
 1-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1,6-diol
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol
 8-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3-carbonitrile
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(1-methyl-1H-imidazol-4-yl)quinolin-7-ol
 3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol
 3-ethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one
 7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one
 4-methoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(pyrrolidin-1-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-morpholinoquinolin-7-ol
 4-(dimethylamino)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 4-ethoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1-methyl-1H-pyrazol-4-yl)quinolin-7-ol
 4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol
 3-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-bromo-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 5-bromo-3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 6-hydroxy-1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-4(1H)-one
 2,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 4-methoxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 4-(azetidin-1-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolone-4-carbonitrile
 4-cyclopropyl-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol
 4-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(oxetan-3-yl)quinolin-7-ol
 4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-4(1H)-one
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol

7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carbonitrile
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carbonitrile
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carboxamide
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carboxamide
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxamide
 methyl 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxylate
 6-hydroxy-7-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile
 7-hydroxy-6-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile
 7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)quinolin-6-ol
 1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol
 1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 1,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-hydroxy-3-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile
 1-amino-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-hydroxy-1,3-dimethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazoline-2,4(1H,3H)-dione
 6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[d]oxazol-2(3H)-one
 2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2H-indazol-6-ol
 1-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-indazol-6-ol

6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one

2-ethyl-6-hydroxy-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinolin-1(2H)-one

1-ethoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-1,6-diol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-3-phenylisoquinolin-6-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-isopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-propyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol

3-isopropyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol

3-methyl-7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol

4-chloro-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

4-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

5-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol

5-(2-methoxyquinolin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(3-methoxy-naphthalen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

4-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2-ol

5-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

N-methyl-5-(2-methyl-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

1-methyl-4-(4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-3-(trifluoromethoxy)phenyl)pyridin-2(1H)-one

5-(4-(3,5-dimethyl-1H-pyrazol-4-yl)-2-methoxyphenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2-ol

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalene-2,7-diol

3-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)naphthalene-2,7-diol

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2-ol

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-4-(1H-pyrazol-1-yl)phenol

5-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

3-chloro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

3-methoxy-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-methyloxazol-2-yl)phenol

2-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-5-(1,2,3,6-tetrahydropyridin-4-yl)-1,3,4-thiadiazole

2-(5-(piperazin-1-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(7-methoxyquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazole-2-amine

6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-7-ol

3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzonitrile

3-fluoro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzonitrile

methyl-3-fluoro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzoate

5-(2-methoxy-4-(3-(methylamino)-1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

7-methoxy-6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinoline-2-carbonitrile

4-(3-methoxy-4-(5-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-chloro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

N-methyl-5-(5-(1-methyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-1,3,4-thiadiazole

5-(2-chloro-4-(6-methoxypyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(6-aminopyridin-3-yl)-2-fluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(3-methyl-1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,3-difluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,5-difluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2-chloro-5-fluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(3-fluoro-5-(1H-pyrazol-4-yl)pyridin-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2-aminopyrimidin-4-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(5-(2-aminopyrimidin-4-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2,5-difluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2,3-difluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

4-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

5-(2-fluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-fluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2,3-difluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

6-methoxy-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-3,4-dihydroisoquinolin-1-(2H)-one

5-(2-chloro-4-(1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(1H-1,2,3-triazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(1H-1,2,4-triazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(3-amino-1H-pyrazol-1-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1H-imidazol-1-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2-chloro-4-(1H-imidazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-imidazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2-methoxyphenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(pyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(2-methoxypyridin-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(6-methoxypyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)-1,3,4-thiadiazole

(R)-1-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)morpholin-2-yl)-N,N-dimethylmethanamine

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2-methyl-2,7-diazaspiro[4.5]decan-7-yl)-1,3,4-thiadiazole

2-(2-fluoro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-(2,6-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(3-chloro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2(1H)-one

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(3-(methylamino)-1H-pyrazol-1-yl)phenol

3-fluoro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

3,4-difluoro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

6-hydroxy-5-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-2,3-dihydro-1H-inden-1-one

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

2-(5-(2,6-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

2-(5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

3-fluoro-2-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

3-chloro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

2-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-5-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)-1,3,4-thiadiazole

2-(2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-3-fluoro-5-(1H-pyrazol-4-yl)phenol

4-methoxy-1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

4-hydroxy-1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[4.5]decan-2-yl)-1,3,4-thiadiazole

(R)-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)piperazin-2-yl)methanol

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzo[b]thiophene-5-carbonitrile

5-(3-chlorobenzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol

5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol

6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol
 N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole
 3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine
 3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol
 6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine
 3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol
 6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol
 N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and
 6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

8. Use of a compound or a form thereof in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the compound or form thereof is to be administered to the subject, wherein the compound is selected from the group consisting of:

6-(naphthalen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(benzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)-pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[b]-thiophene-5-carbonitrile
 6-(quinolin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-(benzo[b]-thiophen-2-yl)-6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)pyridazine
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)phenol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)naphthalen-2-ol
 6-(benzo[b]-thiophen-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline
 6-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline
 N-methyl-6-(quinolin-7-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 N-methyl-6-(quinolin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(imidazo[1,2-a]pyridin-6-yl-pyridazin-3-yl)-methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
 N-methyl-6-(6-phenylpyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(6-(1H-pyrrol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(6-(1H-pyrazol-1-yl)pyridin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 methyl-(6-quinoxalin-2-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
 methyl-(6-quinolin-3-yl-pyridazin-3-yl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amine
 N-methyl-6-(phthalazin-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(benzo[c][1,2,5]oxa-diazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(benzo[d]thiazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-(2-methylbenzo-[d]oxazol-6-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 5-chloro-2-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-(6-(2,2,6,6-tetramethylpiperidin-4-yl-amino)pyridazin-3-yl)naphthalen-2-ol
 5-chloro-2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)pyridazin-3-yl)phenol
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol
 2-fluoro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 3,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4,5-dimethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4,5-difluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile

1-allyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 6-(benzo[b]thiophen-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)pyridazin-3-amine
 N-allyl-3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzamide
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(5-methyl-oxazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 5-(4-hydroxymethyl)-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-imidazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(4-amino-1H-pyrazole-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-(3-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-(2-morpholino-ethyl)-1H-pyrazol-4-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 5-(5-amino-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol
 2-((6-((2-hydroxy-ethyl)-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)-5-pyrazol-1-yl)phenol
 2-(6-(piperidin-4-yloxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(((2S,4R,6R)-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-((-2,6-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-yl-oxy)pyridazin-3-yl)phenol
 2-(6-(((2S,4S)-2-methylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 (5-(1H-pyrazol-1-yl)-2-(6-(pyrrolidin-3-ylmethoxy)pyridazin-3-yl)phenol
 2-(6-((3-fluoropiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,2,2,6,6-pentamethyl-piperidin-4-yl-oxy)-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 5-1H-pyrazol-1-yl-2-(6-(2,2,6,6-tetramethylpiperidin-4-yl-oxy)-pyridazin-3-yl)phenol

5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol
 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 3-(6-(azetidin-3-ylamino)-pyridazin-3-yl)naphthalen-2-ol
 2-(6-(azetidin-3-ylamino)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3,5-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(7-methyl-2,7-diazaspiro[4.4]nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,4-diazepan-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(4-(2-hydroxyethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3,6-diazabicyclo[3.2.1]octan-3-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(2,7-diazaspiro[3.5]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3-(hydroxymethyl)piperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,7-diazaspiro[4.4]nonan-7-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(4-amino-4-methylpiperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(3-(dimethylamino)piperidin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(1,2,2,6,6-pentamethylpiperidin-4-ylamino)-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol
 2-(6-(3,3-dimethylpiperazin-1-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(7-(2-hydroxyethyl)-2,7-diazaspiro[4.4]-nonan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol
 5-(1H-pyrazol-1-yl)-2-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)phenol
 2-(6-piperidin-4-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(2,2,6,6-tetramethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 tert-butyl 3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)carbamate
 7-(3-amino-propoxy)-3-(6-(methyl-(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)naphthalen-2-ol

N-(3-((7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-yl)oxy)propyl)acetamide
 7-(3-hydroxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3-methoxypropoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(2-morpholinoethoxy)-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(piperidin-4-ylmethyl)pyridazin-3-yl)naphthalen-2-ol
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6-trimethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 2-(6-((6S)-6-((S)-1-hydroxyethyl)-2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2-naphthonitrile
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(piperidinylmethyl)naphthalen-2-ol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(pyrrolidinylmethyl)naphthalen-2-ol
 1-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 1-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2,7-diol
 7-methoxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalene-2-ol
 7-methoxy-3-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3,6-dihydro-2H-pyran-4-yl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-7-(tetrahydro-2H-pyran-4-yl)naphthalene-2-ol
 7-(difluoromethyl)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-((4-hydroxy-2-methylbutan-2-yl)oxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 7-(3-hydroxy-3-methylbutoxy)-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)naphthalen-2-ol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)benzene-1,3-diol

3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(trifluoromethoxy)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)-3-(trifluoromethoxy)phenol
 4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyridin-3-yl)phenol
 3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyridine-3-yl)phenol
 5-(1-cyclopentyl-1H-pyrazol-4-yl)-3-methoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3',5-dimethoxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-(1,1'-biphenyl)-3-ol
 3-(benzyloxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 3-ethoxy-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 3-(cyclopropylmethoxy)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-5-(5-methyloxazol-2-yl)phenol
 2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-benzod[imidazol-6-ol
 5-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-pyrazol-1-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzonitrile
 2-(6-((2,2-dimethylpiperidin-4-yl)oxy)pyridazin-3-yl)-5-(1H-pyrazol-1-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyrazin-3-yl)phenol
 4-(1H-indol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-3-yl)phenol
 4-(4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol
 4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(4-hydroxy-3-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol
 5-(1H-indazol-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 4-chloro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 4-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 5-fluoro-4-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-4-yl)phenol
 5-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-5-yl)phenol
 6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1,4-dihydroindeno[1,2-c]-1H-pyrazol-7-ol
 6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime
 5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-indene-1,6-diol
 2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol
 9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol
 4-hydroxy-3-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-N-((1-methyl-1H-pyrazol-4-yl)methyl)benzamide
 4-(4-(hydroxymethyl)-1H-pyrazol-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol
 5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)pyridazin-3-yl)phenol

6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

6-(1-(benzyloxy)isoquinolin-7-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(5-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

4-(3-hydroxy-4-(6-methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-methoxypyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-3-(trifluoromethyl)pyridin-2-ol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)pyridin-2-ol

5-(6-(dimethylamino)pyridin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

4-(3-hydroxy-4-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(pyrimidin-5-yl)phenol

5-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-3-ol

1-cyclopropyl-4-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1,2,3,6-tetrahydropyridin-4-yl)phenol

5-(cyclopent-1-en-1-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(3,6-dihydro-2H-pyran-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,5-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyridin-7-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methylpyridin-4-yl)phenol

5-(1H-imidazol-2-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

5-(imidazo[1,2-a]pyrazin-3-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(5,6,7,8-tetrahydroimidazo[1,2-a]pyrazin-3-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-methyl-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-4-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-imidazol-5-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(4-nitro-1H-imidazol-2-yl)phenol

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(2-methyl-1H-imidazol-4-yl)phenol

5-(1,2-dimethyl-1H-imidazol-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol

1-(3-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1H-pyrazole-4-carboxamide
 2-(6-((3aR,6aS)-5-(2-hydroxyethyl)hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 2-(6-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 2-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 4-(3-hydroxy-4-(6-(5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 4-(3-hydroxy-4-(6-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one
 2-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol
 4-(4-(6-(2,7-diazaspiro[4.5]decan-2-yl)pyridazin-3-yl)-3-hydroxyphenyl)-1-methylpyridin-2(1H)-one
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)-amino)-pyridazin-3-yl)phenol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-(6-(methyl(1,2,2,6,6-pentamethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-6-ol
 7-(6-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)pyridazin-3-yl)isoquinolin-6-ol
 1-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1,6-diol
 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol
 8-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-bromo-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3-carbonitrile
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(1-methyl-1H-imidazol-4-yl)quinolin-7-ol
 3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol
 3-ethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one
 7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one
 4-methoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(pyrrolidin-1-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-morpholinoquinolin-7-ol
 4-(dimethylamino)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 4-ethoxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1-methyl-1H-pyrazol-4-yl)quinolin-7-ol
 4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol
 3-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-bromo-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 5-bromo-3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 6-hydroxy-1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-4(1H)-one

2,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol

2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol

4-methoxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

4-(azetidin-1-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

7-hydroxy-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolone-4-carbonitrile

4-cyclopropyl-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

4-(3,6-dihydro-2H-pyran-4-yl)-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(oxetan-3-yl)quinolin-7-ol

4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-4(1H)-one

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol

7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-3,4-dihydroquinolin-2(1H)-one

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazolin-7-ol

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carbonitrile

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carbonitrile

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carboxamide

7-hydroxy-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2-carboxamide

6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxamide

methyl 6-hydroxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-2-carboxylate

6-hydroxy-7-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile

7-hydroxy-6-(6-(piperazin-1-yl)pyridazin-3-yl)quinoline-2-carbonitrile

7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol

7-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)quinolin-6-ol

1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-7-ol

1-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

1,3-dimethyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-hydroxy-3-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinoline-1-carbonitrile

1-amino-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-hydroxy-1,3-dimethyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinazoline-2,4(1H,3H)-dione

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)benzo[d]oxazol-2(3H)-one

2-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2H-indazol-6-ol

1-methyl-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-1H-indazol-6-ol

6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one

2-ethyl-6-hydroxy-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinolin-1(2H)-one

1-ethoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)isoquinoline-1,6-diol

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-pyridazin-3-yl)-3-phenylisoquinolin-6-ol

3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-cyclopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol

3-isopropyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-6-ol
 3-propyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol
 3-isopropyl-7-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-pyridazin-3-yl)isoquinolin-6-ol
 3-methyl-7-(6-(piperazin-1-yl)pyridazin-3-yl)isoquinolin-6-ol
 6-(3-(benzyloxy)isoquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-chloro-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-isopropyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 3-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol
 4-chloro-2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol
 4-chloro-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol
 5-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol
 5-(2-methoxyquinolin-3-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(3-methoxy-naphthalen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 4-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one
 5-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2-ol
 5-(3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one
 N-methyl-5-(2-methyl-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 1-methyl-4-(4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-3-(trifluoromethoxy)phenyl)pyridin-2(1H)-one

5-(4-(3,5-dimethyl-1H-pyrazol-4-yl)-2-methoxyphenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2-ol

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalene-2,7-diol

3-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)naphthalene-2,7-diol

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2-ol

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-4-(1H-pyrazol-1-yl)phenol

5-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

3-chloro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol

5-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

3-methoxy-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-methyloxazol-2-yl)phenol

2-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-5-(1,2,3,6-tetrahydropyridin-4-yl)-1,3,4-thiadiazole

2-(5-(piperazin-1-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(7-methoxyquinolin-6-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazole-2-amine

6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-7-ol

3-methoxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzonitrile

3-fluoro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzonitrile

methyl-3-fluoro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzoate

5-(2-methoxy-4-(3-(methylamino)-1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

7-methoxy-6-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinoline-2-carbonitrile

4-(3-methoxy-4-(5-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

4-(3-chloro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)-1-methylpyridin-2(1H)-one

5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(4,5,6,7-tetrahydropyrazolo[1,5-a]pyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

N-methyl-5-(5-(1-methyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)-1,3,4-thiadiazole

5-(2-chloro-4-(6-methoxypyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(6-aminopyridin-3-yl)-2-fluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(3-methyl-1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,3-difluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,5-difluoro-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2-chloro-5-fluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(3-fluoro-5-(1H-pyrazol-4-yl)pyridin-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2-aminopyrimidin-4-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(5-(2-aminopyrimidin-4-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2,5-difluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2,3-difluorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

4-(3-hydroxy-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(trifluoromethoxy)phenyl)-1-methylpyridin-2(1H)-one

5-(2-fluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-fluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2,3-difluoro-6-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

6-methoxy-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-3,4-dihydroisoquinolin-1-(2H)-one

5-(2-chloro-4-(1H-pyrazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(1H-1,2,3-triazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(2H-1,2,3-triazol-2-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-chloro-4-(1H-1,2,4-triazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(3-amino-1H-pyrazol-1-yl)-2-chlorophenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1H-imidazol-1-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

5-(2-chloro-4-(1H-imidazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-imidazol-1-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(1H-pyrazol-5-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(4-(2,4-dimethylthiazol-5-yl)-2-methoxyphenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(pyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-fluoro-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(2-methoxypyridin-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

5-(2-methoxy-4-(6-methoxypyridin-3-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine

2-(2-chloro-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aR)-1-methylhexahydropyrrolo[3,4-b]pyrrol-5(1H)-yl)-1,3,4-thiadiazole

(R)-1-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)morpholin-2-yl)-N,N-dimethylmethanamine

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2-methyl-2,7-diazaspiro[4.5]decan-7-yl)-1,3,4-thiadiazole

2-(2-fluoro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-5-methylhexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole

2-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-(2,6-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(2-methoxy-4-(1-methyl-1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-1-yl)phenol

5-(3-chloro-4-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)phenyl)pyridin-2(1H)-one

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(3-(methylamino)-1H-pyrazol-1-yl)phenol

3-fluoro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

3,4-difluoro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

6-hydroxy-5-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-2,3-dihydro-1H-inden-1-one

2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol

2-(5-(2,6-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 2-(5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol
 3-fluoro-2-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol
 3-chloro-2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol
 2-(2-methoxy-4-(1H-pyrazol-1-yl)phenyl)-5-((2,2,6,6-tetramethylpiperidin-4-yl)methyl)-1,3,4-thiadiazole
 2-(2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazole
 2-(5-(2,7-diazaspiro[3.5]nonan-2-yl)-1,3,4-thiadiazol-2-yl)-3-fluoro-5-(1H-pyrazol-4-yl)phenol
 4-methoxy-1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one
 4-hydroxy-1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one
 3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one
 1-methyl-3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)quinolin-2(1H)-one
 2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole
 2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[4.5]decan-2-yl)-1,3,4-thiadiazole
 (R)-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)piperazin-2-yl)methanol
 2-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)benzo[b]thiophene-5-carbonitrile
 5-(3-chlorobenzo[b]thiophen-2-yl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 5-(2-methoxy-4-(1H-pyrazol-4-yl)phenyl)-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine
 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol
 6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol
 2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol

N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole
 3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine
 3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol
 6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine
 3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol
 6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol
 N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

9. A compound selected from the group consisting of:

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
5-(1-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yl)oxy]pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
5-(1H-imidazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
5-(5-methyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol
6-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
5-(4-amino-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
5-(4-nitro-1H-pyrazol-1-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol
2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(piperidin-4-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-[4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol
 3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-fluoro-4-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol
 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-1-yl)phenol
 N-methyl-6-(2-methyl-2H-indazol-5-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-methyl-5-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}-2H-indazole
 3-(4-chloro-2-methoxyphenyl)-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 N-methyl-6-(2-methylpyrazolo[1,5-a]pyridin-3-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 6-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}imidazo[1,2-a]pyridine
 3-[2-methoxy-4-(1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[5-(1-methyl-1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 5-(3,5-dimethyl-1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 6-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 3-methoxy-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}phenol
 3-[2-methoxy-4-(4-nitro-1H-pyrazol-1-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}benzene-1,3-diol

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine
 2-(1H-pyrazol-4-yl)-4-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyrimidin-5-amine
 3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine
 2-[6-(2,6-diazaspiro[3.4]oct-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol
 3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol
 6-(1H-pyrazol-4-yl)-3-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazin-3-yl}pyridin-2-ol
 N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine
 3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine and
 6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

10. A compound salt or a form thereof for use in treating or ameliorating HD in a subject in need thereof, wherein the compound salt or form thereof is to be administered to the subject, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride
 2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride
 2-(6-piperazin-1-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol hydrochloride
 3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate
 3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate
 3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate
 3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride

2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol hydrochloride

9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol hydrochloride

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol hydrochloride

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol formate

7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one hydrochloride

4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol formate

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol hydrochloride

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol formate

4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol formate

6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one hydrochloride

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol hydrobromide

N-methyl-5-(5-(1-methyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine hydrochloride

3-fluoro-2-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol dihydrochloride

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole hydrochloride

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[4.5]decan-2-yl)-1,3,4-thiadiazole hydrochloride

(R)-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)piperazin-2-yl)methanol hydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a prodrug, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

11. Use of a compound salt or a form thereof in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof, wherein the compound salt or form thereof is to be administered to the subject, wherein the compound salt is selected from the group consisting of:

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(trifluoromethyl)phenol hydrochloride

2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(1H-pyrazol-1-yl)phenol hydrochloride

2-(6-piperazin-1-yl-pyridazin-3-yl)-5-1H-pyrazol-1-yl-phenol hydrochloride

3-(6-(piperazin-1-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

3-(6-(piperidin-4-yl)pyridazin-3-yl)naphthalene-2,7-diol trifluoroacetate

6-hydroxy-5-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-2,3-dihydro-1H-inden-1-one oxime hydrochloride

2-amino-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-8H-indeno[1,2-d]thiazol-5-ol hydrochloride

9-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5,6-dihydroimidazo[5,1-a]isoquinolin-8-ol hydrochloride

3-fluoro-5-(2-methoxypyridin-4-yl)-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)pyridin-2(1H)-one hydrochloride

4-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

5-(3-fluoro-5-hydroxy-4-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenyl)-1-methylpyridin-2(1H)-one hydrochloride

3-fluoro-5-(1H-pyrazol-4-yl)-2-(6-((2,2,6,6-tetramethylpiperidin-4-yl)oxy)pyridazin-3-yl)phenol hydrochloride

5-chloro-3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1H-pyrazol-4-yl)phenol hydrochloride

3-fluoro-2-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-5-(1-methyl-1H-pyrazol-4-yl)phenol hydrochloride

3-(1H-imidazol-1-yl)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-7-ol hydrochloride

6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoline-3,7-diol formate

7-hydroxy-1-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-2(1H)-one hydrochloride

4-methoxy-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinolin-6-ol formate

7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)quinoxalin-6-ol hydrochloride

2-methyl-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-4-(tetrahydro-2H-pyran-4-yl)quinolin-7-ol formate

4-(dimethylamino)-6-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)-quinolin-7-ol formate

6-hydroxy-2-methyl-7-(6-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)pyridazin-3-yl)isoquinolin-1(2H)-one hydrochloride

3-(5-(methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino)-1,3,4-thiadiazol-2-yl)naphthalen-2-ol hydrobromide

N-methyl-5-(5-(1-methyl-1H-pyrazol-4-yl)pyridin-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-1,3,4-thiadiazol-2-amine hydrochloride

3-fluoro-2-(5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazol-2-yl)-5-(1H-pyrazol-4-yl)phenol dihydrochloride

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-((3aR,6aS)-hexahydropyrrolo[3,4-c]pyrrol-2(1H)-yl)-1,3,4-thiadiazole hydrochloride

2-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-5-(2,7-diazaspiro[4.5]decan-2-yl)-1,3,4-thiadiazole hydrochloride

(R)-(4-(5-(2-chloro-4-(1H-pyrazol-4-yl)phenyl)-1,3,4-thiadiazol-2-yl)piperazin-2-yl)methanol hydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride

2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride

2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride

2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride

2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride

2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride

6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride

2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride

3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride

3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and

6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a prodrug, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

12. A compound salt selected from the group consisting of:

- 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-yl(methyl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride
- 2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride
- 5-(1H-pyrazol-4-yl)-2-{6-[(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}phenol hydrochloride
- 2-[6-((1R,5S)-8-azabicyclo[3.2.1]oct-3-yloxy)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride
- 2-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-5-(4-nitro-1H-pyrazol-1-yl)phenol dihydrochloride
- 2-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride
- 5-(1H-pyrazol-4-yl)-2-[6-(1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]phenol trihydrochloride
- 2-[6-(1-ethyl-1,2,3,6-tetrahydropyridin-4-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol trihydrochloride
- 2-{6-[methyl(piperidin-4-yl)amino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride
- 2-[6-(piperidin-4-ylamino)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride
- 6-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine tetrahydrochloride
- 2-[6-(8-azabicyclo[3.2.1]oct-2-en-3-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol hydrochloride
- 6-[2,3-difluoro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride
- 3-[2,5-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride
- 2-{6-[(1R,5S)-8-azabicyclo[3.2.1]oct-3-ylamino]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol hydrochloride
- 6-[2-methoxy-6-(1H-pyrazol-4-yl)pyridin-3-yl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride
- 2-{6-[(2,6-dimethylpiperidin-4-yl)oxy]pyridazin-3-yl}-5-(1H-pyrazol-4-yl)phenol trihydrochloride
- 3-[2-fluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride
- 2-[6-(2,7-diazaspiro[3.5]non-2-yl)pyridazin-3-yl]-5-(1H-pyrazol-4-yl)phenol tetrahydrochloride
- 3-[5-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

3-[4-(1H-pyrazol-4-yl)thiophen-2-yl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride

6-[2-chloro-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine trihydrochloride

3-[2,6-difluoro-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine trihydrochloride

3-{6-[methyl(2,2,6,6-tetramethylpiperidin-4-yl)amino]pyridazin-3-yl}-6-(1H-pyrazol-4-yl)pyridin-2-ol hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[3-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

N,2,2,6,6-pentamethyl-N-{5-[4-(1H-pyrazol-4-yl)phenoxy]-1,3,4-thiadiazol-2-yl}piperidin-4-amine hydrochloride

3-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-6-[(2,2,6,6-tetramethylpiperidin-4-yl)oxy]pyridazine hydrochloride and


6-[2-(difluoromethyl)-4-(1H-pyrazol-4-yl)phenyl]-N-methyl-N-(2,2,6,6-tetramethylpiperidin-4-yl)pyridazin-3-amine hydrochloride;

wherein a form of the compound salt is selected from the group consisting of a prodrug, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

13. An assay for detecting HTT (Huntingtin protein) using capture/detection antibody pairs, wherein: (i) when HTT is total HTT, the capture/detection antibody pairs are selected from MAB2166/MAB2174 and MAB2166/#5656S; and, (ii) when HTT is mutant HTT, the capture/detection antibody pairs are selected from MAB1574/#5656S, P1874/#5656S and MW1/#5656S.
14. The assay of claim 11, wherein HTT is total HTT and the capture/detection antibody pair is MAB2166/#5656S; and, wherein HTT is mutant HTT and the capture/detection antibody pair is MW1/#5656S.
15. The compound or use of any one of claims 1 to 4, 7, 8, 10 or 11 wherein the effective amount of the compound is in a range of from about 0.001 mg/kg/day to about 500 mg/kg/day.

16. The compound or use of any one of claims 1 to 4, 7, 8, 10, 11 or 15, wherein the effective amount of the compound in the medicament is in a range of from about 0.001 mg/kg/day to about 500 mg/kg/day.

17. A pharmaceutical composition comprising a compound of Formula (I) in admixture with one or more pharmaceutically acceptable excipient(s) for use in treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the pharmaceutical composition is to be administered to said subject:



or a form thereof, wherein

W is CH=CH or S;

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂, and

wherein C₉₋₁₀cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₄;

R₁ is halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, heterocyclyl-C₁₋₄alkoxy, phenyl, or phenyl-C₁₋₄alkoxy,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₂ is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₂₋₄alkenyl, C₃₋₇cycloalkyl, or heterocyclyl-C₁₋₄alkyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₃ is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl,


(C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, phenyl, or phenyl-C₁₋₄alkoxy;

R₄ is independently selected from halogen, C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino or hydroxyl-C₁₋₄alkyl-amino; and

R₅ is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

18. Use of a pharmaceutical composition comprising a compound of Formula (I) in admixture with one or more pharmaceutically acceptable excipient(s) in the manufacture of a medicament for treating or ameliorating HD in a subject in need thereof, wherein an effective amount of the pharmaceutical composition is to be administered to said subject:



(I)

or a form thereof, wherein

W is CH=CH or S;

X is CH₂, CH(C₁₋₄alkyl), C(C₁₋₄alkyl)₂, CH=CH, O, NR₅, or a bond;

A is aryl, heteroaryl, heterocyclyl, or C₉₋₁₀cycloalkyl,

wherein aryl is selected from phenyl and naphthyl, each optionally substituted with 1, 2, 3, or 4 substituents each selected from R₁,

wherein heteroaryl is a saturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₁,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or tricyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂, and

wherein C₉₋₁₀cycloalkyl is a saturated or partially unsaturated bicyclic ring system optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₂;

B is heterocyclyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic, bicyclic or polycyclic ring system having 1, 2, or 3 heteroatom ring members independently selected from N, O, or S, each optionally substituted with 1, 2, 3, 4, or 5 substituents each selected from R₄;

R₁ is halogen, hydroxyl, cyano, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino,

(C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl,

(C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl,

hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy,

(C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-

C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl,

C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl,

heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl,

heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl,

heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl,

heterocyclyl-C₁₋₄alkoxy, phenyl, or phenyl-C₁₋₄alkoxy,

wherein heteroaryl is a saturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of phenyl, heteroaryl or heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₂ is halogen, hydroxyl, cyano, oxo, hydroxyl-imino, C₁₋₄alkyl, halo-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₂₋₄alkenyl, C₃₋₇cycloalkyl, or heterocyclyl-C₁₋₄alkyl,

wherein heterocyclyl is a saturated or partially unsaturated monocyclic or bicyclic ring system having 1, 2, or 3 heteroatom ring members selected from N, O, and S, and

wherein each instance of heterocyclyl is optionally substituted with 1, or 2 substituents each selected from R₃;

R₃ is halogen, hydroxyl, nitro, oxo, hydroxyl-imino, C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino, amino-C₁₋₄alkyl, C₁₋₄alkyl-amino-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-C₁₋₄alkyl, amino-carbonyl, C₁₋₄alkyl-amino-carbonyl, (C₁₋₄alkyl)₂-amino-carbonyl, C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, (C₁₋₄alkyl)₂-amino-carbonyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl-amino, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, C₁₋₄alkyl-carbonyl, C₁₋₄alkoxy, halo-C₁₋₄alkoxy, amino-C₁₋₄alkoxy, hydroxyl-C₁₋₄alkoxy, C₁₋₄alkyl-C₁₋₄alkoxy, C₁₋₄alkyl-amino-C₁₋₄alkoxy, (C₁₋₄alkyl)₂-amino-C₁₋₄alkoxy, C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkoxy, C₁₋₄alkoxy-C₁₋₄alkoxy, C₁₋₄alkoxy-carbonyl, C₁₋₄alkoxy-carbonyl-amino, C₁₋₄alkoxy-carbonyl-amino-C₁₋₄alkoxy, C₂₋₄alkenyl, C₂₋₄alkenyl-amino-carbonyl, C₃₋₇cycloalkyl, C₃₋₇cycloalkyl-C₁₋₄alkoxy, C₃₋₇cycloalkenyl, heteroaryl, heteroaryl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino, heteroaryl-C₁₋₄alkyl-amino-carbonyl-C₁₋₄alkyl, heteroaryl-C₁₋₄alkyl-carbonyl-amino-C₁₋₄alkyl, heterocyclyl, heterocyclyl-C₁₋₄alkyl, phenyl, or phenyl-C₁₋₄alkoxy;

R₄ is independently selected from halogen, C₁₋₄alkyl, hydroxyl-C₁₋₄alkyl, amino, C₁₋₄alkyl-amino, (C₁₋₄alkyl)₂-amino or hydroxyl-C₁₋₄alkyl-amino; and

R₅ is hydrogen, C₁₋₄alkyl, or hydroxyl-C₁₋₄alkyl;

wherein a form of the compound is selected from the group consisting of a prodrug, salt, hydrate, solvate, clathrate, isotopologue, racemate, enantiomer, diastereomer, stereoisomer, polymorph and tautomer form thereof.

19. The compound or use of claim 17 or 18, wherein the effective amount of the compound in the pharmaceutical composition is in a range of from about 0.001 mg/kg/day to about 500 mg/kg/day.