






FIG. 1

Molecular formula and molecular mass			
	Fitusiran (Duplex)	A-116858 (Sense strand)	A-116861 (Antisense strand)
Molecular formula sodium salt	C ₅₂₀ H ₆₃₆ F ₂₁ N ₁₇₅ Na ₄₃ O ₃₀₉ P ₄₃ S ₆	C ₂₈₅ H ₃₆₉ F ₁₂ N ₈₅ Na ₂₁ O ₁₆₄ P ₂₁ S ₂	C ₂₃₅ H ₂₆₇ F ₉ N ₉₀ Na ₂₂ O ₁₄₅ P ₂₂ S ₄
Molecular formula free acid	C ₅₂₀ H ₆₇₉ F ₂₁ N ₁₇₅ O ₃₀₉ P ₄₃ S ₆	C ₂₈₅ H ₃₉₀ F ₁₂ N ₈₅ O ₁₆₄ P ₂₁ S ₂	C ₂₃₅ H ₂₈₉ F ₉ N ₉₀ O ₁₄₅ P ₂₂ S ₄
Molecular weight sodium salt	17,193 Da	9,035 Da	8,159 Da
Molecular weight free acid	16,248 Da	8,573 Da	7,675 Da

FIG. 1 (Continued)



dashed-line is observed loess smooth and 95%CI; Small Circle: before event; Large Circle: After event

FIG. 2

4/12




FIG. 3




FIG. 4




FIG. 5

7/12




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11