


CLAIMS

1. A solid form of Compound X:



wherein the solid form is selected from:

Form A: characterized by having X-ray powder diffraction peaks at 18.9 ± 0.2 , 20.4 ± 0.2 , and 23.1 ± 0.2 $^{\circ}2\theta$ using Cu K α radiation; and

Form B: characterized by having X-ray powder diffraction peaks at 8.0 ± 0.2 , 15.0 ± 0.2 , and 19.3 ± 0.2 $^{\circ}2\theta$ using Cu K α radiation.

2. The solid form of claim 1, wherein the solid form is Form A.
3. The solid form of claim 2, wherein the Form A is characterized by having X-ray powder diffraction peaks at 9.6 ± 0.2 , 17.2 ± 0.2 , 18.9 ± 0.2 , 20.4 ± 0.2 , and 23.1 ± 0.2 $^{\circ}2\theta$ using Cu K α radiation.
4. The solid form of claim 2, wherein the Form A is characterized by having X-ray powder diffraction peaks at 9.6 ± 0.2 , 17.2 ± 0.2 , 18.9 ± 0.2 , 20.4 ± 0.2 , 20.7 ± 0.2 , 21.9 ± 0.2 , 23.1 ± 0.2 , and 24.5 ± 0.2 $^{\circ}2\theta$ using Cu K α radiation.
5. The solid form of claim 2, wherein the Form A is characterized by an endothermic event with an onset temperature at between 155 ± 2 $^{\circ}\text{C}$ and 168 ± 2 $^{\circ}\text{C}$ as measured by DSC.
6. The solid form of claim 2, wherein the Form A is characterized by an endothermic event with a peak temperature at approximately 162 ± 2 $^{\circ}\text{C}$ as measured by DSC.
7. The solid form of claim 2, wherein the Form A is characterized by a weight loss of 0.11% between 150 ± 2 $^{\circ}\text{C}$ and 225 ± 2 $^{\circ}\text{C}$ as measured by TGA.
8. The solid form of claim 1, wherein the solid form is Form B.

9. The solid form of claim 8, wherein the Form B is characterized by having X-ray powder diffraction peaks at 8.0 ± 0.2 , 15.0 ± 0.2 , 19.3 ± 0.2 , 25.6 ± 0.2 , and 26.9 ± 0.2 $^{\circ}2\theta$ using Cu K α radiation.
10. The solid form of claim 8, wherein the Form B is characterized by having X-ray powder diffraction peaks at 8.0 ± 0.2 , 15.0 ± 0.2 , 16.2 ± 0.2 , 19.3 ± 0.2 , 19.6 ± 0.2 , 25.6 ± 0.2 , and 26.9 ± 0.2 $^{\circ}2\theta$ using Cu K α radiation.
11. The solid form of claim 8, wherein the Form B is characterized by an endothermic event with an onset temperature at 39 ± 2 $^{\circ}\text{C}$, 127 ± 2 $^{\circ}\text{C}$, and/or 162 ± 2 $^{\circ}\text{C}$ as measured by DSC.
12. The solid form of claim 8, wherein the Form B is characterized by endothermic events with peak temperatures at 85 ± 2 $^{\circ}\text{C}$, 131 ± 2 $^{\circ}\text{C}$, and/or 163 ± 2 $^{\circ}\text{C}$ as measured by DSC.
13. The solid form of claim 8, wherein the Form B is characterized by a weight loss of 4% between 25 ± 2 $^{\circ}\text{C}$ and 100 ± 2 $^{\circ}\text{C}$ as measured by TGA.