

(12) 按照专利合作条约所公布的国际申请

(19) 世界知识产权组织
国际局

(43) 国际公布日
2017 年 7 月 13 日 (13.07.2017)



(10) 国际公布号
WO 2017/118332 A1

(51) 国际专利分类号:
G06F 9/44 (2006.01)

(21) 国际申请号: PCT/CN2016/112852

(22) 国际申请日: 2016 年 12 月 29 日 (29.12.2016)

(25) 申请语言: 中文

(26) 公布语言: 中文

(30) 优先权:
201610012075.0 2016 年 1 月 8 日 (08.01.2016) CN

(71) 申请人: 阿里巴巴集团控股有限公司 (ALIBABA GROUP HOLDING LIMITED) [—/CN]; 开曼群岛英属开曼群岛大开曼资本大厦一座四层 847 号邮箱, Grand Cayman (KY)。

(72) 发明人: 王菁 (WANG, Jing); 中国浙江省杭州市余杭区文一西路 969 号 3 号楼 5 楼阿里巴巴集团法务部, Zhejiang 311121 (CN)。童文霞 (TONG, Wenxia); 中国浙江省杭州市余杭区文一西路 969 号 3 号楼 5 楼阿里巴巴集团法务部, Zhejiang 311121 (CN)。

(74) 代理人: 北京三友知识产权代理有限公司 (BEIJING SANYOU INTELLECTUAL PROPERTY

AGENCY LTD.); 中国北京市金融街 35 号国际企业大厦 A 座 16 层, Beijing 100033 (CN)。

(81) 指定国 (除另有指明, 要求每一种可提供的国家保护): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW。

(84) 指定国 (除另有指明, 要求每一种可提供的地区保护): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), 欧亚 (AM, AZ, BY, KG, KZ, RU, TJ, TM), 欧洲 (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG)。

本国际公布:

— 包括国际检索报告(条约第 21 条(3))。

(54) Title: METHOD AND APPARATUS FOR INVOKING FUNCTION IN APPLICATION

(54) 发明名称: 一种应用中功能的调用方法及装置




图 1

(57) Abstract: A method and apparatus for invoking a function in an application. The method comprises: obtaining an operation of a user on a user equipment (S101); and when the result of the matching between the obtained operation of the user and a predefined user operation is a preset instruction, invoking a function in an application associated with the preset instruction of the predefined user operation (S102). In the technical solution provided in the method, a predefined user operation is used as a triggering condition for invoking a function in an application; by obtaining an operation of a user, when the obtained operation matches the predefined user operation, a specific function in a specific application can be automatically invoked, thereby avoiding tedious operation steps such as device wakeup and device unlocking, and rapidly invoking the specific function in the specific application.

(57) 摘要: 一种应用中功能的调用方法及装置。所述方法包括: 获取用户在用户设备上的操作(S101); 在所获取的用户的操作与预定义用户操作相匹配为预设指令时, 调用与所述预定义用户操作预设指令相关联的应用中的功能(S102)。本方法所提供的技术方案, 利用预定义用户操作作为应用中功能的调用的触发条件, 通过获取用户的操作, 可以在所获取的操作与预定义用户操作相匹配时, 自动调用特定应用内的特定功能, 从而避免唤醒设备、解锁设备等繁琐操作步骤, 实现特定应用中特定功能的快捷调用。

WO 2017/118332 A1