

FIG. 1 PRIOR ART




FIG. 2 PRIOR ART




FIG. 3 PRIOR ART




FIG. 4 PRIOR ART




FIG. 5 PRIOR ART




FIG. 6 PRIOR ART




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30






FIG. 31

Fasting Plasma Triglycerides in Mice Fed Diets with Increasing Protein or Increasing Fat Substitutions for Carbohydrate



a, b means are protein level, where different superscripts differ ($p < 0.05$) by one-way ANOVA and Fisher's PLSD test



a, b means are protein level, where different superscripts differ ($p < 0.05$) by one-way ANOVA and Fisher's PLSD test

FIG. 32




FIG. 33




FIG. 34




FIG. 1 PRIOR ART




FIG. 2 PRIOR ART




FIG. 3 PRIOR ART




FIG. 4 PRIOR ART




FIG. 5 PRIOR ART




FIG. 6 PRIOR ART




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30






FIG. 31

Fasting Plasma Triglycerides in Mice Fed Diets with Increasing Protein or Increasing Fat Substitutions for Carbohydrate



a- means at a protein level where different superscripts differ ($p < 0.05$) by one-way ANOVA and Fisher's PLSD test



a,b- means at a protein level where different superscripts differ ($p < 0.05$) by one-way ANOVA and Fisher's PLSD test

FIG. 32




FIG. 33




FIG. 34

