


1/16



*Ethanol may be replaced by Propylene Glycol and/or pharmaceutically acceptable excipients or carriers.

#Maltodextrin may be replaced with Soluble starch/ Hydrolysed starches / Fibers (soluble – (Oligo saccharides –Chicory) / insoluble, Dextran, Celluloses and/or pharmaceutically acceptable excipients or carriers.

FIG. 1

2/16






Fig. 2



Correlation Function


Fig. 3a

3/16



Correlation Function


Fig. 3b



Correlation Function


Fig. 3c

4/16



Correlation Function

Fig. 3d



Correlation Function

Fig. 3e




Fig. 3f




Fig. 3g

6/16




Fig.4a




Fig. 4b

7/16




Fig. 4c




Fig. 4d

8/16




Fig. 4e




Fig. 4f




Fig. 4g




Fig. 5a

10/16




Fig. 5b




Fig. 5c




Fig. 5d

11/16




Fig. 5e




Fig. 5f




Fig. 5g

12/16




Fig. 6a (1)




Fig. 6a (2)

13/16




Fig. 6b




Fig. 6c (1)

14/16




Fig. 6c (2)




Fig. 6d (1)

15/16




Fig. 6d (2)




Fig. 6d (3)

16/16




Fig. 6d (4)




Fig. 6(e)