RTMP's copy

TITLE: FACSIMILE ARRANGEMENT

FIELD OF THE INVENTION

The present invention relates to providing facsimile services to each of a host of locations each controlled by a PBX system.

BACKGROUND OF THE INVENTION

A number of telephone communication services have been proposed and are disclosed in United States Patents No. 4,713,837, No. 4,905,273, No. 4,922,518, No. 4,942,599, and No. 4,969,184, which are incorporated herein by reference.

Hotels have recognized the desire of some guests to receive or have available to them facsimile services whereby they can transmit and receive documents. Many hotels now have a business area which will transmit and receive documents for guests. However, the level of this service is certainly well below that normally experienced by the guest who would have his own dedicated facsimile machine. Some hotels have provided a facsimile transmitting booth in a common area of the hotel. However, again, although this provides the user with some privacy with respect to the transmission of documents, it is not particularly convenient with respect to the receipt of documents. Any receipt of documents must be prearranged such that the user is at the particular facsimile booth at the time the document is received.

A further problem in providing adequate facsimile services to hotels is the existing telephone wiring within the hotels which generally do not have the capacity to have a dedicated facsimile machine in each hotel room. Furthermore, the hotel PBX system is typically answered by an operator whereby any facsimile transmissions are initially received by the operator and thus, normal facsimile transmission is not possible.

There remains a need to provide a simple, effective facsimile service for establishments having a PBX system which service does not require rewiring of the property and which does not compromise the privacy and security of the user.

SUMMARY OF THE INVENTION

A system for providing temporary facsimile services to facsimile machines, located in an establishment having a PBX system, comprises an intermediary having a host of direct in-dial telephone numbers which can be selectively activated and assigned to any one of a host of facsimile machines. Each facsimile machine can be selectively authorized by assigning thereto for a temporary period a direct in-dial telephone number from the host of direct in-dial telephone numbers of the intermediary, with the intermediary activating the direct in-dial number whereafter the authorized facsimile machine is capable of receiving facsimile transmissions sent to the direct in-dial telephone number via the intermediary. The direct in-dial number is maintained activated until the expiry of a temporary period determined by the guest or establishment. When the direct in-dial number is deactivated after the temporary period, it is maintained out of the direct in-dial numbers assigned to facsimile machines for a down period of time whereby any facsimile transmissions sent to the direct in-dial telephone number during the down period of time is not received. This procedure, when applied to facsimile machines in separate rooms of a hotel, assures that a document transmitted by facsimile machine to a guest in a hotel room after that guest has checked out of the room will not be received by the next guest in that room, as would be the case if the facsimile number was permanently assigned to the machine.

According to an aspect of the invention, the facsimile machine, or a device attached thereto, is capable of receiving a non-telephone communication which

communicates to the machine, or the device attached thereto, that a facsimile has been received for the particular direct in-dial number assigned thereto, whereafter the facsimile machine, or a device attached thereto, places an outgoing call and contacts an intermediary to receive the particular facsimile transmission.

According to a further aspect of the invention, the facsimile machines are located in hotels, and each facsimile machine is also used as a remote printer for the hotel whereby particular transmissions can be sent to any of the facsimile machines as determined by the hotel.

According to a further aspect of the invention, a system for delivery of a folio upon demand by a guest or initiated by the hotel is proposed where the system comprises a facsimile machine provided in the respective guest's hotel room, with each facsimile machine having a separate address and a facsimile transmitter associated with the hotel accounting function by means of which facsimiles of the folio data for the individual guest is sent to the respective facsimile machine when authorized by the guest or in accordance with a predetermined arrangement. In this manner, a guest may receive a hard copy of his folio in the hotel room without dealing with the front desk clerks. In this way, automatic check-out is possible where the guest receives a hard copy of his actual folio in his hotel room. This arrangement is advantageous to the guest as well as to the hotel, as the hotel front desk, under traditional arrangements, requires high manpower during the normal check-out times of 6:30 a.m. to 9:30 a.m., often for the sole purpose of accommodating guests wishing to check out who require a hard copy of their actual folio.

BRIEF DESCRIPTION OF THE DRAWINGS

Preferred embodiments of the invention are shown in the drawings, wherein:

Figure 1 is a schematic of the network architecture used for connecting facsimile machines located in hotel rooms;

Figure 2 is an enlarged view of one hotel installation showing the individual facsimile machines communicate with the hotel PBX system and the local public switched telephone network;

Figure 3 is a view showing details of the local public switched telephone network having a store and forward facsimile capability associated with a host of direct in-dial numbers; and

Figure 4 is a schematic of a link member associated with the facsimile machine which modifies how the facsimile machine receives and transmits facsimile documents.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

One of the problems to overcome in providing personalized facsimile services in individual rooms of a hotel property involves providing a system which can operate satisfactory with the PBX system 8 of the hotel property. Such PBX systems are often operator attended and even if the PBX system is not operator attended, there is a problem getting behind the PBX and to allow two devices to share a single telephone line, with each device having its unique telephone number.

A system 2 for providing facsimile services to individual rooms of a hotel property is shown in Figure 1. This system allows voice telephones 4 to use the number assigned to the line to which it is connected in the conventional manner. The other device, the facsimile machine 6, has a different number, one which is assigned by the intermediary 12 from a host of direct in-dial numbers provided by 10 in this case which is part of a local public switched telephone network. This number, when called from any remote facsimile machine, will result in a document being delivered to the machine temporarily associated with said number by 12, as if the machine had its own dedicated

telephone line. The facsimile machine has also been provided with a separate means for activating the facsimile machine which is based on a non-telephone signal. This approach allows calls for the automatic delivery of documents to the facsimile machine in the hotel room even though all inbound calls to the hotel are otherwise intercepted by a human operator at the PBX system 8 of the hotel. The process intermediary may be configured to serve one or more hotel properties and may or may not be located within the hotel property.

The operation of the system will be explained with respect to a particular example. A sender in a particular area dials a telephone number which has been assigned to a particular facsimile machine on a temporary basis in a hotel. This number, for example, is 212-424-2800. The sender, upon dialing this number, hears a facsimile tone and transmits his document in the normal manner. In actual fact, the sender has not dialed an actual facsimile machine, instead he has dialed a facsimile port on the Computer Based Service Bureau and has reached the port via the standard DID class of telephone service. DID services are offered by telephone companies to cellular operators, paging services, answering services, and other service providers who need to distribute telephone numbers of their customers for other than conventional telephone service. The facsimile port at the intermediary, having answered the call, is first informed by the local telephone switch of the actual number dialed. Having determined the called number is active, the intermediary accepts the facsimile and stores it on the computer based facsimile store-and-forward platform, generally indicated as 12. The intended recipient's facsimile machine is sharing a line with one of the telephones 4 and, according to the normal manner of placing calls to specific hotel rooms, it is generally impossible to directly contact the hotel room, as the call is interrupted by a human operator. To overcome this problem, the Service Bureau sends a signal to the

recipient's machine, or a device attached thereto, which is a non-telephone signal and which, when received by the particular facsimile machine, or a device attached thereto, causes the facsimile machine, or a device attached thereto, to call into the Bureau and retrieve the facsimile. This approach is transparent to both the sender and recipient. Preferably, this is accomplished using radio frequency paging. The link 14 associated with each facsimile machine 6 connects the facsimile machine and the telephone outlet and contains a unique RF address similar to a conventional mobile pager. When a facsimile is received for a particular hotel guest, the intermediary automatically identifies the RF address of the recipient's link member 14 and issues a paging signal at 20 in the particular region which contains the link member's unique address. The link member, having been paged, automatically dials into the Service Bureau using a local or toll-free 1-800 number and identifies itself. The link member then rings the facsimile machine, making the unit ready to receive a transmission. The link member is now connected to both the Service Bureau and to the facsimile machine thereby allowing the Service Bureau to deliver the facsimile to the recipient's machine in his hotel room.

This approach takes advantage of standard paging services in order to provide signalling in a reliable and cost effective manner. Thus, there is no need to create a separate RF paging infrastructure, yet the system enjoys the highly reliable and low-cost service from a number of existing and well established service providers. Furthermore, the facsimile transmission arrangement to the sender and the receiver appears to the users to be conventional and, in fact, the only major difference is the fact that a small delay has been imposed between sending and receiving. There are some advantages in that multiple facsimile transmissions can be received by the intermediary destined for one particular facsimile machine without incurring a busy signal. It can be appreciated that the

intermediary can merely record these messages to disk and then forward them on to the intended party in the manner described above or in another manner.

With respect to sending a facsimile, the guest simply dials the number of the intended recipient and feeds his document into the machine. It is possible for the link member to monitor the transmission and maintain a record of the duration of the call. This can be used for billing purposes. The link is positioned between the facsimile machine and the telephone line and it inserts its own unique access code at the beginning of the dialing sequence. This access code can be a particular code, such as the number 5, to allow determination by the hotel PBX system of different types of telephone functions. Therefore, the guest dialed, for example, the number 1-619-744-0962, the alpha link would then go off hook to the hotel's telephone system (PBX) and would dial 5-1-619-744-0962. The hotel's PBX would be configured to use the same out-dial trunk group for an access code of 5 as it does for an access code of 9, for example, a typical access code for a non-operator-assisted outgoing call. This insertion of the access code is transparent to the guest placing the call. With this arrangement, the hotel's PBX system transmits an uncosted billing report from its station message detailed report which is used to monitor existing telephone costs. Thus, the hotel can use its existing call accounting system to keep track of facsimile transmissions. This uncosted station message detailed report typically contains the following fields: date, time, extension (room) number, access code, digits dialed by the guest, duration of a call, trunk number used by the PBX to dial out, and account codes (if any). This record is transmitted to the Call Accounting System which is connected to the station message detail report port of the PBX. The Call Accounting System accepts the uncosted billing record and applies the appropriate charges based on the access code, the number dialed and the duration of the

call. Separate charges can be accorded for facsimile transmissions due to the unique access code assigned to facsimile machines and inserted by the link member. Similarly, if desired, a charge can be allocated for receiving of transmissions, in that the link member has effected an outgoing call to a particular number of the intermediary and the Call Accounting System can track this and apply the appropriate charges. In this way, the hotel can charge for facsimile traffic to or from the hotel and make appropriate charges for the provision of facsimile services.

The hotel may also use the individual facsimile machines 6 as remote printers. The link members 14 can also monitor signals originated by the PBX and sent to the particular telephone extension. In this manner, the hotel can activate a facsimile machine and allow a transmission originating by the hotel to be sent to that facsimile machine. This would be useful to provide the guest with a hard copy of his folio which lists the various charges he has incurred to date. Similarly, messaging services can be provided directly to the facsimile machine. It is possible to have the hotel transmit to a particular facsimile machine via the intermediary 12. In this case, the hotel might merely identify a particular address, i.e. room number, of the guest who is to receive the transmission and the intermediary would then link this room number with a DID number assigned to that facsimile machine and then transmit the facsimile to the particular facsimile machine in the manner described. In some cases, it may be desirable for the hotel to operate independently of the intermediary for activating the facsimile machine as a remote printer. It can also be appreciated that the user could key in certain codes to the facsimile machine which would alert the hotel PBX and computer system to provide the user with particular information. This could include the guest's folio or particular information which the guest desires and which the hotel has available. This could

include messages as well as general information regarding what services are available or other information specifically requested by the guest.

From the above, it can be seen that the facsimile machine can be provided in individual rooms of a hotel and effectively work behind a hotel PBX system and send and receive facsimile transmissions. In order to ensure privacy of messages, the direct in-dial number, upon a hotel guest checking out, would be discontinued for a specified down time, such that facsimile transmissions are no longer received by the intermediary 10. The intermediary can provide a voice feedback to the sending facsimile machine, if desired, stating that the guest has checked out. After a certain down period, the particular DID number can then be returned to service. Therefore, there is a certain down period after the person has checked out where the DID number is no longer in use.

It can be appreciated from the above that even if the guest does not require facsimile services, the facsimile machine can still be used to provide superior service to the guest by providing the guest with a hard copy of his folio at any time, including check out. In most cases, the guest is capable of checking out and merely having the bill forwarded to him, but is reluctant to leave the property without a hard copy of his account. The use of the facsimile machine as a remote printer which can be activated in the manner described above or it can be activated directly by the hotel via the link member 14 using a signal sent on the telephone line or an RF signal activating the link. Therefore, the provision of a facsimile machine, even if not used, can simplify check-out, reducing the problems at the front desk and providing more personal service to the guest.

From the above, it is apparent that temporary assignment of the direct in-dial number to a facsimile machine could take place anywhere, for example, within the

remote service bureau, or within equipment located in the hotel property, or within the hotel PBX itself.

The dynamic rotation of direct in-dial numbers, such that assigned numbers after termination of the facsimile service are not immediately reassigned, overcomes many potential problems associated with the receipt of facsimiles to non-authorized parties. This arrangement is easy to implement and is cost effective. Furthermore, the dynamic rotation can be used in any arrangement where direct in-dial numbers are temporarily assigned to facsimile machines in particular, or other recording equipment and the like.

Although various preferred embodiments of the present invention have been described herein in detail, it will be appreciated by those skilled in the art, that variations may be made thereto without departing from the spirit of the invention or the scope of the appended claims.

THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

1. A facsimile system (2) having an intermediary (12) having a host of direct in-dial telephone numbers which can be selectively activated and assigned to any one facsimile machine (6) of a plurality of facsimile machines (6) whereafter the authorized facsimile machine (6) is capable of receiving facsimile transmissions sent to the direct in-dial telephone number via the intermediary (12), a method of authorizing and activating facsimile machines (6) to be capable of receiving facsimile transmissions comprising assigning to each of the facsimile machines (6) to be authorized and activated a particular direct in-dial telephone number from a host of direct in-dial numbers for a temporary actuation period and, after expiry of the temporary actuation period, removing the assignment of the direct in-dial number from the facsimile machine (6) and maintaining the direct in-dial number inactive for a further period of time whereby facsimile transmissions sent to that assigned directed in-dial number are not received by any of the facsimile machines (6) during the further period.

2. In a facsimile system (2) as claimed in claim 1 wherein the host of direct in-dial numbers is of a magnitude significantly greater than the number of facsimile machines (6) at one time which are assigned direct in-dial numbers and wherein said direct in-dial numbers are dynamically rotated to increase the duration of the further period of time.

3. A system (2) for providing, for a temporary period, a facsimile service to facsimile machines (6) provided in temporarily leased or rental rooms of a commercial establishment such as a hotel comprising

* C L M S *

an intermediary (12) having a host of direct in-dial telephone numbers which can be selectively activated and assigned to any one facsimile machine (6) of a plurality of facsimile machines (6),

selectively authorizing and activating any of the facsimile machines (6) by assigning thereto, for a temporary period, a direct in-dial telephone number from the host of direct in-dial numbers of the intermediary (12) with the intermediary (12) activating the direct in-dial number whereafter the authorized facsimile machine (6) is capable of receiving facsimile transmissions sent to the direct in-dial telephone number via the intermediary (12),

means for establishing a telephone communication between the intermediary (12) and a particular facsimile machine (6) when a facsimile transmission has been received by the intermediary (12) for the particular facsimile machine (6) identified by the direct in-dial number,

maintaining the direct in-dial number activated until the expiry of the temporary period, and

deactivating the direct in-dial number after the temporary period and maintaining the direct in-dial number deactivated for a down period of time such that any facsimile transmissions sent to the direct in-dial telephone number during the down period of time is not received.

4. A system (2) as claimed in claim 3 wherein said facsimile machines (6) include a preprogrammed actuator (14) for completing a communication with the process intermediary(12), said preprogrammed actuator (14) providing in said communication the identity of the particular facsimile machine (6) which is used by the intermediary (12) to determine whether the particular facsimile machine (6) should be authorized and activated through the temporary assignment of a direct in-dial number.

* C L M S *

5. A system (2) as claimed in claim 4 wherein said intermediary (12) also receives communications from the hotel which includes details of which facsimile machines (6) are authorized and activated for facsimile services at particular points in time.

6. A system (2) as claimed in claim 3 wherein the hotel provides the intermediary (12) with details of the particular facsimile machines (6) which are to be authorized and activated for facsimile services at given points in time and each facsimile machine (6) is separately identified to the process intermediary (12).

7. A system (2) as claimed in claim 6 wherein said intermediary (12) after authorizing and activating a particular facsimile machine (6) for facsimile service sends a transmission to the facsimile machine (6) informing the user of said facsimile machine (6) of the particular direct in-dial number assigned thereto.

8. A system (2) as claimed in claim 3 wherein each facsimile machine (6) has associated therewith a separate receiver (14) for receiving non telephone communications from the intermediary (12) indicating a facsimile transmission has been received by the intermediary (12) which transmission is destined for the particular facsimile machine (6) which has received a non telephone communication from the intermediary (12).

9. A system (2) as claimed in claim 3 wherein said hotel upon request sends a facsimile transmission to a particular facsimile machine (6) which facsimile transmission is an itemized account of charges of the guest authorized for use of the particular facsimile machine (6).

10. A system (2) as claimed in claim 9 wherein each facsimile machine (6) has a plurality of speed dialing

numbers and one of the speed dialing numbers is used to request of the hotel the guest's account to be transmitted to the guest at the authorized and activated facsimile machine (6).

11. A system (2) as claimed in claim 3 wherein each facsimile machine (6) includes an arrangement for automatically including in any transmission originating at the particular facsimile machine a facsimile code for the hotel PBX system (8) indicating that the transmission is a facsimile transmission.

12. A system (2) as claimed in claim 11 wherein the hotel PBX system (8) includes a call accounting system by means of which telephone charges are determined and wherein said call accounting system identifies facsimile transmissions by the facsimile code and allocates a separate charge therefor.

13. A system (2) as claimed in claim 11 wherein each facsimile machine (6) has a separate non-telephone activating signal by means of which said intermediary (12) indicates a facsimile transmission is destined therefor, said facsimile machine (6), upon being activated by said non-telephone signal, places an outgoing call to the intermediary (12), identifies itself to the intermediary (12) and then receives the destined facsimile transmission.

14. A system (2) as claimed in claim 3, wherein each facsimile machine (6) has a separate address and wherein a facsimile transmitter is associated with a hotel accounting computer by means of which a facsimile of an occupant's account is sent to the respective facsimile machine (6) when authorized by the occupant or in accordance with a predetermined arrangement.



15. A system (2) as claimed in claim 3 wherein said commercial establishment has a PBX telephone system (8) which serves a host of separately identified telephone outlets in various locations which can be temporarily rented, said telephone outlets cooperating with said PBX telephone system (8) and identifying particular telephone transmissions by introducing therein a code which is used by the PBX telephone system (8) to complete the transmission, a plurality of separately identified addresses for said facsimile machines (6), which addresses are maintained whether said facsimile machines (6) are in an actuated or non-actuated mode, said PBX telephone system (8) and said facsimile machines (6) cooperating with said intermediary (12) to authorize and activate a facsimile machine (6) by temporarily assigning to any facsimile machine (6) a personal direct in-dial telephone number from said host of direct in-dial telephone numbers and associating each temporary personal direct in-dial number with the particular address of the facsimile machine (6), said PBX telephone system (8), when authorized, sending to any facsimile machine (6) identified by the particular separately identified address, an account of charges incurred by an occupant of the location.

16. An arrangement (2) for sending transmissions to facsimile machines (6) in a commercial establishment which rents rooms on a temporary basis comprising a PBX system (8) connected to existing telephone outlets in rooms with each outlet having connected thereto a facsimile machine arrangement (6) capable of placing outgoing calls via the PBX system,

each facsimile machine (6) including a separate authorization and activation arrangement to enable the facsimile machine to receive facsimile transmissions originating from a source other than the hotel and transmitted thereto via an assigned direct in-dial telephone number of a process intermediary (12) which

* C L M S *

forwards the facsimile transmission to said PBX system (8) and subsequently to said facsimile machine (6),

each of said facsimile machines (6) including means to allow, independently of said authorization and activation arrangement, the receipt of facsimile transmissions originating within said hotel and directed to the particular facsimile machine (6) by means of an address other than the direct in-dial telephone number, whereby said commercial establishment can use the facsimile (6) as a remotely controlled printer for sending information thereto, and wherein said separate authorization and activation arrangement assigns on a temporary basis for an operating period a direct in-dial number from a host of direct in-dial numbers and any assigned direct in-dial number is held in non-use for a period of time after the operating period has ended, whereby facsimile transmission sent to the particular direct in-dial number immediately after the operating period will not be received.

17. A system (2) as claimed in claim 16 wherein each facsimile machine (6) has a separate non-telephone address which can be transmitted to and received by the particular facsimile machine (6) in a manner other than by the telephone system, and wherein said facsimile machine (6) operates to place an outgoing call to a predetermined number upon receiving the particular non-telephone address via the PBX system (8) and receives from a computer at the predetermined number a facsimile transmission received thereby destined for the particular facsimile machine (6) identified by an assigned direct in-dial number of the host of direct in-dial numbers.



THIS SHEET HAS BEEN REPLACED

ABSTRACT OF THE DISCLOSURE

TITLE: FACSIMILE ARRANGEMENT

A system, according to the present invention, provides temporary facsimile services to facsimile machines provided in hotel rooms. The system includes an intermediary having a host of direct in-dial telephone numbers which can be selectively activated and assigned to any one facsimile machine of a plurality of facsimile machines. The facsimile machines can be selectively authorized by assigning thereto for a temporary period a direct in-dial telephone number from the host of direct in-dial numbers of the intermediary. The intermediary activates the direct in-dial number whereafter the authorized facsimile machine is capable of receiving transmissions sent to the direct in-dial telephone number via the intermediary. The system maintains the direct in-dial number activated until the expiry of the temporary period and thereafter deactivates the direct in-dial number. The direct in-dial number is maintained deactivated for a down period of time whereby any facsimile transmissions sent to the direct in-dial number during the down period of time is not received. In this way, provision is made not to receive any transmissions to the direct in-dial number during any down period whereby the guest is ensured transmissions destined for the particular guest are not received immediately after his departure from the hotel.

This Sheet Has Been Replaced



6
MERCER FIFTH AVENUE HOTEL
4
8
ALPHALINK
14
4
6
14
HOTEL PBX
ALPHALINK
ALPHALINK
14
6
BROADWAY SUITES HOTEL
4
8
ALPHALINK
ALPHALINK
HOTEL PBX
ALPHALINK
ALPHALINK

FIG.1A.



LOCAL NEW YORK CITY PUBLIC SWITCHED TELEPHONE NETWORK
2
10
DID/TNA NUMBERS RESERVED FOR InnFAX SERVICE BUREAU
212/246-2797
212/246-2798
212/246-2799
212/246-2800
212/246-2801
212/246-2802
212/246-2803
212/246-9875
212/246-9876
212/246-9877
212/246-9878
212/246-9879
212/246-9880
212/246-9881
DDD LONG DISTANCE NETWORK
InnFAX REGIONAL SERVICE BUREAU IN NEW YORK CITY
IN-DIAL ROTARY FOR INBOUND FAXES TO GUESTS
COMPUTER BASED FAX STORE-AND-FORWARD PLATFORM
IN-DIAL ROTARY FOR CALLS FROM ALPHALINKS (FAX RETRIEVAL, SIGN-ON, INFO SERVICES, ADMIN)
12
ALPHALINK SIGNALLING (CITY SELECT/ ADDRESS/ COMMAND)
INFORMATION PROVIDERS
* MAPS
* AIRPORT INFO
* RESTAURANTS
* WHAT'S ON ?
* DOW JONES
* 10K REPORTS
*VALUE LINE
* NEWSPAPERS
20
RF PAGING SERVICE

FIG.1B.



ALPHALINK
14
6
4
ROOM 101
ROOM 102
ROOM 855
ROOM 856
HOTEL PBX
(INBOUND CALLS CONTROLLED BY OPERATOR)
8
CONTROL PORT
SMDR PORT
UNCOSTED GUEST CALL RECORDS
COSTED GUEST CALL RECORDS
CALL ACCOUNTING SYSTEM
PROPERTY MANAGEMENT SYSTEM
FOLIO PRINTER
EXTENTION ENABLE/DISABLE COMMANDS
LOCAL PUBLIC SWITCHED TELEPHONE NETWORK
LONG DISTANCE CARRIER ELECTED BY HOTEL

FIG.2.



10
12
20
RF PAGING SERVICE
ALPHALINK SIGNALLING (CITY SELECT/ ADDRESS/ COMMAND)
INFORMATION PROVIDERS
* MAPS
* AIRPORT INFO
* RESTAURANTS
* WHAT'S ON ?
* DOW JONES
* 10K REPORTS
*VALUE LINE
* NEWSPAPERS
InnFAX REGIONAL SERVICE BUREAU IN NEW YORK CITY
IN-DIAL ROTARY FOR INBOUND FAXES TO GUESTS
COMPUTER BASED FAX STORE-AND-FORWARD PLATFORM
IN-DIAL ROTARY FOR CALLS FROM ALPHALINKS (FAX RETRIEVAL, SIGN-ON, INFO SERVICES, ADMIN)
DID/TNA NUMBERS RESERVED FOR InnFAX SERVICE BUREAU
212/246-2797
212/246-2798
212/246-2799
212/246-2800
212/246-2801
212/246-2802
212/246-2803
212/246-9875
212/246-9876
212/246-9877
212/246-9878
212/246-9879
212/246-9880
212/246-9881
LOCAL NEW YORK CITY PUBLIC SWITCHED TELEPHONE NETWORK
DDD LONG DISTANCE NETWORK

FIG.3.



TO RF RECEIVER
1200/2400 BPS MODEM/UART
0B
IB
PSTN TEL LINE & LINE CORD ANTENNA
RJ11 (F)
LINE INTFC & PROTECTION
ON/OFF HOOK CONTROL
DTMF GENERATION
0B7
PULSE DIAL CONTROL
DTMF RECOGNITION
IB1
NO
K2
0B2
LINE STATUS MONITOR:
* LINE-IN-USE
* LINE DISCONNECTED
IB2
0B1
TEL LINE TO PHONE & DATA SETS
RJ11 (F)
FAST BUSY SIGNAL GENERATION
0B3
CALL PROGRESS MONITOR
* DIAL TONE
* SILENCE
* RINGING
* BUSY
* REMOTE ANSWER
* REMOTE HANG-UP
IB3
AUDIBLE ANNUNCIATOR
0B5
LED STATUS INDICATORS
0B
REMOTE FAX ANSWER-TONE RECOGNITION
IB4
ANTENNA
JACK
RF RECEIVER
RF DEMODULATOR
IB8
POWER
POWER FAIL/RESTORE DETECTION
IB2
LOW VOLTAGE POWER CORD
AC ADAPTOR

FIG.4A.



IB9
CALL DURATION, PAGE COUNT, & DIRECTION LOGIC
OB11
FAST BUSY SIGNAL GENERATION
NO
K1
OB8
DIAL TONE GENERATION
OB6
OB9
LOOP CURRENT SOURCE
OB10
RING SIGNAL GENERATION
IB5
LOCAL FAX ANSWER-TONE RECOGNITION
IB6
LOCAL FAX ON/OFF-HOOK RECOGNITION
IB7
DTMF RECOGNITION
RJ11 (F)
TO FAX MACHINE
14
OB1 TO OB11
OUTPUT BUFFERS
OB1 TO OB9
INPUT BUFFERS
WATCH-DOG TMR
MICRO CONTROLLER
* CPU
* ROM
* RAM
* TIMERS
* I/O
REAL-TIME CLOCK & BATRY
PERMANENT SERIAL NUMBER
NON-VOLATILE RAM

FIG.4B.

REPLACEMENT SHEET
Date : 13 SEP 1996

ABSTRACT OF THE DISCLOSURE

TITLE: FACSIMILE ARRANGEMENT

A system, according to the present invention, provides temporary facsimile services to facsimile machines provided in hotel rooms. The system includes an intermediary having a host of direct in-dial telephone numbers which can be selectively activated and assigned to any one facsimile machine of a plurality of facsimile machines. The facsimile machines can be selectively authorized by assigning thereto for a temporary period a direct in-dial telephone number from the host of direct in-dial numbers of the intermediary. The intermediary activates the direct in-dial number whereafter the authorized facsimile machine is capable of receiving transmissions sent to the direct in-dial telephone number via the intermediary. The system maintains the direct in-dial number activated until the expiry of the temporary period and thereafter deactivates the direct in-dial number. The direct in-dial number is maintained deactivated for a down period of time whereby any facsimile transmissions sent to the direct in-dial number during the down period of time is not received. In this way, provision is made not to receive any transmissions to the direct in-dial number during any down period whereby the guest is ensured transmissions destined for the particular guest are not received immediately after his departure from the hotel.

(Figure 2)

360180Z-3