
CLAIMS



1. A compound corresponding to formula (I):



(I)

in which

- R_1 represents :
  - an $(C_6\text{-}C_{10})$aryl group, unsubstituted or substituted with one or more substituents chosen from
    - a halogen atom,
    - a $-OR_a$ group, in which R_a represents a hydrogen atom, a $(C_1\text{-}C_3)$alkyl group or a $-CF_3$ group
    - a $(C_1\text{-}C_3)$alkyl group, unsubstituted or substituted with one or more halogen atoms,
    - a carboxyl group,
    - a cyano group,
    - a $(C_3\text{-}C_6)$heterocycloalkyl group, unsubstituted or substituted with one or more $(C_1\text{-}C_3)$alkyl group,
  - a $(C_2\text{-}C_{10})$heteroaryl group, unsubstituted or substituted with one or more substituents chosen from
    - a halogen atom,
    - a $(C_1\text{-}C_4)$alkyl group,
    - a $(C_3\text{-}C_6)$cycloalkyl group,
    - a $-OR_e$ group, in which R_e represents an hydrogen atom or a $(C_1\text{-}C_4)$alkyl group, said $(C_1\text{-}C_4)$alkyl group being unsubstituted or substituted with one or more $(C_1\text{-}C_4)$alkoxy group or heterocycloalkyl group
    - a $-NR_fR_{f'}$ group, in which R_f et $R_{f'}$, independently, identical or different, represent a $(C_1\text{-}C_3)$alkyl group

- R_2 represents :
  - an (C_6-C_{10})aryl group, unsubstituted or substituted with one or more substituents chosen from :
    - a halogen atom,
    - a cyano group,
    - a  group
    - a  group
    - a (C_1-C_3)alkyl group unsubstituted or substituted with one or more substituents chosen from a halogen atom, a hydroxyl group and a (C_1-C_4)alkenyl group,
    - a (C_3-C_6)cycloalkyl group, unsubstituted or substituted with a hydroxy(C_1-C_3)alkyl group, a hydroxyl group or an (C_1-C_4)alkoxy group,
    - a $-OR_b$ group, in which R_b represents
      - a hydrogen atom,
      - a $-CF_3$ group,
      - a (C_3-C_6)cycloalkyl group, unsubstituted or substituted with a hydroxyl group
      - a (C_3-C_6)heterocycloalkyl group, said (C_3-C_6)heterocycloalkyl being unsubstituted or substituted with a (C_1-C_3)alkyl group,
      - or an (C_1-C_3)alkyl group, said (C_1-C_3)alkyl group being unsubstituted or substituted with one or more :
        - hydroxyl group,
        - (C_1-C_4)alkoxy group,
        - (C_2-C_{10})heteroaryl group,
        - acetamido group,
        - di(C_1-C_3)alkyl-amino group,
        - (C_3-C_6)cycloalkyl group, said (C_3-C_6)cycloalkyl group being unsubstituted or substituted with one or more hydroxyl group, or

- $(C_3$-$C_6)$heterocycloalkyl group, said $(C_3$-$C_6)$heterocycloalkyl group being unsubstituted or substituted with a $(C_1$-$C_3)$alkyl group;
- a $(C_3$-$C_6)$heterocycloalkyl group unsubstituted or substituted with one or more halogen atom, $(C_1$-$C_3)$alkyl group, hydroxyl group, hydroxy$(C_1$-$C_3)$alkyl group, $(C_1$-$C_4)$alkoxy group or $(C_1$-$C_4)$fluoroalkyl group,
- an $(C_6$-$C_{10})$aryl group, unsbstituted or substituted with one or more $-OR_c$ group, in which R_c represents a hydrogen atom or a $(C_1$-$C_3)$alkyl group,
- a $(C_2$-$C_{10})$heteroaryl group, unsubstituted or substituted with one or more $-NH_2$ group,
- a $-NR_dR_{d'}$ group, in which R_d et $R_{d'}$, independently, identical or different, represent a hydrogen atom, a $(C_1$-$C_3)$alkyl group, a hydroxy$(C_1$-$C_4)$alkyl or a $(C_3$-$C_6)$cycloalkyl group,

- a $(C_2$-$C_{10})$heteroaryl group, unsubstituted or substituted with one or more substituents chosen from:
  - a $(C_1$-$C_3)$alkyl group
  - a $(C_3$-$C_6)$cycloalkyl group, unsubstituted or substituted with a hydroxy$(C_1$-$C_3)$alkyl group,
  - a $-NR_gR_{g'}$ group, in which R_g et $R_{g'}$, independently, identical or different, represent a $(C_1$-$C_3)$alkyl group,

➢ R_3 represents :
- a halogen atom,
- a $(C_1$-$C_3)$alkyl group,

➢ R_4 represents :
- a halogen atom,
- a hydrogen atom,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

2. The compound of formula (I) as claimed in claim 1, characterized in that:

- R_1 represents :
  - An aryl group, unsubstituted or substituted with one or more substituents chosen from
    - a halogen atom,
    - a $-OR_a$ group, in which R_a represents a hydrogen atom or a (C_1-C_3)alkyl group,
    - a (C_1-C_3)alkyl group, unsubstituted or substituted with one or more halogen atoms,
    - a carboxyl group,
    - a cyano group,
  - a heteroaryl group, unsubstituted or substituted with one or more substituents chosen from a halogen atom, a (C_1-C_4)alkyl group, a (C_3-C_6)cycloalkyl group, a (C_1-C_4)alkoxy group,
- R_2 represents :
  - an aryl group, unsubstituted or substituted with one or more substituents chosen from :
    - a halogen atom,
    - a cyano group,
    - a (C_1-C_3)alkyl group,
    - a (C_3-C_6)cycloalkyl group, unsubstituted or substituted with a hydroxy(C_1-C_3)alkyl group,
    - a $-OR_b$ group, in which R_b represents a hydrogen atom, a $-CF_3$ group or an alkyl group, unsubstituted or substituted with one heterocycloalkyl group, the said heterocycloalkyl group being unsubstituted or substituted with a (C_1-C_3)alkyl group;
    - a heterocycloalkyl group, unsubstituted or substituted with one or more (C_1-C_3)alkyl group,
    - an aryl group, unsubstituted or substituted with one or more $-OR_c$ group, in which R_c represents a hydrogen atom or a (C_1-C_3)alkyl group,
    - a heteroaryl group, unsubstituted or substituted with one or more $-NH_2$ group,
    - a $-NR_dR_{d'}$ group, in which R_d et $R_{d'}$, independently, identical or different, represent a hydrogen atom, a (C_1-C_3)alkyl group,

- a heteroaryl group, unsubstituted or substituted with one or more cycloalkyl group, unsubstituted or substituted with a hydroxy(C_1-C_3)alkyl group,

➢ R_3 represents :
- a halogen atom,
- a (C_1-C_3)alkyl group,
-

➢ R_4 represents an hydrogen atom



in the form of the base or of an addition salt with an acid or with a base.

3. The compound of formula (I) as claimed in claim 1 or 2, characterized in that:

➢ R_1 represents :
- a phenyl group, unsubstituted or substituted with one or more substituents chosen from:
  - a fluorine atom or a chlorine atom,
  - a $-OR_a$ group, in which R_a represents a methyl group, a CF_3 group,
  - a di or trifluoro-methyl group,
  - a carboxyl group,
  - a cyano group,
  - a morpholine group, a methylpiperazine group
- a pyridinyl group, a pyrazolyl group, a pyrimidinyl group, an isoxazolyl group, a thiazolyl group, an isothiazolyl group, a 1,3,4-oxadiazolyle group, a thiazol-2onyl group, a thienyl group,a furyl group, a furopyridinyl group, a benzofuran-2-yl group, a thienopyridinyl gtoup, an indolynonyl group, unsubstituted or substituted with one or more substituents chosen from:
  - a bromine atom, a chlorine atom, a fluorine atom
  - a methyl or tert-butyl group,
  - a hydroxyl group
  - a cyclopropyl group or a cyclohexyl group

- a $-OR_e$ group , in which R_e represents a methyl group group, an ethyl group, an isopropyl group, a methoxyethyl group, a morpholinoethyl group
- a dimethylamino group,

➢ R_2 represents :

- a phenyl or a naphtalene group, unsubstituted or substituted with one or more substituents chosen from :
  - a fluorine atom or a chlorine atom,
  - a  group
  - a  group
  - a cyano group,
  - an ethyl group, unsubsituted or substituted with one or two hydroxyl groups,
  - an propyl group, unsubsituted or substituted with two or more groups chosen from a chlorine atom, an hydroxyl group and a propenyl group,
  - a cyclopropyl or a cyclobutyl group, unsubstituted or substituted with a hydroxyl group, a hydroxymethyl group or a methoxy group
  - a $-OR_b$ group, in which R_b represents a hydrogen atom, a $-CF_3$ group or an $(C_1\text{-}C_3)$alkyl group, unsubstituted or substituted with one piperazinyl group, the said piperazinyl group being unsubstituted or substituted with a methyl group;
  - a morpholinyl, a dihydropyranyl, a tetrahydropyranyl, a pyrrolidinyle, a tetrahydrofuranyl, a piperazinyl, a piperidinyl group, a dioxane group, an oxaazaspiro[3.3]heptanyl, unsubstituted or substituted with one or more methyl group, hydroxyl group, methoxy group, hydroxymethyl group or fluorine atom,

- an azetidinyl group unsubstituted or substituted with one or two fluorine atoms, methyl groups, or hydroxymethyl group,
- a pyrrolidinyl group substituted with a trifluoroethyl group,
- a phenyl group, unsubstituted or substituted with one or more –OR_c group, in which R_c represents :
  - a hydrogen atom
  - a methyl group,
  - an hydroxypropyl group
  - an hydroxyxyxlohexyl group,
  - a methoxypropyl group,
  - a dimethylaminopropyl group
  - a morpholinoethyl group, a morpholinopropyl group
  - a hydroxypropyl group, a methoxyethyl group,
  - a tetrahydropyranyl,
  - a pyridylmethyl group,
  - a pyrimidinyl group,
  - a methylpiperidyl group,
  - a thiazolylmethyl gtoup,
  - an acetamidoethyl group
  - an oxetanylmethyl group
  - an hydroxycyxlobutylmethyl group,
- a pyridinyl, a thiazolyl, a furanyl group, unsubstituted or substituted with one -NH_2 group,
- a –$NR_dR_{d'}$ group, in which R_d et $R_{d'}$, independently, identical or different, represent a methyl group, an hydroxypropyl group or a cyclopropyl group,

- a thiophene group, unsubstituted or substituted with a cyclopropyl group, unsubstituted or substituted with a hydroxymethyl group,
- a pyrimidinyl or a pyridinyl group substituted with a dimethylamino group
- an indolyl group, substituted with a methyl group,

➢ R_3 represents :

- a chlorine or a fluorine atom,
- a methyl group,

- R_4 represents a fluorine or an hydrogen atom.

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

4. The compound of formula (I) as claimed in one of the preceding claims 1 to 3, characterized in that:

- R_1 represents a $(C_2\text{-}C_{10})$heteroaryl group, unsubstituted or substituted with one or more substituents chosen from a halogen atom, a $(C_1\text{-}C_3)$alkyl group, a $(C_3\text{-}C_5)$cycloalkyl group, a $(C_1\text{-}C_4)$alkoxy group,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

5. The compounds of formula (I) as claimed in one of the preceding claims 1 to 4, characterized in that:

- R_1 represents an isoxazolyl group, unsubstituted or substituted with one substituent chosen from a $(C_1\text{-}C_4)$alkyl group, a $(C_3\text{-}C_6)$cycloalkyl group or a $(C_1\text{-}C_3)$alkoxy group,

in the form of the base enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

6. The compounds of formula (I) as claimed in one of the preceding claims 1 to 4, characterized in that:

- R_1 represents a phenyl group, substituted with one substituent chosen from halogen atom and an a $-OR_a$ group, in which R_a represents a $(C_1\text{-}C_3)$alkyl group,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

7. The compounds of formula (I) as claimed in one of the preceding claims 1 to 6, characterized in that:

- R_2 represents :

- an aryl group, unsubstituted or substituted with one or more substituents chosen from :
  - a (C_1-C_3)alkyl group,
  - a (C_3-C_6)cycloalkyl group, unsubstituted or substituted with a hydroxy(C_1-C_3)alkyl group,
  - a (C_3-C_6)heterocycloalkyl group, unsubstituted or substituted with one or more (C_1-C_3)alkyl group or hydroxyl group
  - an (C_6-C_{10})aryl group, unsubstituted or substituted with one or more $-OR_c$ group, in which R_c represents a hydrogen atom or a (C_1-C_3)alkyl group,
  - a (C_2-C_{10})heteroaryl group, unsubstituted or substituted with one or more $-NH_2$ group,
  - a $-NR_dR_{d'}$ group, in which R_d et $R_{d'}$, independently, identical or different, represent a hydrogen atom, a (C_1-C_3)alkyl group,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

8. The compounds of formula (I) as claimed in one of the preceding claims 1 to 7 characterized in that:

➢ R_2 represents :

- a phenyl group, unsubstituted or substituted with one substituent chosen from :
  - a halogen atom
  - a (C_3-C_6)ycloalkyl group, unsubstituted or substituted with one or more substituents chosen from hydroxy(C_1-C_3)alkyl group,
  - a (C_3-C_6)heterocycloalkyl group, unsubstituted or substituted with one or more (C_1-C_3)alkyl group or hydroxyl group,
  - an phenyl group, unsubstituted or substituted with one or more $-OR_c$ group, in which R_c represents a hydrogen atom or a (C_1-C_3)alkyl group,
  - a pyridinyl group,
  - a $-NR_dR_{d'}$ group, in which R_d et $R_{d'}$, identical, represent a (C_1-C_3)alkyl group,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

9. The compounds of formula (I) as claimed in one of the preceding claims 1 to 8 characterized in that R_3 represents a chlorine or a fluorine atom, in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

10. The compounds of formula (I) as claimed in one of the preceding claims 1 to 9 characterized in that R_4 represents a fluorine atom, in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

11. The compound as claimed in any one of the preceding claims 1 to 10, characterized in that it is chosen from:

Compound 1. 6-Chloro-5-(4-dimethylamino-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 2. 6-Chloro-3-[1-hydroxy-1-(3-hydroxy-phenyl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one, sodium salt

Compound 3. 6-Chloro-3-[1-hydroxy-1-(3-hydroxy-phenyl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 4. 3-{[6-Chloro-5-(4-morpholin-4-yl-phenyl)-2-oxo-1,2-dihydro-indolylidene]-hydroxy-methyl}-benzoic acid

Compound 5. 6-Chloro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 6. 6-Chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 7. 5-Biphenyl-4-yl-6-chloro-3-[1-hydroxy-1-phenyl-methylidene]-1,3-dihydro-indol-2-one

Compound 8. 3-{[6-Chloro-5-(4-dimethylamino-phenyl)-2-oxo-1,2-dihydro-indolylidene]-hydroxy-methyl}-benzoic acid

Compound 9. 4-{[6-Chloro-5-(4-dimethylamino-phenyl)-2-oxo-1,2-dihydro-indolylidene]-hydroxy-methyl}-benzoic acid

Compound 10. 6-Chloro-5-(4-dimethylamino-phenyl)-3-[1-hydroxy-1-(2-methyl-thiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 11. 6-Chloro-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-5-naphthalen-2-yl-1,3-dihydro-indol-2-one

Compound 12. 6-Chloro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 13. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isothiazol-5-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 14. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 15. 6-Chloro-3-[1-(2,4-dimethyl-thiazol-5-yl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 16. 6-Chloro-3-[1-hydroxy-1-(5-methyl-[1,3,4]oxadiazol-2-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 17. 6-Chloro-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 18. 3-{[6-Chloro-5-(4-morpholin-4-yl-phenyl)-2-oxo-1,2-dihydro-indolylidene]-hydroxy-methyl}-benzonitrile

Compound 19. 6-Chloro-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 20. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-methoxy-phenyl)-1,3-dihydro-indol-2-one

Compound 21. 6-Chloro-5-[4-(3,6-dihydro-2H-pyran-4-yl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 22. 6-Chloro-5-(4-cyclopropyl-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 23. 6-Chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isothiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 24. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-pyrrolidin-1-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 25. 6-Chloro-3-[1-hydroxy-1-pyridin-3-yl-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 26. 6-Chloro-5-(4-cyclopropyl-phenyl)-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-1,3-dihydro-indol-2-one

Compound 27. 6-Chloro-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 28. 6-Chloro-3-[1-hydroxy-1-(5-methyl-isoxazol-3-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 29. 6-Fluoro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 30. 6-Chloro-5-(4-fluoro-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 31. 3-[1-Hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-6-methyl-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 32. 6-Chloro-3-[1-(2-fluoro-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 33. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one

Compound 34. 6-Chloro-3-[1-(3-chloro-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 35. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-pyridin-4-yl-phenyl)-1,3-dihydro-indol-2-one, hydrochlride

Compound 36. 6-Chloro-3-[1-(4-fluoro-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 37. 5-[4-(2-Amino-thiazol-4-yl)-phenyl]-6-chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 38. 4-{6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-2-oxo-2,3-dihydro-1H-indol-5-yl}-benzonitrile

Compound 39. 6-Chloro-3-[1-(3-difluoromethyl-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 40. 6-Chloro-3-[1-hydroxy-1-(3-trifluoromethyl-phenyl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 41. 3-[1-(3-Bromo-isoxazol-5-yl)-1-hydroxy-methylidene]-6-chloro-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 42. 6-Chloro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(3-methyl-isothiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 43. 6-Chloro-3-[1-hydroxy-1-phenyl-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 44. 6-Chloro-5-(3-fluoro-4-hydroxy-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 45. 6-Chloro-5-[5-(1-hydroxymethyl-cyclopropyl)-thiophen-2-yl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 46. 6-Chloro-3-[1-(2-fluoro-phenyl)-1-hydroxy-methylidene]-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 47. 6-Chloro-3-[1-(2-fluoro-phenyl)-1-hydroxy-methylidene]-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one, sodium salt

Compound 48. 6-Chloro-5-[4-(3,6-dihydro-2H-pyran-4-yl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isothiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 49. 6-Chloro-5-[4-(1-hydroxymethyl-cyclobutyl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 50. 6-Chloro-3-[1-hydroxy-1-(3-methoxy-phenyl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 51. 6-Chloro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(2-methyl-thiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 52. 6-Chloro-5-[4-(3,6-dihydro-2H-pyran-4-yl)-phenyl]-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-1,3-dihydro-indol-2-one

Compound 53. 6-Chloro-3-[1-hydroxy-1-(1-methyl-1H-pyrazol-3-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 54. 6-Chloro-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 55. 6-Chloro-5-(3-fluoro-4-methoxy-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 56. 6-Chloro-5-(4-fluoro-2-hydroxy-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 57. 6-Chloro-3-[1-hydroxy-1-(2-methyl-thiazol-4-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 58. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-trifluoromethoxy-phenyl)-1,3-dihydro-indol-2-one

Compound 59. 6-Chloro-3-[1-hydroxy-1-isoxazol-5-yl-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 60. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-4-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 61. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(tetrahydro-pyran-4-yl)-phenyl]-1,3-dihydro-indol-2-one

Compound 62. 6-Chloro-3-[1-(5-cyclopropyl-isoxazol-3-yl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 63. 6-Chloro-5-(4-chloro-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 64. 6-Chloro-5-(4-ethyl-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 65. 6-Chloro-5-(4-furan-2-yl-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 66. 6-Chloro-5-(4-ethoxy-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 67. 6-Chloro-5-[4-(3,6-dihydro-2H-pyran-4-yl)-phenyl]-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 68. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(tetrahydro-furan-2-yl)-phenyl]-1,3-dihydro-indol-2-one.

Compound 69. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(3-piperazin-1-yl-propoxy)-phenyl]-1,3-dihydro-indol-2-one, hydrochloride.

Compound 70. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-{4-[3-(4-methyl-piperazin-1-yl)-propoxy]-phenyl}-1,3-dihydro-indol-2-one, hydrochloride.

Compound 71. 6-Fluoro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 72. 6-Fluoro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 73. 3-[1-(3-Bromo-isoxazol-5-yl)-1-hydroxy-methylidene]-6-chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 74. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(4-methyl-piperazin-1-yl)-phenyl]-1,3-dihydro-indol-2-one, hydrochloride.

Compound 75. 6-Chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-3-[1-hydroxy-1-(2-methyl-thiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 76. 3-[1-(3-tert-Butyl-isoxazol-5-yl)-1-hydroxy-methylidene]-6-chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 77. 6-Chloro-3-[1-(3-fluoro-4-methoxy-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 78. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(1-methyl-piperidin-4-yl)-phenyl]-1,3-dihydro-indol-2-one, hydrochloride

Compound 79. 6-chloro-3-[hydroxy-[3-(2-methoxyethoxy)isoxazol-5-yl]methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 80. 6-chloro-5-[4-[1-(chloromethyl)-1,2-dihydroxy-ethyl]phenyl]-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]indolin-2-one

Compound 81. 6-chloro-5-(4-hydroxy-3-methoxy-phenyl)-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]indolin-2-one

Compound 82. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(2-morpholinoethoxy)phenyl]indolin-2-one hydrochloride

Compound 83. 4,6-difluoro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 84. 6-chloro-3-[(3-fluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 85. 6-chloro-5-[2-fluoro-4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]indolin-2-one

Compound 86. 6-chloro-3-[(3-cyclohexylisoxazol-5-yl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 87. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 88. 6-chloro-3-[(3-fluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 89. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(4-hydroxytetrahydropyran-4-yl)phenyl]indolin-2-one

Compound 90. 6-chloro-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]-3-[hydroxy-[3-(2-morpholinoethoxy)isoxazol-5-yl]methylene]indolin-2-one

Compound 91. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(3-hydroxypropoxy)phenyl]indolin-2-one

Compound 92. 4,6-difluoro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 93. 6-chloro-3-[hydroxy-[3-(4-methylpiperazin-1-yl)phenyl]methylene]-5-(4-morpholinophenyl)indolin-2-one hydrochloride

Compound 94. 6-chloro-3-[hydroxy-(3-morpholinophenyl)methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 95. 6-chloro-3-[[3-fluoro-4-(trifluoromethoxy)phenyl]-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 96. 6-chloro-5-[3-fluoro-4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 97. 6-chloro-3-[(3-chloro-5-fluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 98. 6-chloro-3-[(2,3-difluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 99. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-morpholinopropoxy)phenyl]indolin-2-one

Compound 100. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-pyridylmethoxy)phenyl]indolin-2-one

Compound 101. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(pyrimidin-2-ylmethoxy)phenyl]indolin-2-one

Compound 102. 6-chloro-3-[hydroxy-(3-hydroxyisoxazol-5-yl)methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 103. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(2-methoxyethoxy)phenyl]indolin-2-one

Compound 104. N-[2-[4-[6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-2-oxo-indolin-5-yl]phenoxy]ethyl]acetamide

Compound 105. 6-chloro-3-[(3-ethoxyisoxazol-5-yl)-hydroxy-methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 106. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 107. 5-[-[6-chloro-5-(4-morpholinophenyl)-2-oxo-indolin-3-ylidene]-hydroxy-methyl]-4-methyl-3H-thiazol-2-one

Compound 108. 6-chloro-3-[(2,5-difluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 109. 6-chloro-3-[hydroxy-(3-isopropoxyisoxazol-5-yl)methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 110. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(1-methoxycyclobutyl)phenyl]indolin-2-one

Compound 111. 6-chloro-5-[2-fluoro-4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 112. 3-[(3-tert-butylisoxazol-5-yl)-hydroxy-methylene]6-chloro-5-(4-morpholinophenyl)indolin-2-one

Compound 113. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[2-fluoro-4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 114. 6-chloro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy(2-thienyl)methylene]indolin-2-one

Compound 115. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(oxetan-2-ylmethoxy)phenyl]indolin-2-one

Compound 116. 6-chloro-3-[hydroxy-(6-methoxy-3-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one hydrochloride

Compound 117. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 118. 6-fluoro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 119. 3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]6-fluoro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 120. 3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-4,6-difluoro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 121. 6-chloro-5-[4-[2-hydroxy-1-(hydroxymethyl)ethyl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 122. 6-chloro-5-[4-(1,2-dihydroxyethyl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 123. 6-chloro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy-(5-methyl-2-thienyl)methylene]indolin-2-one

Compound 124. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(1-methyl-4-piperidyl)oxy]phenyl]indolin-2-one hydrochloride

Compound 125. 6-fluoro-3-[(3-fluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 126. 6-chloro-3-[2-furyl(hydroxy)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 127. 6-chloro-5-(4-dimethylaminophenyl)-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 128. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-(4-tetrahydropyran-4-yloxyphenyl)indolin-2-one

Compound 129. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-hydroxypropoxy)phenyl]indolin-2-one

Compound 130. 6-chloro-3-[(5-chloro-2-thienyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 131. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-methoxypropoxy)phenyl]indolin-2-one

Compound 132. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(oxetan-3-ylmethoxy)phenyl]indolin-2-one

Compound 133. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(1-methylpyrrolidin-3-yl)phenyl]indolin-2-one hydrochloride

Compound 134. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-(4-pyrrolidin-3-ylphenyl)indolin-2-one hydrochloride

Compound 135. 6-chloro-5-[4-(3-hydroxycyclobutyl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 136. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(thiazol-5-ylmethoxy)phenyl]indolin-2-one

Compound 137. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-(4-pyrrolidin-1-ylphenyl)indolin-2-one

Compound 138. 6-chloro-3-[(2,3-difluorophenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 139. 6-chloro-5-[4-[(3-hydroxycyclobutyl)methoxy]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 140. 6-chloro-3-[hydroxy-(5-methoxy-2-pyridyl)methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 141. 6-chloro-3-[(2,4-difluorophenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 142. 6-chloro-3-[(5-fluoro-3-pyridyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 143. 6-chloro-3-[(3,4-difluorophenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 144. 6-chloro-3-[(3,5-difluorophenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 145. 6-chloro-5-[2-(dimethylamino)pyrimidin-5-yl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 146. 6-chloro-5-[6-(dimethylamino)-3-pyridyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 147. 6-chloro-5-[4-(dimethylamino)-3-fluoro-phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 148. 6-chloro-5-[4-(dimethylamino)-2-fluoro-phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 149. 6-chloro-5-(3-fluoro-4-morpholino-phenyl)-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 150. 6-chloro-3-[(3,5-difluorophenyl)-hydroxy-methylene]-5-[4-(1-methylpyrrolidin-3-yl)phenyl]indolin-2-one hydrochloride

Compound 151. 6-chloro-3-[hydroxy-(6-methoxy-3-pyridyl)methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 152. 6-chloro-5-[4-(4-hydroxycyclohexoxy)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 153. 6-chloro-5-[4-[cyclopropyl(methyl)amino]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 154. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-(1-methylindol-5-yl)indolin-2-one

Compound 155. 6-chloro-3-[(2,4-difluorophenyl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 156. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 157. 6-chloro-3-[furo[2,3-b]pyridin-2-yl(hydroxy)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 158. 6-chloro-3-[hydroxy-(2-methoxy-4-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 159. 6-chloro-3-[(2,5-difluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 160. 6-chloro-3-[(3-fluoro-4-pyridyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 161. 6-chloro-3-[(3,5-difluorophenyl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 162. 5-[4-(azetidin-1-yl)phenyl]6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 163. 6-chloro-3-[(2,4-dimethoxyphenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 164. 3-[(3-tert-butylisoxazol-5-yl)-hydroxy-methylene]6-chloro-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 165. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-methoxycyclobutyl)phenyl]indolin-2-one

Compound 166. 6-chloro-5-[4-(3-hydroxycyclobutyl)phenyl]-3-[hydroxy-(3-isopropoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 167. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl]phenyl]indolin-2-one hydrochloride

Compound 168. 3-[benzofuran-2-yl(hydroxy)methylene]6-chloro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 169. 6-chloro-3-[furo[3,2-b]pyridin-2-yl(hydroxy)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 170. 6-chloro-3-[(5-chlorobenzofuran-2-yl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 171. 6-chloro-3-[(2-fluorophenyl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 173. 6-chloro-5-[4-[3-(dimethylamino)propoxy]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 174. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 175. 6-chloro-3-[hydroxy-(3-methoxy-4-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 176. 6-chloro-5-[4-(2,2-dimethyl-1,3-dioxan-5-yl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 177. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(6-oxa-2-azaspiro[3.3]heptan-2-yl)phenyl]indolin-2-one

Compound 178. 6-chloro-3-[hydroxy-(2-methoxy-3-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 179. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[3-hydroxypropyl(methyl)amino]phenyl]indolin-2-one

Compound 180. 6-chloro-5-[4-(3-fluoroazetidin-1-yl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 181. 6-chloro-5-[4-(3,3-difluoroazetidin-1-yl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 182. 6-chloro-3-[furo[3,2-b]pyridin-2-yl(hydroxy)methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 183. 6-chloro-3-[hydroxy-(6-methoxy-2-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 184. 6-chloro-3-[hydroxy-(3-methoxy-2-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 185. 6-chloro-3-[(3-ethoxyisoxazol-5-yl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 186. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(1-methylazetidin-3-yl)phenyl]indolin-2-one

Compound 187. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(3R)-3-hydroxypyrrolidin-1-yl]phenyl]indolin-2-one

Compound 188. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(3S)-3-hydroxypyrrolidin-1-yl]phenyl]indolin-2-one

Compound 189. 6-chloro-3-[(2-fluorophenyl)-hydroxy-methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 190. 6-chloro-3-[[2-(dimethylamino)pyrimidin-5-yl]-hydroxy-methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 191. 6-chloro-5-[4-(3,3-dimethylazetidin-1-yl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 192. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 193. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[3-(hydroxymethyl)azetidin-1-yl]phenyl]indolin-2-one

Compound 194. 6-chloro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy(thieno[2,3-b]pyridin-2-yl)methylene]indolin-2-one hydrochloride

Compound 195. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(3S,4S)-3-hydroxy-4-methoxy-pyrrolidin-1-yl]phenyl]indolin-2-one

Compound 196. 6-chloro-5-[4-[1-(2-chloroethyl)-2-methyl-prop-1-enyl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 197. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(4-hydroxy-1-piperidyl)phenyl]indolin-2-one

Compound 198. 6-chloro-5-[4-[(3R)-3-fluoropyrrolidin-1-yl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 199. 6-chloro-3-[hydroxy-(1-methylindol-5-yl)methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 200. 6-chloro-5-(2,6-difluoro-4-morpholino-phenyl)-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 201. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[2-(hydroxymethyl)azetidin-1-yl]phenyl]indolin-2-one

Compound 202. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]phenyl]indolin-2-one

Compound 203. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]phenyl]indolin-2-one

Compound 204. 4-[4-[6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-2-oxo-indolin-5-yl]phenyl]cyclohex-3-ene-1-carboxylic acid

Compound 205. trans-6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(3S,4R)-4-hydroxytetrahydrofuran-3-yl]phenyl]indolin-2-one

Compound 206. cis-6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(2S,4S)-4-hydroxytetrahydrofuran-2-yl]phenyl]indolin-2-one

Compound 207. trans-6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(2R,4S)-4-hydroxytetrahydrofuran-2-yl]phenyl]indolin-2-one

Compound 208. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(4-hydroxy-4-methyl-1-piperidyl)phenyl]indolin-2-one


Compound 209. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[2-(hydroxymethyl)morpholin-4-yl]phenyl]indolin-2-one

Compound 210. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[3-(hydroxymethyl)morpholin-4-yl]phenyl]indolin-2-one

RECTIFIED SHEET (RULE 91) ISA/EP


in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

12. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, comprising the reaction of acylation compound of formula (V)



(V)


in which R_2 and R_3 are as defined in claim 1, PG is a protective group, with a carboxylic acid derivative (VI) of formula R_1CO_2H, wherein R_1 is as defined in claim 1, in the presence of an activating agent to obtain a compound of formula (VII)



(VII)


and the removal of the protective group with a an acidic or basic reagent.

13. A process for preparing a compound of formula (I) as claimed in one of claims 1 to 12, with R_2 and R_3 as defined in claim 1 and R_1 representing an aryl group substituted with a hydroxyl group, comprising the reaction of compound of formula (V)



(V)

in which R_2 and R_3 are as defined in claim 1 and PG is a protecting group, with a compound (VI') of formula MeO-Ar-CO_2H to obtain a compound of formula (VIIa)




(VIIa)

in which R_2 and R_3 are as defined in the general formula (I) and R_1 represents an aryl group substituted with a methoxy group,

and a reaction of deprotection and demethylation of compound (VIIa) with an acidic reagent.


14. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, comprising the reaction of compound (IV)



(IV)

in which R_2 and R_3 are as defined in claim 1, with an acyl halide compound (VIII) of formula R_1COCl, in which R_1 is as defined in claim 1, in the presence of a basic reagent.


15. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, with R_1 representing an aryl substituted with a carboxylic group, R_2 and R_3 being as defined in claim 1, comprising the reaction of compound (IX)



(IX)

in which R_2 and R_3 are as defined in claim 1, and R is an alkyl group, with a basic reagent.


16. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, with R_2 represents a group $R_{2'}$ substituted with at least a hydroxy group, wherein $R_{2'}$ is an aryl group substituted with an aryl group, R_1 and R_3 are as defined in claim 1, comprising the reaction of compound (VIIb)



(VIIb)

with an acidic or a basic reagent.


17. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, comprising the reaction of compound (XIV)





(XIV)


with a compound of general formula (III), R_2-$B(OR)_2$ wherein R_2 is as defined in general formula (I) and $B(OR)_2$ is a boronic acid or a boronate, in presence of palladium catalysts at temperatures ranging from 25°C to 130°C.

18. Compounds of formulae (VII), (IX), (XI), (XII) and (XIV):









in which R_1, R_2, R_3 are as defined in claim 1 and R represents an alkyl group, PG and PG_2 represent protective groups, R_2' represents an aryl group substituted with an aryl group.

19. A drug, characterized in that it comprises a compound as claimed in any one of claims 1 to 11, or an addition salt of this compound with a pharmaceutically acceptable acid or base.

20. The compound as claimed in any one of claims 1 to 11, as a medicament.

21. A pharmaceutical composition, characterized in that it comprises a compound as claimed in any one of claims 1 to 11, or a pharmaceutically acceptable salt of this compound, and also at least one pharmaceutically acceptable excipient.


22. The use of a compound as claimed in any of the claims 1 to 11, for the preparation of a medicament for the prevention or the treatment of diseases requiring the activation of AMPK.

23. The compound as claimed in any one of claims 1 to 11, for its use in the prevention or the treatment of metabolic diseases and kidney diseases.

24. The compound as claimed in any one of claims 1 to 11, for its use in the prevention or treatment of obesity and type 2 diabetes.

CLAIMS



1. A compound corresponding to formula (I):



(I)

in which

- R_1 represents :
  - an (C_6-C_{10})aryl group, unsubstituted or substituted with one or more substituents chosen from
    - a halogen atom,
    - a $–OR_a$ group, in which R_a represents a hydrogen atom, a (C_1-C_3)alkyl group or a $–CF_3$ group
    - a (C_1-C_3)alkyl group, unsubstituted or substituted with one or more halogen atoms,
    - a carboxyl group,
    - a cyano group,
    - a (C_3-C_6)heterocycloalkyl group, unsubstituted or substituted with one or more (C_1-C_3)alkyl group,
  - a (C_2-C_{10})heteroaryl group, unsubstituted or substituted with one or more substituents chosen from
    - a halogen atom,
    - a (C_1-C_4)alkyl group,
    - a (C_3-C_6)cycloalkyl group,
    - a $–OR_e$ group, in which R_e represents an hydrogen atom or a (C_1-C_4)alkyl group, said (C_1-C_4)alkyl group being unsubstituted or substituted with one or more (C_1-C_4)alkoxy group or heterocycloalkyl group
    - a $–NR_fR_{f'}$ group, in which R_f et $R_{f'}$, independently, identical or different, represent a (C_1-C_3)alkyl group

- R_2 represents :
  - an (C_6-C_{10})aryl group, unsubstituted or substituted with one or more substituents chosen from :
    - a halogen atom,
    - a cyano group,
    - a  group
    - a  group
    - a (C_1-C_3)alkyl group unsubstituted or substituted with one or more substituents chosen from a halogen atom, a hydroxyl group and a (C_1-C_4)alkenyl group,
    - a (C_3-C_6)cycloalkyl group, unsubstituted or substituted with a hydroxy(C_1-C_3)alkyl group, a hydroxyl group or an (C_1-C_4)alkoxy group,
    - a –OR_b group, in which R_b represents
      - a hydrogen atom,
      - a –CF_3 group,
      - a (C_3-C_6)cycloalkyl group, unsubstituted or substituted with a hydroxyl group
      - a (C_3-C_6)heterocycloalkyl group, said (C_3-C_6)heterocycloalkyl being unsubstituted or substituted with a (C_1-C_3)alkyl group,
      - or an (C_1-C_3)alkyl group, said (C_1-C_3)alkyl group being unsubstituted or substituted with one or more :
        - hydroxyl group,
        - (C_1-C_4)alkoxy group,
        - (C_2-C_{10})heteroaryl group,
        - acetamido group,
        - di(C_1-C_3)alkyl-amino group,

- $(C_3$-$C_6)$cycloalkyl group, said $(C_3$-$C_6)$cycloalkyl group being unsubstituted or substituted with one or more hydroxyl group, or
- $(C_3$-$C_6)$heterocycloalkyl group, said $(C_3$-$C_6)$heterocycloalkyl group being unsubstituted or substituted with a $(C_1$-$C_3)$alkyl group;

- a $(C_3$-$C_6)$heterocycloalkyl group unsubstituted or substituted with one or more halogen atom, $(C_1$-$C_3)$alkyl group, hydroxyl group, hydroxy$(C_1$-$C_3)$alkyl group, $(C_1$-$C_4)$alkoxy group or $(C_1$-$C_4)$fluoroalkyl group,
- an $(C_6$-$C_{10})$aryl group, unsbstituted or substituted with one or more $–OR_c$ group, in which R_c represents a hydrogen atom or a $(C_1$-$C_3)$alkyl group,
- a $(C_2$-$C_{10})$heteroaryl group, unsubstituted or substituted with one or more $-NH_2$ group,
- a $–NR_dR_{d'}$ group, in which R_d et $R_{d'}$, independently, identical or different, represent a hydrogen atom, a $(C_1$-$C_3)$alkyl group, a hydroxy$(C_1$-$C_4)$alkyl or a $(C_3$-$C_6)$cycloalkyl group,

- a $(C_2$-$C_{10})$heteroaryl group, unsubstituted or substituted with one or more substituents chosen from:
  - a $(C_1$-$C_3)$alkyl group
  - a $(C_3$-$C_6)$cycloalkyl group, unsubstituted or substituted with a hydroxy$(C_1$-$C_3)$alkyl group,
  - a $–NR_gR_{g'}$ group, in which R_g et $R_{g'}$, independently, identical or different, represent a $(C_1$-$C_3)$alkyl group,

- R_3 represents :
  - a halogen atom,
  - a $(C_1$-$C_3)$alkyl group,

- R_4 represents :
  - a halogen atom,
  - a hydrogen atom,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

2. The compound of formula (I) as claimed in claim 1, characterized in that:

- R_1 represents :
  - An aryl group, unsubstituted or substituted with one or more substituents chosen from
    - a halogen atom,
    - a $–OR_a$ group, in which R_a represents a hydrogen atom or a (C_1-C_3)alkyl group,
    - a (C_1-C_3)alkyl group, unsubstituted or substituted with one or more halogen atoms,
    - a carboxyl group,
    - a cyano group,
  - a heteroaryl group, unsubstituted or substituted with one or more substituents chosen from a halogen atom, a (C_1-C_4)alkyl group, a (C_3-C_6)cycloalkyl group, a (C_1-C_4)alkoxy group,

- R_2 represents :
  - an aryl group, unsubstituted or substituted with one or more substituents chosen from :
    - a halogen atom,
    - a cyano group,
    - a (C_1-C_3)alkyl group,
    - a (C_3-C_6)cycloalkyl group, unsubstituted or substituted with a hydroxy(C_1-C_3)alkyl group,
    - a $–OR_b$ group, in which R_b represents a hydrogen atom, a $–CF_3$ group or an alkyl group, unsubstituted or substituted with one heterocycloalkyl group, the said heterocycloalkyl group being unsubstituted or substituted with a (C_1-C_3)alkyl group;
    - a heterocycloalkyl group, unsubstituted or substituted with one or more (C_1-C_3)alkyl group,

- an aryl group, unsubstituted or substituted with one or more –OR_c group, in which R_c represents a hydrogen atom or a (C_1-C_3)alkyl group,
- a heteroaryl group, unsubstituted or substituted with one or more -NH_2 group,
- a –$NR_dR_{d'}$ group, in which R_d et $R_{d'}$, independently, identical or different, represent a hydrogen atom, a (C_1-C_3)alkyl group,

- a heteroaryl group, unsubstituted or substituted with one or more cycloalkyl group, unsubstituted or substituted with a hydroxy(C_1-C_3)alkyl group,

- R_3 represents :
  - a halogen atom,
  - a (C_1-C_3)alkyl group,
  -
- R_4 represents an hydrogen atom



in the form of the base or of an addition salt with an acid or with a base.

3. The compound of formula (I) as claimed in claim 1 or 2, characterized in that:

- R_1 represents :
  - a phenyl group, unsubstituted or substituted with one or more substituents chosen from:
    - a fluorine atom or a chlorine atom,
    - a –OR_a group, in which R_a represents a methyl group, a CF_3 group,
    - a di or trifluoro-methyl group,
    - a carboxyl group,
    - a cyano group,
    - a morpholine group, a methylpiperazine group
  - a pyridinyl group, a pyrazolyl group, a pyrimidinyl group, an isoxazolyl group, a thiazolyl group, an isothiazolyl group, a 1,3,4-oxadiazolyle group, a thiazol-2onyl group, a thienyl group,a furyl group, a

furopyridinyl group, a benzofuran-2-yl group, a thienopyridinyl gtoup, an indolynonyl group, unsubstituted or substituted with one or more substituents chosen from:

- a bromine atom, a chlorine atom, a fluorine atom
- a methyl or tert-butyl group,
- a hydroxyl group
- a cyclopropyl group or a cyclohexyl group
- a $–OR_e$ group , in which R_e represents a methyl group group, an ethyl group, an isopropyl group, a methoxyethyl group, a morpholinoethyl group
- a dimethylamino group,

- R_2 represents :
  - a phenyl or a naphtalene group, unsubstituted or substituted with one or more substituents chosen from :
    - a fluorine atom or a chlorine atom,
    - a  group
    - a  group
    - a cyano group,
    - an ethyl group, unsubsituted or substituted with one or two hydroxyl groups,
    - an propyl group, unsubsituted or substituted with two or more groups chosen from a chlorine atom, an hydroxyl group and a propenyl group,
    - a cyclopropyl or a cyclobutyl group, unsubstituted or substituted with a hydroxyl group, a hydroxymethyl group or a methoxy group
    - a $–OR_b$ group, in which R_b represents a hydrogen atom, a $–CF_3$ group or an $(C_1\text{-}C_3)$alkyl group, unsubstituted or substituted with

one piperazinyl group, the said piperazinyl group being unsubstituted or substituted with a methyl group;

- a morpholinyl, a dihydropyranyl, a tetrahydropyranyl, a pyrrolidinyle, a tetrahydrofuranyl, a piperazinyl, a piperidinyl group, a dioxane group, an oxaazaspiro[3.3]heptanyl, unsubstituted or substituted with one or more methyl group, hydroxyl group, methoxy group, hydroxymethyl group or fluorine atom,
- an azetidinyl group unsubstituted or substituted with one or two fluorine atoms, methyl groups, or hydroxymethyl group,
- a pyrrolidinyl group substituted with a trifluoroethyl group,
- a phenyl group, unsubstituted or substituted with one or more –OR_c group, in which R_c represents :
    - a hydrogen atom
    - a methyl group,
    - an hydroxypropyl group
    - an hydroxyxyxlohexyl group,
    - a methoxypropyl group,
    - a dimethylaminopropyl group
    - a morpholinoethyl group, a morpholinopropyl group
    - a hydroxypropyl group, a methoxyethyl group,
    - a tetrahydropyranyl,
    - a pyridylmethyl group,
    - a pyrimidinyl group,
    - a methylpiperidyl group,
    - a thiazolylmethyl gtoup,
    - an acetamidoethyl group
    - an oxetanylmethyl group
    - an hydroxycyxlobutylmethyl group,
- a pyridinyl, a thiazolyl, a furanyl group, unsubstituted or substituted with one -NH_2 group,
- a –$NR_dR_{d'}$ group, in which R_d et $R_{d'}$, independently, identical or different, represent a methyl group, an hydroxypropyl group or a cyclopropyl group,

- a thiophene group, unsubstituted or substituted with a cyclopropyl group, unsubstituted or substituted with a hydroxymethyl group,
- a pyrimidinyl or a pyridinyl group substituted with a dimethylamino group
- an indolyl group, substituted with a methyl group,

➢ R_3 represents :

- a chlorine or a fluorine atom,
- a methyl group,

➢ R_4 represents a fluorine or an hydrogen atom.

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

4. The compound of formula (I) as claimed in one of the preceding claims 1 to 3, characterized in that:

➢ R_1 represents a (C_2-C_{10})heteroaryl group, unsubstituted or substituted with one or more substituents chosen from a halogen atom, a (C_1-C_3)alkyl group, a (C_3-C_5)cycloalkyl group, a (C_1-C_4)alkoxy group,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

5. The compounds of formula (I) as claimed in one of the preceding claims 1 to 4, characterized in that:

➢ R_1 represents an isoxazolyl group, unsubstituted or substituted with one substituent chosen from a (C_1-C_4)alkyl group, a (C_3-C_6)cycloalkyl group or a (C_1-C_3)alkoxy group,

in the form of the base enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

6. The compounds of formula (I) as claimed in one of the preceding claims 1 to 4, characterized in that:

- R_1 represents a phenyl group, substituted with one substituent chosen from halogen atom and an a $–OR_a$ group, in which R_a represents a $(C_1\text{-}C_3)$alkyl group,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

7. The compounds of formula (I) as claimed in one of the preceding claims 1 to 6, characterized in that:

- R_2 represents :
  - an aryl group, unsubstituted or substituted with one or more substituents chosen from :
    - a $(C_1\text{-}C_3)$alkyl group,
    - a $(C_3\text{-}C_6)$cycloalkyl group, unsubstituted or substituted with a hydroxy$(C_1\text{-}C_3)$alkyl group,
    - a $(C_3\text{-}C_6)$heterocycloalkyl group, unsubstituted or substituted with one or more $(C_1\text{-}C_3)$alkyl group or hydroxyl group
    - an $(C_6\text{-}C_{10})$aryl group, unsubstituted or substituted with one or more $–OR_c$ group, in which R_c represents a hydrogen atom or a $(C_1\text{-}C_3)$alkyl group,
    - a $(C_2\text{-}C_{10})$heteroaryl group, unsubstituted or substituted with one or more $-NH_2$ group,
    - a $–NR_dR_{d'}$ group, in which R_d et $R_{d'}$, independently, identical or different, represent a hydrogen atom, a $(C_1\text{-}C_3)$alkyl group,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

8. The compounds of formula (I) as claimed in one of the preceding claims 1 to 7 characterized in that:

- R_2 represents :
  - a phenyl group, unsubstituted or substituted with one substituent chosen from :
    - a halogen atom

- a (C_3-C_6)ycloalkyl group, unsubstituted or substituted with one or more substituents chosen from hydroxy(C_1-C_3)alkyl group,
- a (C_3-C_6)heterocycloalkyl group, unsubstituted or substituted with one or more (C_1-C_3)alkyl group or hydroxyl group,
- an phenyl group, unsubstituted or substituted with one or more –OR_c group, in which R_c represents a hydrogen atom or a (C_1-C_3)alkyl group,
- a pyridinyl group,
- a –$NR_dR_{d'}$ group, in which R_d et $R_{d'}$, identical, represent a (C_1-C_3)alkyl group,

in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

9. The compounds of formula (I) as claimed in one of the preceding claims 1 to 8 characterized in that R_3 represents a chlorine or a fluorine atom, in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

10. The compounds of formula (I) as claimed in one of the preceding claims 1 to 9 characterized in that R_4 represents a fluorine atom, in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

11. The compound as claimed in any one of the preceding claims 1 to 10, characterized in that it is chosen from:

Compound 1. 6-Chloro-5-(4-dimethylamino-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 2. 6-Chloro-3-[1-hydroxy-1-(3-hydroxy-phenyl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one, sodium salt

Compound 3. 6-Chloro-3-[1-hydroxy-1-(3-hydroxy-phenyl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 4. 3-{[6-Chloro-5-(4-morpholin-4-yl-phenyl)-2-oxo-1,2-dihydro-indolylidene]-hydroxy-methyl}-benzoic acid

Compound 5. 6-Chloro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 6. 6-Chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 7. 5-Biphenyl-4-yl-6-chloro-3-[1-hydroxy-1-phenyl-methylidene]-1,3-dihydro-indol-2-one

Compound 8. 3-{[6-Chloro-5-(4-dimethylamino-phenyl)-2-oxo-1,2-dihydro-indolylidene]-hydroxy-methyl}-benzoic acid

Compound 9. 4-{[6-Chloro-5-(4-dimethylamino-phenyl)-2-oxo-1,2-dihydro-indolylidene]-hydroxy-methyl}-benzoic acid

Compound 10. 6-Chloro-5-(4-dimethylamino-phenyl)-3-[1-hydroxy-1-(2-methyl-thiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 11. 6-Chloro-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-5-naphthalen-2-yl-1,3-dihydro-indol-2-one

Compound 12. 6-Chloro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 13. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isothiazol-5-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 14. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 15. 6-Chloro-3-[1-(2,4-dimethyl-thiazol-5-yl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 16. 6-Chloro-3-[1-hydroxy-1-(5-methyl-[1,3,4]oxadiazol-2-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 17. 6-Chloro-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 18. 3-{[6-Chloro-5-(4-morpholin-4-yl-phenyl)-2-oxo-1,2-dihydro-indolylidene]-hydroxy-methyl}-benzonitrile

Compound 19. 6-Chloro-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 20. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-methoxy-phenyl)-1,3-dihydro-indol-2-one

Compound 21. 6-Chloro-5-[4-(3,6-dihydro-2H-pyran-4-yl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 22. 6-Chloro-5-(4-cyclopropyl-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 23. 6-Chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isothiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 24. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-pyrrolidin-1-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 25. 6-Chloro-3-[1-hydroxy-1-pyridin-3-yl-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 26. 6-Chloro-5-(4-cyclopropyl-phenyl)-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-1,3-dihydro-indol-2-one

Compound 27. 6-Chloro-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 28. 6-Chloro-3-[1-hydroxy-1-(5-methyl-isoxazol-3-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 29. 6-Fluoro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 30. 6-Chloro-5-(4-fluoro-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 31. 3-[1-Hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-6-methyl-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 32. 6-Chloro-3-[1-(2-fluoro-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 33. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-hydroxy-phenyl)-1,3-dihydro-indol-2-one

Compound 34. 6-Chloro-3-[1-(3-chloro-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 35. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-pyridin-4-yl-phenyl)-1,3-dihydro-indol-2-one, hydrochlride

Compound 36. 6-Chloro-3-[1-(4-fluoro-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 37. 5-[4-(2-Amino-thiazol-4-yl)-phenyl]-6-chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 38. 4-{6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-2-oxo-2,3-dihydro-1H-indol-5-yl}-benzonitrile

Compound 39. 6-Chloro-3-[1-(3-difluoromethyl-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 40. 6-Chloro-3-[1-hydroxy-1-(3-trifluoromethyl-phenyl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 41. 3-[1-(3-Bromo-isoxazol-5-yl)-1-hydroxy-methylidene]-6-chloro-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 42. 6-Chloro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(3-methyl-isothiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 43. 6-Chloro-3-[1-hydroxy-1-phenyl-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 44. 6-Chloro-5-(3-fluoro-4-hydroxy-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 45. 6-Chloro-5-[5-(1-hydroxymethyl-cyclopropyl)-thiophen-2-yl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 46. 6-Chloro-3-[1-(2-fluoro-phenyl)-1-hydroxy-methylidene]-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 47. 6-Chloro-3-[1-(2-fluoro-phenyl)-1-hydroxy-methylidene]-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one, sodium salt

Compound 48. 6-Chloro-5-[4-(3,6-dihydro-2H-pyran-4-yl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isothiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 49. 6-Chloro-5-[4-(1-hydroxymethyl-cyclobutyl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 50. 6-Chloro-3-[1-hydroxy-1-(3-methoxy-phenyl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 51. 6-Chloro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(2-methyl-thiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 52. 6-Chloro-5-[4-(3,6-dihydro-2H-pyran-4-yl)-phenyl]-3-[1-(3-fluoro-phenyl)-1-hydroxy-methylidene]-1,3-dihydro-indol-2-one

Compound 53. 6-Chloro-3-[1-hydroxy-1-(1-methyl-1H-pyrazol-3-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 54. 6-Chloro-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 55. 6-Chloro-5-(3-fluoro-4-methoxy-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 56. 6-Chloro-5-(4-fluoro-2-hydroxy-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 57. 6-Chloro-3-[1-hydroxy-1-(2-methyl-thiazol-4-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 58. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-(4-trifluoromethoxy-phenyl)-1,3-dihydro-indol-2-one

Compound 59. 6-Chloro-3-[1-hydroxy-1-isoxazol-5-yl-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 60. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-4-yl)-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 61. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(tetrahydro-pyran-4-yl)-phenyl]-1,3-dihydro-indol-2-one

Compound 62. 6-Chloro-3-[1-(5-cyclopropyl-isoxazol-3-yl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 63. 6-Chloro-5-(4-chloro-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 64. 6-Chloro-5-(4-ethyl-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 65. 6-Chloro-5-(4-furan-2-yl-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 66. 6-Chloro-5-(4-ethoxy-phenyl)-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 67. 6-Chloro-5-[4-(3,6-dihydro-2H-pyran-4-yl)-phenyl]-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 68. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(tetrahydro-furan-2-yl)-phenyl]-1,3-dihydro-indol-2-one.

Compound 69. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(3-piperazin-1-yl-propoxy)-phenyl]-1,3-dihydro-indol-2-one, hydrochloride.

Compound 70. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-{4-[3-(4-methyl-piperazin-1-yl)-propoxy]-phenyl}-1,3-dihydro-indol-2-one, hydrochloride.

Compound 71. 6-Fluoro-5-(2'-hydroxy-3'-methoxy-biphenyl-4-yl)-3-[1-hydroxy-1-(3-methoxy-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 72. 6-Fluoro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 73. 3-[1-(3-Bromo-isoxazol-5-yl)-1-hydroxy-methylidene]-6-chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 74. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(4-methyl-piperazin-1-yl)-phenyl]-1,3-dihydro-indol-2-one, hydrochloride.

Compound 75. 6-Chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-3-[1-hydroxy-1-(2-methyl-thiazol-5-yl)-methylidene]-1,3-dihydro-indol-2-one

Compound 76. 3-[1-(3-tert-Butyl-isoxazol-5-yl)-1-hydroxy-methylidene]-6-chloro-5-[4-(1-hydroxymethyl-cyclopropyl)-phenyl]-1,3-dihydro-indol-2-one

Compound 77. 6-Chloro-3-[1-(3-fluoro-4-methoxy-phenyl)-1-hydroxy-methylidene]-5-(4-morpholin-4-yl-phenyl)-1,3-dihydro-indol-2-one

Compound 78. 6-Chloro-3-[1-hydroxy-1-(3-methyl-isoxazol-5-yl)-methylidene]-5-[4-(1-methyl-piperidin-4-yl)-phenyl]-1,3-dihydro-indol-2-one, hydrochloride

Compound 79. 6-chloro-3-[hydroxy-[3-(2-methoxyethoxy)isoxazol-5-yl]methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 80. 6-chloro-5-[4-[1-(chloromethyl)-1,2-dihydroxy-ethyl]phenyl]-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]indolin-2-one

Compound 81. 6-chloro-5-(4-hydroxy-3-methoxy-phenyl)-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]indolin-2-one

Compound 82. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(2-morpholinoethoxy)phenyl]indolin-2-one hydrochloride

Compound 83. 4,6-difluoro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 84. 6-chloro-3-[(3-fluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 85. 6-chloro-5-[2-fluoro-4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]indolin-2-one

Compound 86. 6-chloro-3-[(3-cyclohexylisoxazol-5-yl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 87. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 88. 6-chloro-3-[(3-fluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 89. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(4-hydroxytetrahydropyran-4-yl)phenyl]indolin-2-one

Compound 90. 6-chloro-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]-3-[hydroxy-[3-(2-morpholinoethoxy)isoxazol-5-yl]methylene]indolin-2-one

Compound 91. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(3-hydroxypropoxy)phenyl]indolin-2-one

Compound 92. 4,6-difluoro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 93. 6-chloro-3-[hydroxy-[3-(4-methylpiperazin-1-yl)phenyl]methylene]-5-(4-morpholinophenyl)indolin-2-one hydrochloride

Compound 94. 6-chloro-3-[hydroxy-(3-morpholinophenyl)methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 95. 6-chloro-3-[[3-fluoro-4-(trifluoromethoxy)phenyl]-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 96. 6-chloro-5-[3-fluoro-4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 97. 6-chloro-3-[(3-chloro-5-fluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 98. 6-chloro-3-[(2,3-difluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 99. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-morpholinopropoxy)phenyl]indolin-2-one

Compound 100. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-pyridylmethoxy)phenyl]indolin-2-one

Compound 101. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(pyrimidin-2-ylmethoxy)phenyl]indolin-2-one

Compound 102. 6-chloro-3-[hydroxy-(3-hydroxyisoxazol-5-yl)methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 103. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(2-methoxyethoxy)phenyl]indolin-2-one

Compound 104. N-[2-[4-[6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-2-oxo-indolin-5-yl]phenoxy]ethyl]acetamide

Compound 105. 6-chloro-3-[(3-ethoxyisoxazol-5-yl)-hydroxy-methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 106. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 107. 5-[-[6-chloro-5-(4-morpholinophenyl)-2-oxo-indolin-3-ylidene]-hydroxy-methyl]-4-methyl-3H-thiazol-2-one

Compound 108. 6-chloro-3-[(2,5-difluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 109. 6-chloro-3-[hydroxy-(3-isopropoxyisoxazol-5-yl)methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 110. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(1-methoxycyclobutyl)phenyl]indolin-2-one

Compound 111. 6-chloro-5-[2-fluoro-4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 112. 3-[(3-tert-butylisoxazol-5-yl)-hydroxy-methylene]6-chloro-5-(4-morpholinophenyl)indolin-2-one

Compound 113. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[2-fluoro-4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 114. 6-chloro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy(2-thienyl)methylene]indolin-2-one

Compound 115. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(oxetan-2-ylmethoxy)phenyl]indolin-2-one

Compound 116. 6-chloro-3-[hydroxy-(6-methoxy-3-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one hydrochloride

Compound 117. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[4-(2-hydroxy-3-methoxy-phenyl)phenyl]indolin-2-one

Compound 118. 6-fluoro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 119. 3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]6-fluoro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 120. 3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-4,6-difluoro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 121. 6-chloro-5-[4-[2-hydroxy-1-(hydroxymethyl)ethyl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 122. 6-chloro-5-[4-(1,2-dihydroxyethyl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 123. 6-chloro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy-(5-methyl-2-thienyl)methylene]indolin-2-one

Compound 124. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(1-methyl-4-piperidyl)oxy]phenyl]indolin-2-one hydrochloride

Compound 125. 6-fluoro-3-[(3-fluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 126. 6-chloro-3-[2-furyl(hydroxy)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 127. 6-chloro-5-(4-dimethylaminophenyl)-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 128. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-(4-tetrahydropyran-4-yloxyphenyl)indolin-2-one

Compound 129. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-hydroxypropoxy)phenyl]indolin-2-one

Compound 130. 6-chloro-3-[(5-chloro-2-thienyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 131. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-methoxypropoxy)phenyl]indolin-2-one

Compound 132. 6-chloro-3-[hydroxy-(3-methylisoxazol-5-yl)methylene]-5-[4-(oxetan-3-ylmethoxy)phenyl]indolin-2-one

Compound 133. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(1-methylpyrrolidin-3-yl)phenyl]indolin-2-one hydrochloride

Compound 134. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-(4-pyrrolidin-3-ylphenyl)indolin-2-one hydrochloride

Compound 135. 6-chloro-5-[4-(3-hydroxycyclobutyl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 136. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(thiazol-5-ylmethoxy)phenyl]indolin-2-one

Compound 137. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-(4-pyrrolidin-1-ylphenyl)indolin-2-one

Compound 138. 6-chloro-3-[(2,3-difluorophenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 139. 6-chloro-5-[4-[(3-hydroxycyclobutyl)methoxy]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 140. 6-chloro-3-[hydroxy-(5-methoxy-2-pyridyl)methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 141. 6-chloro-3-[(2,4-difluorophenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 142. 6-chloro-3-[(5-fluoro-3-pyridyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 143. 6-chloro-3-[(3,4-difluorophenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 144. 6-chloro-3-[(3,5-difluorophenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 145. 6-chloro-5-[2-(dimethylamino)pyrimidin-5-yl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 146. 6-chloro-5-[6-(dimethylamino)-3-pyridyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 147. 6-chloro-5-[4-(dimethylamino)-3-fluoro-phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 148. 6-chloro-5-[4-(dimethylamino)-2-fluoro-phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 149. 6-chloro-5-(3-fluoro-4-morpholino-phenyl)-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 150. 6-chloro-3-[(3,5-difluorophenyl)-hydroxy-methylene]-5-[4-(1-methylpyrrolidin-3-yl)phenyl]indolin-2-one hydrochloride

Compound 151. 6-chloro-3-[hydroxy-(6-methoxy-3-pyridyl)methylene]-5-(4-morpholinophenyl)indolin-2-one

Compound 152. 6-chloro-5-[4-(4-hydroxycyclohexoxy)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 153. 6-chloro-5-[4-[cyclopropyl(methyl)amino]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 154. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-(1-methylindol-5-yl)indolin-2-one

Compound 155. 6-chloro-3-[(2,4-difluorophenyl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 156. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 157. 6-chloro-3-[furo[2,3-b]pyridin-2-yl(hydroxy)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 158. 6-chloro-3-[hydroxy-(2-methoxy-4-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 159. 6-chloro-3-[(2,5-difluoro-4-methoxy-phenyl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 160. 6-chloro-3-[(3-fluoro-4-pyridyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 161. 6-chloro-3-[(3,5-difluorophenyl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 162. 5-[4-(azetidin-1-yl)phenyl]6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 163. 6-chloro-3-[(2,4-dimethoxyphenyl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 164. 3-[(3-tert-butylisoxazol-5-yl)-hydroxy-methylene]6-chloro-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 165. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(3-methoxycyclobutyl)phenyl]indolin-2-one

Compound 166. 6-chloro-5-[4-(3-hydroxycyclobutyl)phenyl]-3-[hydroxy-(3-isopropoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 167. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[1-(2,2,2-trifluoroethyl)pyrrolidin-3-yl]phenyl]indolin-2-one hydrochloride

Compound 168. 3-[benzofuran-2-yl(hydroxy)methylene]6-chloro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 169. 6-chloro-3-[furo[3,2-b]pyridin-2-yl(hydroxy)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 170. 6-chloro-3-[(5-chlorobenzofuran-2-yl)-hydroxy-methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 171. 6-chloro-3-[(2-fluorophenyl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 173. 6-chloro-5-[4-[3-(dimethylamino)propoxy]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 174. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 175. 6-chloro-3-[hydroxy-(3-methoxy-4-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 176. 6-chloro-5-[4-(2,2-dimethyl-1,3-dioxan-5-yl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 177. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(6-oxa-2-azaspiro[3.3]heptan-2-yl)phenyl]indolin-2-one

Compound 178. 6-chloro-3-[hydroxy-(2-methoxy-3-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 179. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[3-hydroxypropyl(methyl)amino]phenyl]indolin-2-one

Compound 180. 6-chloro-5-[4-(3-fluoroazetidin-1-yl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 181. 6-chloro-5-[4-(3,3-difluoroazetidin-1-yl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 182. 6-chloro-3-[furo[3,2-b]pyridin-2-yl(hydroxy)methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 183. 6-chloro-3-[hydroxy-(6-methoxy-2-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 184. 6-chloro-3-[hydroxy-(3-methoxy-2-pyridyl)methylene]-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]indolin-2-one

Compound 185. 6-chloro-3-[(3-ethoxyisoxazol-5-yl)-hydroxy-methylene]-5-[4-(3-hydroxycyclobutyl)phenyl]indolin-2-one

Compound 186. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(1-methylazetidin-3-yl)phenyl]indolin-2-one

Compound 187. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(3R)-3-hydroxypyrrolidin-1-yl]phenyl]indolin-2-one

Compound 188. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(3S)-3-hydroxypyrrolidin-1-yl]phenyl]indolin-2-one

Compound 189. 6-chloro-3-[(2-fluorophenyl)-hydroxy-methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 190. 6-chloro-3-[[2-(dimethylamino)pyrimidin-5-yl]-hydroxy-methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 191. 6-chloro-5-[4-(3,3-dimethylazetidin-1-yl)phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 192. 6-chloro-3-[(3-cyclopropylisoxazol-5-yl)-hydroxy-methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 193. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[3-(hydroxymethyl)azetidin-1-yl]phenyl]indolin-2-one

Compound 194. 6-chloro-5-[4-[1-(hydroxymethyl)cyclopropyl]phenyl]-3-[hydroxy(thieno[2,3-b]pyridin-2-yl)methylene]indolin-2-one hydrochloride

Compound 195. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(3S,4S)-3-hydroxy-4-methoxy-pyrrolidin-1-yl]phenyl]indolin-2-one

Compound 196. 6-chloro-5-[4-[1-(2-chloroethyl)-2-methyl-prop-1-enyl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 197. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(4-hydroxy-1-piperidyl)phenyl]indolin-2-one

Compound 198. 6-chloro-5-[4-[(3R)-3-fluoropyrrolidin-1-yl]phenyl]-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 199. 6-chloro-3-[hydroxy-(1-methylindol-5-yl)methylene]-5-[4-(3-hydroxypyrrolidin-1-yl)phenyl]indolin-2-one

Compound 200. 6-chloro-5-(2,6-difluoro-4-morpholino-phenyl)-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]indolin-2-one

Compound 201. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[2-(hydroxymethyl)azetidin-1-yl]phenyl]indolin-2-one

Compound 202. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]phenyl]indolin-2-one

Compound 203. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]phenyl]indolin-2-one

Compound 204. 4-[4-[6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-2-oxo-indolin-5-yl]phenyl]cyclohex-3-ene-1-carboxylic acid

Compound 205. trans-6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(3S,4R)-4-hydroxytetrahydrofuran-3-yl]phenyl]indolin-2-one

Compound 206. cis-6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(2S,4S)-4-hydroxytetrahydrofuran-2-yl]phenyl]indolin-2-one

Compound 207. trans-6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[(2R,4S)-4-hydroxytetrahydrofuran-2-yl]phenyl]indolin-2-one


Compound 208. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-(4-hydroxy-4-methyl-1-piperidyl)phenyl]indolin-2-one

Compound 209. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[2-(hydroxymethyl)morpholin-4-yl]phenyl]indolin-2-one

Compound 210. 6-chloro-3-[hydroxy-(3-methoxyisoxazol-5-yl)methylene]-5-[4-[3-(hydroxymethyl)morpholin-4-yl]phenyl]indolin-2-one


in the form of the base, enantiomers, diastereoisomers or of an addition salt with an acid or with a base.

12. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, comprising the reaction of acylation compound of formula (V)



(V)


in which R_2 and R_3 are as defined in claim 1, PG is a protective group, with a carboxylic acid derivative (VI) of formula R_1CO_2H, wherein R_1 is as defined in claim 1, in the presence of an activating agent to obtain a compound of formula (VII)



(VII)


and the removal of the protective group with a an acidic or basic reagent.

13. A process for preparing a compound of formula (I) as claimed in one of claims 1 to 11, with R_2 and R_3 as defined in claim 1 and R_1 representing an aryl group substituted with a hydroxyl group, comprising the reaction of compound of formula (V)



(V)

in which R_2 and R_3 are as defined in claim 1 and PG is a protecting group, with a compound (VI') of formula MeO-Ar-CO_2H to obtain a compound of formula (VIIa)




(VIIa)

in which R_2 and R_3 are as defined in the general formula (I) and R_1 represents an aryl group substituted with a methoxy group,

and a reaction of deprotection and demethylation of compound (VIIa) with an acidic reagent.


14. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, comprising the reaction of compound (IV)



(IV)

in which R_2 and R_3 are as defined in claim 1, with an acyl halide compound (VIII) of formula R_1COCl, in which R_1 is as defined in claim 1, in the presence of a basic reagent.


15. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, with R_1 representing an aryl substituted with a carboxylic group, R_2 and R_3 being as defined in claim 1, comprising the reaction of compound (IX)



(IX)

in which R_2 and R_3 are as defined in claim 1, and R is an alkyl group, with a basic reagent.


16. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, with R_2 represents a group $R_{2'}$ substituted with at least a hydroxy group, wherein $R_{2'}$ is an aryl group substituted with an aryl group, R_1 and R_3 are as defined in claim 1, comprising the reaction of compound (VIIb)



(VIIb)

with an acidic or a basic reagent.

17. A process for preparing a compound of formula (I) as claimed in any one of claims 1 to 11, comprising the reaction of compound (XIV)



(XIV)

with a compound of general formula (III), R_2-$B(OR)_2$ wherein R_2 is as defined in general formula (I) and $B(OR)_2$ is a boronic acid or a boronate, in presence of palladium catalysts at temperatures ranging from 25°C to 130°C.

18. A drug, characterized in that it comprises a compound as claimed in any one of claims 1 to 11, or an addition salt of this compound with a pharmaceutically acceptable acid or base.

19. The compound as claimed in any one of claims 1 to 11, as a medicament.

20. A pharmaceutical composition, characterized in that it comprises a compound as claimed in any one of claims 1 to 11, or a pharmaceutically acceptable salt of this compound, and also at least one pharmaceutically acceptable excipient.

21. The use of a compound as claimed in any of the claims 1 to 11, for the preparation of a medicament for the prevention or the treatment of diseases requiring the activation of AMPK.

22. The compound as claimed in any one of claims 1 to 11, for its use in the prevention or the treatment of metabolic diseases and kidney diseases.

23. The compound as claimed in any one of claims 1 to 11, for its use in the prevention or treatment of obesity and type 2 diabetes.