


Claims:

1. A compound of general Formula (I), its tautomeric form, its stereoisomer, its pharmaceutically acceptable salt, its hydrate, its solvate or its prodrug thereof.



wherein,

G_1 is independently selected from $-CH_2-$ or $\begin{array}{c} | \\ \text{---}CH-(CH_2)_n\text{---}ring\ A \end{array}$;

G_2 is $-CH=CH-$;

ring A is optionally substituted heterocyclyl, and optionally substituted heteroaryl;

ring B is aromatic ring;

ring C is optionally substituted five membered heteroaryl;

R^1 is independently selected from optionally substituted heteroaryl, $-CONHSO_2R^{3a}$, and $-CON(R^3)_2$;

R^2 is independently selected from hydrogen, optionally substituted C_1 - C_6 alkyl, and optionally substituted C_3 - C_5 monocyclic cycloalkyl;

R³ is independently selected from hydrogen, substituted alkyl, optionally substituted cycloalkyl, optionally substituted cycloalkylalkyl, optionally substituted heterocyclyl, optionally substituted heterocyclalkyl, optionally substituted heteroarylalkyl, optionally

substituted arylalkyl, and $\begin{array}{c} \text{R}^{3b} \\ | \\ -\text{CH}-\text{C}(=\text{O})-\text{N}-\text{CH}-\text{COOH} \\ | \quad | \\ \text{H} \quad \text{R}^{3b} \end{array}$; wherein when R¹ substitution on both ring B are CON(R³)₂, then at least for one R¹ substitution, both R³ substitutions cannot be hydrogen at the same time;

R^{3a} is independently selected from optionally substituted alkyl, and optionally substituted cycloalkyl;

R^{3b} is independently selected from hydrogen or optionally substituted alkyl;

m is 1;

n is 0;

o is 1;

p is selected from 0, 1, or 2;

when 'alkyl' group is substituted, it is substituted with 1 to 4 substituents independently selected from halogen, oxo (=O), alkyl, perhaloalkyl, cycloalkyl, aryl, heteroaryl, heterocyclyl, -N(R⁴)₂, -C(=O)OH, -N(H)-SO₂-alkyl, and -OR⁴;

when 'carbocycle' or 'cycloalkyl' group is substituted, it is substituted with 1 to 4 substituents independently selected from halogen, alkyl, perhaloalkyl, heteroaryl, heterocyclyl, -N(R⁴)₂, -C(=O)OH, and -OR⁴;

when 'heterocycle' or 'heterocyclyl' group is substituted, it is substituted with 1 to 4 substituents independently selected from oxo (=O), halogen, cyano, alkyl, perhaloalkyl, heterocyclyl, -OR⁴, -OP(O)(OR⁴)₂, -P(O)(OR⁴)₂, -P(O)(OR⁴)R^{4a}, -SO₂R^{4a}, -C(=O)OH, -C(=O)N(H)R⁴, -C(=O)N(alkyl)R⁴, -N(H)C(=O)R^{4a}, -N(H)-SO₂-alkyl, -N(H)R⁴, and -N(alkyl)R⁴;


when the 'aryl' group is substituted, it is substituted with 1 to 4 substituents selected from halogen, cyano, alkyl, perhaloalkyl, cycloalkyl, heterocyclyl, -O-alkyl, -O-perhaloalkyl, -N(alkyl)alkyl, -N(H)alkyl, -SO₂-alkyl, -N(alkyl)C(=O)alkyl, -N(H)C(=O)alkyl, -C(=O)N(alkyl)alkyl, -C(=O)N(H)alkyl, -C(=O)NH₂, -SO₂N(alkyl)alkyl, -SO₂N(H)alkyl, -SO₂NH₂, -OP(O)(OR⁴)₂, -P(O)(OR⁴)₂, -P(O)(OR⁴)R^{4a}, and -C(=O)OH;

when the 'heteroaryl' group is substituted, it is substituted with 1 to 4 substituents selected from halogen, cyano, alkyl, perhaloalkyl, cycloalkyl, heterocyclyl, -O-alkyl, -O-perhaloalkyl, -N(alkyl)alkyl, -N(H)alkyl, -SO₂-alkyl, -N(alkyl)C(=O)alkyl, -N(H)C(=O)alkyl, -C(=O)N(alkyl)alkyl, -C(=O)N(H)alkyl, -C(=O)NH₂, -SO₂N(alkyl)alkyl, -SO₂N(H)alkyl, -SO₂NH₂, -OP(O)(OR⁴)₂, -P(O)(OR⁴)₂, -P(O)(OR⁴)R^{4a}, and -C(=O)OH;

each R⁴ is independently selected from hydrogen, alkyl, and cycloalkyl;

each R^{4a} is independently selected from alkyl, and cycloalkyl.

2. A compound of general Formula (I), its tautomeric form, its stereoisomer, its pharmaceutically acceptable salt, its hydrate, its solvate or its prodrug thereof



wherein,

G_1 is independently selected from $-CH_2-$ or $\begin{array}{c} | \\ -CH-(CH_2)_n-\text{ring A} \\ | \end{array}$;

G_2 is $-CH=CH-$;

ring A is optionally substituted heterocyclyl, and optionally substituted heteroaryl;

ring B is aromatic ring;

ring C is optionally substituted five membered heteroaryl;

R^1 is $-\text{CON}(R^3)_2$;

R^2 is independently selected from hydrogen, optionally substituted C_1 - C_6 alkyl, and optionally substituted C_3 - C_5 monocyclic cycloalkyl;

R^3 is independently selected from hydrogen, optionally substituted cycloalkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroarylalkyl, and optionally substituted arylalkyl, wherein at least for one R^1 substitution, both R^3 substitutions cannot be hydrogen at the same time;

m is 1;

n is 0;

o is 1;

p is selected from 0, 1, or 2;

when 'alkyl' group is substituted, it is substituted with 1 to 4 substituents independently selected from halogen, oxo ($=O$), alkyl, perhaloalkyl, cycloalkyl, aryl, heteroaryl, heterocyclyl, $-\text{N}(R^4)_2$, $-\text{C}(=O)\text{OH}$, $-\text{N}(\text{H})-\text{SO}_2\text{-alkyl}$, and $-\text{OR}^4$;

when 'carbocycle' or 'cycloalkyl' group is substituted, it is substituted with 1 to 4 substituents independently selected from halogen, alkyl, perhaloalkyl, heteroaryl, heterocyclyl, $-N(R^4)_2$, $-C(=O)OH$, and $-OR^4$;

when 'heterocycle' or 'heterocyclyl' group is substituted, it is substituted with 1 to 4 substituents independently selected from oxo ($=O$), halogen, cyano, alkyl, perhaloalkyl, heterocyclyl, $-OR^4$, $-OP(O)(OR^4)_2$, $-P(O)(OR^4)_2$, $-P(O)(OR^4)R^{4a}$, $-SO_2R^{4a}$, $-C(=O)OH$, $-C(=O)N(H)R^4$, $-C(=O)N(alkyl)R^4$, $-N(H)C(=O)R^{4a}$, $-N(H)-SO_2-alkyl$, $-N(H)R^4$, and $-N(alkyl)R^4$;


when the 'aryl' group is substituted, it is substituted with 1 to 4 substituents selected from halogen, cyano, alkyl, perhaloalkyl, cycloalkyl, heterocyclyl, $-O-alkyl$, $-O-perhaloalkyl$, $-N(alkyl)alkyl$, $-N(H)alkyl$, $-SO_2-alkyl$, $-N(alkyl)C(=O)alkyl$, $-N(H)C(=O)alkyl$, $-C(=O)N(alkyl)alkyl$, $-C(=O)N(H)alkyl$, $-C(=O)NH_2$, $-SO_2N(alkyl)alkyl$, $-SO_2N(H)alkyl$, $-SO_2NH_2$, $-OP(O)(OR^4)_2$, $-P(O)(OR^4)_2$, $-P(O)(OR^4)R^{4a}$, and $-C(=O)OH$;

when the 'heteroaryl' group is substituted, it is substituted with 1 to 4 substituents selected from halogen, cyano, alkyl, perhaloalkyl, cycloalkyl, heterocyclyl, $-O-alkyl$, $-O-perhaloalkyl$, $-N(alkyl)alkyl$, $-N(H)alkyl$, $-SO_2-alkyl$, $-N(alkyl)C(=O)alkyl$, $-N(H)C(=O)alkyl$, $-C(=O)N(alkyl)alkyl$, $-C(=O)N(H)alkyl$, $-C(=O)NH_2$, $-SO_2N(alkyl)alkyl$, $-SO_2N(H)alkyl$, $-SO_2NH_2$, $-OP(O)(OR^4)_2$, $-P(O)(OR^4)_2$, $-P(O)(OR^4)R^{4a}$, and $-C(=O)OH$;

each R^4 is independently selected from hydrogen, alkyl, and cycloalkyl;

each R^{4a} is independently selected from alkyl, and cycloalkyl.

3. A compound of general Formula (II), and its tautomeric form, its stereoisomer, its pharmaceutically acceptable salt, its hydrate, its solvate or its prodrug thereof,



wherein,

R^{3m} is optionally substituted cycloalkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroarylalkyl, and optionally substituted arylalkyl;

G_1 is independently selected from $-CH_2-$ or $-CH-$ ring A;

ring A is optionally substituted heterocyclyl, and optionally substituted heteroaryl;

R^{2a} , R^{2b} , R^{2c} , and R^{2d} are each independently selected from hydrogen, optionally substituted C_1 - C_6 alkyl, and optionally substituted C_3 - C_5 monocyclic cycloalkyl; when 'alkyl' group is substituted, it is substituted with 1 to 4 substituents independently selected from halogen, oxo ($=O$), alkyl, perhaloalkyl, cycloalkyl, aryl, heteroaryl, heterocyclyl, $-N(R^4)_2$, $-C(=O)OH$, $-N(H)-SO_2$ -alkyl, and $-OR^4$;

when 'carbocycle' or 'cycloalkyl' group is substituted, it is substituted with 1 to 4 substituents independently selected from halogen, alkyl, perhaloalkyl, heteroaryl, heterocyclyl, $-N(R^4)_2$, $-C(=O)OH$, and $-OR^4$;

when 'heterocycle' or 'heterocyclyl' group is substituted, it is substituted with 1 to 4 substituents independently selected from oxo ($=O$), halogen, cyano, alkyl, perhaloalkyl, heterocyclyl, $-OR^4$, $-OP(O)(OR^4)_2$, $-P(O)(OR^4)_2$, $-P(O)(OR^4)R^{4a}$, $-SO_2R^{4a}$, $-C(=O)OH$, -

C(=O)N(H)R^4 , -C(=O)N(alkyl)R^4 , -N(H)C(=O)R^{4a} , $\text{-N(H)-SO}_2\text{-alkyl}$, -N(H)R^4 , and -N(alkyl)R^4 ;

when the 'aryl' group is substituted, it is substituted with 1 to 4 substituents selected from halogen, cyano, alkyl, perhaloalkyl, cycloalkyl, heterocyclyl, -O-alkyl, -O-perhaloalkyl, -N(alkyl)alkyl, -N(H)alkyl, -SO₂-alkyl, -N(alkyl)C(=O)alkyl, -N(H)C(=O)alkyl, -C(=O)N(alkyl)alkyl, -C(=O)N(H)alkyl, -C(=O)NH₂, -SO₂N(alkyl)alkyl, -SO₂N(H)alkyl, -SO₂NH₂, -OP(O)(OR⁴)₂, -P(O)(OR⁴)₂, -P(O)(OR⁴)R^{4a}, and -C(=O)OH;

when the 'heteroaryl' group is substituted, it is substituted with 1 to 4 substituents selected from halogen, cyano, alkyl, perhaloalkyl, cycloalkyl, heterocyclyl, -O-alkyl, -O-perhaloalkyl, -N(alkyl)alkyl, -N(H)alkyl, -SO₂-alkyl, -N(alkyl)C(=O)alkyl, -N(H)C(=O)alkyl, -C(=O)N(alkyl)alkyl, -C(=O)N(H)alkyl, -C(=O)NH₂, -SO₂N(alkyl)alkyl, -SO₂N(H)alkyl, -SO₂NH₂, -OP(O)(OR⁴)₂, -P(O)(OR⁴)₂, -P(O)(OR⁴)R^{4a}, and -C(=O)OH;

each R⁴ is independently selected from hydrogen, alkyl, and cycloalkyl;


each R^{4a} is independently selected from alkyl, and cycloalkyl.

4. The compound according to any one of claims 1 to 3, wherein G₁ is -CH₂.

5. The compound according to any one claims 1 to 3, wherein G₁ is .

6. The compound according to any one claims 1 to 3, wherein ring A is optionally substituted heterocyclyl or optionally substituted heteroaryl.


7. The compound according to claim 6, wherein ring A is



8. The compound according to claim 1 or 2, wherein R² is methyl or ethyl.

9. The compound according to claim 1 or 2, wherein R¹ is -CON(R³)₂, wherein R³ is independently selected from hydrogen, optionally substituted cycloalkyl, optionally substituted heterocyclyl, optionally substituted heterocyclylalkyl, optionally substituted heteroarylalkyl, and optionally substituted arylalkyl, wherein at least for one R¹ substitution, both R³ substitutions cannot be hydrogen at the same time.

10. The compound according to claim 3, wherein R^{3m} is



11. The compound according to claim 1 or 2, wherein R² is optionally substituted C₁-C₆ alkyl; G₂ is -CH=CH-; ring C is pyrazole; ring B is aromatic ring; n is 0; m is 1; p is 1

or 2; o is 1; G₁ is -CH₂- or , wherein ring A is optionally substituted heterocyclyl or optionally substituted heteroaryl, and R¹ is -CON(R³)₂, wherein R³ is hydrogen, optionally substituted cycloalkyl, optionally substituted heterocyclylalkyl, optionally substituted heteroarylalkyl, and optionally substituted arylalkyl, wherein at least for one R¹ substitution, both R³ substitutions cannot be hydrogen at the same time.

12. The compound according to claim 1, wherein the compound is selected from:

(1*S*,4*S*)-4-((*E*)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1*H*-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7*H*-6,10-dioxo-2,14,15*a*,19*a*-tetraazacyclopentadeca[3,2,1-*cd*:8,9,10-*c'**d'*]diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 1);

(1R,4R)-4-((E)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-

tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 2);

(E)-N-(3-(1H-tetrazol-5-yl)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 3);

(E)-N-(2-(1H-tetrazol-5-yl)ethyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 4);

(E)-2-(2-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)ethyl)benzoic acid (Compound 5);

(E)-N-((1R,4R)-4-(1H-tetrazol-5-yl)cyclohexyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 6);

(E)-N-((1S,4S)-4-(1H-tetrazol-5-yl)cyclohexyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 7);

(E)-1-(3-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 8);

(E)-2-((12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)methyl)nicotinic acid (Compound 9);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(5-oxo-4,5-dihydro-1H-tetrazol-1-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 10);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(5-oxo-4,5-dihydro-1,2,4-oxadiazol-3-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 11);

(8S,E)-N4-((1R,4S)-4-(1H-tetrazol-5-yl)cyclohexyl)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 12);

(8R,E)-N4-((1R,4R)-4-(1H-tetrazol-5-yl)cyclohexyl)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 13);

(1S,4R)-4-((8S,E)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 14);

(1R,4R)-4-((8R,E)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 15);

(8S,E)-N4-(3-(1H-tetrazol-5-yl)propyl)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 16);

(8R,E)-N4-(3-(1H-tetrazol-5-yl)propyl)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 17);

1-(3-((8S,E)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 18);

1-(3-((8R,E)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 19);

(1R,4R)-4-((E)-8-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 20);

(E)-N-(3-(1H-tetrazol-5-yl)propyl)-8-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 21);

(E)-N-((1R,4R)-4-(1H-tetrazol-5-yl)cyclohexyl)-8-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 22);

(E)-1-(3-(8-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 23);

(E)-N-((1R,4R)-4-(1H-tetrazol-5-yl)cyclohexyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8-morpholino-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 24);

(E)-N-(3-(1H-tetrazol-5-yl)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8-morpholino-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 25);

(1R,4R)-4-((E)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8-morpholino-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 26);

(E)-1-(3-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8-morpholino-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 27);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(2-morpholinoethyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 28);

(E)-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carbonyl)glycine (Compound 29);

(E)-N-(2-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)ethyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 30);

(E)-3-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propanoic acid (Compound 31);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-morpholinopropyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 32);

(E)-N-(3-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 33);

(E)-N-(4-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)butyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 34);

(E)-(2-(4-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-12-carboxamido)ethyl)-L-proline (Compound 35);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(4-(methylsulfonyl)piperazin-1-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 36);

(E)-N-(3-(4,4-difluoropiperidin-1-yl)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 37);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(4-morpholinobutyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 38);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(4-fluoropiperidin-1-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-

tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 39);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(methylsulfonyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 40);

(R,E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(3-fluoropyrrolidin-1-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 41);

(S,E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(3-fluoropyrrolidin-1-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 42);;

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(2-(methylsulfonamido)ethyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 43);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(4-(methylsulfonyl)piperidin-1-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 44);

E)-N-(3-(3,3-difluoropyrrolidin-1-yl)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 45);

(E)-N-(3-((2R,6S)-2,6-dimethylmorpholino)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 46);

(E)-N-(3-(1,1-dioxidothiomorpholino)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 47);

(E)-N-(3-(1H-imidazol-1-yl)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 48);

(S,E)-2-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)-3-(dimethylamino)propanoic acid (Compound 49);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(pyridin-2-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 50);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(4-(trifluoromethyl)piperidin-1-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 51);

(E)-N-(3-(3,3-dimethylmorpholino)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 52);

(E)-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carbonyl)glycyl-L-valine (Compound 53);

(E)-N,N'-(12-carbamoyl-4-(1H-tetrazol-5-yl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-1,15-diyl)bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamide) (Compound 54);

(1S,3S)-3-((E)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclobutane-1-carboxylic acid (Compound 55);

(1R,3R)-3-((E)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclobutane-1-carboxylic acid (Compound 56);

(E)-1-((12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)methyl)cyclopropane-1-carboxylic acid (Compound 57);

(E)-2-(2-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-

tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)ethyl)nicotinic acid (Compound 58);

(E)-2-(3-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)benzoic acid (Compound 59);

(E)-N-(3-(4-ethoxy-4-oxido-1,4-azaphosphinan-1-yl)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 60).

13. The compound according to any one of claims 1 to 11, wherein the compound is selected from:

(1S,4S)-4-((E)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 1);

(1R,4R)-4-((E)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 2);

(E)-N-(3-(1H-tetrazol-5-yl)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 3);

(E)-N-(2-(1H-tetrazol-5-yl)ethyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 4);

(E)-2-(2-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)ethyl)benzoic acid (Compound 5);

(E)-N-((1R,4R)-4-(1H-tetrazol-5-yl)cyclohexyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 6);

(E)-N-((1S,4S)-4-(1H-tetrazol-5-yl)cyclohexyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 7);

(E)-1-(3-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 8);

(E)-2-((12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)methyl)nicotinic acid (Compound 9);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(5-oxo-4,5-dihydro-1H-tetrazol-1-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 10);

(E)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-N-(3-(5-oxo-4,5-dihydro-1,2,4-oxadiazol-3-yl)propyl)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 11);

(8S,E)-N4-((1R,4S)-4-(1H-tetrazol-5-yl)cyclohexyl)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 12);

(8R,E)-N4-((1R,4R)-4-(1H-tetrazol-5-yl)cyclohexyl)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 13);

(1S,4R)-4-((8S,E)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 14);

(1R,4R)-4-((8R,E)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 15);

(8S,E)-N4-(3-(1H-tetrazol-5-yl)propyl)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 16);

(8R,E)-N4-(3-(1H-tetrazol-5-yl)propyl)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 17);

1-(3-((8S,E)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 18);

1-(3-((8R,E)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 19);

(1R,4R)-4-((E)-8-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 20);

(E)-N-(3-(1H-tetrazol-5-yl)propyl)-8-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 21);

(E)-N-((1R,4R)-4-(1H-tetrazol-5-yl)cyclohexyl)-8-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 22);

(E)-1-(3-(8-(8-oxa-3-azabicyclo[3.2.1]octan-3-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 23);

(E)-N-((1R,4R)-4-(1H-tetrazol-5-yl)cyclohexyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8-morpholino-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 24);

(E)-N-(3-(1H-tetrazol-5-yl)propyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8-morpholino-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 25);

(1R,4R)-4-((E)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8-morpholino-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 26);

(E)-1-(3-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8-morpholino-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 27).

14. The compound according to any one of claims 1 to 11, wherein the compound is selected from:

(1R,4R)-4-((E)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 2);

(E)-N-((1R,4R)-4-(1H-tetrazol-5-yl)cyclohexyl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 6);

(E)-1-(3-(12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)propyl)-1H-pyrazole-4-carboxylic acid (Compound 8);

(8S,E)-N4-((1R,4S)-4-(1H-tetrazol-5-yl)cyclohexyl)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4,12-dicarboxamide (Compound 12);

(1S,4R)-4-((8S,E)-8-(3-oxa-8-azabicyclo[3.2.1]octan-8-yl)-12-carbamoyl-1,15-bis(1-ethyl-3-methyl-1H-pyrazole-5-carboxamido)-8,9,16,19-tetrahydro-7H-6,10-dioxo-2,14,15a,19a-tetraazacyclopentadeca[3,2,1-cd:8,9,10-c'd']diindene-4-carboxamido)cyclohexane-1-carboxylic acid (Compound 14).

15. A pharmaceutical composition comprising a compound of Formula (I), Formula (II), or a pharmaceutically acceptable salt thereof as claimed in any one of claims 1 to 14 and at least one or more pharmaceutically acceptable excipients.
16. Use of a compound of Formula (I), Formula (II), or a pharmaceutically acceptable salt thereof as claimed in any one of claims 1 to 14 for the manufacture of a medicament for the treatment of a disease or condition in which activation of STING is beneficial.
17. A method of treating a disease or condition in which activation of STING is beneficial in a subject in need thereof, the method comprising administering to the subject a therapeutically effective amount of a compound of Formula (I), Formula (II), or a pharmaceutically acceptable salt thereof as claimed in any one of claims 1 to 14.
18. The method according to claim 17, wherein the disease or condition is cancer or one or more infectious diseases.
19. The method according to claim 17, wherein the disease or condition is cancer, and wherein the cancer is one or more solid tumors, leukemia, lymphoma, or a combination thereof.
20. The method according to claim 17, wherein the disease or condition is one or more infectious diseases, wherein infectious diseases is viral infection, bacterial infection, or a combination thereof.
21. The method according to claim 18 or 19, wherein the cancer is selected from brain cancer, renal cancer, testicular cancer, cancer of urethra, rectal cancer, cancer of fallopian tubes, penile cancer, vaginal cancer, stomach cancer, skin cancer, liver cancer, gastrointestinal stromal tumors, urothelial cancer, thyroid cancer, parathyroid gland cancer, adrenal cancer, bone cancer, oral cancer, ovarian cancer, uterine cancer, head and neck squamous cell carcinoma, endometrial cancer, gall bladder cancer, renal cancer, bladder cancer, oropharyngeal cancer, lymph node cancer, glioblastoma, astrocytoma, glioblastoma multiforme or sarcomas of soft tissue, fibrosarcoma, chondrosarcoma, hemangioma, teratoma, lipoma, myxoma, fibroma, rhabdomyoma, teratoma,

cholangiocarcinoma, myeloma, Ewing's sarcoma, myeloma, Hodgkin's disease, non-Hodgkin's lymphoma, follicular lymphoma, mantle cell lymphoma, Burkitt's lymphoma, lymphoblastic T-cell lymphoma, marginal zone lymphoma, cutaneous T cell lymphoma, CNS lymphoma, small lymphocytic lymphoma, lymphoplasmacytic lymphoma, diffuse large cell lymphoma (DLBCL), peripheral T-cell lymphoma, anaplastic large cell lymphoma, primary mediastinal lymphoma, mycosis fungoides, small non-cleaved cell lymphoma, lymphoblastic lymphoma, immunoblastic lymphoma, primary effusion lymphoma, HIV associated (or AIDS related) lymphomas, lymphoblastic T cell leukemia, chronic myelogenous leukemia, acute lymphoblastic T cell leukemia, lymphoblastic T cell leukemia, acute myeloblastic leukemia, hairy-cell leukemia, chronic neutrophilic leukemia, mantle cell leukemia, acute megakaryocytic leukemia, multiple myeloma, megakaryoblastic leukemia, erythroleukemia, plasmacytoma, promyelocytic leukemia, chronic myelomonocytic leukemia, myelodysplastic syndrome, myelofibrosis, chronic myelogenous leukemia, polycythemia vera, thrombocythemia, chronic lymphocytic leukemia, prolymphocytic leukemia, hairy cell leukemia, Waldenström's macroglobulinemia, Castleman's disease, chronic neutrophilic leukemia, immunoblastic large cell leukemia and plasmacytoma.

22. The method according to claim 18 or 20, wherein the disease or condition is HIV, HPV, HCV, HBV, alphavirus, rotavirus or influenza infection.

23. A method according to claim 17, further comprising administering to the subject, one or more additional therapies.

24. A method according to claim 23, wherein the additional therapies is chemotherapy, immunotherapy, radiotherapy, or a combination thereof.

25. The compound according to any one of claims 1 to 14, for use as a vaccine adjuvant.

26. A composition comprising (i) a compound of Formula (I), Formula (II), or a pharmaceutically acceptable salt thereof, as claimed in any one of claims 1 to 14, and {ii} one or more antigens, one or more antigen compositions, or a combination thereof.