

1/22




FIG. 1

2/22








FIG. 2



3/22

*FIG. 3**FIG. 4*

4/22

*FIG. 5**FIG. 6*

5/22

*FIG. 7**FIG. 8*

6/22

Glutamic acid




FIG. 9

alpha-Amino-n-butyric acid






FIG. 10

7/22


**FIG. 11**

8/22

Proline


*FIG. 12*

Proline


*FIG. 13*

9/22



butyric acid

**FIG. 14**



butyric acid

**FIG. 15**



10/22

*FIG. 16**FIG. 17*



11/22

*FIG. 18**FIG. 19*



12/22

*FIG. 20**FIG. 21*



13/22

*FIG. 22**FIG. 23*



14/22

*FIG. 24**FIG. 25*




15/22

*FIG. 26**FIG. 27*




16/22

*FIG. 28**FIG. 29*



17/22

FIG. 30*FIG. 31**FIG. 32*



18/22

FIG. 33*FIG. 34**FIG. 35*


19/22

*FIG. 36**FIG. 37*

20/22

*FIG. 38**FIG. 39*

21/22

*FIG. 40*

22/22

	IL-12p40				IL-1 β				IL-6				TNF- α			
	Average	Sign. Effect	% change		Average	Sign. Effect	% change		Average	Sign. Effect	% change		Average	Sign. Effect	% change	
No Sample	2074.78				390.34				15926.39				8922.91			
Extensively hydrolyzed casein non-sterile filtered	758.52	↓	63.44		258.42	↓	33.80		11851.96				6461.56			
Extensively hydrolyzed casein	882.27	↓	57.48		198.27	↓	49.21		8124.46	↓	48.99		4310.24			
>500Da fraction	1124.63				309.98								5682.15	↓	36.32	

FIG. 41