

FIGURE 1




FIGURE 2






FIGURE 3A



Number of XY Pairs 19
Spearman r 0,6930
95% confidence interval 0.3356 - 0.8760
P value (two-tailed) 0,0010

FIGURE 3B



Number of XY Pairs 24
Spearman r 0,4469
95% confidence interval 0.04039 - 0.7265
P value (two-tailed) 0,0286

FIGURE 4A-1





FIGURE 4A-2



Ferritin (ng/ml)

FIGURE 4B-1




FIGURE 4B-2




FIGURE 4C-1




FIGURE 4C-2




FIGURE 4D-1




FIGURE 4D-2




FIGURE 5




FIGURE 6




FIGURE 7A





FIGURE 7B
Pt#1



Number of XY pairs	17
Spearman r	0.7885
95% CI	0.4839 – 0.9227
p-value (two tailed)	0.0003

FIGURE 8A




FIGURE 8B




FIGURE 8C




FIGURE 8D




FIGURE 9A




FIGURE 9B




FIGURE 10A




FIGURE 10B




FIGURE 10C




FIGURE 10D




FIGURE 10E




FIGURE 10F




FIGURE 10G




FIGURE 10H




FIGURE 10I




FIGURE 10J




FIGURE 11A




FIGURE 11B




FIGURE 11C




FIGURE 11D




FIGURE 11E




FIGURE 11F




FIGURE 12




FIGURE 13A




FIGURE 13B






FIGURE 14



EOT = end of treatment with NI-0501
Solid lines = pts. with favorable response
Dashed lines = pts. with insufficient responses


No. of patients with ANC < 1000/mcl	
Baseline (SD0)	End of Treatment
11/18	3/18
p < 0.001 (*)	

* One-sided single proportion test



Median (Q1;Q3)

FIGURE 15



No. of patients with PLT < 100 x10 ³ /mcl	
Baseline (SD0)	End of Treatment
13/18	6/18
p < 0.001 (*)	

* One-sided single proportion test





FIGURE 16



Median serum levels (pts. with baseline > 1000 ng/ml; n=13)	
Baseline (SD0)	End of Treatment
5880 ng/ml	1909 ng/ml
p = 0.006 (*)	

* Paired t-test on log transformed data





FIGURE 17



Median dose	
Baseline (SD0)	End of Treatment
10.0 mg/m ²	4.5 mg/m ²
p = 0.02 (*)	
No. of pts with tapering ≥ 50%:	
13/17 [^]	

* two-sided Wilcoxon Signed rank test
[^] data for 1 patient not yet available

FIGURE 18




FIGURE 19

