




FIG. 1A

2/24




FIG. 1B




FIG. 1C

4/24



FIG. 2




FIG. 3

5/24



FIG. 4



FIG. 5

6/24




FIG. 6




FIG. 7

7/24




FIG. 8




FIG. 9

8/24




FIG. 10




FIG. 11

9/24




FIG. 12



FIG. 13

10/24




FIG. 14



FIG. 15

11/24




FIG. 16




FIG. 17

12/24




FIG. 18



FIG. 19

13/24



FIG. 20




FIG. 21

14/24




FIG. 22




FIG. 23

15/24




FIG. 24




FIG. 25

16/24




FIG. 26



FIG. 27

17/24



FIG. 28




FIG. 29

18/24



FIG. 30




FIG. 31

19/24




FIG. 32




FIG. 33




FIG. 34






FIG. 35

21/24



110'





FIG. 37

22/24



(a) $0-100 \mu\text{mol}\cdot\text{m}^{-2}\cdot\text{s}^{-1}$

(b) $100-200 \mu\text{mol}\cdot\text{m}^{-2}\cdot\text{s}^{-1}$

(c) $200-300 \mu\text{mol}\cdot\text{m}^{-2}\cdot\text{s}^{-1}$

FIG. 38




FIG. 39




FIG. 40