


[Fig. 1]


AP
NDPR TF
Basic TF
BA
STA1
NDP
UL Data (Bfed)
STA2
NDP
UL Data (Bfed)
STA3
NDP
UL Data (Bfed)


[Fig. 2]


Common Info
Trigger Type
UL Length
More TF
CS Required
UL BW
GI And LTF Type
MU MIMO Mode
Number of EHT-LTF Symbols And midamble Periodicity
UL STBC
LDPC Extra Symbol Segment
AP TX Power
Pre-FEC Padding Factor
PE Disambiguity
UL Spatial Reuse
Doppler
UL EHT-SIG-A2 Reserved
Reserved
Per User Info
User Info (STA 1)
...
User Info (STA M)
AID12
RU Allocation
UL FEC Coding Type
UL MCS
UL DCM
SS Allocation/ RA-RU Information
UL Target RSSI
Reserved
Trigger Dependent User Info
...
Nc
Nr
Codebook Information
Feedback type
SNR
Precoding matrix V


[Fig. 3]




[Fig. 4]




[Fig. 5]




[Fig. 6]




[Fig. 7]



[Fig. 8]




[Fig. 9]



Rule 26, 08.04.2024

[Fig. 10]



[Fig. 11]

<table>
<tr><th rowspan="2">BW</th><th colspan="2">Tone indices</th></tr>
<tr><th>Small RU</th><th>Large RU</th></tr>
<tr><td>20MHz</td><td>11ax</td><td rowspan="5">11be</td></tr>
<tr><td>40MHz</td><td>11ax</td></tr>
<tr><td>80MHz</td><td rowspan="3">Other indices tone plan</td></tr>
<tr><td>160MHz</td></tr>
<tr><td>320MHz</td></tr>
</table>