

TITLE OF THE INVENTION

ELECTRONIC MUSICAL APPARATUS, CONTROL METHOD THEREFOR,
AND STORAGE MEDIUM STORING INSTRUCTIONS
5 FOR IMPLEMENTING THE METHOD

BACKGROUND OF THE INVENTION

Field of the Invention

10 The present invention relates to an electronic musical apparatus that has a Web browser installed therein and uses supplied Web contents data via the Web browser, a control method for the electronic musical apparatus, and a storage medium storing instructions for
15 implementing the control method.

Description of the Related Art

Conventionally, there has been known an electronic musical apparatus which has a Web browser installed
20 therein and uses (for example, view) supplied Web contents data via the Web browser.

As an advanced type of this electronic musical apparatus, an electronic musical apparatus has been proposed which not only uses supplied Web contents data,
25 but also acquires a script for expanding the functions of the electronic musical apparatus as well as the Web contents data and expands the functions of the electronic musical apparatus according to this script (see Japanese Laid-Open Patent Publication (Kokai) No. 2003-255934, for
30 example).

However, in the above conventional electronic musical apparatus, although the functions of the electronic musical apparatus can be expanded using the supplied Web contents data and the script, functions
35 provided in advance in the electronic musical apparatus

cannot be executed using the supplied Web contents data and the script.

SUMMARY OF THE INVENTION

5

It is an object of the present invention to provide an electronic musical apparatus which makes it possible to execute functions provided in advance in the electronic musical apparatus, a control method for the electronic musical apparatus, and a storage medium
10 storing instructions for implementing the control method.

To attain the above object, in a first aspect of the present invention, there is provided an electronic musical apparatus comprising a first acquiring device
15 that acquires contents data including link information indicative of a link to a file in which at least one command for executing at least one predetermined function provided in the electronic musical apparatus is written, a display device that displays a predetermined screen
20 based on the contents data acquired by the first acquiring device, a second acquiring device that is operable when a user performs a predetermined operation on a display element relating to the link information on the predetermined screen displayed by the display device,
25 to acquire the file linked by the link information, and a control device that interprets the at least one command written in the file acquired by the second acquiring device and controls the electronic musical apparatus to execute the at least one predetermined function indicated
30 by the interpreted command.

With the arrangement of the first aspect of the present invention, link information indicative of a link to a file in which at least one command for executing at least one predetermined function provided in advance in
35 the electronic musical apparatus is written is included

in contents data, and when the user performs a predetermined operation on the link information presented on a predetermined screen displayed on the display device, the file linked by the link information is acquired. The
5 at least one command written in the acquired file is interpreted and executed. As a result, the corresponding function of the electronic musical apparatus is executed, and thus the function provided in advance in the electronic musical apparatus can be executed. Also,
10 since the file is formed of a file other than a file that contains the contents data, one file can be shared by a plurality of contents data. Further, since it is only necessary to include the link information indicative of a link to the file in the contents data, the contents data
15 can be easily created.

Preferably, the first acquiring device, the display device, and the second acquiring device are realized by a browser, the control device is realized by a function executing section, and the browser activates the function
20 executing section to execute the at least one predetermined function indicated by the interpreted command.

More preferably, a file extension is appended to the file, and the browser identifies the file extension to
25 activate the function executing section.

Preferably, the control device controls the electronic musical apparatus not to execute the function indicated by the interpreted command when the function indicated by the interpreted command is a function that
30 is not provided in the electronic musical apparatus.

Preferably, the file is linked by link information owned by other contents data.

Preferably, the function executed by the electronic musical apparatus under control of said control device
35 includes at least one function selected from the group

consisting of a function of opening or closing a screen on said display device, a function of controlling reproduction of musical composition data, a function of setting a volume value of a song to be reproduced based on musical composition data, a function of setting a tempo value of a song to be reproduced based on musical composition data, a function of setting a transpose value of a keyboard or a song to be reproduced, a function relating to setting of performance guide, a function relating to setting of a tone to be generated by operation of a keyboard, a function relating to setting of automatic accompaniment, a function of designating a musical composition to be automatically reproduced, a function relating to setting as to reproduction of a song track, a function of collectively setting musical instrument status, a function of assigning setting data for setting tone color or accompaniment of a musical composition to be performed based on musical composition data to a predetermined operating element, a function of setting tone color or accompaniment of a musical composition, a function of loading musical composition data from an external storage medium and instructing reproduction of the loaded musical composition data, and a function of assigning an instruction for sending data to an external apparatus to a predetermined operating element.

To attain the above object, in a second aspect of the present invention, there is provided an electronic musical apparatus comprising an acquiring device that acquires contents data in which at least one command for executing at least one predetermined function provided in the electronic musical apparatus is embedded, and a control device that is responsive to a predetermined operation by a user to interpret the at least one command embedded in the contents data acquired by the acquiring

device and controls the electronic musical apparatus to execute the at least one predetermined function indicated by the interpreted command.

With the arrangement of the second aspect of the present invention, at least one command embedded in contents data acquired by the acquiring device is interpreted in response to a predetermined operation by a user, and the electronic musical apparatus is controlled to execute at least one predetermined function indicated by the interpreted command. As a result, functions provided in the electronic musical apparatus can be executed.

Preferably, the function executed by the electronic musical apparatus under control of said control device includes at least one function selected from the group consisting of a function of opening or closing a screen on said display device, a function of controlling reproduction of musical composition data, a function of setting a volume value of a song to be reproduced based on musical composition data, a function of setting a tempo value of a song to be reproduced based on musical composition data, a function of setting a transpose value of a keyboard or a song to be reproduced, a function relating to setting of performance guide, a function relating to setting of a tone to be generated by operation of a keyboard, a function relating to setting of automatic accompaniment, a function of designating a musical composition to be automatically reproduced, a function relating to setting as to reproduction of a song track, a function of collectively setting musical instrument status, a function of assigning setting data for setting tone color or accompaniment of a musical composition to be performed based on musical composition data to a predetermined operating element, a function of setting tone color or accompaniment of a musical

composition, a function of loading musical composition data from an external storage medium and instructing reproduction of the loaded musical composition data, and a function of assigning an instruction for sending data
5 to an external apparatus to a predetermined operating element.

Preferably, the contents data further includes music contents, and the command is for executing at least one function relating to the music contents.

10 To attain the above object, in a third aspect of the present invention, there is provided an electronic musical apparatus comprising an acquiring device that acquires contents data in which at least one command for executing at least one predetermined function provided in
15 the electronic musical apparatus is embedded, a display device that displays a predetermined screen based on the contents data acquired by the acquiring device, and a control device that is operable when a user performs a predetermined operation on a display element displayed on
20 the predetermined screen displayed by the display device, to interpret the at least one command embedded in the contents data acquired by the acquiring device and control the electronic musical apparatus to execute the at least one predetermined function indicated by the
25 interpreted command.

With the arrangement of the third aspect of the present invention, a predetermined screen is displayed based on the contents data acquired by the acquiring device, and when a user performs a predetermined
30 operation on a display element displayed on the displayed predetermined screen, at least one command embedded in the acquired contents data is interpreted, and the electronic musical apparatus is controlled to execute at least one predetermined function indicated by the
35 interpreted command. As a result, functions provided in

advance in the electronic musical apparatus can be executed.

Preferably, the function executed by the electronic musical apparatus under control of said control device includes at least one function selected from the group consisting of a function of opening or closing a screen on said display device, a function of controlling reproduction of musical composition data, a function of setting a volume value of a song to be reproduced based on musical composition data, a function of setting a tempo value of a song to be reproduced based on musical composition data, a function of setting a transpose value of a keyboard or a song to be reproduced, a function relating to setting of performance guide, a function relating to setting of a tone to be generated by operation of a keyboard, a function relating to setting of automatic accompaniment, a function of designating a musical composition to be automatically reproduced, a function relating to setting as to reproduction of a song track, a function of collectively setting musical instrument status, a function of assigning setting data for setting tone color or accompaniment of a musical composition to be performed based on musical composition data to a predetermined operating element, a function of setting tone color or accompaniment of a musical composition, a function of loading musical composition data from an external storage medium and instructing reproduction of the loaded musical composition data, and a function of assigning an instruction for sending data to an external apparatus to a predetermined operating element.

More preferably, the contents data further includes music contents, and the command is for executing at least one function relating to the music contents.

To attain the above object, in a fourth aspect of

the present invention, there is provided a control method for an electronic musical apparatus, comprising a first acquiring step of acquiring contents data including link information indicative of a link to a file in which at least one command for executing at least one predetermined function provided in the electronic musical apparatus is written, a display step of causing a display device to display a predetermined screen based on the contents data acquired in the first acquiring step, a second acquiring step of acquiring the file linked by the link information when a user performs a predetermined operation on a display element relating to the link information on the predetermined screen displayed in the display step, and a control step of interpreting the at least one command written in the file acquired in the second acquiring step and controlling the electronic musical apparatus to execute the at least one predetermined function indicated by the interpreted command.

According to the fourth aspect of the present invention, the same effects as those obtained by the electronic musical apparatus according to the first aspect can be obtained.

To attain the above object, in a fifth aspect of the present invention, there is provided a control method for an electronic musical apparatus, comprising an acquiring step of acquiring contents data in which at least one command for executing at least one predetermined function provided in the electronic musical apparatus is embedded, and a control step of interpreting the at least one command embedded in the contents data acquired in the acquiring step and controlling the electronic musical apparatus to execute the at least one predetermined function indicated by the interpreted command, in response to a predetermined operation by a user.

According to the fifth aspect of the present invention, the same effects as those obtained by the electronic musical apparatus according to the second aspect can be obtained.

5 To attain the above object, in a sixth aspect of the present invention, there is provided a control method for an electronic musical apparatus, comprising an acquiring step of acquiring contents data in which at least one command for executing at least one predetermined function
10 provided in the electronic musical apparatus is embedded, a display step of causing a display device to display a predetermined screen based on the contents data acquired in the acquiring step, and a control step of interpreting the at least one command embedded in the contents data
15 acquired in the acquiring step and controlling the electronic musical apparatus to execute the at least one predetermined function indicated by the interpreted command when a user performs a predetermined operation on a display element displayed on the predetermined screen
20 displayed in the display step.

According to the sixth aspect of the present invention, the same effects as those obtained by the electronic musical apparatus according to the third aspect can be obtained.

25 Further, to attain the above object, in a seventh aspect of the present invention, there is provided a mechanically readable storage medium storing instructions for causing a machine to execute the control method according to the fourth aspect.

30 According to the seventh aspect of the present invention, the same effects as those obtained by the electronic musical apparatus according to the first aspect can be obtained.

 Further, to attain the above object, in an eighth
35 aspect of the present invention, there is provided a

mechanically readable storage medium storing instructions for causing a machine to execute the control method according to the fifth aspect.

According to the eighth aspect of the present invention, the same effects as those obtained by the electronic musical apparatus according to the second aspect can be obtained.

Further, to attain the above object, in a ninth aspect of the present invention, there is provided a mechanically readable storage medium storing instructions for causing a machine to execute the control method according to the sixth aspect.

According to the ninth aspect of the present invention, the same effects as those obtained by the electronic musical apparatus according to the third aspect can be obtained.

The above and other objects, features, and advantages of the invention will become more apparent from the following detailed description taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram schematically showing the arrangement of an electronic musical apparatus according to a first embodiment of the present invention;

FIG. 2 is a block diagram schematically showing the functional configurations of the electronic musical apparatus in FIG. 1 and a Web server;

FIG. 3 is a flow chart showing the procedure of a control process carried out by the electronic musical apparatus in FIG. 1, in particular, by the Web browser and a function executing section thereof;

FIG. 4 is a view showing an example of contents data description;

FIG. 5 is a view showing an example of the layout of a panel of the electronic musical apparatus, including a screen displayed based on the contents data in FIG. 4;

FIG. 6 is a view showing another example of the contents data description in FIG. 2;

FIG. 7 is a block diagram schematically showing the functional configurations of an electronic musical apparatus and a Web server according to a second embodiment of the present invention;

FIG. 8 is a view showing an example of contents data appearing in FIG. 7;

FIG. 9A is a diagram showing an example of a data format of a remote control file appearing in FIG. 7;

FIG. 9B is a diagram showing an example of remote control data written in the remote control file in FIG. 7; and

FIG. 10 is a flow chart showing the procedure of a control process carried out by the electronic musical apparatus and the Web server in FIG. 7.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention will now be described in detail with reference to the accompanying drawings showing preferred embodiments thereof.

FIG. 1 is a block diagram schematically showing the arrangement of an electronic musical apparatus 1 according to a first embodiment of the present invention.

As shown in FIG. 1, the electronic music apparatus 1 according to the present embodiment is comprised of performance operators 2 including a keyboard for inputting pitch information; setting operators 3 including a plurality of switches, a keyboard, and a mouse for inputting various kinds of information; a detecting circuit 4 for detecting operative states of the

performance operators 2; a detecting circuit 5 for detecting operative states of the setting operators 3; a CPU 6 that controls the entire apparatus; a ROM 7 that stores control programs executed by the CPU 6, various
5 table data, etc.; a RAM 8 for temporarily storing performance data, various input information, computation results, etc.; a timer 9 that measures an interrupt time for timer interrupt processing and various kinds of time; a display 10 comprised of a liquid crystal display (LCD)
10 or a CRT (Cathode Ray Tube) and light emitting diodes (LEDs); an external storage device 11 that stores various application programs including control programs, various musical composition data, and various other data; a MIDI interface (I/F) 12 that inputs MIDI (Musical Instrument
15 Digital Interface) messages from external devices and outputs MIDI messages to external devices; a communication interface (I/F) 13 that performs transmission and reception of data to and from a server computer (hereinafter simply referred to as "the
20 server") 102 via a communication network 101; a tone generator circuit 14 that converts performance data input by the performance operators 2, preset performance data, and other data into musical tone signals; an effect circuit 15 that applies various effects to musical tone
25 signals from the tone generator circuit 14; and a sound system 16 that converts musical tone signals from the effect circuit 15 into sounds and is comprised of a DAC (Digital-to-Analog Converter), an amplifier, a speaker, etc.

30 The above component elements 4 to 15 are connected to each other via a bus 17. The timer 9 is connected to the CPU 6, other MIDI equipment 100 to the MIDI I/F 11, the communication network 101 to the communication I/F 13, the effect circuit 15 to the tone generator circuit 14,
35 and the sound system 16 to the effect circuit 15,

respectively. Here, the communication I/F 13 and the communication network 101 should not necessarily be wired, but may be wireless. Alternatively, one may be wired and the other may be wireless

5 The external storage device 11 may be implemented, for example, by a flexible disk drive (FDD), a hard disk drive (HDD), a CD-ROM drive, or a magnetic-optical disk drive (MO). The external storage device 11 may store the control programs executed by the CPU 6 as mentioned above.
10 If one or more of the control programs are not stored in the ROM 7, the control program(s) may be stored in the external storage device 11, and by reading out the control program(s) from the external storage device 11 and storing the same in the RAM 8, the CPU 6 can operate
15 in the same manner as if the control program(s) were stored in the ROM 7. This enables adding control programs and upgrading the version of the control programs with ease.

 The MIDI I/F 12 need not be a dedicated one, but may
20 be implemented by a universal interface such as RS-232C, USB (Universal Serial Bus), and IEEE1394. In this case, data other than MIDI message data may be transmitted and received simultaneously via the MIDI I/F 12.

 As mentioned above, the communication I/F 13 is
25 connected to the communication network 101 which may be a LAN (Local Area Network), the Internet, a telephone line, or the like, for connection to the server 102 via the communication network 101. When one or more of the above programs and various parameters are not stored in the
30 external storage device 11, the communication I/F 13 is used to download such programs and parameters from the server 102. The electronic musical apparatus 1 as a client transmits a command or commands for downloading one or more programs and parameters to the server 102 via
35 the communication I/F 13 and the communication network

101. In response to the command, the server 102 distributes the requested program(s) and parameters to the electronic musical apparatus 1 via the communication network 101, and the electronic musical apparatus 1
5 receives the program(s) and parameters via the communication I/F 13 and stores them in the external storage device 11, thus completing the download.

In the present embodiment, the server 102 is a Web server that distributes contents (Web page data). The
10 Web server 102 can be comprised of the same component elements as those of the electronic musical apparatus 1, but the performance operators 2, detecting circuit 4, and MIDI I/F 12 may be omitted because they are not essential elements. In general, a server computer is used as the
15 Web server 102.

FIG. 2 is a block diagram schematically showing the functional configurations of the electronic musical apparatus 1 and the Web server 102.

As shown in FIG. 2, the electronic musical apparatus
20 1 is comprised of a Web browser 1a that acquires Web contents data (hereinafter simply referred to as "the contents data") stored in, for example, an external storage device, not shown, attached to the Web server 102 and executes a function of displaying the acquired
25 contents data 102a on the display 9, and a function executing section 1b that executes functions of the electronic musical apparatus 1 in accordance with a control command or control commands (for executing one or more predetermined functions of the electronic musical
30 apparatus 1) written (embedded) in the contents data 102a.

The Web browser 1a and the function executing section 1b are realized by software. Specifically, the Web browser 1a is realized by a Web browser program being executed by the CPU 6, and the function executing section
35 1b is realized by a function executing program being

executed by the CPU 6. The Web browser program and the function executing program are stored in, for example, the external storage device 11 and loaded into the RAM 8 when they are used.

5 The Web server 102 stores the contents data 102a in the above-mentioned external storage device. Although only one piece of contents data 102a is shown in FIG. 2, this contents data 102a is one which has been requested to be distributed (downloaded) by the Web browser 1a
10 among a plurality of pieces of contents data; that is, it does not mean that only one piece of contents data 102a is stored in the external storage device. Typically, plural pieces of contents data are stored in the external storage device. The contents data 102a may be
15 statistically (fixedly) created by the user who uses the Web server 102 or dynamically created by a CPU, not shown, of the Web server 102 based on some information transmitted from the Web browser 1a.

20 As will be understood from the above described construction, the electronic musical apparatus 1 is constructed on an electronic musical instrument.

 In the case where the electronic musical apparatus 1 is implemented by an electronic musical instrument, the electronic musical instrument should not necessarily be a
25 keyboard musical instrument, but may be a stringed instrument, a wind instrument, a percussion instrument, or the like. Further, a tone generator apparatus, an electronic musical apparatus, and so forth should not necessarily be incorporated into the main body of one
30 electronic musical instrument, but may be configured as separate bodies and connected to each other via some communication means such as a MIDI I/F and various kinds of networks.

 Further, the electronic musical apparatus 1
35 according to the present embodiment may be constructed on

a dedicated apparatus, other than an electronic musical instrument, which is comprised of the minimum elements that can practice the present invention. Examples of the dedicated apparatus include a karaoke machine, a game machine, and a portable communication terminal such as a cellular phone. In the case where a portable communication terminal is used, it should not necessarily be configured such that predetermined functions can be realized by the terminal alone, but part of the functions may be assigned to a server so that a system comprised of the terminal and the server can realize the functions. Alternatively, the electronic musical apparatus 1 according to the present embodiment may be constructed on a general-purpose personal computer.

Referring to FIGS. 3 to 6, a detailed description will now be given of control processes carried out by the electronic musical apparatus 1 constructed as described above.

FIG. 3 is a flow chart showing the procedure of a control process carried out by the electronic musical apparatus 1, in particular, by the Web browser 1a and the function executing section 1b. In FIG. 3, processing in steps S1 to S3, S6, and S7 corresponds to processing performed by the Web browser 1a, and processing in steps S4 and S5 corresponds to processing performed by the function executing section 1b that functions as a control device. It should be noted, however, that in actuality, the processing executed by the Web browser 1a and the function executing section 1b is performed by the CPU 6.

If contents data which has been requested to be downloaded by the user on the Web browser 1a for example is stored within the Web server 102, the Web browser 1a accesses the Web server 102 via the communication I/F 13 and the communication network 101 to request distribution of the contents data 102a.

Responsive to this access, the Web server 102 sends the contents data 102a, which has been requested to be distributed, to the Web browser 1a via the communication network 101.

5 The Web browser 1a functions as an acquiring device and a display device; it receives (acquires) the sent contents data 102a via the communication network I/F 13 (step S1) and displays Web page data on the display 10 based on the contents data 102a (step S2).

10 FIG. 4 is a view showing an example of description of the contents data 102a in HTML (Hypertext Markup Language), and FIG. 5 is a view showing an example of the layout of a panel of the electronic musical apparatus 1, including a screen displayed based on the contents data
15 102a in FIG. 4.

On the panel shown in FIG. 5, an LCD 10a and LEDs 10b to 10g are provided as the display 10, and an assignable button 3a is provided as one of the setting operators 3.

20 The Web browser 1a displays a screen on the LCD 10a based on the description of a part enclosed by "Body" tags in the contents data 102a in FIG. 4. Consequently, on the LCD 10a in FIG. 5, a message "Registration is set" is displayed on the first line, a message "For music aaaa
25 ... Click here" is displayed and then a button 10a1 on which characters "aaaa" are written is displayed on the next line, a message "For music bbbb ... Click here" is displayed and then a button 10a2 on which characters "bbbb" are written is displayed on the next line, and a
30 message "For music cccc ... Click here" is displayed and then a button 10a3 on which characters "cccc" are written is displayed on the bottom line.

Referring again to FIG. 3, it is determined whether or not there is any event corresponding to an event
35 handler written in the contents data 102a (step S3). The

event handler included in the contents data 102a of FIG. 4 is "onClick" enclosed by an INPUT tag and calls the corresponding function when the corresponding button is clicked. For example, the button 10a1 displayed on the LCD 10a in FIG. 5 is clicked by a cursor C, a function "Button1()" is called. That is, if there is any event corresponding to the event handler, this means that there is an event in which any of the three displayed buttons 10a1 to 10a3 is clicked. It should be noted that the display element associated with the event handler is not limited to the above-mentioned button, but may be anything such as a character string or an icon.

If it is determined in the step S3 that there is any event corresponding to the event handler written in the contents data 102a, it is then determined whether or not the corresponding command can be recognized by the electronic musical apparatus 1 (step S4). If the corresponding command can be recognized by the electronic musical apparatus 1, the function executing section 1b is caused to execute the command, so that the electronic musical apparatus 1 is controlled in accordance with the contents of the command (step S5). For example, when the button 10a2 displayed on the LCD 10a in FIG. 5 is clicked, a function "Button2()" is called in FIG. 4. The function "Button2()" includes a command "SetAssignableButton(Registration2)." The function executing section 1b executes this command because in the present embodiment, commands enclosed by EMIcon tags can be recognized by the electronic musical apparatus 1. Here, the command "SetAssignableButton(Registration2)" is for assigning a second registration (set data) that is set (stored) in advance in the electronic musical apparatus 1 to the assignable button 3a in FIG. 5. When this command is executed by the function executing section 1b, the electronic musical apparatus 1 is

controlled such that the second registration is assigned to the assignable button 3a. Here, assuming that a tone color 2 and an accompaniment 1 are set as the second registration, since the second registration is assigned to the assignable button 3a, when the user presses the assignable button 3a, the tone color 2 and the accompaniment 1 are set to the electronic musical apparatus 1, and as a result, the LEDs 10c and 10e light up as shown in FIG. 5.

Referring again to FIG. 3, the steps S3 to S5 are repeatedly executed until the user acquires other contents data. When the user has acquired the other contents data, the process returns to the step S1, and the steps S1 to S5 are repeatedly executed. When the user requests termination of the Web browser 1a, the control process is terminated.

It should be noted that the electronic musical apparatus 1 carries out processes for various functions provided in the electronic musical apparatus 1 in parallel with the above described control process.

FIG. 6 is a view showing another example of description of the contents data 102a in HTML.

When the Web browser 1a acquires the contents data 102a of FIG. 6, a message "Registration has been set to button" is displayed on the LCD 10a in the aforementioned step S2, and then an event handler "onLoad" is automatically executed to call a function "Auto()." The function "Auto()" includes a command "SetAssignableButton(Registration1)", which can be recognized by the electronic musical apparatus 1 since it is enclosed by the EMIcon tags, and therefore the function executing section 1b executes this command. The control method carried out in response to the execution of this command is the same as the one carried out in response to the execution of the aforementioned command

"SetAssignableButton(Registration2)", and therefore description thereof is omitted.

Thus, in the case where the user has to select a command to be executed by the function executing section 1b, the contents data 102a of FIG. 4 is used, and in the case where the user does not have to select a command to be executed by the function executing section 1b (i.e. a command is uniquely determined), the contents data 102a of FIG. 6 is used.

Although in FIG. 6, only one command to be executed is written in the contents data 102a of FIG. 6, the present invention is not limited to this, but a plurality of commands may be combined to be executed. If a plurality of commands are combined, all of them may be executed substantially at the same time or may be sequentially executed as time passes.

Also, in the present embodiment, a command for assigning a predetermined function to the assignable button 3a is embedded in the contents data 102a, any kind of command may be embedded, such as an operation command assigned to an existing button (for example, a command to set on "tone color 2", a command to set on "accompaniment 3", or a command to load desired music data from an external storage medium and start reproduction of the loaded music data). Preferably, not only a command but also a music contents material (such as MIDI data, audio data, musical score data, or music-related image data) is included in the contents data 102a, and a command that gives instructions in response to reproduction of the music contents material is embedded in the contents data 102a. For example, it can be envisaged that a music contents material is MIDI data indicative of the chord progression of a predetermined musical composition, and a command is for selecting the tone color and the accompaniment style in the performance of a melody by the

user. In such a case, as the chord progression of a predetermined musical composition based on MIDI data is reproduced, tone color and accompaniment style suitable for the predetermined musical composition can be
5 automatically set.

Further, although in the present embodiment, only one assignable button 3a is provided, the present invention is not limited to this, but a plurality of assignable buttons may be provided. In this case,
10 commands for the respective assignable buttons are embedded in the contents data 102a.

It is preferred that presenting information for, after a function is assigned to an assignable button, presenting what kind of function has been assigned to the assignable button, what will happen in response to the
15 operation of the assignable button to which the function has been assigned, and so forth to the user is embedded in the contents data 102a. For example, it can be envisaged that a command for displaying an alarm window
20 in which the presenting information is written is embedded in the contents data 102a.

Further, the function that is assigned to the assignable button 3a is not limited to the one realized within the electronic musical apparatus 1 (the above
25 described registration setting), but a function that cooperates with another apparatus may be assigned to the assignable button 3a. For example, a function of sending predetermined data stored in a storage device such as the RAM 8 of the electronic musical apparatus 1 or the
30 external storage device 11 (such as information on user's performance or information on a text input on the screen) from the electronic musical apparatus 1 to the Web server 102 as an external apparatus by pressing the assignable button 3a may be assigned to the assignable button 3a.

35 Although in the present embodiment, a physical

button is used as the assignable button 3a, the present invention is not limited to this, but a button provided in a predetermined area on the screen (a button created by software) may be used.

5 Further, the contents data should not necessarily be acquired from the Web server 102, but may be supplied from an external storage medium to the electronic musical apparatus 1.

10 Further, although in the present embodiment, an event handler according to Java (registered trademark) Script is used to cause the electronic musical apparatus 1 to execute a command embedded in the contents data 102a, other methods may be used.

15 Further, although in the present embodiment, the buttons on the screen are clicked using the mouse, the present invention is not limited to this, but the buttons may be clicked by touching them insofar as the display 10 is a touch panel type. Alternatively, it may be configured such that predetermined operating elements
20 (such as switches provided in the vicinity of the display 10) on the electronic musical apparatus 1 are associated with the buttons, so that the buttons can be clicked by operating the operating elements. Alternatively, it may be configured such that by operating a predetermined
25 operating element (such as a "cursor" switch for indicating upward/downward/right/left directions) on the electronic musical apparatus 1, any of the buttons on the screen is selected, and in this state, the selected button is clicked by operating another operating element
30 (such as an "execution" switch).

As described above, in the present embodiment, commands for executing functions provided in advance in the electronic musical apparatus 1 are embedded in the contents data 102a, and functions corresponding to the
35 commands are executed. As a result, it is possible to

execute functions provided in advance in the electronic musical apparatus 1.

Next, a description will be given of an electronic musical apparatus 1' according to a second embodiment of
5 the present invention.

The electronic musical apparatus 1' according to the second embodiment differs from the electronic musical apparatus 1 according to the above described first embodiment only in control process. Therefore, the
10 hardware of the electronic musical apparatus 1' is the same as that of the electronic musical apparatus 1 according to the first embodiment, which is shown in FIG. 1. Also, the hardware of a Web server 102' according to the second embodiment is the same as that of the Web
15 server 102 according to the above described first embodiment.

FIG. 7 is a block diagram schematically showing the functional configurations of the electronic musical apparatus 1' and the Web server 102', and corresponds to
20 FIG. 2 showing the above described first embodiment. In FIG. 7, component elements corresponding to those appearing in FIG. 2 are denoted by the same reference numerals, and therefore description thereof is omitted.

As shown in FIG. 7, the Web server 102' stores a
25 plurality of pieces of contents data 102a' in, for example, an external storage device, not shown. Each piece of the contents data 102a' is linked to one remote control file 102b.

FIG. 8 is a view showing an example of the contents data 102a', i.e. a screen displayed when the Web browser
30 1a displays a piece of the contents data 102a' for display on the LCD 10a.

In the contents data 102a' shown in FIG. 8, a
35 setting button 10a5 configured by software is linked to the remote control file 102b. It is quite a matter of

course that anything such as a character string or an icon based on the contents data 102a' as well as the button may be linked to the remote control file 102b insofar as it is a display element (indicator element).

5 Although in the present embodiment, each piece of contents data is linked to one remote control file, the present invention is not limited to this, but each piece of contents data may be linked to a plurality of remote control files. Alternatively, contents data linked to

10 one remote control file and contents data linked to a plurality of remote control files may be mixed in the plurality of contents data 102a'. Further, a plurality of pieces of contents data may be linked to a common remote control file (in which frequently used functions

15 and settings are described).

The remote control file 102b is a file to which a predetermined file extension is appended and is identified as a remote control file by this file extension. As described later in detail, when the file

20 to which the file extension is appended, i.e. the remote control file 102b is downloaded, the Web browser 1a activates a function executing function (function executing program) 1b' and transfers the process to the function executing section 1b' so that the function

25 executing section 1b' can perform subsequent processing on the remote control file 102b.

FIG. 9A is a diagram showing an example of the data format of the remote control file 102b, and FIG. 9B is a diagram showing an example of remote control data written

30 in the remote control file 102b.

As shown in FIG. 9A, at least one piece of remote control data is written in the remote control file 102b. Typically, a plurality of pieces of remote control data are written in the remote control file 102b because there

35 are various kinds of remote control data as shown in FIG.

9B. Therefore, in the following description, it is assumed that a plurality of pieces of remote control data are written in the remote control file 102b, but it is to be understood that the present invention can be realized
5 even in the case where only one piece of remote control data is written in the remote control file 102b.

The remote control data is comprised of one or more control commands for executing one or more predetermined functions of the electronic musical apparatus 1' as is
10 the case with the control commands of the above described first embodiment. The function executing section 1b' interprets each piece of remote control data to execute the corresponding function(s). As a result, the corresponding function(s) of the electronic musical
15 apparatus 1' can be remote-controlled from the Web server 102'.

FIG. 9B shows examples of functions that can be remote-controlled using remote control data, as well as examples of their descriptions. A brief description will
20 now be given of the examples of the functions shown in FIG. 9B.

(1) Panel screen: a function of opening or closing a lyric/score screen on the LCD 10a, and the example of description indicates the function of opening a score
25 screen ("SCORE").

(2) Song control: there are two kinds of functions consisting of "reproduction control" and "bar shift." The "reproduction control" function is a function of controlling the reproduction of a song (reproduction of
30 musical composition data (performance data)); controllable reproduction states include starting, stopping, and pause. The "bar shift" function is a function of shifting bars to be reproduced, of a song. The example of description indicates the function of
35 stopping the reproduction of a song.

(3) Song setting: a function of setting the volume value of a song generated based on reproduction of musical composition data (performance data); the example of description indicates the function of setting an
 5 absolute value "100" as the volume value, but a relative value may be set as the volume value.

(4) Tempo setting: a function of setting the tempo value of a song generated based on reproduction of musical composition data (performance data); the example
 10 of description indicates the function of setting an absolute value "120" as the tempo value, although a relative value may be set as the tempo value.

(5) Transpose setting: a function of setting the transpose value of a keyboard or a song to be reproduced;
 15 the example of description indicates the function of setting an absolute value "5" as the transpose value, although a relative value may be set as the transpose value.

(6) Guide setting: there are seven functions
 20 consisting of "guide ON/OFF setting", "guide mode setting", "guide lamp ON/OFF setting", "guide lamp timing setting", "left-channel setting", "right-channel setting", and "auto-channel ON/OFF setting." The "guide ON/OFF setting" function is a function of enabling
 25 (ON)/disabling (OFF) a guide function for guiding user's performance, such as lighting up a predetermined position of a key. The "guide mode setting" function is a function of setting one from among a plurality of guide modes. The "guide lamp ON/OFF setting" function is a
 30 function of setting ON/OFF a guide lamp. The "guide lamp timing setting" function is a function of setting timing of the guide lamp to JUST/NEXT. The "left channel setting" function is a function of changing channels to be assigned to the left channel. The "right channel
 35 setting" function is a function of changing channels to

be assigned to the right channel. The "auto-channel ON/OFF setting" is a function of setting whether channels to be assigned to the right/left channels are to be automatically set (ON) or not (OFF). The example of
5 description indicates the function of setting the guide function to "ON", the guide lamp to "ON", the left channel to "OFF", and the right channel to "1."

(7) Keyboard tone setting: a function of setting the tone color, volume value, reverb depth value, and DSP
10 (Digital Signal Processor) depth value for keyboard tones generated based on operation of the keyboard; the example of description indicates the function of setting bank select MSB (Most Significant Bit) of a main tone color to "0", bank select LSB (Least Significant Bit) of the main
15 tone color to "112", the program change to "6", and the volume value to an absolute value "100."

(8) Automatic accompaniment setting: a function of enabling (ON)/disabling (OFF) automatic accompaniment; the example of description indicates the function of
20 disabling (OFF) automatic accompaniment.

(9) Automatic performance musical composition reproduction: a function of designating how many pieces of music there are before or after the present piece of music being automatically reproduced; the example of
25 description indicates the function of instructing reproduction of the next piece of music.

(10) Song track: there are two functions consisting of "song track solo setting" and "song track play/mute setting." The "song track solo setting" function is a
30 function of setting a designated song track to solo (the other tracks are muted) among a predetermined number of song tracks constituting a song, or canceling solo setting. The "song track play/mute setting" function is a function of individually setting designated song tracks
35 to play or to mute. The example of description indicates

the function of setting on individual tracks 1 and 2 and setting off individual tracks 3, 10, and 16.

(11) Bulk setting: a function of collectively setting the state of a musical instrument. In the
 5 example of description, the state of the electronic musical apparatus 1' is set to a predetermined reset state (for example, the right-hand part of the keyboard is off, the left-hand part of the keyboard is off, and accompaniment is off).

10 It should be noted that items and functions to be set should not be limited to the examples given above. Also, it should be noted that the items and functions mentioned above can be used in the above described first embodiment as well.

15 Referring to FIG. 10, a detailed description will now be given of a control process carried out by the electronic musical apparatus 1' and the Web server 102' constructed as described above.

20 FIG. 10 is a flow chart showing the procedure of the control process carried out by the electronic musical apparatus 1' and the Web server 102'.

As shown in FIG. 10, first, when the user designates desired contents data 102a' in the Web server 102' via the Web browser 1a of the electronic musical apparatus 1' and requests distribution of the contents data 102a', the
 25 Web browser 1a accesses the Web server 102' via the communication I/F 13 and the communication network 101 to request distribution of the contents data 102a' (step S11).

30 Responsive to this access, the Web server 102' sends the contents data 102a', which has been requested to be distributed, to the Web browser 1a via the communication network 101 (step S101).

35 The Web browser 1a functions as a first acquiring device and a display device; it receives (acquires) the

sent contents data 102a' via the communication I/F 13 and displays Web page data on the display 10 based on the contents data 102a' (step S12). As a result, the screen shown in FIG. 8, for example, is displayed on the LCD 10a
5 of the display 10. On the illustrated screen, a cursor C is displayed, too, and hence when the user operates the mouse or the like to place the cursor C on the setting button 10a5 and click the same, the Web browser 1a accesses the Web server 102' to request distribution of
10 the remote control file 102b since the setting button 10a5 is linked to the remote control file 102b as mentioned above (step S13). It should be noted that an operation performed on the setting button 10a5 is not limited to the above-mentioned clicking operation using
15 the mouse or the like, but the setting button 10a5 may be operated using a touch-sensitive panel provided on the display or using a switch provided around the display 10 and in the vicinity of the setting button 10a5.

Responsive to this access, the Web server 102' sends
20 the remote control file 102b, which has been requested to be distributed, to the Web browser 1a via the communication network 101 (step S102).

The Web browser 1a functions as a second acquiring device; it receives (acquires) the sent remote control
25 file 102b via the communication I/F 13 and transfers the process therefor to the function executing section 1b' (step S14). In the step S14, on the assumption that the file received by the Web browser 1a is the remote control file 102b, the process therefor is immediately
30 transferred to the function executing section 1b'. However, the file received by the Web browser 1a is not limited to the remote control file 102b, and hence the Web browser 1a actually determines whether or not the received file is the remote control file 102b according
35 to whether or not the file extension appended to the

received file indicates that the received file is the remote control file. Then, if determining that the file extension indicative of the remote control file is appended to the received file, the Web browser 1a
5 transfers the process therefor to the function executing section 1b'. On the other hand, if determining that a file extension other than the one indicative of the remote control file is appended to the received file, the Web browser 1a performs processing in accordance with the
10 type of the file.

When the process is transferred to the function executing section 1b', the function executing section 1b' functions as a control device to interpret remote control data written in the remote control file 102b and execute
15 functions thereof to thereby control the electronic musical apparatus 1' (step S21). As mentioned above, the remote control data is for executing predetermined functions of the electronic musical apparatus 1', and there are a number of functions which can be controlled
20 by the remote control data. The remote control file 102b contains remote control data that executes at least part of the functions, and therefore the function executing function 1b' sequentially interprets the remote control data written in the remote control file 102b and executes
25 functions thereof so that the corresponding functions can be executed. However, there may be a case where remote control data for executing functions which are not provided in the electronic musical apparatus 1' is written in the remote control file 102b. In this case,
30 the function executing section 1b' merely interprets such remote control data without executing the functions thereof.

Although in the present embodiment, the contents data 102a' is created in advance and stored in the Web
35 server 102', the present invention is not limited to this,

but it may be configured such that the contents data 102a' is dynamically generated in response to access from the electronic musical apparatus 1', and the Web browser 1a acquires the dynamically created contents data 102a' from the Web server 102'.

As described above, according to the present embodiment, link information indicative of a link to the remote control file 102b in which remote control data for executing functions provided in advance in the electronic musical apparatus 1' is written is included in the contents data 102a', and when the user performs a predetermined operation such as mouse click on the link information presented on the screen displayed in the Web browser 1a, the file 102b linked by the link information is acquired, and the remote control data written in the acquired file 102b is interpreted and functions thereof are executed, so that the corresponding functions of the electronic musical apparatus 1' are executed. Therefore, functions provided in advance in the electronic musical apparatus 1' can be executed.

Also, the remote control file 102b is formed as a file separate from a file containing the contents data 102a', and hence a plurality of pieces of contents data 102a' can share one remote control file 102b. Further, the contents data 102a' can be easily created since it is only necessary to include link information indicative of a link to the remote control file 102b in the contents data 102a'.

It is to be understood that the object of the present invention may also be accomplished by supplying a system or an apparatus with a storage medium in which a program code of software, which realizes the functions of either of the above described embodiments is stored, and causing a computer (or the CPU 6 or MPU) of the system or apparatus to read out and execute the program code stored

in the storage medium.

In this case, the program code itself read from the storage medium realizes the functions of either of the above described embodiments, and hence the program code
5 and a storage medium in which the program code is stored constitute the present invention.

Examples of the storage medium for supplying the program code include a floppy (registered trademark) disk, a hard disk, a magnetic-optical disk, an optical disk,
10 such as a CD-ROM, a CD-R, a CD-RW, a DVD-ROM, a DVD-RAM, a DVD-RW, and a DVD+RW, a magnetic tape, a nonvolatile memory card, and a ROM. Alternatively, the program code may be downloaded from a server computer via a communication network.

15 Further, it is to be understood that the functions either of the above described embodiments may be accomplished not only by executing a program code read out by a computer, but also by causing an OS (operating system) or the like which operates on the computer to
20 perform a part or all of the actual operations based on instructions of the program code.

Further, it is to be understood that the functions of either of the above described embodiments may be accomplished by writing a program code read out from the
25 storage medium into a memory provided in an expansion board inserted into a computer or a memory provided in an expansion unit connected to the computer and then causing the CPU 6 or the like provided in the expansion board or the expansion unit to perform a part or all of the actual
30 operations based on instructions of the program code.

What is claimed is:

1. An electronic musical apparatus that makes it possible to execute a predetermined function provided in advance in the electronic musical apparatus to use with a musical performance, comprising:

first acquiring means that acquires contents data including link information indicative of a link to a remote control file stored in a server computer on a network, in which at least one remote control command indicative of an instruction for executing the predetermined function provided in the electronic musical apparatus is written, and including display data for displaying a predetermined screen on which a display element relating to the link information and the content of the predetermined function are displayed;

display means that displays the predetermined screen based on the contents data acquired by said first acquiring means;

second acquiring means that is operable when a user performs a predetermined operation on the display element relating to the link information on the predetermined screen displayed by said display means, to acquire the remote control file linked by the link information from the server computer; and

control means that interprets the at least one remote control command written in the remote control file acquired by said second acquiring means and controls the electronic musical apparatus to execute the predetermined function indicated by the interpreted remote control command.

2. An electronic musical apparatus according to claim 1, wherein said first acquiring means, said display means, and said second acquiring means are realized by a browser, said control means is realized by a function executing section, and said browser activates said function executing section to execute the predetermined function indicated by the interpreted command.

3. An electronic musical apparatus according to claim 2,

wherein a file extension is appended to the remote control file, and said browser identifies the file extension to activate said function executing section.

4. An electronic musical apparatus according to claim 1, wherein said control means controls the electronic musical apparatus not to execute the function indicated by the interpreted command when the function indicated by the interpreted command is a function that is not provided in the electronic musical apparatus.

5. An electronic musical apparatus according to claim 1, wherein the remote control file is linked by link information owned by other contents data.

6. An electronic musical apparatus according to claim 1, wherein the function executed by the electronic musical apparatus under control of said control means includes at least one function selected from the group consisting of a function of opening or closing a screen on said display means, a function of controlling reproduction of musical composition data, a function of setting a volume value of a song to be reproduced based on musical composition data, a function of setting a tempo value of a song to be reproduced based on musical composition data, a function of setting a transpose value of a keyboard or a song to be reproduced, a function relating to setting of performance guide, a function relating to setting of a tone to be generated by operation of a keyboard, a function relating to setting of automatic accompaniment, a function of designating a musical composition to be automatically reproduced, a function relating to setting as to reproduction of a song track, a function of collectively setting musical instrument status, a function of assigning setting data for setting tone color or accompaniment of a musical composition to be performed based on musical composition data to a predetermined operating element, a function of setting tone color or accompaniment of a musical composition, a function of loading musical composition data from an external storage medium and

instructing reproduction of the loaded musical composition data, and a function of assigning an instruction for sending data to an external apparatus to a predetermined operating element.

7. An electronic musical apparatus that makes it possible to execute a predetermined function provided in advance in the electronic musical apparatus to use with a musical performance, comprising:

acquiring means that acquires contents data from a server computer on a network, in which display data for displaying a predetermined screen on which the content of the predetermined function is displayed, and at least one command indicative of an instruction for executing the predetermined function are embedded, according to a user's request;

display means that displays the predetermined screen based on the display data embedded in the contents data acquired by said acquiring means; and

control means that interprets the at least one command embedded in the contents data acquired by said acquiring means and controls the electronic musical apparatus to execute the predetermined function indicated by the interpreted command.

8. An electronic musical apparatus according to claim 7, wherein the function executed by the electronic musical apparatus under control of said control means includes at least one function selected from the group consisting of a function of opening or closing a screen on said display means, a function of controlling reproduction of musical composition data, a function of setting a volume value of a song to be reproduced based on musical composition data, a function of setting a tempo value of a song to be reproduced based on musical composition data, a function of setting a transpose value of a keyboard or a song to be reproduced, a function relating to setting of performance guide, a function relating to setting of a tone to be generated by operation of a keyboard, a function relating to setting of automatic accompaniment, a function of designating a musical composition to

be automatically reproduced, a function relating to setting as to reproduction of a song track, a function of collectively setting musical instrument status, a function of assigning setting data for setting tone color or accompaniment of a musical composition to be performed based on musical composition data to a predetermined operating element, a function of setting tone color or accompaniment of a musical composition, a function of loading musical composition data from an external storage medium and instructing reproduction of the loaded musical composition data, and a function of assigning an instruction for sending data to an external apparatus to a predetermined operating element.

9. An electronic musical apparatus according to claim 7, wherein the contents data further includes music contents, and the command is for executing at least one function relating to the music contents.

10. An electronic musical apparatus that makes it possible to execute a predetermined function provided in advance in the electronic musical apparatus to use with a musical performance, comprising:

acquiring means that acquires contents data in which display data for displaying a predetermined screen on which the content of the predetermined function is displayed, and at least one command indicative of an instruction for executing the predetermined function are embedded, according to a user's request;

display means that displays a predetermined screen based on the display data embedded in the contents data acquired by said acquiring means; and

control means that interprets the at least one command embedded in the contents data acquired by said acquiring means and control the electronic musical apparatus to execute the predetermined function indicated by the interpreted command after the predetermined screen is displayed on said display means.

11. An electronic musical apparatus according to claim 10, wherein the function executed by the electronic musical apparatus

under control of said control means includes at least one function selected from the group consisting of a function of opening or closing a screen on said display means, a function of controlling reproduction of musical composition data, a function of setting a volume value of a song to be reproduced based on musical composition data, a function of setting a tempo value of a song to be reproduced based on musical composition data, a function of setting a transpose value of a keyboard or a song to be reproduced, a function relating to setting of performance guide, a function relating to setting of a tone to be generated by operation of a keyboard, a function relating to setting of automatic accompaniment, a function of designating a musical composition to be automatically reproduced, a function relating to setting as to reproduction of a song track, a function of collectively setting musical instrument status, a function of assigning setting data for setting tone color or accompaniment of a musical composition to be performed based on musical composition data to a predetermined operating element, a function of setting tone color or accompaniment of a musical composition, a function of loading musical composition data from an external storage medium and instructing reproduction of the loaded musical composition data, and a function of assigning an instruction for sending data to an external apparatus to a predetermined operating element.

12. An electronic musical apparatus according to claim 11, wherein the contents data further includes music contents, and the command is for executing at least one function relating to the music contents.

13. A control method for an electronic musical apparatus that makes it possible to execute a predetermined function provided in advance in the electronic musical apparatus to use with a musical performance, comprising:

a first acquiring step of acquiring contents data including link information indicative of a link to a remote control file stored in a server computer on a network, in which at least remote

control command indicative of an instruction for executing the predetermined function provided in the electronic musical apparatus is written, and including display data for displaying a predetermined screen on which a display element relating to the link information and the content of the predetermined function are displayed;

a display step of causing display means to display the predetermined screen based on the contents data acquired in said first acquiring step;

a second acquiring step of acquiring the remote control file linked by the link information from the server computer when a user performs a predetermined operation on the display element relating to the link information on the predetermined screen displayed in said display step; and

a control step of interpreting the at least one remote control command written in the remote control file acquired in said second acquiring step and controlling the electronic musical apparatus to execute the predetermined function indicated by the interpreted remote control command.

14. A control method for an electronic musical apparatus that makes it possible to execute a predetermined function provided in advance in the electronic musical apparatus to use with a musical performance, comprising:

an acquiring step of acquiring contents data from a server computer on a network, in which display data for displaying a predetermined screen on which the content of the predetermined function is displayed, and at least one command indicative of an instruction for executing the predetermined function are embedded, according to a user's request;

a display step of causing display means to display the predetermined screen based on the display data embedded in the contents data acquired in said acquiring step; and

a control step of interpreting the at least one command embedded in the contents data acquired in said acquiring step and

controlling the electronic musical apparatus to execute the predetermined function indicated by the interpreted command.

15. A control method for an electronic musical apparatus that makes it possible to execute a predetermined function provided in advance in the electronic musical apparatus to use with a musical performance, comprising:

an acquiring step of acquiring contents data in which display data for displaying a predetermined screen on which the predetermined function is displayed, and at least one command indicative of an instruction for executing the predetermined function are embedded, according to a user's request;

a display step of causing display means to display a predetermined screen based on the display data embedded in the contents data acquired in said acquiring step; and

a control step of interpreting the at least one command embedded in the contents data acquired in said acquiring step and controlling the electronic musical apparatus to execute the predetermined function indicated by the interpreted command after the predetermined screen is displayed on the display means.

16. A mechanically readable storage medium storing instructions for causing a machine to execute a control method for an electronic musical apparatus that makes it possible to execute a predetermined function provided in advance in the electronic musical apparatus to use with a musical performance, the control method comprising:

a first acquiring step of acquiring contents data including link information indicative of a link to a remote control file stored in a server computer on a network, in which at least remote control command indicative of an instruction for executing the predetermined function provided in the electronic musical apparatus is written, and including display data for displaying a predetermined screen on which a display element relating to the link information and the content of the predetermined function are displayed;

a display step of causing display means to display the predetermined screen based on the contents data acquired in said first acquiring step;

a second acquiring step of acquiring the remote control file linked by the link information from the server computer when a user performs a predetermined operation on the display element relating to the link information on the predetermined screen displayed in said display step; and

a control step of interpreting the at least one remote control command written in the remote control file acquired in said second acquiring step and controlling the electronic musical apparatus to execute the predetermined function indicated by the interpreted remote control command.

17. A mechanically readable storage medium storing an instruction for causing a machine to execute a control method for an electronic musical apparatus that makes it possible to execute a predetermined function provided in advance in the electronic musical apparatus to use with a musical performance, the control method comprising:

an acquiring step of acquiring contents data from a server computer on a network, in which display data for displaying a predetermined screen on which the content of the predetermined function is displayed, and at least one command indicative of an instruction for executing the predetermined function are embedded, according to a user's request;

a display step of causing display means to display the predetermined screen based on the display data embedded in the contents data acquired in said acquiring step; and

a control step of interpreting the at least one command embedded in the contents data acquired in said acquiring step and controlling the electronic musical apparatus to execute the predetermined function indicated by the interpreted command.

18. A mechanically readable storage medium storing an instruction for causing a machine to execute a control method for

an electronic musical apparatus that makes it possible to execute a predetermined function provided in advance in the electronic musical apparatus to use with a musical performance, the control method comprising:

an acquiring step of acquiring contents data in which display data for displaying a predetermined screen on which the content of the predetermined function is displayed, and at least one command indicative of an instruction for executing the predetermined function are embedded, according to a user's request;

a display step of causing display means to display a predetermined screen based on the display data embedded in the contents data acquired in said acquiring step; and

a control step of interpreting the at least one command embedded in the contents data acquired in said acquiring step and controlling the electronic musical apparatus to execute the predetermined function indicated by the interpreted command after the predetermined screen is displayed on the display means.

19. An electronic musical apparatus according to claim 7, wherein in addition to the content of the predetermined function, a predetermined display element is displayed on the predetermined screen, and said control means starts interpreting the at least one command embedded in the contents data when a user performs a predetermined operation on the predetermined display element displayed on the predetermined screen.

20. An electronic musical apparatus according to claim 7, wherein said control means automatically starts interpreting the at least one command embedded in the contents data when said acquiring means acquires the contents data.

21. An electronic musical apparatus according to claim 10, wherein in addition to the content of the predetermined function, a predetermined display element is displayed on the predetermined screen, and said control means starts interpreting the at least one command embedded in the contents data when a user performs a

predetermined operation on the predetermined display element displayed on the predetermined screen.

22. An electronic musical apparatus according to claim 10, wherein said control means automatically starts interpreting the at least one command embedded in the contents data when said acquiring means acquires the contents data.

23. An electronic musical apparatus according to claim 10, wherein said acquiring means acquires the contents data from a server computer on a network.

24. An electronic musical apparatus according to claim 10, wherein said acquiring means acquires the contents data from an external storage medium.