


FIG. 1




FIG. 2




FIG. 3






FIG. 4

FIG. 5

FIG. 6

```

Reservation (group of segments)
|
|--Passenger (group of segments)
| |
| | |--Name ("TIF" segment) Tuple: (1)
| | |
| | | |--TRAVELLER SURNAME AND RELATED INFORMATION (Component type E985) Tuple: (1,0)
| | | |
| | | | |--Family name (Element type 3500) Tuple: (1,0,0)
| | | | |--...(abbreviated) Tuple: (1,0,1)
| | | |
| | | |--Address ("ADR" segment) Tuple: (2)
| | | |
| | | | |--ADDRESS USAGE (Component type C817) Tuple: (2,0)
| | | | |
| | | | | |--Address purpose code (Element type 3299) Tuple: (2,0,0)
| | | | | |--...(abbreviated) Tuple: (2,0,1)
| | | | |
| | | | | |--ADDRESS DETAILS (Component type C090) Tuple: (2,1)
| | | | | |
| | | | | | |--Address format code (Element type 3477) Tuple: (2,1,0)
| | | | | | |--Address component description (Element type 3286).
| | | | | | This is where the first line of street address is stored. Tuple: (2,1,1)
| | | | | | |--...(abbreviated) Tuple: (2,1,2)
| | | | | |
| | | | | |--...(abbreviated) Tuple: (2,2)
| | | |
| | |
| |
|
|--Agent (group of segments)
| |
| | |--Address ("ADR" segment) Tuple: (3)
| | |
| | | |--ADDRESS USAGE (Component type C817) Tuple: (3,0)
| | | |
| | | | |--Address purpose code (Element type 3299) Tuple: (3,0,0)
| | | | |--...(abbreviated) Tuple: (3,0,1)
| | | |
| | | |--ADDRESS DETAILS (Component type C090) Tuple: (3,1)
| | | |
| | | | |--Address format code (Element type 3477) Tuple: (3,1,0)
| | | | |--Address component description (Element type 3286).
| | | | This is where the first line of street address is stored. Tuple: (3,1,1)
| | | | |--...(abbreviated)
| | | |
| | | |--...(abbreviated) Tuple: (3,2)

```

FIG. 7