

Description

The present invention relates to time card and similar recording apparatus wherein cards representing employees or other similar groups of information are prepared and from time to time inserted for the printing of information relating to the moments of arrival and departure, and for indicating calculated summaries and the like, being more particularly directed to novel processes for more efficiently preparing and interactively using large numbers of such cards in these types of systems.

In co-pending application of the assignee of the present application, Kronos Incorporated, Serial No. 020,223, filed March 13, 1979, for Method of and Apparatus for Time Clock Recording and Computation and Related uses, and corresponding European Patent Office application Serial No. 79 301449.9, now published on October 1, 1980 as EPO Publication No. 0016276, a very successful time recorder of this character is described, manufactured by such assignee, and described also in its "Timekeeper" Service, Operator's, and Programmer's Manuals of 1980. In accordance with this type of apparatus, a computation system is provided that enables mark-sense identification of particular cards associated with particular employees and the automatic printing of time-in and time-out and hours of work, as well as other functions that enable the apparatus to be used for direct payroll accounting and the like if desired. Similar though less facile apparatus has been manufactured and marketed by others such as, for example, the ETC Electronic Time Calculator described in Bulletin B110464 of July, 1980 of Simplex Time Recorder Co. of Massachusetts, and the Amac-Time Computerized Time Recorder of Amano Corporation of Yokohama, Japan described in its bulletin of the same title. In the Kronos "Timekeeper" time clock described in said applications, publication and manuals, machine-readable employee numbers are actually filled into a mark-sense grid at the bottom of the card. This requires, however, that each card be individually marked in the grid for each pay period, necessitating a rather lengthy manual process for the creation of the cards, and also necessitating human-readable name or other information to be separately filled in at the top of the card. In accordance with the present invention, on the other hand, this type of process is carried out by the clock itself, making use of standardized decks of presequenced cards. The manual card preparation phase is thus eliminated both for filling in the machine-readable mark-sense grid section of the card and for filling in the human-readable section of the card. The machine-readable section of the card in the invention is presequenced in the printing of the cards, and the human-readable section of the card is filled in automatically by the clock.

In machines of the type described in the before-mentioned Simplex and Amano publications, the

machine-readable number is punched with standard holes at one end of the card and is the only identification of the employee available to the clock. These types of devices thus cannot print out reports or perform any such operations using human-readable number and name of the employee since such information is not available to these clocks. In the case of the Amano type clock, for example, the user is instructed to consider a three-digit clock number as the employee's number, and then uses these numbers over and over again, week after week, necessitating the discarding of cards if presequenced punched decks of cards are used. Such a procedure has the further problem that, as employees come and go, numbers will have to be re-assigned in order to have a gapless assignment of the deck. The assignment is completely fixed at any given moment and the user must consider the clock's number to be the user's number as well. In apparatus of the Simplex type, employees take a different card every week and write their name on top, but the assignment is not in any way known to the clock and the clock is thus not capable of printing out any management information reports or the like.

Another relevant prior art document is US Patent 4017857, which describes a process for preparing and using employee time cards with the aid of an electronic clock having card sensing, memory and printing mechanisms. A processor is provided in this prior system for processing two decks of cards, one from a prior accounting period, and one for a future accounting period. The cards contain data encoding upon a magnetic strip and the printer registers visibly employee registration on new cards before the next period. Thus, employee registration numbers and further data are printed together on the same card.

The printer is controlled by a memory. If new cards are to be prepared, these are stacked in a second card stack and the printer prints identifying information on the card. This information is part of the information stored in the memory.

Reference may also be had for further reading in this field to US Patent 4017857.

An object of the present invention is to provide a new and more efficient process and apparatus for card preparation and interactive utilization in the time clock apparatus that obviates the above disadvantages and, to the contrary, enables the time clock to be in possession of the human-readable form of the employee numbers and employee names so that it is capable of using these numbers and names in the printing of management information reports, and to do so with the further advantage that the decks of cards, which are customized for use week by week, are fully utilized without any necessity of discarding cards and without even the need for the end user of the time clock to note or use the machine-readable numbers on the cards.

A further object is to provide a novel process and apparatus for preparation and utilization of

time cards or the like of more general application, as well, and novel cards prepared by such process.

According to one aspect of the invention there is provided a process for preparing and using employee time cards and the like with the aid of an electronic clock having card-sensing, memory and printing mechanisms, where employee identification is visibly registered on new cards to be used for a subsequent time period, and where the cards are provided with machine readable identification characterised by preparing a deck of time cards containing different machine readable identifications for use over a predetermined time period such as a week, entering a list of employee identifications in the clock memory for later reproduction in human-readable form, feeding a number of cards of the deck equal to the number of employees serially into the clock, causing the clock, as each card is fed into the same, to assign the machine-readable identification of that card to a corresponding employee identification and store the assignment into a correspondence table in the clock memory, printing the employee identification in human-readable form on the corresponding card to customize the same for said time period, feeding the clock an additional number of cards from the deck for use in a subsequent time period to assign subsequent machine-readable identifications to corresponding employee identifications and printing the same on the cards so that the same employee identification appears in human-readable form on a second assigned card from the deck for use in such subsequent time period, and, upon having completely assigned the total deck, repeating the assignment of the machine-readable identification of a similar new deck to employee identifications to enable complete use of the decks by changing the assignment correspondence between the machine-readable identifications and the human-readable employee identifications.

According to another aspect of the invention there is provided apparatus for preparing and using decks of prepared employee time cards having different machine-readable identifications on the cards and for use over a predetermined time period such as a week, having, in combination, electronic clock means having card-sensing, memory and printing means; characterised by first means for entering a list of employee identifications in the clock memory, second means for feeding a number of cards of the deck equal to the number of employees serially into the clock and for sensing the same by the card-sensing means, third means for causing the clock, as each card is fed into the same and sensed, to assign the machine-readable identification of that card to a corresponding employee identification, fourth means for printing in human-readable form the employee identification entered in the clock memory on the corresponding card to customize the same for said time period, fifth means for feeding the clock

an additional number of cards from the deck for use in a subsequent time period to assign subsequent machine-readable identifications to corresponding employee identifications and for printing the same on the cards so that the same employee identification appears in human-readable form on a second assigned card from the deck for use in such subsequent time period, and sixth means operable, upon having completely assigned the total deck, for repeating the assignment of the machine-readable identification of a similar new deck to employee identifications to enable complete use of the decks, said sixth means comprising changing means for changing the assignment correspondence between the machine-readable identifications and the human-readable employee identifications.

The invention will now be described with reference to the accompanying drawing, the single figure of which is a block diagram of apparatus assembled in accordance with a preferred embodiment of the invention and with process flow connections for each of employee list initialization entry, card preparation (such as on a weekly basis), and card utilization, separately illustrated. Preferred details and best mode embodiments are hereinafter presented.

Before proceeding to the illustrated embodiment, however, a more detailed explanation of the novel philosophy and approach underlying the invention is in order.

While time-and-attendance recording equipment (timeclocks, etc.) have traditionally been mechanical devices, within recent years electronic time-and-attendance recording equipment has evolved using computer technology to implement new functions such as totalling employee hours worked for the week, printing the total on the employee's card, and storing data about each employee electronically to allow access by management or another computer. This operation requires a time card assigned to each employee, similar to the card used in mechanical timeclocks, but for the purpose of accomplishing more sophisticated functions, such as totalling employee hours on the time card, the card must be different from the traditional mechanical time clock card at least in being provided with unique machine-readable codes. For such totalling timeclocks, a procedure called "card preparation" is done which results in a correspondence between machine-readable code number and employee data which is stored in the timeclock, and provides a human-readable identification on the time card so that an employee can read his or her name or number. The latter identification may be hand-written on the card or printed by the timeclock or printed by some other card-preparation system.

In prior systems, the customer is asked to assign sequential employee numbers to his employees, and purchases cards with numbers corresponding to the employee numbers. In such case, there is a one-to-one correspondence

between timeclock-readable code number and employee data identification number. The drawbacks of such systems are that many cards are wasted unless the number of employees is identical with the number of printed cards in the supplied deck. Since only the lower-numbered cards are used to correspond to the number of employees, this reflects upon unnecessary inventory and printing costs. If an employee leaves, moreover, the user must reassign all higher-numbered employees to new numbers or must purchase even more cards.

In accordance with the present invention, it has been found possible to provide a card preparation and utilization process which uses a time card deck preprinted with machine-readable numbers from, for example, 1 to 500, with a technique for re-allocation of machine-readable numbers to human-readable employee numbers in such a manner as to use the entire deck. The method takes advantage of the existence of a computer inside the timeclock for assigning different timeclock-readable numbers to each employee number each week during the card preparation phase, and for storing the resulting correspondence table during the pay period (usually one week) until the next card preparation is done.

As an example, consider a user with 106 employees. Prior to the first card preparation phase (i.e. the first time the timeclock is used), the employee number sequence must be entered into the clock. This is done by putting the clock into "Employee Entry" mode and then inserting, serially in order, time cards with the employee identification (employee number and/or employee name) in machine-readable form. Subsequently, in the first card-preparation phase, 106 time cards, which should have 106 different machine-readable numbers, are fed into the timeclock, in any order. The timeclock assigns the number of the first entered card to the first employee, and stores the same in the correspondence table, continuing this process until the correspondence table has 106 entries. The most convenient way of making sure that the 106 timecards all have different numbers is to use the deck in order; so that time cards 1—106 may be used during the first pay period, and then timecards 107—212 may be used during the second pay period, and so on. The timeclock does not check ordering; but it does check that all cards used during a pay period are different, and rejects repeated entries of similarly numbered cards. While the size of the presequenced deck is nominally equal to the maximum number of employees, in practice, a presequenced deck of twice this size is useful to allow cards to be prepared in advance for the following pay period. No cards are wasted, and only one product needs to be inventoried; namely, a deck of, say, 1—500 cards, and with printing most savings stemming from equal quantities of each different time card printed.

Another useful feature is that as each new card

is inserted, the timeclock can not only create a correspondence table, but also can print the employee name on the card in a position where the employee can read it in the time card rack, such as at the top.

Since, in this example, the timeclock requires only 106 uniquely different machine-readable numbers, another alternate method is to provide the user with a deck of randomly (or pseudorandomly) numbered cards. If the number of different identifications is over a million, for example, the chance of detecting a duplicate number during a card-preparation for 100 employees is 10^{-4} ; and if a duplicate number is found, the duplicate card is simply discarded or returned to stock and the next card is used.

To provide a million different numbers, 20 bits can be used by marking, (say, blackening) 20 mark-sense boxes randomly on the card, or 10 decimal digits may be used in the one-of-10 mark-sense arrangement described in said applications and manuals.

Principal further advantages of this alternate method are that the user does not need to keep his or her time card deck in any particular order, the printer does not have to collate card output accurately (shuffling is required), and the inventory can be in a loose pile rather than boxed in a predetermined quantity. The principal disadvantage, which can often be entirely acceptable, is that this pseudorandomly numbered deck cannot be created by standard printing and collating methods, but would have to be done by a computer-driven printer.

Turning, now, to the illustrative embodiment of the invention shown in the drawing, a time clock of the type described in said application and "Timekeeper" manuals is illustrated, embodying a card-sensing reader section 1, a printing section 4 cooperative therewith, to print upon the cards inserted in the reader 1, and an interactive computation section generally shown at 6 performing the storage, memory and control functions as therein described. Since the novelty of the invention does not reside in this basic apparatus, it is not herein reproduced in detail in order to avoid confusing the same with the novelty of the present invention (reference rather being made to said patent applications, publication and manuals for the basic known structure); the drawing illustrating fully the cooperative peripheral equipment and/or operation interacting in the novel manner of the invention with this now well-known commercial Kronos "Timekeeper" timeclock apparatus.

Referring to the drawing, the block 2 is a random access memory which is to serve the function of providing a correspondence map between machine-readable numbers and the employee memory storage unit 3. In accordance with the process of the invention, the first utilization of this system is in an "Employee Entry" mode involving the entry of the employee list.

The first time the timeclock is used, the user

must inform the clock how many employees are to be accommodated and also assign employee numbers to each employee. At this time, also, the employee's name may be entered if desired. The timeclock computer will initialize a database consisting of a data record for each employee. This database will initially consist of employee number and possibly name, and, as the employee punches the timeclock during a pay period, as later described, the punch-time data will be added to that employee's record.

How this is done is depicted by the dash line connections shown in the drawing, as follows. The card reader 1 is used to enter the employee list, which comprises each employee's human-readable number and human-readable name. Two types of cards are used, one of which is used to enter the number; and a separate type of card with different markings on it, is used to enter the alphabetic name. As these cards are inserted during the employee entry phase at 1, as in the manner described in said patent applications, publication and manuals, as is now well known, data from the card reader 1 is routed via path 1' directly into the employee memory 3, of conventional form, with a counter 5 providing sequential addresses into the employee memory 3 at 5'. Thus the employee list is entered into this memory 3 and stored for later use. The counter addressing the employee memory 3 during this mode is incremented each time a new employee is read, via path'''.

It is alternatively possible to use some means other than the card reader to enter the employee list, if desired.

The second phase or mode of operation is card preparation, which is done every pay period (generally weekly), and its control connections are shown in solid-line connections in the drawing. During this operation, a deck of prenumbered cards is chosen and fed one at a time into the timeclock. As each card is entered, the timeclock will check to be sure that the card's machine-readable number is unique for the current pay period; assign its machine-readable number to the next employee number, and enter the result in a correspondence table; and print the employee number or name on the card. The user then inserts the timecard in the card rack.

This card-preparation function is shown achieved by the before-mentioned solid-line connections in the drawing as follows. During his mode, the counter 5 is reinitialized to count down through the employee memory 3 at 5'. As each card is fed into the reader 1 from the deck in order, the machine-readable card number is routed at 1'' to the correspondence map memory 2. The incrementing counter 5 selects at 5'' the next available entry in the employee memory 3, and this entry is simultaneously printed on the card, by command along 3' to the printer 4, and written into the correspondence map memory 2 at the address input, so-labelled, as selected by the presequenced number on the card. Thus, the correspondence map is simultaneously built up in the correspondence map memory 2; and using the printer 4, the correspondence is printed on the presequenced card to customize it for a particular employee.

A typical memory content might be as follows:

Correspondence map (2)	Employee memory (3)
address data	address data
	employee #, name
.	.
.	.
.	.
127 64	102 069—31—4189 Smith, J.
128 103	103 027—32—3875 Rogers, W. L.
129 17	104 042—81—8111 Baker, J. P.
.	.
.	.
.	.

The third phase or mode of operation is use of the card during the pay period, generally a week, as before stated. This operation is illustrated by dash-dot connections in the drawing. As an employee punches in, by inserting the card in the reader 1, a different sequence of events takes place. As the card is inserted in the card reader 1, its machine-readable number is read, as described in said applications, publication and manuals and as is now well known, and is used to address the correspondence map memory 2 via path 1'''. The output (labelled "Data Out") of the

map memory 2 feeds the corresponding employee number at 2', which is then used to access the correct employee data record in the employee memory 3. The employee data record is then read to determine where to hold the card and what to print on it by printer 4, as is also described in said applications, publication and manuals and is now well known. Thus, in summary, the card reader 1 presents the presequenced card number to the address of the correspondence map memory 2, which locates the corresponding employee in the employee

(15)

memory 3, and the output of the employee memory 3 presents this employee's name and number to the computer 6 for processing.

The possibility of this kind of card preparation and utilization with its before-mentioned striking advantages remained hidden from those skilled in this art for some time until the present invention, possibly because the art was centered upon considering the machine-readable identification on the card as primary, rather than considering the desired human-readable identification as primary. In the previous systems, before discussed, essentially the identification that is used is that which is convenient for the machine; while in the system of the present invention, the identification that is used by the users of the system is that which is convenient for the user, with the machine taking care of all of the details of assigning the necessary correspondences so that the user need only to think in terms of the human-readable identification; that is, the human-readable number and the human-readable name. In this invention, the clock essentially manages the employee list in this human-readable form and takes care of all the details of assigning that employee list to standardized presequenced decks. In practice in the field, this has proven to be very popular, and has enabled the results that essentially no one need manually mark the cards, and there may be universal use of this method of card preparation.

When the human-readable identification is printed on the time card, it is useful to print it on the top edge of the time card in the conventional fashion, so that the employee's name and number will be visible along the top edge when the cards are put into a standard time card rack. A convenient means for accomplishing this is to extend the card with a perforated tab (not shown) since the card hold and printer mechanisms may not be capable of otherwise printing along the very top edge. The card is then inserted upside down, and the human-readable identification is printed upside down just above the perforation of the tab. When the card is removed and the tab torn off, the identification is thus left right side-up along the top edge of the card.

Claims

1. A process for preparing and using employee time cards and the like with the aid of an electronic clock having card-sensing, memory and printing mechanisms, where employee identifications is visibly registered on new cards to be used for a subsequent time period, and where the cards are provided with machine readable identification characterised by preparing a deck of time cards containing different machine readable identifications for use over a predetermined time period such as a week, entering a list of employee identifications in the clock memory for later reproduction in human-readable form, feeding a number of cards of the deck equal to the number of employees serially into the clock, causing the

clock, as each card is fed into the same, to assign the machine-readable identification of that card to a corresponding employee identification and store the assignment into a correspondence table in the clock memory, printing the employee identification in human-readable form on the corresponding card to customize the same for said time period, feeding the clock an additional number of cards from the deck for use in a subsequent time period to assign subsequent machine-readable identifications to corresponding employee identifications and printing the same on the cards so that the same employee identification appears in human-readable form on a second assigned card from the deck for use in such subsequent time period; and, upon having completely assigned the total deck, repeating the assignment of the machine-readable identification of a similar new deck to employee identifications to enable complete use of the decks by changing the assignment correspondence between the machine-readable identifications and the human-readable employee identifications.

2. A process as claimed in claim 1 and in which the cards of each deck are pre-sequenced by number to provide said different machine-readable identifications on the cards.

3. Apparatus for preparing and using decks of prepared employee time cards having different machine-readable identifications on the cards and for use over a predetermined time period such as a week; having, in combination, electronic clock means having card-sensing, memory and printing means; characterised by first means for entering a list of employee identifications in the clock memory; second means for feeding a number of cards of the deck equal to the number of employees serially into the clock and for sensing the same by the card-sensing means; third means for causing the clock, as each card is fed into the same and sensed, to assign the machine-readable identification of that card to a corresponding employee identification; fourth means for printing in human-readable form the employee identification entered in the clock memory on the corresponding card to customize the same for said time period; fifth means for feeding the clock an additional number of cards from the deck for use in a subsequent time period to assign subsequent machine-readable identifications to corresponding employee identifications and for printing the same on the cards so that the same employee identification appears in human-readable form on a second assigned card from the deck for use in such subsequent time period; and sixth means operable, upon having completely assigned the total deck, for repeating the assignment of the machine-readable identification of a similar new deck to employee identifications to enable complete use of the decks, said sixth means comprising changing means for changing the assignment correspondence between the machine-readable identifications and the human-readable employee identifications.

memory 3, and the output of the employee memory 3 presents this employee's name and number to the computer 6 for processing.

The possibility of this kind of card preparation and utilization with its before-mentioned striking advantages remained hidden from those skilled in this art for some time until the present invention, possibly because the art was centered upon considering the machine-readable identification on the card as primary, rather than considering the desired human-readable identification as primary. In the previous systems, before discussed, essentially the identification that is used is that which is convenient for the machine; while in the system of the present invention, the identification that is used by the users of the system is that which is convenient for the user, with the machine taking care of all of the details of assigning the necessary correspondences so that the user need only to think in terms of the human-readable identification; that is, the human-readable number and the human-readable name. In this invention, the clock essentially manages the employee list in this human-readable form and takes care of all the details of assigning that employee list to standardized presequenced decks. In practice in the field, this has proven to be very popular, and has enabled the results that essentially no one need manually mark the cards, and there may be universal use of this method of card preparation.

When the human-readable identification is printed on the time card, it is useful to print it on the top edge of the time card in the conventional fashion, so that the employee's name and number will be visible along the top edge when the cards are put into a standard time card rack. A convenient means for accomplishing this is to extend the card with a perforated tab (not shown) since the card hold and printer mechanisms may not be capable of otherwise printing along the very top edge. The card is then inserted upside down, and the human-readable identification is printed upside down just above the perforation of the tab. When the card is removed and the tab torn off, the identification is thus left right side-up along the top edge of the card.

Claims

1. A process for preparing and using employee time cards and the like with the aid of an electronic clock having card-sensing, memory and printing mechanisms, where employee identifications is visibly registered on new cards to be used for a subsequent time period, and where the cards are provided with machine readable identification characterised by preparing a deck of time cards containing different machine readable identifications for use over a predetermined time period such as a week, entering a list of employee identifications in the clock memory for later reproduction in human-readable form, feeding a number of cards of the deck equal to the number of employees serially into the clock, causing the

clock, as each card is fed into the same, to assign the machine-readable identification of that card to a corresponding employee identification and store the assignment into a correspondence table in the clock memory, printing the employee identification in human-readable form on the corresponding card to customize the same for said time period, feeding the clock an additional number of cards from the deck for use in a subsequent time period to assign subsequent machine-readable identifications to corresponding employee identifications and printing the same on the cards so that the same employee identification appears in human-readable form on a second assigned card from the deck for use in such subsequent time period; and, upon having completely assigned the total deck, repeating the assignment of the machine-readable identification of a similar new deck to employee identifications to enable complete use of the decks by changing the assignment correspondence between the machine-readable identifications and the human-readable employee identifications.

2. A process as claimed in claim 1 and in which the cards of each deck are pre-sequenced by number to provide said different machine-readable identifications on the cards.

3. Apparatus for preparing and using decks of prepared employee time cards having different machine-readable identifications on the cards and for use over a predetermined time period such as a week; having, in combination, electronic clock means having card-sensing, memory and printing means; characterised by first means for entering a list of employee identifications in the clock memory; second means for feeding a number of cards of the deck equal to the number of employees serially into the clock and for sensing the same by the card-sensing means; third means for causing the clock, as each card is fed into the same and sensed, to assign the machine-readable identification of that card to a corresponding employee identification; fourth means for printing in human-readable form the employee identification entered in the clock memory on the corresponding card to customize the same for said time period; fifth means for feeding the clock an additional number of cards from the deck for use in a subsequent time period to assign subsequent machine-readable identifications to corresponding employee identifications and for printing the same on the cards so that the same employee identification appears in human-readable form on a second assigned card from the deck for use in such subsequent time period; and sixth means operable, upon having completely assigned the total deck, for repeating the assignment of the machine-readable identification of a similar new deck to employee identifications to enable complete use of the decks, said sixth means comprising changing means for changing the assignment correspondence between the machine-readable identifications and the human-readable employee identifications.



Patentansprüche

1. Verfahren zur Vorbereitung und Benutzung von Arbeitnehmer-Zeiterfassungskarten oder dgl., mit Hilfe einer elektronischen Uhr, die eine Kartenleseinrichtung, einen Speicher sowie eine Druckeinrichtung aufweist, mit der Arbeitnehmer-Identifikationen visuell auf neue, für die Verwendung in einer darauffolgenden Zeitperiode bestimmte Karten aufgedruckt und die Karten mit einer maschinenlesbaren Identifikation versehen werden, dadurch gekennzeichnet, daß ein Satz von Zeitkarten mit unterschiedlichen, maschinenlesbaren Identifikationen für die Verwendung innerhalb einer vorgegebenen Zeitperiode, beispielsweise einer Woche, vorbereitet wird, daß in den Speicher der Uhr eine Liste der Arbeitnehmer-Identifikationen für eine spätere Wiedergabe in vom Menschen lesbarer Form eingegeben wird, daß eine mit der Anzahl der Arbeitnehmer gleiche Anzahl von Karten nacheinander aus dem Kartensatz der Uhr zugeführt wird, daß die Uhr veranlaßt wird, beim Zuführen jeder Karte die auf dieser vorhandene maschinenlesbare Identifikation einer entsprechenden Arbeitnehmer-Identifikation zuzuordnen und diese Zuordnung in einer entsprechenden Tabelle in dem Speicher der Uhr zu speichern, daß die Arbeitnehmer-Identifikation auf die betreffende Karte in einer vom Menschen lesbaren Form aufgedruckt wird, um diese Karte für die erwähnte Zeitperiode brauchbar zu machen, daß der Uhr aus dem Satz eine weitere Anzahl von Karten für die Verwendung in einer nachfolgenden Zeitperiode zugeführt wird, um nachfolgende maschinenlesbare Identifikationen den entsprechenden Arbeitnehmer-Identifikationen zuzuordnen und diese auf die Karten aufzudrucken, so daß für die Verwendung in dieser nachfolgenden Zeitperiode auf einer zweiten zugeordneten Karte aus dem Kartensatz die gleiche Arbeitnehmer-Identifikation in vom Menschen lesbarer Form erscheint, und daß nach dem Zuordnen des gesamten Kartensatzes die Zuordnung der maschinenlesbaren Identifikationen eines ähnlichen neuen Kartensatzes zu den Arbeitnehmer-Identifikationen wiederholt wird, um einen vollständigen Aufbrauch der Kartensätze durch Änderung der Zuordnungsbeziehung zwischen den maschinenlesbaren Identifikationen und den vom Menschen lesbaren Identifikationen zu ermöglichen.

2. Verfahren nach Anspruch 1, dadurch gekennzeichnet, daß die Karten jedes Kartensatzes fortlaufend numeriert sind, um so die unterschiedlichen maschinenlesbaren Identifikationen auf den Karten zu erhalten.

3. Vorrichtung zur Vorbereitung und Benutzung von Arbeitnehmer-Zeiterfassungskarten, die unterschiedliche maschinenlesbare Identifikationen auf den Karten aufweisen und für die Verwendung über eine vorbestimmte Zeitperiode, beispielsweise eine Woche bestimmt sind, wobei die Vorrichtung in Kombination eine elektronische Uhr oder Zeiteinrichtung mit einer Kartenleseinrichtung, mit einem Speicher sowie mit einer

Druckeinrichtung aufweist, gekennzeichnet durch erste Mittel zum Eingeben einer Liste von Arbeitnehmer-Identifikationen in den Speicher der Uhr bzw. Zeiteinrichtung, durch zweite Mittel zum Zuführen einer mit der Anzahl der Arbeitnehmer gleichen Anzahl von Karten des Kartensatzes in die Uhr und zum Lesen dieser Karten mit Hilfe der Kartenleseinrichtung, durch dritte Mittel, mit denen die Uhr veranlaßt wird, dann, wenn eine Karte dieser Uhr zugeführt und von dieser Uhr gelesen wird, die auf dieser Karte vorhandene maschinenlesbare Identifikation einer entsprechenden Arbeitnehmer-Identifikation zuzuordnen, durch vierte Mittel zum Aufdrucken der im Speicher gespeicherten Arbeitnehmer-Identifikation in vom Menschen lesbarer Form auf die entsprechende Karte, um sie für die erwähnte Zeitperiode brauchbar zu machen, durch fünfte Mittel, um der Uhr aus dem Satz eine weitere Anzahl von Karten für die Verwendung in einer nachfolgenden Zeitperiode zuzuführen und um nachfolgende maschinenlesbare Identifikationen den entsprechenden Arbeitnehmer-Identifikationen zuzuordnen und diese auf die Karten aufzudrucken, so daß für die Verwendung in dieser nachfolgenden Zeitperiode die gleiche Arbeitnehmer-Identifikation in vom Menschen lesbarer Form auf einer zweiten zugeordneten Karte aus dem Kartensatz erscheint, und durch sechste Mittel, um nach dem Zuordnen des gesamten Satzes die Zuordnung der maschinenlesbaren Identifikationen eines ähnlichen neuen Kartensatzes zu den Arbeitnehmer-Identifikationen zu wiederholen, um einen vollständigen Aufbrauch der Kartensätze zu ermöglichen, wobei die sechsten Mittel Änderungs- mittel zum Ändern der Zuordnungsbeziehung zwischen den maschinenlesbaren Identifikationen und den vom Menschen lesbaren Arbeitnehmer-Identifikationen aufweisen.

Revendications

1. Un procédé pour la préparation et l'utilisation de cartes de analogues d'enregistrement de temps de présence d'employés à l'aide d'un horloge électronique présentant des mécanismes de détection de carte, de mémoire et d'impression, où l'identification des employés est enregistrée de manière visible sur de nouvelles cartes devant être utilisées pendant une période de temps subséquente et où les cartes présentent une identification lisible par une machine, caractérisée en ce que l'on prépare un paquet de cartes d'enregistrement du temps de présence contenant différentes indentifications lisibles par la machine et pouvant être utilisées sur une période de temps prédéterminée telle qu'une semaine, on introduit une liste d'identification d'employés dans la mémoire d'horloge en vue d'une reproduction ultérieure sous une forme lisible par l'homme, on amène, en série dans l'horloge, un nombre de cartes du paquet égal au nombre des employés, on fait que l'horloge, lorsque chaque carte est amenée dans celle-ci, attribue l'identification lisible par la machine de



cette carte à une identification de l'employé correspondant, et on enregistre l'attribution dans un tableau de correspondance de la mémoire d'horloge, on imprime l'identification de l'employé sous une forme lisible par l'homme sur la carte correspondante pour modifier celle-ci pendant ladite période de temps, on amène à l'horloge un nombre supplémentaire de carte provenant du paquet pour être utilisée dans une période de temps subséquente afin d'attribuer des identifications subséquentes lisibles par la machine à des identifications d'employé correspondant et on imprime celles-ci sur les cartes de telle manière que la même identification d'employé apparaisse sous une forme lisible par l'homme sur une seconde carte attribuée provenant du paquet pour être utilisée dans une telle période de temps subséquente; et, après avoir complètement attribué tout le paquet, on répète l'attribution de l'identification lisible par la machine d'un nouveau paquet semblable pour les identifications des employés afin de permettre une utilisation complète des paquets par changement de la correspondance d'attribution entre les identifications lisibles par la machine et les identifications d'employés lisibles par l'homme.

2. Un procédé comme revendiqué à la revendication 1 et dans lequel les cartes de chaque paquet sont classées préalablement par numéro pour fournir, sur les cartes, lesdites différentes identifications lisibles par la machine.

3. Appareil pour préparer et utiliser des paquets de cartes préparées d'enregistrement de temps de présence d'employés présentant, sur les cartes, différentes identifications lisibles par la machine et pour être utilisé pendant une période de temps prédéterminée telle qu'une semaine; l'appareil présentant, en combinaison, des moyens à horloge électronique comprenant des moyens détecteurs de cartes, des moyens de

mémoire et des moyens d'impression; caractérisé par de premiers moyens permettant d'introduire une liste d'identifications d'employés dans la mémoire d'horloge; de seconds moyens permettant d'amener en série dans l'horloge un nombre de carte du paquet égal au nombre des employés et de détecter ces dernières à l'aide des moyens de détection de cartes; de troisième moyens pour faire que l'horloge, lorsque chaque carte est amenée dans celle-ci et détectée; attribue l'identification lisible par la machine de cette carte à une identification d'employé correspondant; de quatrième moyens pour imprimer, sur la carte correspondante et sous une forme lisible par l'homme, une identification d'employé introduite dans la mémoire afin de modifier cette dernière pendant ladite période de temps; de cinquièmes moyens pour amener à l'horloge un nombre supplémentaire de cartes en provenance du paquet en vue d'une utilisation dans une période de temps subséquente afin d'attribuer des identifications subséquentes lisibles par la machine à des identifications d'employé correspondant et pour imprimer celles-ci sur les cartes de telle manière que la même identification d'employé apparaisse sous une forme lisible par l'homme sur une seconde carte attribuée et en provenance du paquet pour être utilisée dans une telle période de temps subséquente; et de sixièmes moyens pouvant être actionnés, après avoir complètement attribué tout le paquet, afin de répéter l'attribution de l'identification d'un nouveau paquet semblable pour des identifications d'employés afin de permettre une utilisation complète des paquets, lesdits sixièmes moyens comprenant des moyens de changement permettant de changer la correspondance d'attribution entre les identifications lisibles par la machine et les identifications d'employés lisibles par l'homme.



45

50

55

60

65

8