SEQUENCE LISTING

<110> Otsuka chemical CO., Ltd.

<120> METHOD FOR PRODUCTION OF PEPTIDE THIOESTER COMPOUND

<130> 13755-4

<140> 12/295,113
<141> 2008-11-25

<150> PCT/JP2007/057508
<151> 2007-03-28

<150> JP 2006-092569
<151> 2006-03-29

<160> 22

<170> PatentIn version 3.5

<210> 1
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (8)..(8)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (11)..(11)
<223> Asp having tBu-protected beta-carboxyl group

<220>
<221> MOD_RES
<222> (12)..(12)
<223> His having trityl-protected imidazole nitrogen

<220>
<221> MOD_RES

<222> (13)..(13)
<223> Ser having tBu-protected hyroxyl group

<220>
<221> MOD_RES
<222> (14)..(14)
<223> His having trityl-protected imidazole nitrogen

<220>
<221> MOD_RES
<222> (17)..(17)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (18)..(18)
<223> Tyr having tBu-protected hydroxyl group

<400> 1

Asn Ser Val Ser Phe Phe Leu Tyr Asn Leu Asp His Ser His Ala Asn
1 5 10 15

Tyr Tyr Phe

<210> 2
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> CARBOHYD
<222> (1)..(1)
<223> Asn glycosylated by disialo oligosaccharide chain

<220>
<221> CARBOHYD
<222> (1)..(1)
<223> Asn glycosylated by oligosaccharide chain

<220>
<221> MOD_RES
<222> (3)..(3)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (5)..(5)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (9)..(9)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (12)..(12)
<223> Asp having tBu-protected beta-carboxyl group

<220>
<221> MOD_RES
<222> (13)..(13)
<223> His having trityl-protected imidazole nitrogen

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (15)..(15)
<223> His having trityl-protected imidazole nitrogen

<220>
<221> MOD_RES
<222> (18)..(18)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (19)..(19)
<223> Tyr having tBu-protected hydroxyl group

<400> 2

Asn Asn Ser Val Ser Phe Phe Leu Tyr Asn Leu Asp His Ser His Ala
1 5 10 15

Asn Tyr Tyr Phe
20

<210> 3
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)

<223> Cys having Boc-protected amino group and
acetamidomethyl-protected thiol group

<220>
<221> CARBOHYD
<222> (2)..(2)
<223> Asn glycosylated by disialo oligosaccharide chain

<220>
<221> CARBOHYD
<222> (2)..(2)
<223> Asn glycosylated by oligosaccharide chain

<220>
<221> MOD_RES
<222> (3)..(3)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (7)..(7)
<223> Thr having tBu-protected hydroxyl group

<400> 3

Cys Asn Thr Ser Leu Ile Thr Gln Ala
1 5

<210> 4
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> Cys having acetamidomethyl-protected thiol group

<220>
<221> CARBOHYD
<222> (2)..(2)
<223> Asn glycosylated by disialo oligosaccharide chain

<220>
<221> CARBOHYD
<222> (2)..(2)
<223> Asn glycosylated by oligosaccharide chain

<220>
<221> MOD_RES
<222> (9)..(9)
<223> Ala having benzyl thioester group

<400> 4

Cys Asn Thr Ser Leu Ile Thr Gln Ala
1 5

<210> 5
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> His having Ac-protected amino group

<400> 5

His Ala Ala Phe
1

<210> 6
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> His having Ac-protected amino group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> Phe having benzyl thioester group

<400> 6

His Ala Ala Phe
1

<210> 7
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> Cys having Ac-protected amino group

<400> 7

Cys Cys Glu His
1

<210> 8
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> Cys having Ac-protected amino group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> His having benzyl thioester group

<400> 8

Cys Cys Glu His
1

<210> 9
<211> 23
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)

<223> Leu having Boc-protected amino group

<220>
<221> MOD_RES
<222> (5)..(5)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (7)..(7)
<223> Asp having tBu-protected beta-carboxyl group

<220>
<221> MOD_RES
<222> (8)..(8)
<223> Cys having trityl-protected thiol group

<220>
<221> MOD_RES
<222> (9)..(9)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (10)..(10)
<223> Glu having tBu-protected gamma-carboxyl group

<220>
<221> MOD_RES
<222> (11)..(11)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (13)..(13)
<223> Lys having Boc-protected epsilon-amino group

<220>
<221> MOD_RES
<222> (16)..(16)
<223> Cys having trityl-protected thiol group

<220>
<221> MOD_RES
<222> (17)..(17)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (19)..(19)
<223> Glu having tBu-protected gamma-carboxyl group

<220>
<221> MOD_RES
<222> (20)..(20)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (21)..(21)
<223> Arg having Pbf-protected guanidine nitrogen

<400> 9

Leu Ala Ala Val Ser Val Asp Cys Ser Glu Tyr Pro Lys Pro Ala Cys
1 5 10 15

Thr Met Glu Tyr Arg Pro Leu
20

<210> 10
<211> 23
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (23)..(23)
<223> Leu having benzyl thioester group

<400> 10

Leu Ala Ala Val Ser Val Asp Cys Ser Glu Tyr Pro Lys Pro Ala Cys
1 5 10 15

Thr Met Glu Tyr Arg Pro Leu
20

<210> 11
<211> 26
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> Glu having tBu-protected gamma-carboxyl group

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (7)..(7)
<223> Lys having Boc-protected epsilon-amino group

<220>
<221> MOD_RES
<222> (9)..(9)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (10)..(10)
<223> Glu having tBu-protected gamma-carboxyl group

<220>
<221> MOD_RES
<222> (12)..(12)
<223> Arg having Pbf-protected guanidine nitrogen

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (17)..(17)
<223> Arg having Pbf-protected guanidine nitrogen

<220>
<221> MOD_RES
<222> (18)..(18)
<223> Gln having trityl-protected amide nitrogen

<220>
<221> MOD_RES
<222> (20)..(20)
<223> Asp having tBu-protected beta-carboxyl group

<220>
<221> MOD_RES
<222> (21)..(21)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (22)..(22)
<223> Gln having trityl-protected amide nitrogen

<220>

<221> MOD_RES
<222> (24)..(24)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (25)..(25)
<223> Glu having tBu-protected gamma-carboxyl group

<400> 11

Glu Tyr Ala Ser Pro Gly Lys Ala Thr Glu Val Arg Val Thr Val Leu
1 5 10 15

Arg Gln Ala Asp Ser Gln Val Thr Glu Gly
20 25

<210> 12
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> 1,3-thiazolidine-4-carbonyl

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Glu having tBu-proteced gamma-carboxyl group

<220>
<221> MOD_RES
<222> (3)..(3)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (5)..(5)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (8)..(8)
<223> Lys having Boc-protected epsilon-amino group

<220>
<221> MOD_RES
<222> (10)..(10)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (11)..(11)
<223> Glu having tBu-protected gamma-carboxyl group

<220>
<221> MOD_RES
<222> (13)..(13)
<223> Arg having Pbf-protected guanidine nitrogen

<220>
<221> MOD_RES
<222> (15)..(15)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (18)..(18)
<223> Arg having Pbf-protected guanidine nitrogen

<220>
<221> MOD_RES
<222> (19)..(19)
<223> Gln having trityl-protected amide nitrogen

<220>
<221> MOD_RES
<222> (21)..(21)
<223> Asp having tBu-protected beta-carboxyl group

<220>
<221> MOD_RES
<222> (22)..(22)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (23)..(23)
<223> Gln having trityl-protected amide nitrogen

<220>
<221> MOD_RES
<222> (25)..(25)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (26)..(26)
<223> Glu having tBu-protected gamma-carboxyl group

<400> 12

Xaa Glu Tyr Ala Ser Pro Gly Lys Ala Thr Glu Val Arg Val Thr Val
1 5 10 15

Leu Arg Gln Ala Asp Ser Gln Val Thr Glu Gly
20 25

<210> 13
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> 1,3-thiazolidine-4-carbonyl

<220>
<221> MOD_RES
<222> (27)..(27)
<223> Gly having benzyl thioester group

<400> 13

Xaa Glu Tyr Ala Ser Pro Gly Lys Ala Thr Glu Val Arg Val Thr Val
1 5 10 15

Leu Arg Gln Ala Asp Ser Gln Val Thr Glu Gly
20 25

<210> 14
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (3)..(3)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (9)..(9)
<223> Glu having tBu-protected gamma-carboxyl group

<220>
<221> MOD_RES
<222> (11)..(11)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Asp having tBu-protected beta-carboxyl group

<220>
<221> MOD_RES
<222> (15)..(15)
<223> Asp having tBu-protected beta-carboxyl group

<220>
<221> MOD_RES
<222> (16)..(16)
<223> Ser having tBu-protected hydroxyl group

<400> 14

Ala Ala Thr Tyr Met Met Gly Asn Glu Leu Thr Phe Leu Asp Asp Ser
1 5 10 15

Gly

<210> 15
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> 1,3-thiazolidine-4-carbonyl

<220>
<221> MOD_RES
<222> (4)..(4)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (5)..(5)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (10)..(10)

<223> Glu having tBu-protected gamma-carboxyl group

<220>
<221> MOD_RES
<222> (12)..(12)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (15)..(15)
<223> Asp having tBu-protected beta-carboxyl group

<220>
<221> MOD_RES
<222> (16)..(16)
<223> Asp having tBu-protected beta-carboxyl group

<220>
<221> MOD_RES
<222> (17)..(17)
<223> Ser having tBu-protected hydroxyl group

<400> 15

Xaa Ala Ala Thr Tyr Met Met Gly Asn Glu Leu Thr Phe Leu Asp Asp
1 5 10 15

Ser Gly

<210> 16
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> 1,3-thiazolidine-4-carbonyl

<220>
<221> MOD_RES
<222> (18)..(18)
<223> Gly having benzyl thioester group

<400> 16

Xaa Ala Ala Thr Tyr Met Met Gly Asn Glu Leu Thr Phe Leu Asp Asp
1 5 10 15

Ser Gly

<210> 17
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> Lys having Box-protected alpha- and epsilon-amino groups

<220>
<221> MOD_RES
<222> (4)..(4)
<223> His having trityl-protected imidazole nitrogen

<220>
<221> MOD_RES
<222> (7)..(7)
<223> Gln having trityl-protected amide nitrogen

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (15)..(15)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (16)..(16)
<223> Arg having Pbf-protected guanidine nitrogen

<220>
<221> MOD_RES
<222> (20)..(20)
<223> Ser having tBu-protected hydroxyl group

<400> 17

Lys Ala Met His Val Ala Gln Pro Ala Val Val Leu Ala Ser Ser Arg
1 5 10 15

Gly Ile Ala Ser Phe Gly
20

<210> 18
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (22)..(22)
<223> Gly having benzyl thioester group

<400> 18

Lys Ala Met His Val Ala Gln Pro Ala Val Val Leu Ala Ser Ser Arg
1 5 10 15

Gly Ile Ala Ser Phe Gly
20

<210> 19
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MOD_RES
<222> (1)..(1)
<223> Lys having Boc-protected epsilon-amino group

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (3)..(3)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (6)..(6)
<223> Lys having Boc-protected epsilon-amino group

<220>
<221> MOD_RES
<222> (7)..(7)

<223> Cys having trityl-protected thiol group

<400> 19

Lys Thr Tyr Gly Asn Lys Cys Asn Phe
1 5

<210> 20
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> CARBOHYD
<222> (1)..(1)
<223> Asn glycosylated by oligosaccharide chain

<220>
<221> MOD_RES
<222> (2)..(2)
<223> Lys having Boc-protected epsilon-amino group

<220>
<221> MOD_RES
<222> (3)..(3)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (4)..(4)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (7)..(7)
<223> Lys having Boc-protected epsilon-amino group

<220>
<221> MOD_RES
<222> (8)..(8)
<223> Cys having trityl-protected thiol group

<400> 20

Asn Lys Thr Tyr Gly Asn Lys Cys Asn Phe
1 5 10

<210> 21
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> 1,3-thiazolidine-4-carbonyl

<220>
<221> MOD_RES
<222> (3)..(3)
<223> Ser having tBu-protected hydroxyl group

<220>
<221> CARBOHYD
<222> (5)..(5)
<223> Asn glycosylated by oligosaccharide chain

<220>
<221> MOD_RES
<222> (6)..(6)
<223> Lys having Boc-protected epsilon-amino group

<220>
<221> MOD_RES
<222> (7)..(7)
<223> Thr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (8)..(8)
<223> Tyr having tBu-protected hydroxyl group

<220>
<221> MOD_RES
<222> (11)..(11)
<223> Lys having Boc-protected epsilon-amino group

<220>
<221> MOD_RES
<222> (12)..(12)
<223> Cys having trityl-protected thiol group

<400> 21

Xaa Gly Ser Asp Asn Lys Thr Tyr Gly Asn Lys Cys Asn Phe
1 5 10

<210> 22
<211> 14
<212> PRT
<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> 1,3-thiazolidine-4-carbonyl

<220>
<221> CARBOHYD
<222> (5)..(5)
<223> Asn glycosylated by oligosaccharide chain

<220>
<221> MOD_RES
<222> (14)..(14)
<223> Phe having benzyl thioester group

<400> 22

Xaa Gly Ser Asp Asn Lys Thr Tyr Gly Asn Lys Cys Asn Phe
1 5 10