



FIGURES**Fig. 1****Fig. 2**




Fig. 3A




Fig. 3B




Fig. 4A




Fig. 4B




Fig. 4C




Fig. 5A

5/24




Fig. 5B




Fig. 5C




Fig. 5D




Fig. 6A




Fig. 6B




Fig. 6C




Fig. 6D




Fig. 6E




Fig. 6F




Fig. 6G




Fig. 6H




Fig. 6I




Fig. 7A




Fig. 7B




Fig. 7C




Fig. 7D




Fig. 7E




Fig. 7F




Fig. 8




Fig. 9A




Fig. 9B




Fig. 9C




Fig. 10A




Fig. 10B




Fig. 10C




Fig. 11A




Fig. 11B




Fig. 12A




Fig. 12B




Fig. 13A




Fig. 13B




Fig. 14A




Fig. 14B




Fig. 14C




Fig. 15A




Fig. 15B




Fig. 16A




Fig. 16B




Fig. 17

**Blood Concentration
after s.c. injection in PBMC engrafted Mice**




Fig. 18

**Blood Concentration
after s.c. injection in cyno**




Fig. 19




Fig. 20A




Fig. 20B




Fig. 20C




Fig. 20D




Fig. 20E




Fig. 20F






Fig. 21A

Fold Change of FoxP3⁺ CD4⁺T Cell Number**Fig. 21B****CD8⁺T Cell Number****Fig. 21C**

Fold Change of CD8⁺T Cell Number




Fig. 21D

NK Cell Number




Fig. 21E

Fold Change of NK Cell Number




Fig. 21F