


FIG. 1




FIG. 2




FIG. 3




FIG. 4A




FIG. 4A




FIG. 4B




FIG. 4B




FIG. 4C




FIG. 5




FIG. 6A-1




FIG. 6A-2




FIG. 6A-3




FIG. 6A-4




FIG. 6B-1




FIG. 6B-2




FIG. 6B-3




FIG. 6B-4




FIG. 6C




FIG. 7B




FIG. 7A




FIG. 8




FIG. 9




FIG. 10





FIG. 11A

FIG. 11B






FIG. 12B

FIG. 12C

FIG. 12A




FIG. 13B




FIG. 13A




FIG. 14




FIG. 15A



403
403
407b
403
1520
409
1501
409
407c
407b
403
409
1520
409
1510
1505
403
409
403

FIG. 15B




FIG. 15C



1550
1530
1503
1510
BATTERY
1560
1520
403
1505
1505
1505
1505
1570

FIG. 15D




FIG. 16A




FIG. 16B





FIG. 16C

FIG. 17


RETRACTABLE AWNING (OPTIONAL)
4'x8' FLAT PACK SHIPPING SYSTEM
SINGLE 115VAC OUTLET FOR CHARGING, AWNING, IR NAV/COMMS. OFF GRID SOLAR OPTION
IN-SITU CHARGING ON 24VDC WIRES, POLARITY GUARANTEED
1-4 AIRCRAFT PER 8FT MODULE, DEPENDING ON LANDING ACCURACY



NEST
FOOD LOADING
MERCHANT
'DRY-CLEANER' STYLE VERTICAL AIRFRAME STORAGE
FRESH BATTERIES IN
AIRFRAME
EMPTY BATTERIES OUT
MOBILE REPAIR TRUCK
STORAGE
LANDING
FLY/ DELIVER
IN
CONVEYOR BELT
FOOD
OUT
COOLER/ STORAGE
FOOD PREP
FOOD CHUTE
MERCHANT ENTRANCE

FIG. 18




FIG. 19




FIG. 20A




FIG. 20B



1. AIRCRAFT LANDS ON CABLE AND IS BROUGHT INWARD WHERE IT IS PUSHED ONTO AVAILABLE HANGER.
2. 60 AIRCRAFT STORAGE TRACK CAN ASYNCHRONOUSLY MANAGE ARRIVING AND DEPARTING AIRCRAFT.
3. AIRCRAFT DROPS BATTERIES INTO ONE OF TWO CHARGING CAROUSELS. CAROUSEL IS INDEXED AND CHARGED BATTERIES UPLOADED ONTO DEPARTING AIRCRAFT.
4. DEPARTING AIRCRAFT PUSHED OFF HANGER AND INTO TAKEOFF AREA. WHEN READY, AIRCRAFT IS SLID TO TAKEOFF RAILS AND PACKAGE UPLOADED.

FIG. 21




FIG. 22A




FIG. 22B




FIG. 23A




FIG. 23B




FIG. 24B




FIG. 24A




FIG. 25




FIG. 26B




FIG. 26A




FIG. 26C




FIG. 26D




FIG. 26E





FIG. 27

FIG. 28







FIG. 29A

FIG. 29B






FIG. 30A

FIG. 30B FIG. 30C