



(51) International Patent Classification:
Not classified

(21) International Application Number:
PCT/US2024/018795

(22) International Filing Date:
07 March 2024 (07.03.2024)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
63/488,783 07 March 2023 (07.03.2023) US

(71) Applicant: **GRADIANT CORPORATION** [US/US]; 130
New Boston Street #200, Woburn, Massachusetts 01801
(US).

(72) Inventors: **CHEN, Yang**; Gradiant International Holdings
Pte Ltd, 1 CleanTech Loop, #03-04 CleanTech Park, Singa-
pore 637141 (SG). **HAN, Hui**; Gradiant International Hold-
ings Pte Ltd, 1 CleanTech Loop, #03-04 CleanTech Park,
Singapore 637141 (SG).

(74) Agent: **SAYRE, Robert**; Modern Times Legal, 1 Broad-
way, 14th Floor, Cambridge, Massachusetts 02142 (US).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ,
CA, CH, CL, CN, CO, CR, CU, CV, CZ, DE, DJ, DK, DM,
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IQ, IR, IS, IT, JM, JO, JP, KE, KG,
KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY,
MA, MD, MG, MK, MN, MU, MW, MX, MY, MZ, NA,
NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO,
RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, ST, SV, SY, TH,

(54) Title: GENERATION OF HYDROXYL RADICALS IN AN ADVANCED OXIDATION REACTOR




FIG. 1

(57) Abstract: Hydroxyl ($\cdot\text{OH}$) radicals are generated in an advanced oxidation reactor by introducing fine bubbles of oxygen (O_2) and/or ozone (O_3) with a diameter of less than $200\ \mu\text{m}$ into an aqueous saline solution in an advanced oxidation reactor vessel that contains an anode and a cathode. A voltage is delivered from a DC power generator to the anode and cathode to generate a potential difference between the anode and cathode, and the introduced oxygen or oxygen from the ozone is reacted in the fine bubbles in the aqueous saline solution to produce hydrogen peroxide (H_2O_2) at the interface of the aqueous saline solution with the cathode. Hydroxyl ($\cdot\text{OH}$) radicals are then generated from the hydrogen peroxide. In another method, where the bubbles may or may not be small, the anode comprises a manganese-based oxide. The hydroxyl radicals can be used to break down organic pollutants via oxidation.

[Continued on next page]

TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, WS,
ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, CV, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SC, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, ME, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— *of inventorship (Rule 4.17(iv))*

Published:

— *without international search report and to be republished upon receipt of that report (Rule 48.2(g))*