
What is claimed is:

1. A compound according to Formula (I)



(I)

or a pharmaceutically acceptable salt thereof, wherein

R^1 is halogen or hydrogen;

R^2 is halogen or hydrogen;

R^3 is

$C_{1\text{-}6}$ alkyl, said alkyl is optionally substituted with one or two substituents independently selected from the group consisting of 4 to 6-membered heterocycloalkyl and -OH,

5 to 6-membered heteroaryl,

3 to 6-membered cycloalkyl, said cycloalkyl is optionally substituted with one -OH,

5 to 6-membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one -OH, or

$-OR^4$;

R^4 is

$-CF_3$,


$-CF_2H$,

$C_{1\text{-}6}$ alkyl, said alkyl is optionally substituted with one or two R^6,

3 to 6-membered cycloalkyl,

4 to 7-membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one R^6,

5 to 6-membered heteroaryl, or

R^4 is one of the following groups:  or ;

R^5 is halogen or hydrogen;

each R^6 is

independently halogen,

-OH,

$-CF_3$,

$-CF_2H$,

cyano,

$-OCF_3$,

$-OCH_3$,



-O-heterocycloalkyl,

C_1-C_4 alkyl,

4 to 7-membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one or two substituents independently selected from the group consisting of halogen, -OH, and C_{1-3} alkyl,

5 to 6-membered heteroaryl, said heteroaryl is optionally substituted with one or two C_{1-3} alkyl,

3 to 6-membered cycloalkyl, said cycloalkyl is optionally substituted with one -CF^3, or

each of R^6 is independently one of the following groups: , , or ;

R^7 is

a 5 to 6-membered heteroaryl, said heteroaryl is optionally substituted with one substituent selected from the group consisting of C_1-C_6 alkyl, -CF_3, and halogen, or


C(O)R^8; and

R^8 is

3 to 6-membered cycloalkyl, said cycloalkyl is optionally substituted with one halogen, or

4 to 6-membered heterocycloalkyl.


2. The compound according to claim 1 of Formula (Ia)



(Ia)


or a pharmaceutically acceptable salt or stereoisomer thereof.


3. The compound according to claim 1 of Formula (Ib)




(Ib)


or a pharmaceutically acceptable salt or stereoisomer thereof.

4. The compound according to any one of claims 1-3, wherein R^1 is selected from the group consisting of H, chloro, and fluoro.
5. The compound according to any one of claims 1-4, wherein R^2 is H or fluoro.
6. The compound according to any one of claims 1-5, wherein R^5 is H or fluoro.
7. The compound according to any one of claims 1-3, wherein R^1, R^2, and R^5 are H.
8. The compound according to any one of claims 1-7, wherein R^3 is selected from the group consisting of: .
9. The compound according to any one of claims 1-7, wherein R^3 is $-OR^4$.
10. The compound according to any one of claims 1-9, wherein R^4 is selected from the group consisting of $-CH_3$, $-CF_3$, $-CF_2H$, $-CH_2CH_3$, $-CH(CH_3)_2$, $-CH_2CF_2H$, $-CH_2CH_2F$, $-(CH_2)_2CF_3$, $-CH_2C(CH_3)_2F$, $-(CH_2)_2OCF_3$, $-(CH_2)_2OH$, $-(CH_2)_2OCH_3$, $-CH_2C(CH_3)_2OH$, $-(CH_2)_2C(CH_3)_2OH$, $-(CH_2)_2C(CH_3)_2OCH_3$, $-CH_2C(CH_3)_2OCH_3$, $-(CH_2)_2CN$, and $-CH_2CH(CH_3)_2$.
11. The compound according to any one of claims 1-9, wherein R^4 is selected from the group consisting of:





12. The compound according to any one of claims 1-10, wherein R^7 is 5 to 6-membered heteroaryl or -C(O)R^8.

13. The compound according to any one of claims 1-12, wherein R^7 is .

14. The compound according to any one of claims 1-12, wherein R^7 is -C(O)R^8.

15. The compound according to claim 14, wherein R^8 is 4 to 6-membered heterocycloalkyl or 3 to 6-membered cycloalkyl.

16. The compound according to claim 14 or 15, wherein R^8 is 4 to 6-membered heterocycloalkyl.

17. The compound according to any one of claims 14-16, wherein R^8 is .

18. The compound according to claim 14 or 15, wherein R^8 is 3 to 6-membered cycloalkyl, said 3 to 6-membered cycloalkyl is substituted with one halogen.

19. A compound selected from the group consisting of:

(R)-2-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

(R)-2-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

2-((R)-6-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

(R)-2-(6-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

2-((R)-6-(4-(2-(((S)-1,4-dioxan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

(R)-ethyl 5-(6-(4-(2-hydroxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole-2-carboxylate;

(R)-2-(6-(4-(2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-((3-fluorooxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-((4-fluorotetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-6-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-1-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
2-((R)-6-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-ethyl 5-(6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole-2-carboxylate;
(R)-2-(6-(4-(2-((4-fluorotetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-((4-methyltetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;

(R)-2-(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
2-((6R)-6-(4-(5-fluoro-2-(tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
2-((6R)-6-(4-(2-(tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methyl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-2-(6-(4-(2-(oxazol-2-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(1S,4s)-4-(2-(1-((R)-2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenyl)cyclohexan-1-ol;
(1R,4r)-4-(2-(1-((R)-2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenyl)cyclohexan-1-ol;
(1s,4r)-4-(2-(1-((R)-2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenyl)cyclohexan-1-ol;
(1r,4r)-4-(2-(1-((R)-2-(1,3,4-oxadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenyl)cyclohexan-1-ol;
(R)-2-(6-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
2-((R)-6-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
2-((R)-6-(4-(2-(((S)-1,4-dioxan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;

(R)-2-(6-(4-(3-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-1-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(R)-4-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylbutan-2-ol;
(R)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)isothiazole;
(R)-5-(6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(R)-1-(2-(1-(2-(1,2,4-thiadiazol-5-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(R)-4-(2-(1-(2-(1,2,4-thiadiazol-5-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylbutan-2-ol;
(R)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-3-methyl-1,2,4-thiadiazole;
(R)-1-(5-fluoro-2-(1-(2-(4-methyloxazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(R)-2-methyl-1-(2-(1-(2-(4-methyloxazol-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propan-2-ol;
(R)-3-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-oxadiazole;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane formate salt;
(R)-2-methyl-1-(2-(1-(2-(pyrimidin-5-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propan-2-ol formate salt;
(R)-2-methyl-1-(2-(1-(2-(4-methylpyrimidin-5-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propan-2-ol formate salt;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(6-methylpyridin-3-yl)-2-azaspiro[3.4]octane formate salt;

(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(2-methylpyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-2-(5-fluoropyridin-3-yl)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(6-methylpyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(3-(trifluoromethyl)pyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(3-methylpyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyridin-3-yl)-2-azaspiro[3.4]octane;
(R)-2-(6-methylpyridin-3-yl)-6-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(4-methyl-1,3,5-triazin-2-yl)-2-azaspiro[3.4]octane;
(R)-2-(6-chloropyridazin-3-yl)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyridazin-3-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-(pyridazin-4-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,5-triazin-2-yl)-2-azaspiro[3.4]octane;
(R)-2-(3,6-dichloropyridazin-4-yl)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(pyridazin-4-yl)-2-azaspiro[3.4]octane;
(R)-2-methyl-1-(2-(1-(2-(3-methylpyrazin-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propan-2-ol;
(R)-1-(2-(1-(2-(1,3,5-triazin-2-yl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(R)-6-(4-(5-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(pyridazin-4-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(3-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;

(R)-6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(pyridazin-3-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(5-methylpyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(pyridazin-4-yl)-2-azaspiro[3.4]octane;
(R)-2-(5-fluoropyridin-3-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-2-(6-fluoropyridin-3-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(5-methylpyrazin-2-yl)-2-azaspiro[3.4]octane;
(R)-(6-(4-(5-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(difluoromethoxy)-4-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(4-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(4-fluoro-2-isopropoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-cyclopropoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(2-fluoro-2-methylpropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(thiazol-2-yloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-3-(2-(1-(2-(oxetane-3-carbonyl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)propanenitrile;
oxetan-3-yl((R)-6-(4-(2-(((R)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;

(R)-(6-(4-(2-isobutoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(cyclopentyloxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-cyclobutoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-ethoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-isopropoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(2-hydroxy-2-methylpropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(pyrimidin-2-ylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(pyrimidin-2-ylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(2-hydroxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(2-hydroxyethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-1-(2-(2-(1-(2-(1-fluorocyclopropane-1-carbonyl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)ethyl)pyrrolidin-2-one formate salt;
(S)-1-(2-(2-(1-(2-(1-fluorocyclopropane-1-carbonyl)-2-azaspiro[3.4]octan-6-yl)piperidin-4-yl)phenoxy)ethyl)pyrrolidin-2-one formate salt;

(R)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-thiadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-thiadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(2-ethoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-ethoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-(cyclopropylmethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-((3,5-dimethylisoxazol-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-((3,5-dimethylisoxazol-4-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((2-methyloxazol-5-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((2-methyloxazol-5-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;

(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(3,3,3-trifluoropropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(3,3,3-trifluoropropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(3-hydroxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(3-hydroxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(2-(3-hydroxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(2-(trifluoromethoxy)ethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(2-(oxetan-3-yloxy)ethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(3-methoxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(3-methoxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(3,3,3-trifluoropropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;

(R)-(6-(4-(2-(2-methoxy-2-methylpropoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-((1-(trifluoromethyl)cyclopropyl)methoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(2-(2,2-difluoroethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(2-(oxetan-3-yl)ethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(S)-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(S)-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;
(R)-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone citrate salt;
(S)-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone;

(R)-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(oxetan-3-yl)methanone citrate salt;
(S)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;

(R)-(1-fluorocyclopropyl)(6-(4-(2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-(6-(4-(5-fluoro-2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-fluoro-2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-(4-hydroxytetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(5-fluoropyridin-3-yl)-2-azaspiro[3.4]octane;

(S)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(5-fluoropyridin-3-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(5-fluoropyridin-3-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(5-fluoropyridin-3-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(R)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-6-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(pyrimidin-5-yl)-2-azaspiro[3.4]octane;
(S)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;


(R)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(S)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(R)-2-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(R)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(S)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(R)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(S)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)oxazole;
(R)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(S)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(S)-2-(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(S)-2-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-2-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(S)-2-(6-(4-(2-(difluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-thiadiazole;
(R)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(S)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(R)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(S)-5-(6-(4-(2-methoxyphenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,2,4-thiadiazole;
(R)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;

(R)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(S)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone;
(R)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone; and
(S)-(6-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)(1-fluorocyclopropyl)methanone, or a pharmaceutically acceptable salt thereof.

20. The compound according to claim 19, wherein the compound is selected from the group consisting of:
(R)-2-(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(S)-2-(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole;
(R)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(S)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone;
(R)-2-(pyrimidin-5-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane;
(S)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone; and
(R)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone, or a pharmaceutically acceptable salt thereof.


21. The compound according to claims 19 or 20, wherein the compound is selected from the group consisting of:

(R)-2-(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole, having the following structure:




;

(R)-(1-fluorocyclopropyl)(6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone, having the following structure:




;

(R)-2-(pyrimidin-5-yl)-6-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octane, having the following structure:



; and

(R)-oxetan-3-yl(6-(4-(2-(trifluoromethoxy)phenyl)piperidin-1-yl)-2-azaspiro[3.4]octan-2-yl)methanone, having the following structure:



, or a pharmaceutically acceptable salt thereof.

22. A pharmaceutical composition comprising a compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof.

23. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a M4 related a condition, disease or disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

24. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a M4 related a condition, disease or disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

25. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of psychosis, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

26. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of psychosis, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

27. The use according to claim 24, wherein the psychosis is associated with schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features, Alzheimer's disease, Parkinson's Disease, post-traumatic stress disorder or frontotemporal dementia.

28. The use according to claim 27, wherein the psychosis is associated with Alzheimer's disease.

29. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of cognitive dysfunction, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

30. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of cognitive dysfunction, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

31. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a hyperkinetic movement disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

32. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a hyperkinetic movement disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

33. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of substance use disorders, wherein a therapeutically effective

amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

34. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of substance use disorders, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

35. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof and an antidepressant for use in the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof and the antidepressant is to be administered to a subject in need of treatment thereof.

36. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof and an antidepressant in the manufacture of a medicament for the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof and the antidepressant is to be administered to a subject in need of treatment thereof.

37. The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered in conjunction with computer-assisted psychosocial or behavioral therapy.

38. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament forthe treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered in conjunction with computer-assisted psychosocial or behavioral therapy.