

PYRROLIDINONES AS HERBICIDES

FIELD OF THE INVENTION


This invention relates to certain pyrrolidinones, their *N*-oxides and salts, and compositions and methods of their use for controlling undesirable vegetation.

BACKGROUND OF THE INVENTION

The control of undesired vegetation is extremely important in achieving high crop efficiency. Achievement of selective control of the growth of weeds especially in such useful crops as rice, soybean, sugar beet, maize, potato, wheat, barley, tomato and plantation crops, among others, is very desirable. Unchecked weed growth in such useful crops can cause significant reduction in productivity and thereby result in increased costs to the consumer. The control of undesired vegetation in noncrop areas is also important. Many products are commercially available for these purposes, but the need continues for new compounds that are more effective, less costly, less toxic, environmentally safer or have different sites of action.

SUMMARY OF THE INVENTION

This invention is directed to compounds of Formula 1 (including all stereoisomers), including *N*-oxides and salts thereof, agricultural compositions containing them and their use as herbicides:



wherein

Q^1 is a phenyl ring or a naphthalenyl ring system, each ring or ring system optionally substituted with up to 5 substituents independently selected from R^7 ; or a 5- to 6-membered fully unsaturated heterocyclic ring or an 8- to 10-membered heteroaromatic bicyclic ring system, each ring or ring system containing ring members selected from carbon atoms and 1 to 4 heteroatoms independently selected from up to 2 O, up to 2 S and up to 4 N atoms, wherein up to 3 carbon ring members are independently selected from $C(=O)$ and $C(=S)$, and the sulfur atom ring members are independently selected from $S(=O)_u(=NR^8)_v$, each ring or ring system optionally substituted with up to 5 substituents independently

selected from R⁷ on carbon atom ring members and selected from R⁹ on nitrogen atom ring members;

Q² is a phenyl ring or a naphthalenyl ring system, each ring or ring system optionally substituted with up to 5 substituents independently selected from R¹⁰; or a 5- to 6-membered fully unsaturated heterocyclic ring or an 8- to 10-membered heteroaromatic bicyclic ring system, each ring or ring system containing ring members selected from carbon atoms and 1 to 4 heteroatoms independently selected from up to 2 O, up to 2 S and up to 4 N atoms, wherein up to 3 carbon ring members are independently selected from C(=O) and C(=S), and the sulfur atom ring members are independently selected from S(=O)_u(=NR⁸)_v, each ring or ring system optionally substituted with up to 5 substituents independently selected from R¹⁰ on carbon atom ring members and selected from R¹¹ on nitrogen atom ring members;

Y¹ and Y² are each independently O, S or NR¹²;

R¹ is H, hydroxy, amino, C₁–C₆ alkyl, C₁–C₆ haloalkyl, C₂–C₆ alkenyl, C₃–C₆ alkynyl, C₄–C₈ cycloalkylalkyl, C₂–C₈ alkoxyalkyl, C₂–C₈ haloalkoxyalkyl, C₂–C₈ alkylthioalkyl, C₂–C₈ alkylsulfinylalkyl, C₂–C₈ alkylsulfonylalkyl, C₂–C₈ alkylcarbonyl, C₂–C₈ haloalkylcarbonyl, C₄–C₁₀ cycloalkylcarbonyl, C₂–C₈ alkoxycarbonyl, C₂–C₈ haloalkoxycarbonyl, C₄–C₁₀ cycloalkoxycarbonyl, C₂–C₈ alkylaminocarbonyl, C₃–C₁₀ dialkylaminocarbonyl, C₄–C₁₀ cycloalkylaminocarbonyl, C₁–C₆ alkoxy, C₁–C₆ alkylthio, C₁–C₆ haloalkylthio, C₃–C₈ cycloalkylthio, C₁–C₆ alkylsulfinyl, C₁–C₆ haloalkylsulfinyl, C₃–C₈ cycloalkylsulfinyl, C₁–C₆ alkylsulfonyl, C₁–C₆ haloalkylsulfonyl, C₃–C₈ cycloalkylsulfonyl, C₁–C₆ alkylaminosulfonyl, C₂–C₈ dialkylaminosulfonyl, C₃–C₁₀ trialkylsilyl or G¹;

R² and R³ are each independently H, halogen or C₁–C₄ alkyl; or

R² and R³ are taken together with the carbon atom to which they are bonded to form a C₃–C₇ cycloalkyl ring;

R⁴ and R⁵ are each independently H, halogen or C₁–C₄ alkyl;

R⁶ is H, hydroxy, amino, C₁–C₆ alkyl, C₁–C₆ haloalkyl, C₂–C₆ alkenyl, C₃–C₆ alkynyl, C₂–C₈ alkoxyalkyl, C₂–C₈ haloalkoxyalkyl, C₂–C₈ alkylthioalkyl, C₂–C₈ alkylsulfinylalkyl, C₂–C₈ alkylsulfonylalkyl, C₂–C₈ alkylcarbonyl, C₂–C₈ haloalkylcarbonyl, C₄–C₁₀ cycloalkylcarbonyl, C₂–C₈ alkoxycarbonyl, C₂–C₈ haloalkoxycarbonyl, C₄–C₁₀ cycloalkoxycarbonyl, C₂–C₈ alkylaminocarbonyl, C₃–C₁₀ dialkylaminocarbonyl, C₄–C₁₀ cycloalkylaminocarbonyl, C₁–C₆ alkoxy, C₁–C₆ alkylthio, C₁–C₆ haloalkylthio, C₃–C₈ cycloalkylthio, C₁–C₆ alkylsulfinyl, C₁–C₆ haloalkylsulfinyl, C₃–C₈ cycloalkylsulfinyl, C₁–C₆

alkylsulfonyl, C₁-C₆ haloalkylsulfonyl, C₃-C₈ cycloalkylsulfonyl, C₁-C₆ alkylaminosulfonyl, C₂-C₈ dialkylaminosulfonyl, C₃-C₁₀ trialkylsilyl or G¹;
 each R⁷ and R¹⁰ is independently halogen, cyano, nitro, C₁-C₈ alkyl, C₁-C₈ haloalkyl,
 5 C₁-C₈ nitroalkyl, C₂-C₈ alkenyl, C₂-C₈ haloalkenyl, C₂-C₈ nitroalkenyl, C₂-
 C₈ alkynyl, C₂-C₈ haloalkynyl, C₄-C₁₀ cycloalkylalkyl, C₄-C₁₀
 halocycloalkylalkyl, C₅-C₁₂ alkylcycloalkylalkyl, C₅-C₁₂ cycloalkylalkenyl,
 C₅-C₁₂ cycloalkylalkynyl, C₃-C₈ cycloalkyl, C₃-C₈ halocycloalkyl, C₄-C₁₀
 alkylcycloalkyl, C₆-C₁₂ cycloalkylcycloalkyl, C₃-C₈ cycloalkenyl, C₃-C₈
 halocycloalkenyl, C₂-C₈ alkoxyalkyl, C₂-C₈ haloalkoxyalkyl, C₃-C₈
 10 haloalkoxyalkoxy, C₃-C₈ alkoxyalkoxy, C₄-C₁₀ cycloalkoxyalkyl, C₃-C₁₀
 alkoxyalkoxyalkyl, C₂-C₈ alkylthioalkyl, C₂-C₈ alkylsulfinylalkyl, C₂-C₈
 alkylsulfonylalkyl, C₂-C₈ alkylaminoalkyl, C₂-C₈ haloalkylaminoalkyl, C₄-C₁₀
 cycloalkylaminoalkyl, C₃-C₁₀ dialkylaminoalkyl, -CHO, C₂-C₈ alkylcarbonyl,
 C₂-C₈ haloalkylcarbonyl, C₄-C₁₀ cycloalkylcarbonyl, -C(=O)OH, C₂-C₈
 15 alkoxy carbonyl, C₂-C₈ haloalkoxy carbonyl, C₄-C₁₀ cycloalkoxy carbonyl, C₅-
 C₁₂ cycloalkylalkoxy carbonyl, -C(=O)NH₂, C₂-C₈ alkylaminocarbonyl, C₄-C₁₀
 cycloalkylaminocarbonyl, C₃-C₁₀ dialkylaminocarbonyl, C₁-C₈ alkoxy, C₁-C₈
 haloalkoxy, C₂-C₈ alkoxyalkoxy, C₂-C₈ alkenyloxy, C₂-C₈ haloalkenyloxy,
 C₃-C₈ alkynyloxy, C₃-C₈ haloalkynyloxy, C₃-C₈ cycloalkoxy, C₃-C₈
 20 halocycloalkoxy, C₄-C₁₀ cycloalkylalkoxy, C₃-C₁₀ alkylcarbonylalkoxy, C₂-C₈
 alkylcarbonyloxy, C₂-C₈ haloalkylcarbonyloxy, C₄-C₁₀ cycloalkylcarbonyloxy,
 C₁-C₈ alkylsulfonyloxy, C₁-C₈ haloalkylsulfonyloxy, C₁-C₈ alkylthio, C₁-C₈
 haloalkylthio, C₃-C₈ cycloalkylthio, C₁-C₈ alkylsulfinyl, C₁-C₈
 haloalkylsulfinyl, C₁-C₈ alkylsulfonyl, C₁-C₈ haloalkylsulfonyl, C₃-C₈
 25 cycloalkylsulfonyl, formylamino, C₂-C₈ alkylcarbonylamino, C₂-C₈
 haloalkylcarbonylamino, C₂-C₈ alkoxy carbonylamino, C₁-C₆
 alkylsulfonylamino, C₁-C₆ haloalkylsulfonylamino, -SF₅, -SCN, SO₂NH₂,
 C₃-C₁₂ trialkylsilyl, C₄-C₁₂ trialkylsilylalkyl, C₄-C₁₂ trialkylsilylalkoxy or G²;
 each R⁸ is independently H, cyano, C₂-C₃ alkylcarbonyl or C₂-C₃ haloalkylcarbonyl;
 30 each R⁹ and R¹¹ is independently cyano, C₁-C₃ alkyl, C₂-C₃ alkenyl, C₂-C₃ alkynyl,
 C₃-C₆ cycloalkyl, C₂-C₃ alkoxyalkyl, C₁-C₃ alkoxy, C₂-C₃ alkylcarbonyl, C₂-
 C₃ alkoxy carbonyl, C₂-C₃ alkylaminoalkyl or C₃-C₄ dialkylaminoalkyl;
 each R¹² is independently H, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl, -(C=O)CH₃
 or -(C=O)CF₃;
 35 each G¹ is independently phenyl, phenylmethyl (i.e. benzyl), pyridinylmethyl,
 phenylcarbonyl (i.e. benzoyl), phenoxy, phenylethynyl, phenylsulfonyl or a 5- or
 6-membered heteroaromatic ring, each optionally substituted on ring members
 with up to 5 substituents independently selected from R¹³;

each G^2 is independently phenyl, phenylmethyl (i.e. benzyl), pyridinylmethyl, phenylcarbonyl (i.e. benzoyl), phenoxy, phenylethynyl, phenylsulfonyl or a 5- or 6-membered heteroaromatic ring, each optionally substituted on ring members with up to 5 substituents independently selected from R^{14} ;

each R^{13} and R^{14} is independently halogen, cyano, hydroxy, amino, nitro, -CHO, -C(=O)OH, -C(=O)NH₂, -SO₂NH₂, C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₂-C₈ alkylcarbonyl, C₂-C₈ haloalkylcarbonyl, C₂-C₈ alkoxy, C₄-C₁₀ cycloalkoxy, C₅-C₁₂ cycloalkylalkoxy, C₂-C₈ alkylaminocarbonyl, C₃-C₁₀ dialkylaminocarbonyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, C₂-C₈ alkylcarbonyloxy, C₁-C₆ alkylthio, C₁-C₆ haloalkylthio, C₁-C₆ alkylsulfinyl, C₁-C₆ haloalkylsulfinyl, C₁-C₆ alkylsulfonyl, C₁-C₆ haloalkylsulfonyl, C₁-C₆ alkylaminosulfonyl, C₂-C₈ dialkylaminosulfonyl, C₃-C₁₀ trialkylsilyl, C₁-C₆ alkylamino, C₂-C₈ dialkylamino, C₂-C₈ alkylcarbonylamino, C₁-C₆ alkylsulfonylamino, phenyl, pyridinyl or thienyl; and

each u and v are independently 0, 1 or 2 in each instance of $S(=O)_u(=NR^8)_v$, provided that the sum of u and v is 0, 1 or 2;

provided that

- (a) the compound of Formula 1 is other than *N*-1*H*-benzotriazol-1-yl-2-oxo-4-phenyl-3-pyrrolidinecarboxamide;
- (b) when Q^1 comprises a 3-furanyl or 3-pyridinyl ring directly bonded to the remainder of Formula 1, then said ring is substituted with at least one substituent selected from R^7 ;
- (c) when Q^1 is an unsubstituted phenyl ring, and Q^2 comprises a phenyl ring directly bonded to the remainder of Formula 1, then said Q^2 ring is substituted with R^{10} other than optionally substituted phenoxy or F at a 2-position, cyano or -CF₃ at the 4-position and R^5 is H or halogen;
- (d) when Q^1 is unsubstituted phenyl, and Q^2 comprises a pyridinyl ring directly bonded to the remainder of Formula 1, then said pyridinyl ring is substituted with at least one substituent selected from R^{10} ;
- (e) when Q^1 is a phenyl ring substituted with 4-phenyl or 4-phenoxy, said Q^1 ring is further substituted with and R^7 substituent;
- (f) when Q^1 comprises a phenyl ring directly bonded to the remainder of Formula 1 and said ring is substituted with R^7 at both ortho positions (relative to the bond to the remainder of Formula 1), then said ring is also independently substituted with R^7 on at least one additional position;
- (g) when Q^1 is other than unsubstituted 1-naphthalenyl, then Q^2 is other than 2,3-difluorophenyl or 2-CF₃-phenyl;

- (h) Q² is other than optionally substituted 1*H*-pyrazol-5-yl; and
(i) when Q² comprises a 1*H*-pyrazol-3-yl ring directly bonded to the remainder of Formula 1, said ring is substituted at the 1-position with R⁹.

More particularly, this invention pertains to a compound of Formula 1 (including all stereoisomers), an *N*-oxide or a salt thereof. This invention also relates to a herbicidal composition comprising a compound of the invention (i.e. in a herbicidally effective amount) and at least one component selected from the group consisting of surfactants, solid diluents and liquid diluents, the composition optionally further comprising at least one additional active ingredient selected from the group consisting of other herbicides and herbicide safeners. This invention further relates to a method for controlling the growth of undesired vegetation comprising contacting the vegetation or its environment with a herbicidally effective amount of a compound of the invention (e.g., as a composition described herein).

DETAILS OF THE INVENTION

As used herein, the terms “comprises,” “comprising,” “includes,” “including,” “has,” “having,” “contains,” “containing,” “characterized by” or any other variation thereof, are intended to cover a non-exclusive inclusion, subject to any limitation explicitly indicated. For example, a composition, mixture, process or method that comprises a list of elements is not necessarily limited to only those elements but may include other elements not expressly listed or inherent to such composition, mixture, process, or method.

The transitional phrase “consisting of” excludes any element, step, or ingredient not specified. If in the claim, such would close the claim to the inclusion of materials other than those recited except for impurities ordinarily associated therewith. When the phrase “consisting of” appears in a clause of the body of a claim, rather than immediately following the preamble, it limits only the element set forth in that clause; other elements are not excluded from the claim as a whole.

The transitional phrase “consisting essentially of” is used to define a composition, method that includes materials, steps, features, components, or elements, in addition to those literally disclosed, provided that these additional materials, steps, features, components, or elements do not materially affect the basic and novel characteristic(s) of the claimed invention. The term “consisting essentially of” occupies a middle ground between “comprising” and “consisting of”.

Where applicants have defined an invention or a portion thereof with an open-ended term such as “comprising,” it should be readily understood that (unless otherwise stated) the description should be interpreted to also describe such an invention using the terms “consisting essentially of” or “consisting of.”

Further, unless expressly stated to the contrary, “or” refers to an inclusive or and not to an exclusive or. For example, a condition A or B is satisfied by any one of the following: A

is true (or present) and B is false (or not present), A is false (or not present) and B is true (or present), and both A and B are true (or present).

Also, the indefinite articles “a” and “an” preceding an element or component of the invention are intended to be nonrestrictive regarding the number of instances (i.e. occurrences) of the element or component. Therefore “a” or “an” should be read to include one or at least one, and the singular word form of the element or component also includes the plural unless the number is obviously meant to be singular.

As referred to herein, the term “seedling”, used either alone or in a combination of words means a young plant developing from the embryo of a seed.

As referred to herein, the term “broadleaf” used either alone or in words such as “broadleaf weed” means dicot or dicotyledon, a term used to describe a group of angiosperms characterized by embryos having two cotyledons.

As used herein, the term “alkylating agent” refers to a chemical compound in which a carbon-containing radical is bound through a carbon atom to a leaving group such as halide or sulfonate, which is displaceable by bonding of a nucleophile to said carbon atom. Unless otherwise indicated, the term “alkylating” does not limit the carbon-containing radical to alkyl; the carbon-containing radicals in alkylating agents include the variety of carbon-bound substituent radicals specified for R¹.

In the above recitations, the term “alkyl”, used either alone or in compound words such as “alkylthio” or “haloalkyl” includes straight-chain or branched alkyl, such as, methyl, ethyl, *n*-propyl, *i*-propyl, or the different butyl, pentyl or hexyl isomers. “Alkenyl” includes straight-chain or branched alkenes such as ethenyl, 1-propenyl, 2-propenyl, and the different butenyl, pentenyl and hexenyl isomers. “Alkenyl” also includes polyenes such as 1,2-propadienyl and 2,4-hexadienyl. “Alkynyl” includes straight-chain or branched alkynes such as ethynyl, 1-propynyl, 2-propynyl and the different butynyl, pentynyl and hexynyl isomers. “Alkynyl” can also include moieties comprised of multiple triple bonds such as 2,5-hexadiynyl.

“Alkoxy” includes, for example, methoxy, ethoxy, *n*-propyloxy, isopropyloxy and the different butoxy, pentoxy and hexyloxy isomers. “Alkoxyalkyl” denotes alkoxy substitution on alkyl. Examples of “alkoxyalkyl” include CH₃OCH₂, CH₃OCH₂CH₂, CH₃CH₂OCH₂, CH₃CH₂CH₂CH₂OCH₂ and CH₃CH₂OCH₂CH₂. “Alkoxyalkoxyalkyl” denotes at least alkoxy substitution on the alkoxy moiety of alkoxyalkyl moiety. Examples of “alkoxyalkoxyalkyl” include CH₃OCH₂OCH₂-, CH₃CH₂O(CH₃)CHOCH₂- and (CH₃O)₂CHOCH₂-. “Alkoxyalkoxy” denotes alkoxy substitution on alkoxy. “Alkenyloxy” includes straight-chain or branched alkenyloxy moieties. Examples of “alkenyloxy” include H₂C=CHCH₂O, (CH₃)₂C=CHCH₂O, (CH₃)CH=CHCH₂O, (CH₃)CH=C(CH₃)CH₂O and CH₂=CHCH₂CH₂O. “Alkynyloxy” includes straight-chain or branched alkynyloxy moieties. Examples of “alkynyloxy” include HC≡CCH₂O, CH₃C≡CCH₂O and

CH₃C≡CCH₂CH₂O. “Alkylthio” includes branched or straight-chain alkylthio moieties such as methylthio, ethylthio, and the different propylthio, butylthio, pentylthio and hexylthio isomers. “Alkylsulfinyl” includes both enantiomers of an alkylsulfinyl group. Examples of “alkylsulfinyl” include CH₃S(O)-, CH₃CH₂S(O)-, CH₃CH₂CH₂S(O)-, (CH₃)₂CHS(O)- and the different butylsulfinyl, pentylsulfinyl and hexylsulfinyl isomers. Examples of “alkylsulfonyl” include CH₃S(O)₂-, CH₃CH₂S(O)₂-, CH₃CH₂CH₂S(O)₂-, (CH₃)₂CHS(O)₂-, and the different butylsulfonyl, pentylsulfonyl and hexylsulfonyl isomers. “Alkylthioalkyl” denotes alkylthio substitution on alkyl. Examples of “alkylthioalkyl” include CH₃SCH₂, CH₃SCH₂CH₂, CH₃CH₂SCH₂, CH₃CH₂CH₂CH₂SCH₂ and CH₃CH₂SCH₂CH₂. “Alkylsulfinylalkyl” denotes alkylsulfinyl substitution on alkyl. Examples of “alkylsulfinylalkyl” include CH₃S(=O)CH₂, CH₃S(=O)CH₂CH₂, CH₃CH₂S(=O)CH₂ and CH₃CH₂S(=O)CH₂CH₂. “Alkylsulfonylalkyl” denotes alkylsulfonyl substitution on alkyl. Examples of “alkylsulfonylalkyl” include CH₃S(=O)₂CH₂, CH₃S(=O)₂CH₂CH₂, CH₃CH₂S(=O)₂CH₂ and CH₃CH₂S(=O)₂CH₂CH₂. “Alkylamino”, “dialkylamino”, and the like, are defined analogously to the above examples. Examples of “alkylaminoalkyl” include CH₃NHCH₂-, (CH₃)₂CHNHCH₂- and CH₃NHCH(CH₃)-. Examples of “dialkylaminoalkyl” include (CH₃)₂NCH₂-, (CH₃)₂NC(CH₃)H- and (CH₃)(CH₃)NCH₂-. Examples of “dialkylaminocarbonyl” include (CH₃)₂NC(O)-. Examples of “dialkylaminosulfonyl” include (CH₃)₂NS(O)₂-. The term “alkoxycarbonylamino” denotes a straight-chain or branched alkoxy moieties bonded to a C(=O) moiety of carbonylamino group. Examples of “alkoxycarbonylamino” include CH₃OC(=O)NH- and CH₃CH₂OC(=O)NH-.

“Cycloalkyl” includes, for example, cyclopropyl, cyclobutyl, cyclopentyl and cyclohexyl. The term “alkylcycloalkyl” denotes alkyl substitution on a cycloalkyl moiety and includes, for example, ethylcyclopropyl, *i*-propylcyclobutyl, 3-methylcyclopentyl and 4-methylcyclohexyl. The term “cycloalkylalkyl” denotes cycloalkyl substitution on an alkyl moiety. Examples of “cycloalkylalkyl” include cyclopropylmethyl, cyclopentylethyl, and other cycloalkyl moieties bonded to straight-chain or branched alkyl groups. The term “cycloalkoxy” denotes cycloalkyl linked through an oxygen atom such as cyclopentyloxy and cyclohexyloxy. “Cycloalkylalkoxy” denotes cycloalkylalkyl linked through an oxygen atom attached to the alkyl chain. Examples of “cycloalkylalkoxy” include cyclopropylmethoxy, cyclopentylethoxy, and other cycloalkyl moieties bonded to straight-chain or branched alkoxy groups. “Cycloalkenyl” includes groups such as cyclopentenyl and cyclohexenyl as well as groups with more than one double bond such as 1,3- and 1,4-cyclohexadienyl.

The term “halogen”, either alone or in compound words such as “haloalkyl”, or when used in descriptions such as “alkyl substituted with halogen” includes fluorine, chlorine, bromine or iodine. Further, when used in compound words such as “haloalkyl”, or when

used in descriptions such as “alkyl substituted with halogen” said alkyl may be partially or fully substituted with halogen atoms which may be the same or different. Examples of “haloalkyl” or “alkyl substituted with halogen” include F_3C , $ClCH_2$, CF_3CH_2 and CF_3CCl_2 . The terms “halocycloalkyl”, “haloalkoxy”, “haloalkylthio”, “haloalkenyl”, “haloalkynyl”, “haloalkenyloxy”, “haloalkylcarbonylamino”, “haloalkylsulfonylamino”, “haloalkylsulfonyloxy”, “haloalkoxyalkyl”, “haloalkylcarbonyloxy”, “haloalkylaminoalkyl” and the like, are defined analogously to the term “haloalkyl”. Examples of “haloalkoxy” include CF_3O- , CCl_3CH_2O- , $HCF_2CH_2CH_2O-$ and CF_3CH_2O- . Examples of “haloalkylthio” include CCl_3S- , CF_3S- , CCl_3CH_2S- and $ClCH_2CH_2CH_2S-$. Examples of “haloalkylsulfinyl” include $CF_3S(O)-$, $CCl_3S(O)-$, $CF_3CH_2S(O)-$ and $CF_3CF_2S(O)-$. Examples of “haloalkylsulfonyl” include $CF_3S(O)_2-$, $CCl_3S(O)_2-$, $CF_3CH_2S(O)_2-$ and $CF_3CF_2S(O)_2-$. Examples of “haloalkenyl” include $(Cl)_2C=CHCH_2-$ and $CF_3CH_2CH=CHCH_2-$. Examples of “haloalkenyloxy” include $(Cl)_2C=CHCH_2O-$ and $CF_3CH_2CH=CHCH_2O-$. Examples of “haloalkynyl” include $HC\equiv CCHCl-$, $CF_3C\equiv C-$, $CCl_3C\equiv C-$ and $FCH_2C\equiv CCH_2-$. Examples of “haloalkoxyalkyl” include CF_3OCH_2- , $ClCH_2CH_2OCH_2CH_2-$, $Cl_3CCH_2OCH_2-$ as well as branched alkyl derivatives. Examples of “haloalkoxycarbonyl” include $CF_3OC(O)-$, $ClCH_2CH_2OCH_2CH_2-$, $Cl_3CCH_2OCH_2OC(O)-$ as well as branched alkyl derivatives.

“Alkylcarbonyl” denotes a straight-chain or branched alkyl moieties bonded to a $C(=O)$ moiety. Examples of “alkylcarbonyl” include $CH_3C(=O)-$, $CH_3CH_2CH_2C(=O)-$ and $(CH_3)_2CHC(=O)-$. Examples of “alkoxycarbonyl” include $CH_3OC(=O)-$, $CH_3CH_2OC(=O)-$, $CH_3CH_2CH_2OC(=O)-$, $(CH_3)_2CHOC(=O)-$ and the different butoxy- or pentoxycarbonyl isomers. “Cycloalkylalkoxycarbonyl” denotes a cycloalkylalkyl moieties bonded to an oxygen atom of alkoxycarbonyl moiety. Examples of “cycloalkylalkoxycarbonyl” include cyclopropyl- $CH_2OC(=O)-$, cyclopropyl- $CH(CH_3)OC(=O)-$ and cyclopentyl- $CH_2OC(=O)-$.

The total number of carbon atoms in a substituent group is indicated by the “ C_i-C_j ” prefix where i and j are numbers from 1 to 12. For example, C_1-C_4 alkylsulfonyl designates methylsulfonyl through butylsulfonyl; C_2 alkoxyalkyl designates CH_3OCH_2- ; C_3 alkoxyalkyl designates, for example, $CH_3CH(OCH_3)-$, $CH_3OCH_2CH_2-$ or $CH_3CH_2OCH_2-$; and C_4 alkoxyalkyl designates the various isomers of an alkyl group substituted with an alkoxy group containing a total of four carbon atoms, examples including $CH_3CH_2CH_2OCH_2-$ and $CH_3CH_2OCH_2CH_2-$.

When a compound is substituted with a substituent bearing a subscript that indicates the number of said substituents can exceed 1, said substituents (when they exceed 1) are independently selected from the group of defined substituents, e.g., $[R^7]_n$, n is 1, 2, 3, 4 or 5). Further, when the subscript indicates a range, e.g. $(R)_{i-j}$, then the number of substituents may be selected from the integers between i and j inclusive. When a group contains a substituent which can be hydrogen, for example R^1 or R^2 , then when this substituent is taken as hydrogen, it is recognized that this is equivalent to said group being unsubstituted. When

a variable group is shown to be optionally attached to a position, for example $[R^{(7)}_n]$ wherein n may be 0, then hydrogen may be at the position even if not recited in the variable group definition. When one or more positions on a group are said to be “not substituted” or “unsubstituted”, then hydrogen atoms are attached to take up any free valency.

5 The expression “fully saturated” in relation to a ring of atoms means that the bonds between the atoms of the ring are all single. The expression “fully unsaturated” in relation to a ring means that the bonds between the atoms in the ring are single or double bonds according to valence bond theory and furthermore the bonds between the atoms in the ring include as many double bonds as possible without double bonds being cumulative (i.e. no
10 $C=C=C$, $N=C=C$, etc.). The term “partially unsaturated” in relation to a ring denotes a ring comprising at least one ring member bonded to an adjacent ring member through a double bond and which conceptually potentially accommodates a number of non-cumulated double bonds through adjacent ring members (i.e. in its fully unsaturated counterpart form) greater than the number of double bonds present (i.e. in its partially unsaturated form). When a fully
15 unsaturated ring satisfies Hückel’s rule then it can also be described as aromatic.

 Unless otherwise indicated, a “ring” or “ring system” as a component of Formula 1 (e.g., substituent Q^1) is carbocyclic or heterocyclic. The term “ring system” denotes two or more fused rings. The terms “bicyclic ring system” and “fused bicyclic ring system” denote a ring system consisting of two fused rings, in which either ring can be saturated, partially
20 unsaturated, or fully unsaturated unless otherwise indicated. The term “fused heterobicyclic ring system” denotes a fused bicyclic ring system in which at least one ring atom is not carbon. A “bridged bicyclic ring system” is formed by bonding a segment of one or more atoms to nonadjacent ring members of a ring. The term “ring member” refers to an atom or other moiety (e.g., $C(=O)$, $C(=S)$, $S(O)$ or $S(O)_2$) forming the backbone of a ring or ring
25 system.

 The terms “carbocyclic ring”, “carbocycle” or “carbocyclic ring system” denote a ring or ring system wherein the atoms forming the ring backbone are selected only from carbon. Unless otherwise indicated, a carbocyclic ring can be a saturated, partially unsaturated, or fully unsaturated ring. When a fully unsaturated carbocyclic ring satisfies Hückel’s rule,
30 then said ring is also called an “aromatic ring”. “Saturated carbocyclic” refers to a ring having a backbone consisting of carbon atoms linked to one another by single bonds; unless otherwise specified, the remaining carbon valences are occupied by hydrogen atoms.

 The terms “heterocyclic ring”, “heterocycle” or “heterocyclic ring system” denote a ring or ring system in which at least one atom forming the ring backbone is not carbon, e.g.,
35 nitrogen, oxygen or sulfur. Typically a heterocyclic ring contains no more than 4 nitrogens, no more than 2 oxygens and no more than 2 sulfurs. Unless otherwise indicated, a heterocyclic ring can be a saturated, partially unsaturated, or fully unsaturated ring. When a fully unsaturated heterocyclic ring satisfies Hückel’s rule, then said ring is also called a

“heteroaromatic ring” or “aromatic heterocyclic ring”. Unless otherwise indicated, heterocyclic rings and ring systems can be attached through any available carbon or nitrogen by replacement of a hydrogen on said carbon or nitrogen.

“Aromatic” indicates that each of the ring atoms is essentially in the same plane and has a *p*-orbital perpendicular to the ring plane, and that $(4n + 2) \pi$ electrons, where *n* is a positive integer, are associated with the ring to comply with Hückel’s rule. The term “aromatic ring system” denotes a carbocyclic or heterocyclic ring system in which at least one ring of the ring system is aromatic. The term “aromatic carbocyclic ring system” denotes a carbocyclic ring system in which at least one ring of the ring system is aromatic. The term “aromatic heterocyclic ring system” denotes a heterocyclic ring system in which at least one ring of the ring system is aromatic. The term “nonaromatic ring system” denotes a carbocyclic or heterocyclic ring system that may be fully saturated, as well as partially or fully unsaturated, provided that none of the rings in the ring system are aromatic. The term “nonaromatic carbocyclic ring system” in which no ring in the ring system is aromatic. The term “nonaromatic heterocyclic ring system” denotes a heterocyclic ring system in which no ring in the ring system is aromatic.


The term “optionally substituted” in connection with the heterocyclic rings refers to groups which are unsubstituted or have at least one non-hydrogen substituent that does not extinguish the biological activity possessed by the unsubstituted analog. As used herein, the following definitions shall apply unless otherwise indicated. The term “optionally substituted” is used interchangeably with the phrase “substituted or unsubstituted” or with the term “(un)substituted.” Unless otherwise indicated, an optionally substituted group may have a substituent at each substitutable position of the group, and each substitution is independent of the other.








When Q^1 or Q^2 is 5- or 6-membered nitrogen-containing heterocyclic ring, it may be attached to the remainder of Formula 1 through any available carbon or nitrogen ring atom, unless otherwise described. As noted above, Q^1 and Q^2 can be (among others) phenyl optionally substituted with one or more substituents selected from a group of substituents as defined in the Summary of the Invention. An example of phenyl optionally substituted with one to five substituents is the ring illustrated as U-1 in Exhibit 1, wherein, for example, R^v is R^7 as defined in the Summary of the Invention for Q^1 , or R^v is R^{10} as defined in the Summary of the Invention for Q^2 , and *r* is an integer (from 0 to 5).

As noted above, Q^1 and Q^2 can be (among others) a 5- or 6-membered fully unsaturated heterocyclic ring, optionally substituted with one or more substituents selected from a group of substituents as defined in the Summary of the Invention. Examples of a 5- or 6-membered unsaturated aromatic heterocyclic ring optionally substituted with from one or more substituents include the rings U-2 through U-61 illustrated in Exhibit 1 wherein R^v is any substituent as defined in the Summary of the Invention for Q^1 and Q^2 , and *r* is an

integer from 0 to 4, limited by the number of available positions on each U group. As U-29, U-30, U-36, U-37, U-38, U-39, U-40, U-41, U-42 and U-43 have only one available position, for these U groups r is limited to the integers 0 or 1, and r being 0 means that the U group is unsubstituted and a hydrogen is present at the position indicated by $(R^V)_r$.


5


Exhibit 1



As noted above, Q^1 and Q^2 can be (among others) an 8-, 9- or 10-membered heteroaromatic bicyclic ring system optionally substituted with one or more substituents selected from a group of substituents as defined in the Summary of the Invention for Q^1 and Q^2 . Examples of 8-, 9- or 10-membered heteroaromatic bicyclic ring system optionally substituted with from one or more substituents include the rings U-62 through U-100 illustrated in Exhibit 2 wherein R^V is any substituent as defined in the Summary of the Invention for Q^1 or Q^2 , and r is typically an integer from 0 to 4.

Exhibit 2






U-86

U-87

U-88

U-89




U-90

U-91

U-92

U-93




U-94

U-95

U-96

U-97



U-98

U-99

U-100



Although R^V groups are shown in the structures U-1 through U-100, it is noted that they do not need to be present since they are optional substituents. Note that when R^V is H when attached to an atom, this is the same as if said atom is unsubstituted. The nitrogen atoms that require substitution to fill their valence are substituted with H or R^V . Note that when the attachment point between $(R^V)_r$ and the U group is illustrated as floating, $(R^V)_r$ can be attached to any available carbon atom or nitrogen atom of the U group. Note that when the attachment point on the U group is illustrated as floating, the U group can be attached to the remainder of Formula 1 through any available carbon or nitrogen of the U group by replacement of a hydrogen atom. Preferably for greatest herbicidal activity, the U group is attached to the remainder of Formula 1 through an available carbon or nitrogen on a fully unsaturated ring of the U group. Note that some U groups can only be substituted with less than 4 R^V groups (e.g., U-2 through U-5, U-7 through U-48, and U-52 through U-61).

In the present disclosure and claims, the term “pyrrolidinone” and related terms such as “pyrrolidinone ring” refer to 2-oxo-pyrrolidine derivatives according to the Chemical Abstracts system of nomenclature, including derivatives in which the oxygen atom of the 2-oxo moiety is replaced by S or NR^{12} as Y^1 , unless limited to oxygen by particular context.


A wide variety of synthetic methods are known in the art to enable preparation of aromatic and nonaromatic heterocyclic rings and ring systems; for extensive reviews see the eight volume set of *Comprehensive Heterocyclic Chemistry*, A. R. Katritzky and C. W. Rees editors-in-chief, Pergamon Press, Oxford, 1984 and the twelve volume set of *Comprehensive Heterocyclic Chemistry II*, A. R. Katritzky, C. W. Rees and E. F. V. Scriven editors-in-chief, Pergamon Press, Oxford, 1996.

Compounds of this invention can exist as one or more stereoisomers. The various stereoisomers include enantiomers, diastereomers, atropisomers and geometric isomers. Stereoisomers are isomers of identical constitution but differing in the arrangement of their atoms in space and include enantiomers, diastereomers, cis-trans isomers (also known as geometric isomers) and atropisomers. Atropisomers result from restricted rotation about single bonds where the rotational barrier is high enough to permit isolation of the isomeric species. One skilled in the art will appreciate that one stereoisomer may be more active and/or may exhibit beneficial effects when enriched relative to the other stereoisomer(s) or when separated from the other stereoisomer(s). Additionally, the skilled artisan knows how to separate, enrich, and/or to selectively prepare said stereoisomers. The compounds of the invention may be present as a mixture of stereoisomers, individual stereoisomers or as an optically active form. Particularly when R⁴ and R⁵ are each H, the C(O)N(Q²)(R⁶) and Q¹ substituents are typically mostly in the thermodynamically preferred trans configuration on the pyrrolidinone ring.

For example the C(O)N(Q²)(R⁶) moiety (bonded to the carbon at the 3-position of the pyrrolidinone ring) and Q¹ (bonded to the carbon at the 4-position of the pyrrolidinone ring) are generally found in the *trans* configuration. These two carbon atoms (i.e. at the 3- and 4-positions each possess the pyrrolidinone ring of Formula 1) both possess a chiral center. The two most prevalent pairs of enantiomers are depicted as Formula 1' and Formula 1'' where the chiral centers are identified (i.e. as 3*R*,4*S* or as 3*S*,4*R*). While this invention pertains to all stereoisomers, the preferred enantiomeric pair for biological operability is identified as Formula 1' (i.e. the 3*R*,4*S* configuration). For a comprehensive discussion of all aspects of stereoisomerism, see Ernest L. Eliel and Samuel H. Wilen, *Stereochemistry of Organic Compounds*, John Wiley & Sons, 1994.



The skilled artisan will also recognize that the carbon atom at the 5-position of the pyrrolidinone ring (i.e. the carbon atom to which both R² and R³ are bonded) also contains a stereocenter indicated by a (*) as shown in Formula 1'''. This invention pertains to all stereoisomers, and therefore, when either R² or R³ are other than the same substituent, then a mixture of diastereomers is possible.



Molecular depictions drawn herein follow standard conventions for depicting stereochemistry. To indicate stereoconfiguration, bonds rising from the plane of the drawing and towards the viewer are denoted by solid wedges wherein the broad end of the wedge is attached to the atom rising from the plane of the drawing towards the viewer. Bonds going below the plane of the drawing and away from the viewer are denoted by dashed wedges wherein the narrow end of the wedge is attached to the atom further away from the viewer. Constant width lines indicate bonds with a direction opposite or neutral relative to bonds shown with solid or dashed wedges; constant width lines also depict bonds in molecules or parts of molecules in which no particular stereoconfiguration is intended to be specified.

This invention also comprises racemic mixtures, for example, equal amounts of the enantiomers of Formulae 1' and 1'' (and optionally 1'''). In addition, this invention includes compounds that are enriched compared to the racemic mixture in an enantiomer of Formula 1. Also included are the essentially pure enantiomers of compounds of Formula 1, for example, Formula 1' and Formula 1''.

When enantiomerically enriched, one enantiomer is present in greater amounts than the other, and the extent of enrichment can be defined by an expression of enantiomeric ratio (ER) expressed as the relative area % of the two enantiomers determined by chiral high-performance liquid chromatography.

Preferably the compositions of this invention have at least a 50% ER; more preferably at least a 75% ER; still more preferably at least a 90% ER; and the most preferably at least a 94% ER of the more active isomer. Of particular note are enantiomerically pure embodiments of the more active isomer.

Compounds of Formula 1 can comprise additional chiral centers. For example, substituents and other molecular constituents such as R², R³ and R⁶ may themselves contain

chiral centers. This invention comprises racemic mixtures as well as enriched and essentially pure stereoconfigurations at these additional chiral centers.

Compounds of this invention can exist as one or more conformational isomers due to restricted rotation about the amide bond $C(O)N(Q^2)(R^6)$ in Formula 1. This invention comprises mixtures of conformational isomers. In addition, this invention includes compounds that are enriched in one conformer relative to others. Compounds of Formula 1 typically exist in more than one form, and Formula 1 thus include all crystalline and non-crystalline forms of the compounds they represent. Non-crystalline forms include embodiments which are solids such as waxes and gums as well as embodiments which are liquids such as solutions and melts. Crystalline forms include embodiments which represent essentially a single crystal type and embodiments which represent a mixture of polymorphs (i.e. different crystalline types). The term "polymorph" refers to a particular crystalline form of a chemical compound that can crystallize in different crystalline forms, these forms having different arrangements and/or conformations of the molecules in the crystal lattice. Although polymorphs can have the same chemical composition, they can also differ in composition due the presence or absence of co-crystallized water or other molecules, which can be weakly or strongly bound in the lattice. Polymorphs can differ in such chemical, physical and biological properties as crystal shape, density, hardness, color, chemical stability, melting point, hygroscopicity, suspensibility, dissolution rate and biological availability. One skilled in the art will appreciate that a polymorph of a compound of Formula 1 can exhibit beneficial effects (e.g., suitability for preparation of useful formulations, improved biological performance) relative to another polymorph or a mixture of polymorphs of the same compound of Formula 1. Preparation and isolation of a particular polymorph of a compound of Formula 1 can be achieved by methods known to those skilled in the art including, for example, crystallization using selected solvents and temperatures. For a comprehensive discussion of polymorphism see R. Hilfiker, Ed., *Polymorphism in the Pharmaceutical Industry*, Wiley-VCH, Weinheim, 2006.

One skilled in the art will appreciate that not all nitrogen-containing heterocycles can form *N*-oxides since the nitrogen requires an available lone pair for oxidation to the oxide; one skilled in the art will recognize those nitrogen-containing heterocycles which can form *N*-oxides. One skilled in the art will also recognize that tertiary amines can form *N*-oxides. Synthetic methods for the preparation of *N*-oxides of heterocycles and tertiary amines are very well known by one skilled in the art including the oxidation of heterocycles and tertiary amines with peroxy acids such as peracetic and *m*-chloroperbenzoic acid (MCPBA), hydrogen peroxide, alkyl hydroperoxides such as *t*-butyl hydroperoxide, sodium perborate, and dioxiranes such as dimethyldioxirane. These methods for the preparation of *N*-oxides have been extensively described and reviewed in the literature, see for example: T. L. Gilchrist in *Comprehensive Organic Synthesis*, vol. 7, pp 748–750, S. V. Ley, Ed.,

Pergamon Press; M. Tisler and B. Stanovnik in *Comprehensive Heterocyclic Chemistry*, vol. 3, pp 18–20, A. J. Boulton and A. McKillop, Eds., Pergamon Press; M. R. Grimmett and B. R. T. Keene in *Advances in Heterocyclic Chemistry*, vol. 43, pp 149–161, A. R. Katritzky, Ed., Academic Press; M. Tisler and B. Stanovnik in *Advances in Heterocyclic Chemistry*, vol. 9, pp 285–291, A. R. Katritzky and A. J. Boulton, Eds., Academic Press; and G. W. H. Cheeseman and E. S. G. Werstiuk in *Advances in Heterocyclic Chemistry*, vol. 22, pp 390–392, A. R. Katritzky and A. J. Boulton, Eds., Academic Press.

One skilled in the art recognizes that because in the environment and under physiological conditions salts of chemical compounds are in equilibrium with their corresponding nonsalt forms, salts share the biological utility of the nonsalt forms. Thus a wide variety of salts of a compound of Formula 1 are useful for control of undesired vegetation (i.e. are agriculturally suitable). The salts of a compound of Formula 1 include acid-addition salts with inorganic or organic acids such as hydrobromic, hydrochloric, nitric, phosphoric, sulfuric, acetic, butyric, fumaric, lactic, maleic, malonic, oxalic, propionic, salicylic, tartaric, 4-toluenesulfonic or valeric acids. When a compound of Formula 1 contains an acidic moiety such as a carboxylic acid or phenol, salts also include those formed with organic or inorganic bases such as pyridine, triethylamine or ammonia, or amides, hydrides, hydroxides or carbonates of sodium, potassium, lithium, calcium, magnesium or barium. Accordingly, the present invention comprises compounds selected from Formula 1, *N*-oxides and agriculturally suitable salts thereof.

Embodiments of the present invention as described in the Summary of the Invention include (where Formula 1 as used in the following Embodiments includes *N*-oxides and salts thereof):

Embodiment 1. A compound of Formula 1 wherein when Q¹ is an 8- to 10-membered heteroaromatic bicyclic ring system optionally substituted with R⁷ and R⁹, the remainder of Formula 1 is bonded to a fully unsaturated ring of said bicyclic ring system.

Embodiment 2. A compound of Formula 1 or Embodiment 1 wherein Q¹ is a phenyl ring optionally substituted with up to 5 substituents independently selected from R⁷.

Embodiment 3. A compound of Embodiment 2 wherein Q¹ is a phenyl ring substituted with 1 to 3 substituents independently selected from R⁷.

Embodiment 4. A compound of Embodiment 3 wherein Q¹ is a phenyl ring substituted with 1 to 2 substituents independently selected from R⁷.

Embodiment 5. A compound of Formula 1 or any one of Embodiments 1 through 4 wherein Q¹ is a phenyl ring having a substituent selected from R⁷ at the para (4-) position (and optionally other substituents).

Embodiment 6. A compound of Formula 1 or any one of Embodiments 1 through 5 wherein when Q¹ is a phenyl ring substituted with at least two substituents selected from R⁷, then one substituent is at the para (4-) position and at least one other substituent is at a meta position (of the phenyl ring).

Embodiment 7. A compound of Formula 1 or any one of Embodiments 1 through 6 wherein when Q² is an 8- to 10-membered heteroaromatic bicyclic ring system optionally substituted with R¹⁰ and R¹¹, the remainder of Formula 1 is bonded to a fully unsaturated ring of said bicyclic ring system.

Embodiment 8. A compound of Formula 1 or any one of Embodiments 1 through 7 wherein Q² is a phenyl ring substituted with up to 5 substituents independently selected from R¹⁰.

Embodiment 9. A compound of Embodiment 8 wherein Q² is a phenyl ring substituted with 1 to 3 substituents independently selected from R¹⁰.

Embodiment 10. A compound of Embodiment 9 wherein Q² is a phenyl ring substituted with 1 to 2 substituents independently selected from R¹⁰.

Embodiment 11. A compound of Formula 1 or any one of Embodiments 1 through 10 wherein Q² is a phenyl ring having at least one substituent selected from R¹⁰ at an ortho (e.g., 2-) position (and optionally other substituents).

Embodiment 12. A compound of Formula 1 or any one of Embodiments 1 through 11 wherein when Q² is a phenyl ring substituted with at least two substituents selected from R¹⁰, then at least one substituent is at an ortho (e.g., 2-) position and at least one substituent is at an adjacent meta (e.g., 3-) position (of the phenyl ring).

Embodiment 13. A compound of Formula 1 or any one of Embodiments 1 through 12 wherein, independently, each R⁷ and R¹⁰ is independently halogen, cyano, nitro, C₁–C₄ alkyl, C₁–C₄ haloalkyl, C₂–C₄ alkenyl, C₂–C₄ haloalkenyl, C₂–C₄ alkynyl, C₂–C₄ haloalkynyl, C₁–C₄ nitroalkyl, C₂–C₄ nitroalkenyl, C₂–C₄ alkoxyalkyl, C₂–C₄ haloalkoxyalkyl, C₃–C₄ cycloalkyl, C₃–C₄ halocycloalkyl, cyclopropylmethyl, methylcyclopropyl, C₁–C₄ alkoxy, C₁–C₄ haloalkoxy, C₂–C₄ alkenyloxy, C₂–C₄ haloalkenyloxy, C₃–C₄ alkynyloxy, C₃–C₄ haloalkynyloxy, C₃–C₄ cycloalkoxy, C₁–C₄ alkylthio, C₁–C₄ haloalkylthio, C₁–C₄ alkylsulfinyl, C₁–C₄ haloalkylsulfinyl, C₁–C₄ alkylsulfonyl, C₁–C₄ haloalkylsulfonyl, hydroxy, formyl, C₂–C₄ alkylcarbonyl, C₂–C₄ alkylcarbonyloxy, C₁–C₄ alkylsulfonyloxy, C₁–C₄ haloalkylsulfonyloxy, amino, C₁–C₄ alkylamino, C₂–C₄ dialkylamino, formylamino, C₂–C₄ alkylcarbonylamino, -SF₅, -SCN, C₃–C₄ trialkylsilyl, trimethylsilylmethyl or trimethylsilylmethoxy.

Embodiment 14. A compound of Embodiment 13 wherein each R^7 is independently halogen, cyano, C_1-C_2 alkyl, C_1-C_3 haloalkyl or C_1-C_3 alkylsulfonyl.

Embodiment 15. A compound of Embodiment 14 wherein each R^7 is independently halogen or C_1-C_2 haloalkyl.

5 Embodiment 16. A compound of Embodiment 15 wherein each R^7 is independently halogen or C_1 haloalkyl.

Embodiment 17. A compound of Embodiment 16 wherein each R^7 is independently halogen or C_1 fluoroalkyl.

10 Embodiment 18. A compound of Embodiment 17 wherein each R^7 is independently halogen or CF_3 .

Embodiment 19. A compound of Embodiment 18 wherein each R^7 is independently F, Cl, Br or CF_3 .

Embodiment 20. A compound of Embodiment 19 wherein each R^7 is independently F or CF_3 .

15 Embodiment 21. A compound of Embodiment 19 or 20 wherein at most only one CF_3 substituent is present and is at the para position of the Q^1 phenyl ring.

Embodiment 22. A compound of any one of Embodiments 13 through 21 wherein each R^{10} is independently halogen, cyano, nitro, C_1-C_2 alkyl, C_1-C_3 haloalkyl or C_1-C_3 alkylsulfonyl.

20 Embodiment 23. A compound of Embodiment 22 wherein each R^{10} is independently halogen or C_1-C_2 haloalkyl.

Embodiment 24. A compound of Embodiment 23 wherein each R^{10} is independently halogen or C_1 haloalkyl.

25 Embodiment 25. A compound of Embodiment 24 wherein each R^{10} is independently halogen or C_1 fluoroalkyl.

Embodiment 26. A compound of Embodiment 25 wherein each R^{10} is independently halogen or CF_3 .

Embodiment 27. A compound of Embodiment 26 wherein each R^{10} is independently F, Cl, Br or CF_3 .

30 Embodiment 28. A compound of Embodiment 27 wherein each R^{10} is independently F or CF_3 .

Embodiment 29. A compound of Embodiment 28 wherein each R^{10} is F.

Embodiment 30. A compound of Formula 1 or any one of Embodiments 1 through 29 wherein, independently, each R^9 and R^{11} is independently H or C_1-C_2 alkyl.

35 Embodiment 31. A compound of Embodiment 28 wherein, independently, each R^9 and R^{11} is CH_3 .

Embodiment 32. A compound of Formula 1 or any one of Embodiments 1 through 31 wherein Y^1 is O.

Embodiment 33. A compound of Formula 1 or any one of Embodiments 1 through 32 wherein Y² is O.

Embodiment 33a. A compound of Formula 1 or any one of Embodiments 1 through 33 wherein R¹ is H, C₁–C₆ alkyl, C₁–C₆ haloalkyl or C₄–C₈ cycloalkylalkyl.

5 Embodiment 33b. A compound of Formula 1 or any one of Embodiments 1 through 33a wherein R¹ is H, C₁–C₆ alkyl or C₁–C₆ haloalkyl.

Embodiment 33c. A compound of Formula 1 or any one of Embodiments 1 through 33b wherein R¹ is H, Me, Et or CHF₂.

10 Embodiment 33d. A compound of Formula 1 or any one of Embodiments 1 through 33c wherein R¹ is H, Me or Et.

Embodiment 34. A compound of Formula 1 or any one of Embodiments 1 through 33 wherein R¹ is H or CH₃.

Embodiment 34a. A compound of Formula 1 or any one of Embodiments 1 through 34 wherein R¹ is CH₃.

15 Embodiment 35. A compound of Embodiment 34 wherein R¹ is H.

Embodiment 36. A compound of Formula 1 or any one of Embodiments 1 through 35 wherein R² is H or CH₃.

Embodiment 37. A compound of Embodiment 36 wherein R² is H.

20 Embodiment 38. A compound of Formula 1 or any one of Embodiments 1 through 37 wherein R³ is H or CH₃.

Embodiment 39. A compound of Embodiment 38 wherein R³ is H.

Embodiment 40. A compound of Formula 1 or any one of Embodiments 1 through 39 wherein R⁴ is H or CH₃.

Embodiment 41. A compound of Embodiment 40 wherein R⁴ is H.

25 Embodiment 42. A compound of Formula 1 or any one of Embodiments 1 through 41 wherein R⁵ is H or CH₃.

Embodiment 43. A compound of Embodiment 42 wherein R⁵ is H.

Embodiment 44. A compound of Formula 1 or any one of Embodiments 1 through 43 wherein R⁶ is H or CH₃.

30 Embodiment 45. A compound of Embodiment 44 wherein R⁶ is H.

Embodiment 46. A compound of Formula 1 or any one of Embodiments 1 through 45 wherein Q² is other than 1*H*-indazol-5-yl optionally substituted at the 3-position.

Embodiment 47. A compound of Embodiment 46 wherein Q² is other than 1*H*-indazol-5-yl optionally substituted at the 1- and 3-positions.

35 Embodiment 48. A compound of Embodiment 47 wherein Q² is other than optionally substituted 1*H*-indazol-5-yl.

Embodiment 49. A compound of any one of Embodiments 1 through 48 wherein Q¹ is other than unsubstituted phenyl.

Embodiment 50. A compound of any one of Embodiments 1 through 49 wherein Q² is other than unsubstituted pyridinyl.

Embodiment 51. A compound of any one of Embodiments 1 through 50 wherein Q¹ is other than optionally substituted naphthalenyl.

5 Embodiment 52. A compound of any one of Embodiments 1 through 51 wherein G² is other than optionally substituted phenyl.

Embodiment 53. A compound of any one of Embodiments 1 through 51 wherein G² is other than optionally substituted phenyl at the 4 position (of Q¹).

10 Embodiment 54. A compound of any one of Embodiments 1 through 52 wherein G² is other than optionally substituted phenoxy

Embodiment 55. A compound of any one of Embodiments 1 through 54 wherein G² is other than optionally substituted phenoxy at the 4-position (of Q¹).

Embodiment 56. A compound of Formula 1 or any one of Embodiments 1 through 55 wherein the stereochemistry is (3*R*,4*S*) or (3*S*,4*R*).

15 Embodiment 57. A compound of Embodiment 54 wherein the stereochemistry is (3*R*,4*S*)

Embodiment 58. A compound of Embodiment 54 wherein the stereochemistry is (3*S*,4*R*).

20 Embodiments of this invention, including Embodiments 1–58 above as well as any other embodiments described herein, can be combined in any manner, and the descriptions of variables in the embodiments pertain not only to the compounds of Formula 1 but also to the starting compounds and intermediate compounds useful for preparing the compounds of Formula 1. In addition, embodiments of this invention, including Embodiments 1–58 above as well as any other embodiments described herein, and any combination thereof, pertain to
25 the compositions and methods of the present invention.

Combinations of Embodiments 1–48 are illustrated by:

Embodiment A. A compound of Formula 1 wherein

30 each R⁷ and R¹⁰ is independently halogen, cyano, nitro, C₁–C₄ alkyl, C₁–C₄ haloalkyl, C₂–C₄ alkenyl, C₂–C₄ haloalkenyl, C₂–C₄ alkynyl, C₂–C₄ haloalkynyl, C₁–C₄ nitroalkyl, C₂–C₄ nitroalkenyl, C₂–C₄ alkoxyalkyl, C₂–C₄ haloalkoxyalkyl, C₃–C₄ cycloalkyl, C₃–C₄ halocycloalkyl, cyclopropylmethyl, methylcyclopropyl, C₁–C₄ alkoxy, C₁–C₄ haloalkoxy, C₂–C₄ alkenyloxy, C₂–C₄ haloalkenyloxy, C₃–C₄ alkynyloxy, C₃–C₄ haloalkynyloxy, C₃–C₄ cycloalkoxy, C₁–C₄ alkylthio, C₁–C₄ haloalkylthio,
35 C₁–C₄ alkylsulfinyl, C₁–C₄ haloalkylsulfinyl, C₁–C₄ alkylsulfonyl, C₁–C₄ haloalkylsulfonyl, hydroxy, formyl, C₂–C₄ alkylcarbonyl, C₂–C₄ alkylcarbonyloxy, C₁–C₄ alkylsulfonyloxy, C₁–C₄ haloalkylsulfonyloxy, amino, C₁–C₄ alkylamino, C₂–C₄ dialkylamino, formylamino, C₂–C₄

alkylcarbonylamino, -SF₅, -SCN, C₃-C₄ trialkylsilyl, trimethylsilylmethyl or trimethylsilylmethoxy; and

each R⁹ and R¹¹ is independently H or C₁-C₂ alkyl.

Embodiment B. A compound of Embodiment A wherein

Y¹ and Y² are each O; and

R¹, R², R³, R⁴, R⁵ and R⁶ are each H.

Embodiment C. A compound of Embodiment B wherein

Q¹ is a phenyl ring substituted with 1 to 3 substituents independently selected from R⁷; and

Q² is a phenyl ring substituted with 1 to 3 substituents independently selected from R¹⁰.

Embodiment D. A compound of Embodiment C wherein

each R⁷ is independently halogen, cyano, C₁-C₂ alkyl, C₁-C₃ haloalkyl or C₁-C₃ alkylsulfonyl; and

each R¹⁰ is independently halogen, cyano, nitro, C₁-C₂ alkyl, C₁-C₃ haloalkyl or C₁-C₃ alkylsulfonyl.

Embodiment E. A compound of Embodiment D wherein

Q¹ is a phenyl ring substituted with 1 substituent selected from R⁷ at the para position or substituted with 2 substituents independently selected from R⁷ wherein one substituent is at the para position and the other substituent is at a meta position; and

Q² is a phenyl ring substituted with 1 substituent selected from R¹⁰ at an ortho position or substituted with 2 substituents independently selected from R¹⁰ wherein one substituent is at an ortho position and the other substituent is at the adjacent meta position.

Embodiment F. A compound of Embodiment E wherein

each R⁷ is independently F or CF₃; and

each R¹⁰ is F.

Specific embodiments include compounds of Formula 1 selected from the group consisting of:

N-(2,3-difluorophenyl)-4-(3,4-difluorophenyl)-2-oxo-3-pyrrolidinecarboxamide (Compound 17);

N-(2-fluorophenyl)-2-oxo-4-[4-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide (Compound 79);

N-(2,3-difluorophenyl)-2-oxo-4-[4-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide (Compound 80);

N-(3,4-difluorophenyl)-*N*-(2-fluorophenyl)-2-oxo-3-pyrrolidinecarboxamide (Compound 5); and

(3*R*,4*S*)-*N*-(2-fluorophenyl)-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide (Compound 204).

Specific Embodiments include a compound of Formula 1 selected from the group consisting of Compound Numbers (where the Compound Number refers to the compound in Index Tables A, B or C): 80, 202, 204, 206, 232, 263, 304, 306, 315 and 319; or 202, 206, 232, 304 and 306; or 202, 232 and 306.

Specific Embodiments include a compound of Formula 1 selected from the group consisting of Compound Numbers (where the Compound Number refers to the compound in Index Tables A, B or C): 3, 5, 17, 101, 103, 156, 204, 271, 323 and 351; or 3, 17, 103, 156, and 204; or 103, 204 and 351.

This invention also relates to a method for controlling undesired vegetation comprising applying to the locus of the vegetation herbicidally effective amounts of the compounds of the invention (e.g., as a composition described herein). Of note as embodiments relating to methods of use are those involving the compounds of embodiments described above. Compounds of the invention are particularly useful for selective control of weeds in crops such as wheat, barley, maize, soybean, sunflower, cotton, oilseed rape and rice, and specialty crops such as sugarcane, citrus, fruit and nut crops.

Also noteworthy as embodiments are herbicidal compositions of the present invention comprising the compounds of embodiments described above.

This invention also includes a herbicidal mixture comprising (a) a compound selected from Formula 1, *N*-oxides, and salts thereof, and (b) at least one additional active ingredient selected from (b1) photosystem II inhibitors, (b2) acetohydroxy acid synthase (AHAS) inhibitors, (b3) acetyl-CoA carboxylase (ACCase) inhibitors, (b4) auxin mimics, (b5) 5-enol-pyruvylshikimate-3-phosphate (EPSP) synthase inhibitors, (b6) photosystem I electron diverters, (b7) protoporphyrinogen oxidase (PPO) inhibitors, (b8) glutamine synthetase (GS) inhibitors, (b9) very long chain fatty acid (VLCFA) elongase inhibitors, (b10) auxin transport inhibitors, (b11) phytoene desaturase (PDS) inhibitors, (b12) 4-hydroxyphenyl-pyruvate dioxygenase (HPPD) inhibitors, (b13) homogentisate solanesyltransferase (HST) inhibitors, (b14) cellulose biosynthesis inhibitors, (b15) other herbicides including mitotic disruptors, organic arsenicals, asulam, bromobutide, cinmethylin, cumyluron, dazomet, difenzoquat, dymron, etobenzanid, flurenol, fosamine, fosamine-ammonium, metam, methyldymron, oleic acid, oxaziclomefone, pelargonic acid and pyributicarb, and (b16) herbicide safeners; and salts of compounds of (b1) through (b16).

“Photosystem II inhibitors” (b1) are chemical compounds that bind to the D-1 protein at the Q_B-binding niche and thus block electron transport from Q_A to Q_B in the chloroplast thylakoid membranes. The electrons blocked from passing through photosystem II are transferred through a series of reactions to form toxic compounds that disrupt cell

membranes and cause chloroplast swelling, membrane leakage, and ultimately cellular destruction. The Q_B-binding niche has three different binding sites: binding site A binds the triazines such as atrazine, triazinones such as hexazinone, and uracils such as bromacil, binding site B binds the phenylureas such as diuron, and binding site C binds benzothiadiazoles such as bentazone, nitriles such as bromoxynil and phenyl-pyridazines such as pyridate. Examples of photosystem II inhibitors include ametryn, amicarbazone, atrazine, bentazon, bromacil, bromofenoxim, bromoxynil, chlorbromuron, chloridazon, chlorotoluron, chloroxuron, cumyluron, cyanazine, daimuron, desmedipham, desmetryn, dimefuron, dimethametryn, diuron, ethidimuron, fenuron, fluometuron, hexazinone, ioxynil, isoproturon, isouron, lenacil, linuron, metamitron, methabenzthiazuron, metobromuron, metoxuron, metribuzin, monolinuron, neburon, pentanochlor, phenmedipham, prometon, prometryn, propanil, propazine, pyridafol, pyridate, siduron, simazine, simetryn, tebuthiuron, terbacil, terbumeton, terbuthylazine, terbutryn and trietazine.

“AHAS inhibitors” (b2) are chemical compounds that inhibit acetohydroxy acid synthase (AHAS), also known as acetolactate synthase (ALS), and thus kill plants by inhibiting the production of the branched-chain aliphatic amino acids such as valine, leucine and isoleucine, which are required for protein synthesis and cell growth. Examples of AHAS inhibitors include amidosulfuron, azimsulfuron, bensulfuron-methyl, bispyribac-sodium, cloransulam-methyl, chlorimuron-ethyl, chlorsulfuron, cinosulfuron, cyclosulfamuron, diclosulam, ethametsulfuron-methyl, ethoxysulfuron, flazasulfuron, florasulam, flucarbazone-sodium, flumetsulam, flupyrsulfuron-methyl, flupyrsulfuron-sodium, foramsulfuron, halosulfuron-methyl, imazamethabenz-methyl, imazamox, imazapic, imazapyr, imazaquin, imazethapyr, imazosulfuron, iodosulfuron-methyl (including sodium salt), iofensulfuron (2-iodo-*N*-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]-benzenesulfonamide), mesosulfuron-methyl, metazosulfuron (3-chloro-4-(5,6-dihydro-5-methyl-1,4,2-dioxazin-3-yl)-*N*-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]-1-methyl-1*H*-pyrazole-5-sulfonamide), metosulam, metsulfuron-methyl, nicosulfuron, oxasulfuron, penoxsulam, primisulfuron-methyl, propoxycarbazone-sodium, propyrisulfuron (2-chloro-*N*-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]-6-propylimidazo[1,2-*b*]pyridazine-3-sulfonamide), prosulfuron, pyrazosulfuron-ethyl, pyribenzoxim, pyriftalid, pyriminobac-methyl, pyriithiobac-sodium, rimsulfuron, sulfometuron-methyl, sulfosulfuron, thienicarbazone, thifensulfuron-methyl, triafamone (*N*-[2-[(4,6-dimethoxy-1,3,5-triazin-2-yl)carbonyl]-6-fluorophenyl]-1,1-difluoro-*N*-methylmethanesulfonamide), triasulfuron, tribenuron-methyl, trifloxysulfuron (including sodium salt), triflusulfuron-methyl and tritosulfuron.

“ACCase inhibitors” (b3) are chemical compounds that inhibit the acetyl-CoA carboxylase enzyme, which is responsible for catalyzing an early step in lipid and fatty acid synthesis in plants. Lipids are essential components of cell membranes, and without them,

new cells cannot be produced. The inhibition of acetyl CoA carboxylase and the subsequent lack of lipid production leads to losses in cell membrane integrity, especially in regions of active growth such as meristems. Eventually shoot and rhizome growth ceases, and shoot meristems and rhizome buds begin to die back. Examples of ACCase inhibitors include

5 alloxydim, butoxydim, clethodim, clodinafop, cycloxydim, cyhalofop, diclofop, fenoxaprop, fluazifop, haloxyfop, pinoxaden, profoxydim, propaquizafop, quizalofop, sethoxydim, tepraloxym and tralkoxydim, including resolved forms such as fenoxaprop-P, fluazifop-P, haloxyfop-P and quizalofop-P and ester forms such as clodinafop-propargyl, cyhalofop-butyl, diclofop-methyl and fenoxaprop-P-ethyl.

10 Auxin is a plant hormone that regulates growth in many plant tissues. "Auxin mimics" (b4) are chemical compounds mimicking the plant growth hormone auxin, thus causing uncontrolled and disorganized growth leading to plant death in susceptible species. Examples of auxin mimics include aminocyclopyrachlor (6-amino-5-chloro-2-cyclopropyl-4-pyrimidinecarboxylic acid) and its methyl and ethyl esters and its sodium and potassium

15 salts, aminopyralid, benazolin-ethyl, chloramben, clacifos, clomeprop, clopyralid, dicamba, 2,4-D, 2,4-DB, dichlorprop, fluroxypyr, halauxifen (4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-2-pyridinecarboxylic acid), halauxifen-methyl (methyl 4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-2-pyridinecarboxylate), MCPA, MCPB, mecoprop, picloram, quinclorac, quinmerac, 2,3,6-TBA, triclopyr, and methyl 4-amino-3-chloro-6-(4-

20 chloro-2-fluoro-3-methoxyphenyl)-5-fluoro-2-pyridinecarboxylate.

"EPSP (5-enol-pyruvylshikimate-3-phosphate) synthase inhibitors" (b5) are chemical compounds that inhibit the enzyme, 5-enol-pyruvylshikimate-3-phosphate synthase, which is involved in the synthesis of aromatic amino acids such as tyrosine, tryptophan and phenylalanine. EPSP inhibitor herbicides are readily absorbed through plant foliage and

25 translocated in the phloem to the growing points. Glyphosate is a relatively nonselective postemergence herbicide that belongs to this group. Glyphosate includes esters and salts such as ammonium, isopropylammonium, potassium, sodium (including sesquisodium) and trimesium (alternatively named sulfosate).

"Photosystem I electron diverters" (b6) are chemical compounds that accept electrons

30 from Photosystem I, and after several cycles, generate hydroxyl radicals. These radicals are extremely reactive and readily destroy unsaturated lipids, including membrane fatty acids and chlorophyll. This destroys cell membrane integrity, so that cells and organelles "leak", leading to rapid leaf wilting and desiccation, and eventually to plant death. Examples of this second type of photosynthesis inhibitor include diquat and paraquat.

35 "PPO inhibitors" (b7) are chemical compounds that inhibit the enzyme protoporphyrinogen oxidase, quickly resulting in formation of highly reactive compounds in plants that rupture cell membranes, causing cell fluids to leak out. Examples of PPO inhibitors include acifluorfen-sodium, azafenidin, benzfendizone, bifenox, butafenacil,

carfentrazone, carfentrazone-ethyl, chlormethoxyfen, cinidon-ethyl, fluazolate, flufenpyr-ethyl, flumiclorac-pentyl, flumioxazin, fluoroglycofen-ethyl, fluthiacet-methyl, fomesafen, halosafen, lactofen, oxadiargyl, oxadiazon, oxyfluorfen, pentoxazone, profluaol, pyraclostrobin, pyraflufen-ethyl, saflufenacil, sulfentrazone, thidiazimin, tiafenacil (methyl *N*-[2-
 5 [[2-chloro-5-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2*H*)-pyrimidinyl]-4-fluorophenyl]thio]-1-oxopropyl]- β -alaninate) and 3-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propyn-1-yl)-2*H*-1,4-benzoxazin-6-yl]dihydro-1,5-dimethyl-6-thioxo-1,3,5-triazine-2,4(1*H*,3*H*)-dione.

“GS (glutamine synthase) inhibitors” (b8) are chemical compounds that inhibit the
 10 activity of the glutamine synthetase enzyme, which plants use to convert ammonia into glutamine. Consequently, ammonia accumulates and glutamine levels decrease. Plant damage probably occurs due to the combined effects of ammonia toxicity and deficiency of amino acids required for other metabolic processes. The GS inhibitors include glufosinate and its esters and salts, such as glufosinate-ammonium and other phosphinothricin
 15 derivatives, glufosinate-P ((2*S*)-2-amino-4-(hydroxymethylphosphinyl)butanoic acid) and bilanaphos.

“VLCFA (very long chain fatty acid) elongase inhibitors” (b9) are herbicides having a wide variety of chemical structures, which inhibit the elongase. Elongase is one of the enzymes located in or near chloroplasts which are involved in biosynthesis of VLCFAs. In
 20 plants, very-long-chain fatty acids are the main constituents of hydrophobic polymers that prevent desiccation at the leaf surface and provide stability to pollen grains. Such herbicides include acetochlor, alachlor, anilofos, butachlor, cafenstrole, dimethachlor, dimethenamid, diphenamid, fenoxasulfone (3-[[[(2,5-dichloro-4-ethoxyphenyl)methyl]sulfonyl]-4,5-dihydro-5,5-dimethylisoxazole), fentrazamide, flufenacet, indanofan, mefenacet, metazachlor,
 25 metolachlor, naproanilide, napropamide, napropamide-M ((2*R*)-*N,N*-diethyl-2-(1-naphthalenyloxy)propanamide), pethoxamid, piperophos, pretilachlor, propachlor, propisochlor, pyroxasulfone, and thenylchlor, including resolved forms such as *S*-metolachlor and chloroacetamides and oxyacetamides.

“Auxin transport inhibitors” (b10) are chemical substances that inhibit auxin transport
 30 in plants, such as by binding with an auxin-carrier protein. Examples of auxin transport inhibitors include diflufenzopyr, naptalam (also known as *N*-(1-naphthyl)phthalamic acid and 2-[(1-naphthalenylamino)carbonyl]benzoic acid).



“PDS (phytoene desaturase inhibitors) (b11) are chemical compounds that inhibit carotenoid biosynthesis pathway at the phytoene desaturase step. Examples of PDS
 35 inhibitors include beflubutamid, diflufenican, fluridone, flurochloridone, flurtamone norflurzon and picolinafen.

“HPPD (4-hydroxyphenyl-pyruvate dioxygenase) inhibitors” (b12) are chemical substances that inhibit the biosynthesis of synthesis of 4-hydroxyphenyl-pyruvate

dioxygenase. Examples of HPPD inhibitors include benzobicyclon, benzofenap, bicyclopyrone (4-hydroxy-3-[[2-[(2-methoxyethoxy)methyl]-6-(trifluoromethyl)-3-pyridinyl]carbonyl]bicyclo[3.2.1]oct-3-en-2-one), fenquinotrine (2-[[8-chloro-3,4-dihydro-4-(4-methoxyphenyl)-3-oxo-2-quinoxaliny]carbonyl]-1,3-cyclohexanedione), isoxachlortole, isoxaflutole, mesotrione, pyrasulfotole, pyrazolynate, pyrazoxyfen, sulcotrine, tefuryltrione, tembotrione, topramezone, 5-chloro-3-[(2-hydroxy-6-oxo-1-cyclohexen-1-yl)carbonyl]-1-(4-methoxyphenyl)-2(1*H*)-quinoxalinone, 4-(2,6-diethyl-4-methylphenyl)-5-hydroxy-2,6-dimethyl-3(2*H*)-pyridazinone, 4-(4-fluorophenyl)-6-[(2-hydroxy-6-oxo-1-cyclohexen-1-yl)carbonyl]-2-methyl-1,2,4-triazine-3,5(2*H*,4*H*)-dione, 5-[(2-hydroxy-6-oxo-1-cyclohexen-1-yl)carbonyl]-2-(3-methoxyphenyl)-3-(3-methoxypropyl)-4(3*H*)-pyrimidinone, 2-methyl-*N*-(4-methyl-1,2,5-oxadiazol-3-yl)-3-(methylsulfinyl)-4-(trifluoromethyl)benzamide and 2-methyl-3-(methylsulfonyl)-*N*-(1-methyl-1*H*-tetrazol-5-yl)-4-(trifluoromethyl)benzamide.

HST (homogentisate solenestyltransferase) inhibitors (b13) disrupt a plant's ability to convert homogentisate to 2-methyl-6-solanyl-1,4-benzoquinone, thereby disrupting carotenoid biosynthesis. Examples of HST inhibitors include haloxydine, pyriclor, 3-(2-chloro-3,6-difluorophenyl)-4-hydroxy-1-methyl-1,5-naphthyridin-2(1*H*)-one, 7-(3,5-dichloro-4-pyridinyl)-5-(2,2-difluoroethyl)-8-hydroxypyrido[2,3-*b*]pyrazin-6(5*H*)-one and 4-(2,6-diethyl-4-methylphenyl)-5-hydroxy-2,6-dimethyl-3(2*H*)-pyridazinone.

HST inhibitors also include compounds of Formulae **A** and **B**.

**A****B**

wherein R^{d1} is H, Cl or CF_3 ; R^{d2} is H, Cl or Br; R^{d3} is H or Cl; R^{d4} is H, Cl or CF_3 ; R^{d5} is CH_3 , CH_2CH_3 or CH_2CHF_2 ; and R^{d6} is OH, or $-OC(=O)-i\text{-Pr}$; and R^{e1} is H, F, Cl, CH_3 or CH_2CH_3 ; R^{e2} is H or CF_3 ; R^{e3} is H, CH_3 or CH_2CH_3 ; R^{e4} is H, F or Br; R^{e5} is Cl, CH_3 , CF_3 , OCF_3 or CH_2CH_3 ; R^{e6} is H, CH_3 , CH_2CHF_2 or $C\equiv CH$; R^{e7} is OH, $-OC(=O)Et$, $-OC(=O)-i\text{-Pr}$ or $-OC(=O)-t\text{-Bu}$; and A^{e8} is N or CH.

Cellulose biosynthesis inhibitors (b14) inhibit the biosynthesis of cellulose in certain plants. They are most effective when using a pre-application or early post-application on young or rapidly growing plants. Examples of cellulose biosynthesis inhibitors include

chlorthiamid, dichlobenil, flupoxam, indaziflam (*N*²-[(1*R*,2*S*)-2,3-dihydro-2,6-dimethyl-1*H*-inden-1-yl]-6-(1-fluoroethyl)-1,3,5-triazine-2,4-diamine), isoxaben and triaziflam.

Other herbicides (b15) include herbicides that act through a variety of different modes of action such as mitotic disruptors (e.g., flamprop-M-methyl and flamprop-M-isopropyl) organic arsenicals (e.g., DSMA, and MSMA), 7,8-dihydropteroate synthase inhibitors, chloroplast isoprenoid synthesis inhibitors and cell-wall biosynthesis inhibitors. Other herbicides include those herbicides having unknown modes of action or do not fall into a specific category listed in (b1) through (b14) or act through a combination of modes of action listed above. Examples of other herbicides include aclonifen, asulam, amitrole, bromobutide, cinmethylin, clomazone, cumyluron, cyclopyrimorate (6-chloro-3-(2-cyclopropyl-6-methylphenoxy)-4-pyridazinyl 4-morpholinecarboxylate), daimuron, difenzoquat, etobenzanid, fluometuron, flurenol, fosamine, fosamine-ammonium, dazomet, dymron, ipfencarbazone (1-(2,4-dichlorophenyl)-*N*-(2,4-difluorophenyl)-1,5-dihydro-*N*-(1-methylethyl)-5-oxo-4*H*-1,2,4-triazole-4-carboxamide), metam, methyl dymron, oleic acid, oxaziclomefone, pelargonic acid, pyributicarb and 5-[[[(2,6-difluorophenyl)methoxy]methyl]-4,5-dihydro-5-methyl-3-(3-methyl-2-thienyl)isoxazole].


“Herbicide safeners” (b16) are substances added to a herbicide formulation to eliminate or reduce phytotoxic effects of the herbicide to certain crops. These compounds protect crops from injury by herbicides but typically do not prevent the herbicide from controlling undesired vegetation. Examples of herbicide safeners include but are not limited to benoxacor, cloquintocet-mexyl, cumyluron, cyometrinil, cyprosulfamide, daimuron, dichlormid, dicyclonon, dimepiperate, fenchlorazole-ethyl, fencloirim, flurazole, fluxofenim, furilazole, isoxadifen-ethyl, mefenpyr-diethyl, mephenate, methoxyphenone, naphthalic anhydride, oxabetrinil, *N*-(aminocarbonyl)-2-methylbenzenesulfonamide and *N*-(aminocarbonyl)-2-fluorobenzenesulfonamide, 1-bromo-4-[(chloromethyl)sulfonyl]benzene, 2-(dichloromethyl)-2-methyl-1,3-dioxolane (MG 191), 4-(dichloroacetyl)-1-oxa-4-azospiro-[4.5]decane (MON 4660).

The compounds of Formula **1** can be prepared by general methods known in the art of synthetic organic chemistry. Of note are the following methods described in Schemes 1–15 and variations thereof. The definitions of R¹, R², R³, R⁴, R⁵, R⁶, Q¹, Q², Y¹, and Y² in the compounds of Formulae **1** through **19** below are as defined above in the Summary of the Invention unless otherwise noted. Formulae **1a–1h** and **5a** and **10a** are various subsets of a compound of Formulae **1**, **5** and **10** respectively. Substituents for each subset formula are as defined for its parent formula unless otherwise noted.

As shown in Scheme 1 compounds of Formula **1a** (i.e. Formula **1** wherein R¹, R⁴ and R⁵ are H, and Y¹ and Y² are O) can be prepared by reaction of acids of Formula **2** with amines of Formula **3** in the presence of a dehydrative coupling reagent such as propylphosphonic anhydride, dicyclohexylcarbodiimide, *N*-(3-dimethylaminopropyl)-


N-ethylcarbodiimide, *N,N*-carbonyldiimidazole, 2-chloro-1,3-dimethylimidazolium chloride or 2-chloro-1-methylpyridinium iodide. Polymer-supported reagents, such as polymer-supported cyclohexylcarbodiimide, are also suitable. These reactions are typically run at temperatures ranging from 0–60 °C in a solvent such as dichloromethane, acetonitrile, *N,N*-dimethylformamide or ethyl acetate in the presence of a base such as triethylamine, *N,N*-diisopropylamine, or 1,8-diazabicyclo[5.4.0]undec-7-ene. See *Organic Process Research & Development* **2009**, *13*, 900–906 for coupling conditions employing propylphosphonic anhydride. The method of Scheme 1 utilizing propylphosphonic anhydride is illustrated by Step E of Synthesis Example 1. Substituents in the 3- and 4-positions of the pyrrolidinone ring of compounds of Formula **1a**, i.e. C(O)N(Q²)(R⁶) and Q¹, respectively, are predominantly in the *trans* configuration. In some instances, the presence of minor amounts of the *cis* isomer can be detected by NMR.

Scheme 1




As shown in Scheme 2 compounds of Formula **2** can be prepared by hydrolysis of esters of Formula **4** by methods well known to those skilled in the art. Hydrolysis is carried out with aqueous base or aqueous acid, typically in the presence of a co-solvent. Suitable bases for the reaction include, but are not limited to, hydroxides such as sodium and potassium hydroxide and carbonates such as sodium and potassium carbonate. Suitable acids for the reaction include, but are not limited to, inorganic acids such as hydrochloric acid, hydrobromic acid and sulfuric acid, and organic acids such as acetic acid and trifluoroacetic acid. A wide variety of co-solvents are suitable for the reaction including, but not limited to, methanol, ethanol and tetrahydrofuran. The reaction is conducted at temperatures ranging from –20 °C to the boiling point of the solvent, and typically from 0 to 100 °C. The method of Scheme 2 is illustrated by Step D of Synthesis Example 1.

Scheme 2



As shown in Scheme 3, compounds of Formula 4 can be obtained by reduction of compounds of Formula 5 and subsequent *in situ* cyclization of the resulting intermediate amine. A wide variety of methods for reduction of the aliphatic nitro group in compounds of Formula 5 are known in the literature. Methods well known to those skilled in the art include catalytic hydrogenation in the presence of palladium on carbon or Raney nickel, iron or zinc metal in acidic medium (see, for example, *Berichte der Deutschen Chemischen Gesellschaft* **1904**, 37, 3520–3525), and lithium aluminum hydride. Reduction can also be achieved with samarium(II) iodide in the presence of a proton source such as methanol (see for example, *Tetrahedron Letters* **1991**, 32 (14), 1699–1702). Alternatively sodium borohydride in the presence of a nickel catalyst such as nickel(II) acetate or nickel(II) chloride can be used (see for example, *Tetrahedron Letters* **1985**, 26 (52), 6413–6416). The method of Scheme 3 utilizing sodium borohydride in the presence of nickel(II) acetate is illustrated by Step C of Synthesis Example 1. Specific examples of a compound of Formula 4 that is useful in the preparation of a compound of Formula 1 can be found in Tables I through IV.


Scheme 3



As shown in Scheme 4, compounds of Formula 5 can be prepared by reacting diesters of Formula 6 with nitroalkanes of Formula 7, typically in the presence of a base. Suitable bases for the reaction include alkali metal lower alkoxides such as sodium methoxide in methanol or sodium ethoxide in ethanol. The method of Scheme 4 is illustrated by Step B of Synthesis Example 1. Compounds of Formula 6 can readily be prepared by methods known


to those skilled in the art, e.g., by Knoevenagel condensation of aldehydes and malonates (see for example G. Jones, *Organic Reactions* Volume 15, John Wiley and Sons, 1967).

Scheme 4



- 5 Compounds of Formula **5a** (i.e. Formula **5** wherein R² and R³ are H) can be prepared by reacting nitroalkenes of Formula **8** with malonates of Formula **9** in the presence of a base as shown in Scheme 5. Suitable bases for this reaction include, but are not limited to, alkali metal lower alkoxides such as sodium methoxide in methanol or sodium ethoxide in ethanol, or bases such as lithium bis(trimethylsilyl)amide, sodium bis(trimethylsilyl)amide and
- 10 lithium diisopropylamide in solvents such as tetrahydrofuran. Typically, the reaction is carried out in the range of from -78 °C to 23 °C. See *Synthesis* **2005**, 2239–2245 for conditions for effecting this transformation. Conditions for effecting this transformation in refluxing water in the absence of a catalyst have been reported in *Synthetic Communications* **2013**, 43, 744–748. Nitroalkenes of Formula **8** can readily be prepared from aldehydes and
- 15 nitromethane by methods known to those skilled in the art.


Scheme 5



- Compounds of Formula **5a'** and **5a''** can be prepared stereoselectively by reacting nitroalkenes of Formula **8** with malonates of Formula **9** in the presence of a chiral catalyst and optionally in the presence of a suitable base as shown in Scheme 5A. Suitable catalysts include, but are not limited to Ni(II) with vicinal diamine ligands such as Ni(II) Bis[(*R,R*)-*N,N'*-dibenzylcyclohexane-1,2-diamine]dibromide, Ni(II) Bis[(*S,S*)-*N,N'*-dibenzylcyclohexane-1,2-diamine]dibromide or nickel(II) bromide with chiral 1,1'-bi(tetrahydroisoquinoline) type diamines. Suitable organic bases for this reaction
- 20 include, but are not limited to, piperidine, morpholine, triethylamine, 4-methylmorpholine or *N,N*-diisopropylethylamine. This transformation can be accomplished neat or in solvents such as tetrahydrofuran, toluene or dichloromethane. Typically, the reaction is carried out in
- 25


the range of from $-78\text{ }^{\circ}\text{C}$ to $80\text{ }^{\circ}\text{C}$ using 0 to 1 equivalent of catalyst and optionally 0 to 1 equivalent of a base. Conditions for effecting this transformation have been reported in *J. Am. Chem. Soc.* **2005**, 9958-9959 or *Eur. J. Org. Chem.* **2011**, 5441-5446 for conditions. Nitroalkenes of Formula **8** can readily be prepared from aldehydes and nitromethane by methods known to those skilled in the art.

Scheme 5A



As shown in Scheme 6, compounds of Formula **1a** can also be prepared by reductive cyclization of compounds of Formula **10** analogous to the method of Scheme 3. As also shown in Scheme 6, compounds of Formula **1b** (i.e. Formula **1** wherein R^1 is OH, R^4 and R^5 are H, and Y^1 and Y^2 are O) can be prepared from compounds of Formula **10** by catalytic transfer hydrogenation with ammonium formate in the presence of palladium on carbon, and subsequent *in situ* cyclization of the intermediate hydroxylamine. See *J. Med. Chem.* **1993**, 36, 1041-1047 for catalytic transfer hydrogenation/cyclization conditions to produce *N*-hydroxypyrrolidinones. The method of Scheme 6 for preparing *N*-hydroxypyrrolidinones is illustrated by Step D of Synthesis Example 3.


Scheme 6



As shown in Scheme 7, compounds of Formula **10** can be prepared by reacting compounds of Formula **11** with nitroalkanes of Formula **7** in a solvent, in the presence of a base analogous to the method described in Scheme 4. The method of Scheme 7 is illustrated by Step C of Synthesis Example 3.

5


Scheme 7



As shown in Scheme 8, compounds of Formula **10a** (i.e. Formula **10** wherein R^2 and R^3 are H) can be prepared, analogous to the method of Scheme 5, by reacting nitroalkenes of Formula **8** with malonates of Formula **12**.

10

Scheme 8




15

As shown in Scheme 9, compounds of Formula **11** can be prepared by reaction of malonic amide Formula **12** with aldehydes of Formula **14** by methods known to those skilled in the art. As also shown in Scheme 9, malonates of Formula **12** can readily be prepared from lower alkyl malonyl chlorides of Formula **13** such as methyl malonyl chloride and amines of Formula **3** by methods known to those skilled in the art. The method of Scheme 9 is illustrated by Steps A and B of Synthesis Example 3.

35


Scheme 9



R' is lower alkyl


As shown in Scheme 10, mixtures of compounds of Formula **1c** (i.e. Formula **1** wherein R¹ and R⁵ are H, R⁴ is halogen and Y¹ and Y² are O) and Formula **1d** (i.e. Formula **1** wherein R¹ and R⁴ are H, R⁵ is halogen and Y¹ and Y² are O) can be prepared by reacting compounds of Formula **1a** with a halogen source in a solvent, in the presence or absence of an initiator. Separation of the regioisomers produced in this reaction can be achieved by standard methods such as chromatography or fractional crystallization. Suitable halogen sources for this reaction include bromine, chlorine, *N*-chlorosuccinimide, *N*-bromosuccinimide and *N*-iodosuccinimide. Suitable initiators for this reaction include 2,2'-azobisisobutyronitrile (AIBN) and benzoyl peroxide. Typically, the reaction is carried out in solvents such as dichloromethane in the range of from 0 °C to the boiling point of the solvent. The method of Scheme 10 is illustrated by Synthesis Example 2.

Scheme 10




As shown in Scheme 11, compounds of Formula **1e** (i.e. Formula **1** wherein R¹ is NH₂, R⁴ and R⁵ are H and Y¹ and Y² are O) can be prepared by reacting compounds of Formula **1a** with an aminating reagent such as *O*-(diphenylphosphinyl)hydroxylamine and hydroxylamino-*O*-sulphonic acid. For procedures, conditions and reagents see *Bioorganic & Medicinal Chemistry Letters* **2009**, 19, 5924–5926 and *Journal of Organic Chemistry* **2002**, 67, 6236–6239.

Scheme 11



As shown in Scheme 12, compounds of Formula **1f** (i.e. Formula **1** wherein R^4 , R^5 and R^6 are H and Y^1 is O) can be produced by reaction of compounds of Formula **15** with isocyanates (i.e. Formula **16** wherein Y^2 is O) or isothiocyanates (i.e. Formula **16** wherein Y^2 is S) in the presence of base. Examples of the base which can be used for the present process include those listed for the method of Scheme 4. The reaction temperature can be selected from the range of from -78°C to the boiling point of an inert solvent used. Typically, the reaction is carried out at temperatures ranging from -78°C to 100°C in solvents such as toluene.


Scheme 12



As shown in Scheme 13, compounds of Formula **15** can be prepared by reaction of compounds of Formula **17** with corresponding electrophiles of Formula **18** in the presence of base. In Formula **18**, G denotes a leaving group, i.e. a nucleofuge. Depending upon selection of R^1 , suitable electrophiles for the reaction can include alkyl halides such as chlorides, bromides and iodides, alkylsulfonates, acid anhydrides such as *tert*-butoxycarbonyl anhydride and acetic anhydride, and haloalkylsilanes such as chlorotrimethylsilane. Suitable bases for the reaction include inorganic bases such as alkali or alkaline earth metal (e.g., lithium, sodium, potassium and cesium) hydroxides, alkoxides, carbonates, and phosphates, and organic bases such as triethylamine, *N,N*-diisopropylethylamine and 1,8-diazabicyclo[5.4.0]undec-7-ene. A wide variety of solvents are suitable for the reaction including, for example but not limited to, tetrahydrofuran, dichloromethane, *N,N*-dimethylformamide, *N,N*-dimethylacetamide, *N*-methylpyrrolidinone,


acetonitrile, C₂–C₆ alcohols and acetone as well as mixtures of these solvents. This reaction is conducted at temperatures ranging from –20 to 200 °C, and typically between 0 and 50 °C.

Scheme 13




As shown in Scheme 14, compounds of Formula 17 can be prepared by decarboxylation of acids of Formula 2 by methods well known to those skilled in the art. Decarboxylation is carried by heating compounds of Formula 2 in a solvent, typically in the presence of an acid. Suitable acids for the reaction include, but are not limited to, *p*-toluenesulfonic acid. A wide variety of co-solvents are suitable for the reaction including, but not limited to, toluene, isopropanol acetate and isobutyl methylketone. The reaction is conducted at temperatures ranging from –20 °C and to the boiling point of the solvent, and typically from 0 to 150 °C. The method of Scheme 14 is illustrated by Step A of Synthesis Example 6.

Scheme 14




As shown in Scheme 15, compounds of Formula 1g (i.e. Formula 1 wherein R¹ is H, R⁴ and R⁵ are H, and Y¹ and Y² are S) can be prepared by reacting compounds of Formula 1a with at least two equivalents of a thionation reagent such as Lawesson's reagent, tetraphosphorus decasulfide or diphosphorus pentasulfide in a solvent such as tetrahydrofuran or toluene. Typically, the reaction is carried out at temperatures ranging from 0 to 115 °C. One skilled in the art recognizes that using less than two equivalents of the thionating reagent can provide mixtures comprising Formula 1 products wherein Y¹ is O and Y² is S, or Y¹ is S and Y² is O, which can be separated by conventional methods such as chromatography and crystallization.

Scheme 15



As shown in Scheme 16, compounds of Formula **1h** (i.e. Formula **1** wherein R^1 , R^4 , R^5 are H, Y^2 is O and Y^1 is NH) can be prepared by alkylation of compounds of Formula **1a** triethyloxonium tetrafluoroborate (Meerwein's reagent) followed by treatment of the resulting imino ether of Formula **19** with aqueous ammonia. The method of Scheme 16 is illustrated by Steps A and B of Synthesis Example 4.

Scheme 16



It is recognized by one skilled in the art that various functional groups can be converted into others to provide different compounds of Formula **1**. For a valuable resource that illustrates the interconversion of functional groups in a simple and straightforward fashion, see Larock, R. C., *Comprehensive Organic Transformations: A Guide to Functional Group Preparations*, 2nd Ed., Wiley-VCH, New York, 1999. For example, intermediates for the preparation of compounds of Formula **1** may contain aromatic nitro groups, which can be reduced to amino groups, and then be converted via reactions well known in the art such as the Sandmeyer reaction, to various halides, providing compounds of Formula **1**. The above reactions can also in many cases be performed in alternate order

It is recognized that some reagents and reaction conditions described above for preparing compounds of Formula **1** may not be compatible with certain functionalities present in the intermediates. In these instances, the incorporation of protection/deprotection sequences or functional group interconversions into the synthesis will aid in obtaining the desired products. The use and choice of the protecting groups will be apparent to one skilled in chemical synthesis (see, for example, Greene, T. W.; Wuts, P. G. M. *Protective Groups in Organic Synthesis*, 2nd ed.; Wiley: New York, 1991). One skilled in the art will recognize

that, in some cases, after the introduction of a given reagent as it is depicted in any individual scheme, it may be necessary to perform additional routine synthetic steps not described in detail to complete the synthesis of compounds of Formula 1. One skilled in the art will also recognize that it may be necessary to perform a combination of the steps illustrated in the above schemes in an order other than that implied by the particular presented to prepare the compounds of Formula 1.

One skilled in the art will also recognize that compounds of Formula 1 and the intermediates described herein can be subjected to various electrophilic, nucleophilic, radical, organometallic, oxidation, and reduction reactions to add substituents or modify existing substituents.

Without further elaboration, it is believed that one skilled in the art using the preceding description can utilize the present invention to its fullest extent. The following Examples are, therefore, to be construed as merely illustrative, and not limiting of the disclosure in any way whatsoever. Steps in the following Examples illustrate a procedure for each step in an overall synthetic transformation, and the starting material for each step may not have necessarily been prepared by a particular preparative run whose procedure is described in other Examples or Steps. Percentages are by weight except for chromatographic solvent mixtures or where otherwise indicated. Parts and percentages for chromatographic solvent mixtures are by volume unless otherwise indicated. ¹H NMR spectra are reported in ppm downfield from tetramethylsilane in CDCl₃ solution unless indicated otherwise; “s” means singlet, “d” means doublet, “t” means triplet, “q” means quartet, “m” means multiplet and “br s” means broad singlet. ¹⁹F NMR spectra are reported in ppm downfield from CFCl₃ in CDCl₃ unless indicated otherwise. The enantiomeric ratio (ER) was determined by chiral high performance liquid chromatography analysis using a Chiralpak AD-RH column and eluting with a 50:50 isopropanol/water mixture at 40 °C at 0.3 mL/min.

SYNTHESIS EXAMPLE 1

Preparation of 4-(3-chloro-4-fluorophenyl)-2-oxo-*N*-[2-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide (Compound 74)

Step A: Preparation of 1,3-diethyl 2-(3-chloro-4-fluorophenyl)methylene-propanedioate

A mixture of 3-chloro-4-fluorobenzaldehyde (3 g, 18.9 mmol), diethyl malonate (3.16 mL, 20.8 mmol), piperidine (0.37 mL, 3.8 mmol) and toluene (40 mL) was refluxed for 18 h with continuous removal of water (Dean-Stark trap). The cooled reaction mixture was concentrated under reduced pressure, and the residue was chromatographed on silica gel, eluted with 0% to 10% ethyl acetate in hexanes, to afford the title compound as a yellow oil (5 g).

¹H NMR δ 7.61 (m, 1H), 7.61 (m, 1H), 7.53 (m, 1H), 7.35 (m, 1H), 7.15 (m, 1H), 4.33 (m, 4H), 1.33 (m, 6H).

Step B: Preparation 1,3-diethyl 2-[1-(3-chloro-4-fluorophenyl)-2-nitroethyl]-propanedioate

A mixture of 1,3-diethyl 2-(3-chloro-4-fluorophenyl)methylenepropanedioate (i.e. the product of Step A, 5 g, 16.7 mmol), nitromethane (8.9 mL, 166 mmol) and a methanol solution of sodium methoxide (25 wt%, 0.36 g, 1.67 mmol) in ethanol (60 mL) was stirred at 23 °C for 18 h. The reaction mixture was then concentrated under reduced pressure to afford a thick oil, which was diluted with 25% ethyl acetate in hexanes and filtered through a pad of Celite® diatomaceous filter aid to remove insoluble particulates. The filtrate was concentrated under reduced pressure to afford the title compound as a yellow oil (5.3 g).

¹H NMR δ 7.32 (m, 1H), 7.15 (m, 1H), 7.10 (m, 1H), 4.87 (m, 2H), 4.22 (m, 3H), 4.07 (m, 2H), 3.76 (d, 1H), 1.27 (m, 3H), 1.12 (m, 3H).

Step C: Preparation of ethyl 4-(3-chloro-4-fluorophenyl)-2-oxo-3-pyrrolidine-carboxylate

A stirred mixture of 1,3-diethyl 2-[1-(3-chloro-4-fluorophenyl)-2-nitroethyl]-propanedioate (i.e. the product of Step B, 5.3 g, 14.7 mmol), nickel(II) acetate tetrahydrate (18.3 g, 73.4 mmol) and ethanol (120 mL) was cooled in an ice bath and treated with sodium borohydride (2.8 g, 73.4 mmol) in 0.5 g portions added over 5 minutes. The resulting mixture was stirred at 26 °C for 18 h. Saturated ammonium chloride solution (120 mL) and ethyl acetate (120 mL) were then added, the mixture was stirred for 1 h and then filtered through a pad of Celite® diatomaceous filter aid to remove insoluble particulates. The layers of the filtrate were separated, and the aqueous layer was extracted with ethyl acetate (2 × 100 mL). The combined organic extracts were washed with saturated ammonium chloride solution (100 mL), brine (100 mL), dried (MgSO₄) and concentrated under reduced pressure to afford the title compound as a yellow-orange solid (4.73 g) which was used without purification.

¹H NMR δ 7.31 (m, 1H), 7.12 (m, 2H), 6.93 (br s, 1H), 4.24 (m, 2H), 4.06 (m, 1H), 3.82 (m, 1H), 3.49 (d, 1H), 3.39 (m, 1H), 1.29 (m, 3H).

Step D: Preparation of 4-(3-chloro-4-fluorophenyl)-2-oxo-3-pyrrolidinecarboxylic acid

A mixture of ethyl 4-(3-chloro-4-fluorophenyl)-2-oxo-3-pyrrolidinecarboxylate (i.e. the product of Step C, 4.73 g, 16.5 mmol) and aqueous sodium hydroxide (50 wt%, 1.98 g, 49.5 mmol) in ethanol (50 mL) was stirred at 26 °C for 18 h. The reaction mixture was then diluted with water (50 mL) and extracted with diethyl ether (2 × 50 mL). The aqueous phase was acidified with concentrated hydrochloric acid to pH 2 and extracted with dichloromethane (3 × 50 mL). The combined dichloromethane extracts were washed with brine, dried (MgSO₄), and concentrated under reduced pressure to afford the title compound as a white solid (2.37 g).

¹H NMR (acetone-*d*₆) δ 7.63 (m, 1H), 7.46 (m, 1H), 7.31 (m, 1H), 4.05 (m, 1H), 3.82 (m, 1H), 3.70 (d, 1H), 3.45 (m, 1H).

Step E: Preparation of 4-(3-chloro-4-fluorophenyl)-2-oxo-*N*-[2-(trifluoromethyl)-phenyl]-3-pyrrolidinecarboxamide

5 A mixture of 4-(3-chloro-4-fluorophenyl)-2-oxo-3-pyrrolidinecarboxylic acid (i.e. the product of Step D, 0.3 g, 1.17 mmol), triethylamine (0.49 mL, 3.5 mmol) and 2-(trifluoromethyl)aniline (0.16 mL, 1.28 mmol) in dichloromethane (8 mL) was stirred at ambient temperature for 30 minutes, and then treated with propylphosphonic anhydride in ethyl acetate (50%, 1.26 g, 1.98 mmol). The resulting mixture was stirred at ambient
10 temperature for 18 h. The reaction mixture was then concentrated under reduced pressure, and the residue was chromatographed on silica gel, eluted with 0–30% ethyl acetate in hexanes, to afford a solid residue which on trituration with 1-chlorobutane afforded the title product, a compound of the present invention, as a light pink solid (0.2 g).

¹H NMR δ 9.85 (s, 1H), 8.15 (m, 1H), 7.62 (m, 1H), 7.52 (m, 1H), 7.43 (m, 1H), 7.27 (m, 1H), 7.22 (m, 1H), 7.14 (m, 1H), 6.93 (s, 1H), 4.15 (m, 1H), 3.82 (m, 1H), 3.55 (d, 1H),
15 3.44 (m, 1H).

SYNTHESIS EXAMPLE 2

Preparation of 4-bromo-*N*-(2-fluorophenyl)-2-oxo-4-phenyl-3-pyrrolidinecarboxamide and
3-bromo-*N*-(2-fluorophenyl)-2-oxo-4-phenyl-3-pyrrolidinecarboxamide
20 (Compounds 92 and 93)

A mixture of 4-phenyl-2-oxo-*N*-(2-fluorophenyl)-3-pyrrolidinecarboxamide (prepared by the method of Example 1, 0.75 g, 2.5 mmol) in dichloromethane (25 mL) at room temperature was treated with bromine (0.16 mL, 3.0 mmol), and the resulting mixture was stirred for 18 h. The reaction mixture was then concentrated under reduced pressure, and the
25 residue was chromatographed on silica gel, eluted with 0–2% methanol in dichloromethane, to give as the faster eluting product, 4-bromo-*N*-(2-fluorophenyl)-2-oxo-4-phenyl-3-pyrrolidinecarboxamide, a compound of the present invention, as a white solid (90 mg):

¹H NMR δ 10.2 (br s, 1H), 8.00 (m, 1H), 7.28 (m, 5H), 7.02 (m, 3H), 6.45 (br s, 1H), 4.15 (d, 1H), 4.05 (m, 1H), 3.55 (d, 1H);

30 and the slower eluting product, 3-bromo-*N*-(2-fluorophenyl)-2-oxo-4-phenyl-3-pyrrolidinecarboxamide, a compound of the present invention, as a clear yellow oil (0.31 g):

¹H NMR δ 9.55 (br s, 1H), 8.25 (t, 1H), 7.48 (d, 2H), 7.38 (m, 3H), 7.11 (m, 3H), 6.85 (br s, 1H), 4.45 (m, 1H), 3.77 (m, 1H), 3.65 (m, 1H).

SYNTHESIS EXAMPLE 3

35 Preparation of 4-(3,4-difluorophenyl)-*N*-(2-fluorophenyl)-1-hydroxy-2-oxo-3-pyrrolidinecarboxamide (Compound 44)

Step A: Preparation of ethyl 3-[(2-fluorophenyl)amino]-3-oxopropanoate

To a stirred solution of 2-fluoroaniline (10 g, 90.0 mmol) and triethylamine (9.1 g, 90.0 mmol) in dichloromethane (50 mL) at 0 °C was added dropwise over 10 minutes a solution of ethyl malonyl chloride (15.5 g, 90.0 mmol) in dichloromethane (30 mL). The resulting mixture was stirred at room temperature for 24 h. The reaction mixture was then poured into water (100 mL), and the organic layer was separated, washed with water (50 mL) and brine (50 mL), dried (MgSO₄) and concentrated under reduced pressure to provide the title compound as an amber oil (19.0 g).

¹H NMR δ 9.46 (br s, 1H), 8.28 (m, 1H), 7.1 (m, 2H), 4.26 (m, 2H), 3.51 (s, 2H), 1.32 (t, 3H).

Step B: Preparation of ethyl 3-(3,4-difluorophenyl)-2-[[2-(2-fluorophenyl)amino]-carbonyl]-2-propenoate

A solution of ethyl 3-[(2-fluorophenyl)amino]-3-oxopropanoate (i.e. the product of Step A, 20.27 g, 90.0 mmol), 3,4-difluorobenzaldehyde (16.62 g, 117 mmol), acetic acid (2.6 mL, 45 mmol) and piperidine (0.89 mL, 9.0 mmol) in toluene (150 mL) was refluxed for 10 h with continuous removal of water (Dean-Stark trap). The reaction mixture was then cooled to room temperature and poured into water (100 mL). The organic layer was separated, and the water layer was extracted with ethyl acetate (3 × 50 mL). The combined organic extracts were washed with aqueous hydrochloric acid (1 N, 100 mL), dried (MgSO₄) and concentrated under reduced pressure to give a solid residue. Recrystallization of the solid from diethyl ether (100 mL) afforded the title compound as a white solid (10.5 g).

¹H NMR δ 8.26–8.48 (m, 1H), 8.15 (m, 1H), 7.74 (s, 1H), 7.51 (m, 1H), 7.35 (m, 1H), 7.11 (m, 4H), 4.35 (m, 2H), 1.36 (t, 3H).

Step C: Preparation of ethyl 3,4-difluoro- α-[[2-(2-fluorophenyl)amino]carbonyl]-β-(nitromethyl)benzenepropanoate

To a stirred suspension of ethyl 3-(3,4-difluorophenyl)-2-[[2-(2-fluorophenyl)amino]-carbonyl]-2-propenoate (i.e. the product of Step B, 4.42 g, 12.7 mmol) and nitromethane (17 mL, 317.5 mmol) at –20 °C was added 1,1,3,3-tetramethylguanidine (0.288 mL, 2.3 mmol). The mixture was stirred at –20 °C for 30 minutes, and then allowed to come to room temperature and stirred for an additional 2 h. The reaction mixture was diluted with dichloromethane (50 mL) and extracted with water (3 × 25 mL). The organic layer was dried (MgSO₄) and concentrated under reduced pressure to provide a solid residue. The solid was chromatographed on silica gel, eluted with 0–100% ethyl acetate in hexane, to provide the title compound as a white solid (4.42 g).

¹H NMR δ 8.6 (br s, 1H), 8.00–8.30 (m, 3H), 7.23 (m, 4H), 5.41 (m, 1H), 4.6 (m, 1H), 4.35 (m, 2H), 3.77–4.00 (m, 2H), 1.45 (m, 3H).

Step D: Preparation of 4-(3,4-difluorophenyl)-*N*-(2-fluorophenyl)-1-hydroxy-2-oxo-3-pyrrolidinecarboxamide

A mixture of ethyl 3,4-difluoro- α -[[2-fluorophenyl]amino]carbonyl]- β -(nitromethyl)-benzenepropanoate (i.e. the product of Step C, 0.50 g, 1.22 mmol), 5% palladium on carbon (0.25 g) and methanol-ethyl acetate (1:1 by volume, 10 mL) was stirred at room temperature for 30 minutes, then cooled to at 0 °C and treated with ammonium formate (0.5 g). The resulting mixture was stirred for 1 h at room temperature. Additional 5% palladium on carbon (0.25 g) and ammonium formate (0.5 g) were added, and stirring at room temperature was continued for an additional 4 h. The reaction mixture was then filtered, and the filtrate was concentrated under reduced pressure to provide a residue, which was suspended in water (10 mL) and extracted with ethyl acetate (3 $\times$ 20 mL). The combined organic extracts were dried (MgSO₄) and concentrated under reduced pressure to provide an oil, which on recrystallization from dichloromethane afforded the title product, a compound of the present invention, as a white solid (0.1 g).

¹H NMR (DMSO-*d*₆) δ 10.11 (br s, 2H), 8.00 (m, 1H), 7.71 (m, 1H), 7.42 (m, 1H), 7.33 (m, 3H), 7.1 (m, 1H), 4.25–3.61 (m, 4H).

SYNTHESIS EXAMPLE 4

Preparation of 2-amino-4-(3,4-difluorophenyl)-*N*-(2-fluorophenyl) dihydro-3*H*-pyrrole-3-carboxamide (Compound 95)

Step A: Preparation of 4-(3,4-difluorophenyl)-*N*-(2-fluorophenyl)-2-oxo-3-pyrrolidinecarboxamide

To a stirred mixture of ethyl 3,4-difluoro- α -[[2-fluorophenyl]amino]carbonyl]- β -(nitromethyl)benzenepropanoate (i.e. the product of Example 3 Step C, 3.346 g, 8.16 mmol) and nickel(II) acetate tetrahydrate (10.15 g, 40.8 mmol) in ethanol (50 mL) at 0 °C, was added portionwise sodium borohydride (1.54 g, 40.8 mmol), and the resulting mixture was stirred at room temperature for 24 h. The reaction mixture was concentrated under reduced pressure, dissolved in ethyl acetate (100 mL) and washed successively with saturated ammonium chloride solution (50 mL), water (2 $\times$ 25 mL) and saturated sodium chloride (20 mL). The organic layer was dried (MgSO₄) and concentrated under reduced pressure to provide a solid residue. The residue was chromatographed on silica gel, eluted with 0–100% ethyl acetate in hexane, to provide the title compound as a white solid (0.746 g).

¹H NMR δ 9.67 (br s, 1H), 8.21 (m, 1H), 7.09 (m, 6H), 4.75 (br s, 1H), 4.21 (m, 1H), 3.82 (m, 1H), 3.52 (m, 1H), 3.43 (m, 1H).

Step B: Preparation of 4-(3,4-difluorophenyl)-*N*-(2-fluorophenyl)dihydro-2-methoxy-3*H*-pyrrole-3-carboxamide

A mixture of 4-(3,4-difluorophenyl)-*N*-(2-fluorophenyl)-2-oxo-3-pyrrolidine-carboxamide (i.e. the product of Step A, 0.187 g, 0.56 mmol) and trimethyloxonium tetrafluoroborate (0.083 g, 0.56 mmol) in dichloromethane (5 mL) was stirred under an atmosphere of nitrogen for 2 days. The reaction mixture was then treated with 1 N aqueous sodium hydroxide until basic (pH 10) and extracted with dichloromethane (3 × 5 mL). The organic layer was dried (MgSO₄) and concentrated under reduced pressure to provide title compound as light yellow oil (0.138 g).

¹H NMR δ 9.7 (br s, 1H), 8.62 (m, 1H), 8.25 (s, 1H), 7.26 (m, 4H), 7.00 (m, 1H), 4.26 (m, 2H), 4.00 (s, 3H), 3.42 (m, 2H).

Step C: Preparation of 2-amino-4-(3,4-difluorophenyl)-*N*-(2-fluorophenyl)dihydro-3*H*-pyrrole-3-carboxamide

A mixture of 4-(3,4-difluorophenyl)-*N*-(2-fluorophenyl)dihydro-2-methoxy-3*H*-pyrrole-3-carboxamide (i.e. the product Step B, 0.10 g, 0.287 mmol) and aqueous ammonium hydroxide (50%, 0.5 mL) in ethanol (2 mL) was heated in microwave apparatus for 10 minutes. The reaction mixture was concentrated under reduced pressure and the residue chromatographed on silica gel, eluted with 0–100% ethyl acetate/hexane, to afford the title product, a compound of the present invention, as a solid (0.016 g).

¹H NMR δ 9.67 (br s, 1H), 8.21 (m, 1H), 7.27–7.01 (m, 6H), 6.50 (br s, 1H), 5.00 (br s, 1H), 4.26 (m, 1H), 3.82 (m, 1H), 3.55 (m, 1H), 3.43 (m, 1H).

SYNTHESIS EXAMPLE 5

Preparation of (3*R*,4*S*)-*N*-(2-fluorophenyl)-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide (Compound 204)

Step A: Preparation of 1-[(*E*)-2-nitroethenyl]-3-(trifluoromethyl)benzene

To a stirred solution of 3-(trifluoromethyl)benzaldehyde (12.2 g, 70.1 mmol) in methanol (50 mL) was added nitromethane (4.34 g, 71.1 mmol). The mixture was cooled to 2 °C and sodium hydroxide (5.65 g, 70.6 mmol) was added as a 50% solution in 24.3 mL of water dropwise over 15 min. An exotherm was noted and additional ice was added to maintain the temperature below 10 °C while stirring for an additional 1 h. The reaction mixture was poured into 75 mL (75 mmol) of 1 N hydrochloric acid, rinsing the flask with 10 mL of methanol/water. The quenched reaction mixture was transferred to a separatory funnel and extracted with 150 mL of toluene. The aqueous layer was separated and concentrated under vacuum to yield 15.84 g of a yellow oil.

The intermediate thus obtained (15.84 g, 67.3 mmol) was taken up in 160 mL dichloromethane. The solution was cooled to 3 °C and methanesulfonyl chloride (8.03 g,

71.1 mmol) was added via pipette as a solution in 50 mL of dichloromethane. A solution of triethylamine (14.2 g, 140 mmol) in 50 mL of dichloromethane was then added dropwise over 50 min, and the resulting solution was stirred for 2 h. The reaction mixture was poured into 150 mL (150 mmol) of 1 N hydrochloric acid and transferred to a separatory funnel. The layers were separated and the organic layer was washed with 150 mL water and then filtered. The organic layer was concentrated under reduced pressure and the crude solid was triturated with hexanes to yield 12.09 g of product as a yellow solid.

¹H NMR (500 MHz) δ 7.54–7.66 (m, 2H) 7.69–7.84 (m, 3H) 7.96–8.08 (m, 1H).

Step B: Preparation of 1,3-diethyl 2-[(1*S*)-2-nitro-1-[3-(trifluoromethyl)phenyl]ethyl]propanedioate

To a stirred mixture of 1-[(*E*)-2-nitroethenyl]-3-(trifluoromethyl)benzene (i.e. the product of Step A, 3 g, 13.8 mmol) and diethyl malonate (3.319 g, 20.7 mmol) in toluene (1.5 mL) was added Ni(II) bis[(*R,R*)-*N,N'*-dibenzylcyclohexane-1,2-diamine]bromide (prepared as described in *J. Am. Chem. Soc.* **2005**, 127, 9958-9959; 0.111g, 0.1 mmol). The resulting solution was stirred at 55 °C for 16 h. The solution was diluted with dichloromethane (20 mL) and concentrated under reduced pressure onto silica gel and purified by chromatography eluting with a gradient of ethyl acetate in hexanes (0 to 50%) to give 3.6 g of a light yellow oil. ER 94:6 (major eluting at 26.5 min, minor eluting at 20.3 min).

¹H NMR (500 MHz) δ 7.54–7.60 (m, 1H), 7.43–7.48 (m, 2H), 7.51 (s, 1H), 4.83–5.00 (m, 2H), 4.17–4.35 (m, 3H), 3.98–4.06 (m, 2H), 3.77–3.85 (m, 1H), 1.20–1.29 (m, 3H), 0.99–1.10 (m, 3H). ¹⁹F NMR (471 MHz) δ –62.78 (s, 3F). ESI [M–1] 376.3.

Step C: Preparation of ethyl (3*R*,4*S*)-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxylate

A stirred mixture of 1,3-diethyl 2-[(1*S*)-2-nitro-1-[3-(trifluoromethyl)phenyl]ethyl]propanedioate (i.e. the product of Step B, 3.24 g, 8.48 mmol), nickel(II) chloride hexahydrate (2.01 g, 8.48 mmol) and ethanol (60 mL) was cooled in an ice bath and treated with sodium borohydride (0.97 g, 25.8 mmol) in 0.5 g portions added over 5 min. The resulting mixture was stirred at 26 °C for 18 h. Saturated ammonium chloride solution (120 mL) and ethyl acetate (120 mL) were then added, the mixture was stirred for 1 h and then filtered through a pad of Celite® diatomaceous filter aid to remove insoluble particulates. The layers of the filtrate were separated, and the aqueous layer was extracted with ethyl acetate (2 × 100 mL). The combined organic extracts were washed with saturated ammonium chloride solution (100 mL), brine (100 mL), dried (MgSO₄) and concentrated under reduced pressure to afford the title compound as a thick yellow oil (2.66 g) which was used without purification.

¹H NMR (500 MHz) δ 7.38–7.62 (m, 4H), 6.50 (br s, 1H), 4.21–4.31 (m, 2H), 4.15–4.21 (m, 1H), 3.82–3.92 (m, 1H), 3.51–3.58 (m, 1H), 3.37–3.50 (m, 1H), 1.27–1.34 (m, 3H). ¹⁹F NMR (471 MHz) δ –62.70 (s, 3F). ESI; [M+1] = 302.0.

Step D: Preparation of (3*R*,4*S*)-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxylic acid

A mixture of ethyl (3*R*,4*S*)-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxylate (i.e. the product of Step C, 2.66 g, 8.8 mmol) and aqueous sodium hydroxide (50 wt%, 2.12 g, 26.5 mmol) in ethanol (30 mL) was stirred at 26 °C for 18 h. The reaction mixture was then diluted with water (50 mL) and extracted with diethyl ether (2 × 50 mL). The aqueous phase was acidified with concentrated hydrochloric acid to pH 2 and extracted with dichloromethane (3 × 50 mL). The combined dichloromethane extracts were washed with brine, dried (MgSO₄), and concentrated under reduced pressure to afford the title compound as a white solid (2.05 g).

¹H NMR (500 MHz, acetone-*d*₆) δ 11.50 (br s, 1H), 7.70–7.89 (m, 2H), 7.56–7.68 (m, 2H), 7.45 (br s, 1H), 4.09–4.21 (m, 1H), 3.83–3.92 (m, 1H), 3.73–3.81 (m, 1H), 3.42–3.55 (m, 1H). ¹⁹F NMR (471 MHz, acetone-*d*₆) δ –63.03 (s, 3F). ESI [M+1] 274.0.

Step E: Preparation of (3*R*,4*S*)-N-(2-fluorophenyl)-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide

A mixture of (3*R*,4*S*)-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxylic acid (i.e. the product of Step D, 2.0 g, 7.32 mmol), triethylamine (3.06 mL, 21.96 mmol) and 2-fluoroaniline (0.85 mL, 8.78 mmol) in dichloromethane (50 mL) was stirred at ambient temperature for 30 min, and then treated with propylphosphonic anhydride in ethyl acetate (50%, 7.92 g, 12.44 mmol). The resulting mixture was stirred at ambient temperature for 18 h. The reaction mixture was then concentrated under reduced pressure, and the residue was chromatographed on silica gel, eluted with 0–100% ethyl acetate in hexanes, to afford a solid residue which on trituration with 1-chlorobutane afforded the title product, a compound of the present invention, as a white solid (1.9 g). ER 88:12 (major eluting at 25.86 min, minor eluting at 17.66 min). Specific Rotation +74.71 at 23.4 °C at 589 nm, as a 1% solution (1g/100 mL) in CHCl₃.

¹H NMR (500 MHz, acetone-*d*₆) δ 10.05 (br s, 1H), 8.21–8.35 (m, 1H), 7.77–7.91 (m, 2H), 7.58–7.66 (m, 2H), 7.51 (br s, 1H), 7.02–7.22 (m, 3H), 4.18–4.30 (m, 1H), 3.94–4.04 (m, 1H), 3.84–3.93 (m, 1H), 3.42–3.53 (m, 1H). ¹⁹F NMR (471 MHz, acetone-*d*₆) δ –62.93 (s, 3F), –131.13 – –131.02 (m, 1F).

SYNTHESIS EXAMPLE 6

Preparation of (3*R*,4*S*)-N-(2-fluorophenyl)-1-methyl-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide (Compound 351)

Step A Preparation of (4*S*)-4-[3-(trifluoromethyl)phenyl]-2-pyrrolidinone

A mixture of (3*R*,4*S*)-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxylic acid (i.e. the product of Example 5, Step D, 1.5 g, 5.5 mmol) and toluene-4-sulfonic acid (0.010 g, 0.055 mmol) in toluene (12 mL) was stirred at 90 °C overnight. The reaction mixture was then concentrated under reduced pressure to afford a clear oil (1.29 g). The crude product was used without further purification.

¹H NMR (500 MHz) δ 7.36–7.59 (m, 4H), 6.84 (br s, 1H), 3.70–3.88 (m, 2H), 3.35–3.50 (m, 1H), 2.72–2.87 (m, 1H), 2.44–2.58 (m, 1H). ¹⁹F NMR (471 MHz) δ –62.66 (s, 3F).

Step B: Preparation of (4*S*)-1-methyl-4-[3-(trifluoromethyl)phenyl]-2-pyrrolidinone

To a solution of (4*S*)-4-[3-(trifluoromethyl)phenyl]-2-pyrrolidinone (i.e. the product of Step A, 1.29 g, 5.6 mmol) in *N,N*-dimethylformamide (7 mL) was added sodium hydride (60% dispersion in mineral oil, 0.25 g, 6.2 mmol) in portions. The mixture was stirred for 10 min and then iodomethane (0.88 mL, 14.1 mmol) was added. The solution was stirred overnight at ambient temperature. The reaction mixture was diluted with water and extracted with diethyl ether (2 x 50 mL). The organic layer was washed with water, brine and then dried (MgSO₄), filtered and concentrated under reduced pressure. The crude residue was chromatographed on silica gel, eluted with 0–20% ethyl acetate in dichloromethane, to afford a light brown oil (0.775 g).

¹H NMR (500 MHz) δ 7.38–7.57 (m, 4H), 3.75–3.83 (m, 1H), 3.59–3.70 (m, 1H), 3.38–3.45 (m, 1H), 2.90–2.94 (m, 3H), 2.80–2.89 (m, 1H), 2.48–2.58 (m, 1H). ¹⁹F NMR (471 MHz) δ –62.67 (s, 3F).

Step C Preparation of (3*R*,4*S*)-*N*-(2-fluorophenyl)-1-methyl-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide

A solution of (4*S*)-1-methyl-4-[3-(trifluoromethyl)phenyl]-2-pyrrolidinone (i.e. the product of Step B, 0.350 g, 1.44 mmol) in tetrahydrofuran (5 mL) was cooled to –78 °C. To this mixture lithium bis(trimethylsilyl)amide (1.6 mL, 1.6 mmol as a 1 M solution in tetrahydrofuran) was added dropwise and the resulting solution was stirred for 30 min. Then 1-fluoro-2-isocyanatobenzene (0.17 mL, 1.44 mmol) was added dropwise and the solution was stirred for 2 h at –78 °C. The reaction mixture was quenched with saturated aqueous ammonium chloride (10 mL), warmed to ambient temperature and the aqueous layer was extracted with ethyl acetate (3 x 25 mL). The organic layers were combined, washed with brine and then dried (MgSO₄), filtered and concentrated under reduced pressure onto silica gel. The crude residue was chromatographed on silica gel, eluting with 0 to 40% ethyl acetate in hexanes, to afford a light pink solid (0.223 g).

¹H NMR (500 MHz) δ 9.93 (br s, 1H), 8.15–8.27 (m, 1H), 7.38–7.65 (m, 4H), 6.93–7.15 (m, 3H), 4.10–4.23 (m, 1H), 3.72–3.88 (m, 1H), 3.56–3.68 (m, 1H), 3.39–3.53 (m, 1H), 2.90–

3.06 (m, 3H). ^{19}F NMR (471 MHz) δ -62.55 (s, 3F), -129.83 – -129.50 (m, 1F). ESI [M+1] 381.0.

SYNTHESIS EXAMPLE 7

Preparation of 1,3-diethyl 2-[(1*S*)-1-(3,4-difluorophenyl)-2-nitro-ethyl]propanedioate

5 (Intermediate to Prepare Compound 103)


Step A: Preparation of 1,3-diethyl 2-[(1*S*)-1-(3,4-difluorophenyl)-2-nitro-ethyl]propanedioate

To a stirred mixture of 1-[(*E*)-2-nitroethenyl]-3,4-difluorobenzene (prepared as described generally in WO2008/39882 A1, 1.67 g, 9.0 mmol) and diethyl malonate (1.73 g, 10.8 mmol) in toluene (10 mL) was added Ni(II) bis[(*R,R*)-*N,N'*-dibenzylcyclohexane-1,2-diamine]bromide (prepared as described in *J. Am. Chem. Soc.* **2005**, 127, 9958-9959; 0.072 g, 0.1 mmol). The resulting solution was stirred at ambient temperature for 72 h. The solution was diluted with dichloromethane (20 mL) and concentrated under reduced pressure onto silica gel and purified by silica gel chromatography eluting with a gradient of ethyl acetate in hexanes (0 to 50%) to provide 2.18 g of a light yellow waxy solid. ER 96:4 (major eluting at 37.05 min, minor eluting at 27.09 min).

^1H NMR (500 MHz) δ 7.06–7.16 (m, 2H), 6.95–7.03 (m, 1H), 4.73–4.94 (m, 2H), 4.16–4.29 (m, 3H), 4.01–4.10 (m, 2H), 3.71–3.79 (m, 1H), 1.22–1.30 (m, 3H), 1.07–1.15 (m, 3H). ^{19}F NMR (471 MHz) δ -137.66 – -137.47 (m, 1F) -136.10 – -135.87 (m, 1F). ESI [M+1]; 346.4

By the procedures described herein together with methods known in the art, the following compounds of Tables 1 to 6800 can be prepared. The following abbreviations are used in the Tables which follow: *t* means tertiary, *s* means secondary, *n* means normal, *i* means iso, *c* means cyclo, Me means methyl, Et means ethyl, Pr means propyl, Bu means butyl, *i*-Pr means isopropyl, *c*-Pr cyclopropyl, *t*-Bu means tertiary butyl, *c*-Bu means cyclobutyl, Ph means phenyl, OMe means methoxy, OEt means ethoxy, SMe means methylthio, NHMe means methylamino, CN means cyano, NO₂ means nitro, TMS means trimethylsilyl, SOMe means methylsulfinyl, C₂F₅ means CF₂CF₃ and SO₂Me means methylsulfonyl.

Table 1



Y¹ is O; Y² is O; R² is H; R⁴ is H; R⁵ is H; Q² is Ph(2-F); and Q¹ is

Q ¹	Q ¹	Q ¹
Ph(3-Cl)	Ph(3-NO ₂)	2-Thienyl(4-F)
Ph(3-F)	Ph(3-Ph)	2-Thienyl(4-Cl)
Ph(3-Br)	Ph(3-COMe)	2-Thienyl(4-CF ₃)
Ph(3-Me)	Ph(3-OCOMe)	2-Thienyl(5-F)
Ph(3-Et)	Ph(3-CO ₂ Me)	2-Thienyl(5-Cl)
Ph(3- <i>t</i> -Bu)	Ph(3-OCO ₂ Me)	2-Thienyl(5-CF ₃)
Ph(3- <i>i</i> -Pr)	Ph(3-TMS)	Ph(4-Cl)
Ph(3- <i>c</i> -Pr)	Ph(3-SF ₅)	Ph(4-F)
Ph(3-cyclohexyl)	Ph[3-(1 <i>H</i> -pyrazol-1-yl)]	Ph(4-Br)
Ph(3-CH=CH ₂)	Ph[3-(2 <i>H</i> -1,2,3-triazol-2-yl)]	Ph(4-Me)
Ph(3-CF ₃)	Ph[3-(1 <i>H</i> -imidazol-1-yl)]	Ph(4-Et)
Ph(3-CH ₂ CF ₃)	Ph[3-(3-pyridinyl)]	Ph(4- <i>t</i> -Bu)
Ph(3-CHF ₂)	Ph[3-(4-pyridinyl)]	Ph(4- <i>i</i> -Pr)
Ph(3-CH ₂ F)	Ph[3-(2-pyridinyl)]	Ph(4- <i>c</i> -Pr)
Ph(3-OCF ₃)	4-Pyridinyl(2-CF ₃)	Ph(4-cyclohexyl)
Ph(3-OCH ₂ F)	4-Pyridinyl(2-Cl)	Ph(4-CH=CH ₂)
Ph(3-SCF ₃)	4-Pyridinyl(2-F)	Ph(4-CF ₃)
Ph(3-SMe)	4-Pyridinyl(2-OCF ₃)	Ph(4-CH ₂ CF ₃)
Ph(3-SOMe)	4-Pyridinyl(2-Me)	Ph(4-CHF ₂)
3-SO ₂ Me	4-Pyridinyl(2-Br)	Ph(4-CH ₂ F)
Ph(3-OSO ₂ Me)	4-Pyridinyl	Ph(4-OCF ₃)
Ph(3-C≡CH)	1 <i>H</i> -Pyrazol-4-yl(1-Me)	Ph(4-OCH ₂ F)
Ph(3-OMe)	1 <i>H</i> -Pyrazol-4-yl(1-CH ₂ CF ₃)	Ph(4-SCF ₃)
Ph(3-OEt)	1 <i>H</i> -Imidazol-2-yl(1-Me)	Ph(4-SMe)
Ph(3-NHCO ₂ - <i>t</i> -Bu)	1 <i>H</i> -Imidazol-2-yl(1-CH ₂ CF ₃)	Ph(4-SOMe)
Ph(3-NHCOMe)	1 <i>H</i> -Imidazol-2-yl(1-Me,5-Cl)	Ph(4-SO ₂ Me)
Ph(3-NHCOCF ₃)	1 <i>H</i> -Imidazol-2-yl(1-Me,5-F)	Ph(4-OSO ₂ Me)
Ph(3-CN)	2-Thienyl	Ph(4-C≡CH)

Q ¹	Q ¹	Q ¹
Ph(4-OMe)	3-Thienyl(5-Cl)	Ph(3-Br,4-OCHF ₂)
Ph(4-OEt)	3-Thienyl(5-CF ₃)	Ph(3-Br,4-SO ₂ Me)
Ph(4-NHCO ₂ - <i>t</i> -Bu)	Ph(3,4-di-Cl)	Ph(3-Br,4-TMS)
Ph(4-NHCOMe)	Ph(3-Cl,4-F)	Ph(3-Br,4-CN)
Ph(4-NHCOCF ₃)	Ph(3-Cl,4-Br)	Ph(3-Me,4-Cl)
Ph(4-CN)	Ph(3-Cl,4-Me)	Ph(3-Me,4-F)
Ph(4-NO ₂)	Ph(3-Cl,4- <i>t</i> -Bu)	Ph(3-Me,4-Br)
Ph(4-Ph)	Ph(3-Cl,4- <i>c</i> -Pr)	Ph(3,4-di-Me)
Ph(4-COMe)	Ph(3-Cl,4-CF ₃)	Ph(3-Me,4- <i>t</i> -Bu)
Ph(4-OCOMe)	Ph(3-Cl,4-CHF ₂)	Ph(3-Me,4- <i>c</i> -Pr)
Ph(4-CO ₂ Me)	Ph(3-Cl,4-OCF ₃)	Ph(3-Me,4-CF ₃)
Ph(4-OCO ₂ Me)	Ph(3-Cl,4-OCHF ₂)	Ph(3-Me,4-OCF ₃)
Ph(4-TMS)	Ph(3-Cl,4-SO ₂ Me)	Ph(3-Me,4-OCHF ₂)
Ph(4-SF ₅)	Ph(3-Cl,4-TMS)	Ph(3-Me,4-SO ₂ Me)
Ph(1 <i>H</i> -pyrazol-1-yl)	Ph(3-Cl,4-CN)	Ph(3-Me,4-TMS)
Ph(2 <i>H</i> -1,2,3-triazol-2-yl)	Ph(3-F,4-Cl)	Ph(3-Me,4-CN)
Ph(1 <i>H</i> -imidazol-1-yl)	Ph(3,4-di-F)*	Ph(3- <i>t</i> -Bu,4-Cl)
Ph[4-(3-pyridinyl)]	Ph(3-F,4-Br)	Ph(3- <i>t</i> -Bu,4-F)
Ph[4-(4-pyridinyl)]	Ph(3-F,4-Me)	Ph(3- <i>t</i> -Bu,4-Br)
Ph[4-(2-pyridinyl)]	Ph(3-F,4- <i>t</i> -Bu)	Ph(3- <i>t</i> -Bu,4-Me)
3-Pyridinyl(5-CF ₃)	Ph(3-F,4- <i>c</i> -Pr)	Ph(3,4-di- <i>t</i> -Bu)
3-Pyridinyl(5-Cl)	Ph(3-F,4-CF ₃)	Ph(3- <i>t</i> -Bu,4- <i>c</i> -Pr)
3-Pyridinyl(5-F)	Ph(3-F,4-CHF ₂)	Ph(3- <i>t</i> -Bu,4-CF ₃)
3-Pyridinyl(5-OCF ₃)	Ph(3-F,4-OCF ₃)	Ph(3- <i>t</i> -Bu,4-CHF ₂)
3-Pyridinyl(5-Me)	Ph(3-F,4-OCHF ₂)	Ph(3- <i>t</i> -Bu,4-OCF ₃)
3-Pyridinyl(5-Br)	Ph(3-F,4-SO ₂ Me)	Ph(3- <i>t</i> -Bu,4-OCHF ₂)
3-Pyridinyl	Ph(3-F,4-TMS)	Ph(3- <i>t</i> -Bu,4-SO ₂ Me)
1 <i>H</i> -Pyrazol-3-yl(1-Me)	Ph(3-F,4-CN)	Ph(3- <i>t</i> -Bu,4-TMS)
1 <i>H</i> -Pyrazol-3-yl(1-CH ₂ CF ₃)	Ph(3-F,4-SF ₅)	Ph(3- <i>t</i> -Bu,4-CN)
1 <i>H</i> -Pyrazol-3-yl(1-Me,4-F)	Ph(3-Br,4-Cl)	Ph(3- <i>c</i> -Pr,4-Cl)
1 <i>H</i> -Pyrazol-3-yl(1-Me,4-Cl)	Ph(3-Br,4-F)	Ph(3- <i>c</i> -Pr,4-F)
1 <i>H</i> -Imidazol-5-yl(1-Me)	Ph(3,4-di-Br)	Ph(3- <i>c</i> -Pr,4-Br)
1 <i>H</i> -Imidazol-5-yl(1-CH ₂ CF ₃)	Ph(3-Br,4-Me)	Ph(3- <i>c</i> -Pr,4-Me)
1 <i>H</i> -Imidazol-4-yl(1-Me)	Ph(3-Br,4- <i>c</i> -Pr)	Ph(3- <i>c</i> -Pr,4- <i>t</i> -Bu)
1 <i>H</i> -Imidazol-4-yl(1-CH ₂ CF ₃)	Ph(3-Br,4-CF ₃)	Ph(3,4-di- <i>c</i> -Pr)
3-Thienyl	Ph(3-Br,4-CHF ₂)	Ph(3- <i>c</i> -Pr,4-CF ₃)
3-Thienyl(5-F)	Ph(3-Br,4-OCF ₃)	Ph(3- <i>c</i> -Pr,4-CHF ₂)

Q ¹	Q ¹	Q ¹
Ph(3- <i>c</i> -Pr,4-OCF ₃)	Ph(3-SO ₂ Me,4-CF ₃)	Ph(2-F,3-Cl,4-Me)
Ph(3- <i>c</i> -Pr,4-OCHF ₂)	Ph(3-SO ₂ Me,4-CHF ₂)	Ph(2-F,3-Cl,4- <i>t</i> -Bu)
Ph(3- <i>c</i> -Pr,4-SO ₂ Me)	Ph(3-SO ₂ Me,4-OCF ₃)	Ph(2-F,3-Cl,4- <i>c</i> -Pr)
Ph(3- <i>c</i> -Pr,4-TMS)	Ph(3-SO ₂ Me,4-OCHF ₂)	Ph(2-F,3-Cl,4-CF ₃)
Ph(3- <i>c</i> -Pr,4-CN)	Ph(3,4-di-SO ₂ Me)	Ph(2-F,3-Cl,4-CHF ₂)
Ph(3-CF ₃ ,4-Cl)	Ph(3-SO ₂ Me,4-TMS)	Ph(2-F,3-Cl,4-OCF ₃)
Ph(3-CF ₃ ,4-F)	Ph(3-SO ₂ Me,4-CN)	Ph(2-F,3-Cl,4-OCHF ₂)
Ph(3-CF ₃ ,4-Br)	Ph(3-CHF ₂ ,4-Cl)	Ph(2-F,3-Cl,4-SO ₂ Me)
Ph(3-CF ₃ ,4-Me)	Ph(3-CHF ₂ ,4-F)	Ph(2-F,3-Cl,4-TMS)
Ph(3-CF ₃ ,4- <i>t</i> -Bu)	Ph(3-CHF ₂ ,4-Br)	Ph(2-F,3-Cl,4-CN)
Ph(3-CF ₃ ,4- <i>c</i> -Pr)	Ph(3-CHF ₂ ,4-Me)	Ph(2-F,3-F,4-Cl)
Ph(3,4-di-CF ₃)	Ph(3-CHF ₂ ,4- <i>t</i> -Bu)	Ph(2-F,3-F,4-F)
Ph(3-CF ₃ ,4-CHF ₂)	Ph(3-CHF ₂ ,4- <i>c</i> -Pr)	Ph(2-F,3-F,4-Br)
Ph(3-CF ₃ ,4-OCF ₃)	Ph(3-CHF ₂ ,4-CF ₃)	Ph(2-F,3-F,4-Me)
Ph(3-CF ₃ ,4-OCHF ₂)	Ph(3-CHF ₂ ,4-CHF ₂)	Ph(2-F,3-F,4- <i>t</i> -Bu)
Ph(3-CF ₃ ,4-SO ₂ Me)	Ph(3-CHF ₂ ,4-OCF ₃)	Ph(2-F,3-F,4- <i>c</i> -Pr)
Ph(3-CF ₃ ,4-TMS)	Ph(3-CHF ₂ ,4-OCHF ₂)	Ph(2-F,3-F,4-CF ₃)
Ph(3-CF ₃ ,4-CN)	Ph(3-CHF ₂ ,4-SO ₂ Me)	Ph(2-F,3-F,4-CHF ₂)
Ph(3-OCF ₃ ,4-Cl)	Ph(3-CHF ₂ ,4-TMS)	Ph(2-F,3-F,4-OCF ₃)
Ph(3-OCF ₃ ,4-F)	Ph(3-CHF ₂ ,4-CN)	Ph(2-F,3-F,4-OCHF ₂)
Ph(3-OCF ₃ ,4-Br)	Ph(3-CN,4-Cl)	Ph(2-F,3-F,4-SO ₂ Me)
Ph(3-OCF ₃ ,4-Me)	Ph(3-CN,4-F)	Ph(2-F,3-F,4-TMS)
Ph(3-OCF ₃ ,4- <i>t</i> -Bu)	Ph(3-CN,4-Br)	Ph(2-F,3-F,4-CN)
Ph(3-OCF ₃ ,4- <i>c</i> -Pr)	Ph(3-CN,4-Me)	Ph(2-F,3-Br,4-Cl)
Ph(3-OCF ₃ ,4-CF ₃)	Ph(3-CN,4- <i>t</i> -Bu)	Ph(2-F,3-Br,4-F)
Ph(3-OCF ₃ ,4-CHF ₂)	Ph(3-CN,4- <i>c</i> -Pr)	Ph(2-F,3-Br,4-Br)
Ph(3,4-di-OCF ₃)	Ph(3-CN,4-CF ₃)	Ph(2-F,3-Br,4-Me)
Ph(3-OCF ₃ ,4-OCHF ₂)	Ph(3-CN,4-CHF ₂)	Ph(2-F,3-Br,4- <i>t</i> -Bu)
Ph(3-OCF ₃ ,4-SO ₂ Me)	Ph(3-CN,4-OCF ₃)	Ph(2-F,3-Br,4- <i>c</i> -Pr)
Ph(3-OCF ₃ ,4-TMS)	Ph(3-CN,4-OCHF ₂)	Ph(2-F,3-Br,4-CF ₃)
Ph(3-OCF ₃ ,4-CN)	Ph(3-CN,4-SO ₂ Me)	Ph(2-F,3-Br,4-CHF ₂)
Ph(3-SO ₂ Me,4-Cl)	Ph(3-CN,4-TMS)	Ph(2-F,3-Br,4-OCF ₃)
Ph(3-SO ₂ Me,4-F)	Ph(3,4-di-CN)	Ph(2-F,3-Br,4-OCHF ₂)
Ph(3-SO ₂ Me,4-Br)	Ph(3-SF ₅ ,4-F)	Ph(2-F,3-Br,4-SO ₂ Me)
Ph(3-SO ₂ Me,4-Me)	Ph(2-F,3-Cl,4-Cl)	Ph(2-F,3-Br,4-TMS)
Ph(3-SO ₂ Me,4- <i>t</i> -Bu)	Ph(2-F,3-Cl,4-F)	Ph(2-F,3-Br,4-CN)
Ph(3-SO ₂ Me,4- <i>c</i> -Pr)	Ph(2-F,3-Cl,4-Br)	Ph(2-F,3-Me,4-Cl)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-Me,4-F)	Ph(2-F,3-CF ₃ ,4-Cl)	Ph(2-F,3-SO ₂ Me,4-TMS)
Ph(2-F,3-Me,4-Br)	Ph(2-F,3-CF ₃ ,4-F)	Ph(2-F,3-SO ₂ Me,4-CN)
Ph(2-F,3-Me,4-Me)	Ph(2-F,3-CF ₃ ,4-Br)	Ph(2-F,3-CHF ₂ ,4-Cl)
Ph(2-F,3-Me,4- <i>t</i> -Bu)	Ph(2-F,3-CF ₃ ,4-Me)	Ph(2-F,3-CHF ₂ ,4-F)
Ph(2-F,3-Me,4-CF ₃)	Ph(2-F,3-CF ₃ ,4- <i>t</i> -Bu)	Ph(2-F,3-CHF ₂ ,4-Br)
Ph(2-F,3-Me,4-CHF ₂)	Ph(2-F,3-CF ₃ ,4- <i>c</i> -Pr)	Ph(2-F,3-CHF ₂ ,4-Me)
Ph(2-F,3-Me,4-OCF ₃)	Ph(2-F,3-CF ₃ ,4-CF ₃)	Ph(2-F,3-CHF ₂ ,4- <i>t</i> -Bu)
Ph(2-F,3-Me,4-OCHF ₂)	Ph(2-F,3-CF ₃ ,4-CHF ₂)	Ph(2-F,3-CHF ₂ ,4- <i>c</i> -Pr)
Ph(2-F,3-Me,4-SO ₂ Me)	Ph(2-F,3-CF ₃ ,4-OCF ₃)	Ph(2-F,3-CHF ₂ ,4-CF ₃)
Ph(2-F,3-Me,4-TMS)	Ph(2-F,3-CF ₃ ,4-OCHF ₂)	Ph(2-F,3-CHF ₂ ,4-CHF ₂)
Ph(2-F,3-Me,4-CN)	Ph(2-F,3-CF ₃ ,4-SO ₂ Me)	Ph(2-F,3-CHF ₂ ,4-OCF ₃)
Ph(2-F,3- <i>t</i> -Bu,4-Cl)	Ph(2-F,3-CF ₃ ,4-TMS)	Ph(2-F,3-CHF ₂ ,4-OCHF ₂)
Ph(2-F,3- <i>t</i> -Bu,4-F)	Ph(2-F,3-CF ₃ ,4-CN)	Ph(2-F,3-CHF ₂ ,4-SO ₂ Me)
Ph(2-F,3- <i>t</i> -Bu,4-Br)	Ph(2-F,3-OCF ₃ ,4-Cl)	Ph(2-F,3-CHF ₂ ,4-TMS)
Ph(2-F,3- <i>t</i> -Bu,4-Me)	Ph(2-F,3-OCF ₃ ,4-F)	Ph(2-F,3-CHF ₂ ,4-CN)
Ph(2-F,3- <i>t</i> -Bu,4- <i>t</i> -Bu)	Ph(2-F,3-OCF ₃ ,4-Br)	Ph(2-F,3-CN,4-Cl)
Ph(2-F,3- <i>t</i> -Bu,4- <i>c</i> -Pr)	Ph(2-F,3-OCF ₃ ,4-Me)	Ph(2-F,3-CN,4-F)
Ph(2-F,3- <i>t</i> -Bu,4-CF ₃)	Ph(2-F,3-OCF ₃ ,4- <i>t</i> -Bu)	Ph(2-F,3-CN,4-Br)
Ph(2-F,3- <i>t</i> -Bu,4-CHF ₂)	Ph(2-F,3-OCF ₃ ,4- <i>c</i> -Pr)	Ph(2-F,3-CN,4-Me)
Ph(2-F,3- <i>t</i> -Bu,4-OCF ₃)	Ph(2-F,3-OCF ₃ ,4-CF ₃)	Ph(2-F,3-CN,4- <i>t</i> -Bu)
Ph(2-F,3- <i>t</i> -Bu,4-OCHF ₂)	Ph(2-F,3-OCF ₃ ,4-CHF ₂)	Ph(2-F,3-CN,4- <i>c</i> -Pr)
Ph(2-F,3- <i>t</i> -Bu,4-SO ₂ Me)	Ph(2-F,3-OCF ₃ ,4-OCF ₃)	Ph(2-F,3-CN,4-CF ₃)
Ph(2-F,3- <i>t</i> -Bu,4-TMS)	Ph(2-F,3-OCF ₃ ,4-OCHF ₂)	Ph(2-F,3-CN,4-CHF ₂)
Ph(2-F,3- <i>t</i> -Bu,4-CN)	Ph(2-F,3-OCF ₃ ,4-SO ₂ Me)	Ph(2-F,3-CN,4-OCF ₃)
Ph(2-F,3- <i>c</i> -Pr,4-Cl)	Ph(2-F,3-OCF ₃ ,4-TMS)	Ph(2-F,3-CN,4-OCHF ₂)
Ph(2-F,3- <i>c</i> -Pr,4-F)	Ph(2-F,3-OCF ₃ ,4-CN)	Ph(2-F,3-CN,4-SO ₂ Me)
Ph(2-F,3- <i>c</i> -Pr,4-Br)	Ph(2-F,3-SO ₂ Me,4-Cl)	Ph(2-F,3-CN,4-TMS)
Ph(2-F,3- <i>c</i> -Pr,4-Me)	Ph(2-F,3-SO ₂ Me,4-F)	Ph(2-F,3-CN,4-CN)
Ph(2-F,3- <i>c</i> -Pr,4- <i>t</i> -Bu)	Ph(2-F,3-SO ₂ Me,4-Br)	Ph(2-F,4-Cl)
Ph(2-F,3,4-di- <i>c</i> -Pr)	Ph(2-F,3-SO ₂ Me,4-Me)	Ph(2-F,4-F)
Ph(2-F,3- <i>c</i> -Pr,4-CF ₃)	Ph(2-F,3-SO ₂ Me,4- <i>t</i> -Bu)	Ph(2-F,4-Br)
Ph(2-F,3- <i>c</i> -Pr,4-CHF ₂)	Ph(2-F,3-SO ₂ Me,4- <i>c</i> -Pr)	Ph(2-F,4-Me)
Ph(2-F,3- <i>c</i> -Pr,4-OCF ₃)	Ph(2-F,3-SO ₂ Me,4-CF ₃)	Ph(2-F,4- <i>t</i> -Bu)
Ph(2-F,3- <i>c</i> -Pr,4-OCHF ₂)	Ph(2-F,3-SO ₂ Me,4-CHF ₂)	Ph(2-F,4- <i>c</i> -Pr)
Ph(2-F,3- <i>c</i> -Pr,4-SO ₂ Me)	Ph(2-F,3-SO ₂ Me,4-OCF ₃)	Ph(2-F,4-CF ₃)
Ph(2-F,3- <i>c</i> -Pr,4-TMS)	Ph(2-F,3-SO ₂ Me,4-OCHF ₂)	Ph(2-F,4-CHF ₂)
Ph(2-F,3- <i>c</i> -Pr,4-CN)	Ph(2-F,3,4-di-SO ₂ Me)	Ph(2-F,4-OCF ₃)

Q ¹	Q ¹	Q ¹
Ph(2-F,4-OCHF ₂)	Ph(2-SMe)	Ph(2-OPh)
Ph(2-F,4-SO ₂ Me)	Ph(2-SOMe)	Ph(2-C≡CCF ₃)
Ph(2-F,4-TMS)	Ph(2-SO ₂ Me)	Ph(2-CH=CF ₂)
Ph(2-F,4-CN)	Ph(2-OSO ₂ Me)	Ph(2-CH=CCl ₂)
Ph(2-F,3-Cl)	Ph(2-C≡CH)	Ph(2-CH=CBr ₂)
Ph(2-F,3-F)	Ph(2-OMe)	Ph(2-OCH=CH ₂)
Ph(2-F,3-Br)	Ph(2-OEt)	Ph(2-OCH=CF ₂)
Ph(2-F,3-Me)	Ph(2-NHCO ₂ - <i>t</i> -Bu)	Ph(2-OCH=CCl ₂)
Ph(2-F,3- <i>t</i> -Bu)	Ph(2-NHCOMe)	Ph(2-OCH=CBr ₂)
Ph(2-F,3- <i>c</i> -Pr)	Ph(2-NHCOCF ₃)	Ph(2-CH ₂ CH=CH ₂)
Ph(2-F,3-CF ₃)	Ph(2-CN)	Ph(2-CH ₂ CH=CF ₂)
Ph(2-F,3-CHF ₂)	Ph(2-NO ₂)	Ph(2-CH ₂ CH=CCl ₂)
Ph(2-F,3-OCF ₃)	Ph(2-Ph)	Ph(2-CH ₂ CH=CBr ₂)
Ph(2-F,3-OCHF ₂)	Ph(2-COMe)	Ph(2-OCH ₂ CH=CH ₂)
Ph(2-F,3-SO ₂ Me)	Ph(2-OCOMe)	Ph(2-OCH ₂ CH=CF ₂)
Ph(2-F,3-TMS)	Ph(2-CO ₂ Me)	Ph(2-OCH ₂ CH=CCl ₂)
Ph(2-F,3-CN)	Ph(2-OCO ₂ Me)	Ph(2-OCH ₂ CH=CBr ₂)
Ph(2-Cl)	Ph(2-TMS)	Ph(2-SCF ₂ H)
Ph(2-F)	Ph[2-(1 <i>H</i> -pyrazol-1-yl)]	Ph(2-SCF ₂ CF ₂ H)
Ph(2-Br)	Ph[2-(2 <i>H</i> -1,2,3-triazol-2-yl)]	Ph(3-I)
Ph(2-I)	Ph[2-(1 <i>H</i> -imidazol-1-yl)]	Ph(3- <i>n</i> -Pr)
Ph(2-Me)	Ph[2-(3-pyridinyl)]	Ph(3-CF ₂ H)
Ph(2-Et)	Ph[2-(4-pyridinyl)]	Ph(3-OCF ₂ H)
Ph(2- <i>n</i> -Pr)	Ph[2-(2-pyridinyl)]	Ph(3-SO ₂ Me)
Ph(2- <i>t</i> -Bu)	Ph(2-C ₂ F ₅)	Ph(3-C ₂ F ₅)
Ph(2- <i>i</i> -Pr)	Ph(2-CF ₂ CF ₂ H)	Ph(3-CF ₂ CF ₂ H)
Ph(2- <i>c</i> -Pr)	Ph(2-OCF ₂ CF ₂ H)	Ph(3-OCF ₂ CF ₂ H)
Ph(2-cyclohexyl)	Ph(2-OC ₂ F ₅)	Ph(3-OC ₂ F ₅)
Ph(2-CH=CH ₂)	Ph(2-OCH ₂ CF ₃)	Ph(3-OCH ₂ CF ₃)
Ph(2-CF ₃)	Ph(2-OCH ₂ C≡CH)	Ph(3-OCH ₂ C≡CH)
Ph(2-CH ₂ CF ₃)	Ph(2-OCH ₂ C≡CCF ₃)	Ph(3-OCH ₂ C≡CCF ₃)
Ph(2-CF ₂ H)	Ph(2-OCH ₂ C≡CCF ₂ H)	Ph(3-OCH ₂ C≡CCF ₂ H)
Ph(2-CH ₂ F)	Ph(2-OCH ₂ C≡CCH ₃)	Ph(3-OCH ₂ C≡CCH ₃)
Ph(2-OCF ₃)	Ph(2-OCH ₂ C≡C- <i>c</i> -Pr)	Ph(3-OCH ₂ C≡C- <i>c</i> -Pr)
Ph(2-OCH ₂ F)	Ph(2-C≡CCF ₂ H)	Ph(3-C≡CCF ₂ H)
Ph(2-OCF ₂ H)	Ph(2-C≡CCH ₃)	Ph(3-C≡CCH ₃)
Ph(2-SCF ₃)	Ph(2-C≡C- <i>c</i> -Pr)	Ph(3-C≡C- <i>c</i> -Pr)

Q ¹	Q ¹	Q ¹
Ph(3-OPh)	Ph(2-Cl,3-OCF ₂ H)	Ph(2-Cl,3-C≡CCH ₃)
Ph(3-C≡CCF ₃)	Ph(2-Cl,3-SCF ₃)	Ph(2-Cl,3-C≡C- <i>c</i> -Pr)
Ph(3-CH=CF ₂)	Ph(2-Cl,3-SMe)	Ph(2-Cl,3-OPh)
Ph(3-CH=CCl ₂)	Ph(2-Cl,3-SOMe)	Ph(2-Cl,3-C≡CCF ₃)
Ph(3-CH=CBr ₂)	Ph(2-Cl,3-SO ₂ Me)	Ph(2-Cl,3-CH=CF ₂)
Ph(3-OCH=CH ₂)	Ph(2-Cl,3-OSO ₂ Me)	Ph(2-Cl,3-CH=CCl ₂)
Ph(3-OCH=CF ₂)	Ph(2-Cl,3-C≡CH)	Ph(2-Cl,3-CH=CBr ₂)
Ph(3-OCH=CCl ₂)	Ph(2-Cl,3-OMe)	Ph(2-Cl,3-OCH=CH ₂)
Ph(3-OCH=CBr ₂)	Ph(2-Cl,3-OEt)	Ph(2-Cl,3-OCH=CF ₂)
Ph(3-CH ₂ CH=CH ₂)	Ph(2-Cl,3-NHCO ₂ - <i>t</i> -Bu)	Ph(2-Cl,3-OCH=CCl ₂)
Ph(3-CH ₂ CH=CF ₂)	Ph(2-Cl,3-NHCOMe)	Ph(2-Cl,3-OCH=CBr ₂)
Ph(3-CH ₂ CH=CCl ₂)	Ph(2-Cl,3-NHCOCF ₃)	Ph(2-Cl,3-CH ₂ CH=CH ₂)
Ph(3-CH ₂ CH=CBr ₂)	Ph(2-Cl,3-CN)	Ph(2-Cl,3-CH ₂ CH=CF ₂)
Ph(3-OCH ₂ CH=CH ₂)	Ph(2-Cl,3-NO ₂)	Ph(2-Cl,3-CH ₂ CH=CCl ₂)
Ph(3-OCH ₂ CH=CF ₂)	Ph(2-Cl,3-Ph)	Ph(2-Cl,3-CH ₂ CH=CBr ₂)
Ph(3-OCH ₂ CH=CCl ₂)	Ph(2-Cl,3-COMe)	Ph(2-Cl,3-OCH ₂ CH=CH ₂)
Ph(3-OCH ₂ CH=CBr ₂)	Ph(2-Cl,3-OCOMe)	Ph(2-Cl,3-OCH ₂ CH=CF ₂)
Ph(3-SCF ₂ H)	Ph(2-Cl,3-CO ₂ Me)	Ph(2-Cl,3-OCH ₂ CH=CCl ₂)
Ph(3-SCF ₂ CF ₂ H)	Ph(2-Cl,3-OCO ₂ Me)	Ph(2-Cl,3-OCH ₂ CH=CBr ₂)
Ph(2-Cl,3-Cl)	Ph(2-Cl,3-TMS)	Ph(2-Cl,3-SCF ₂ H)
Ph(2-Cl,3-F)	Ph[3-(2-Cl,1 <i>H</i> -pyrazol-1-yl)]	Ph(2-Cl,3-SCF ₂ CF ₂ H)
Ph(2-Cl,3-Br)	Ph[3-(2-Cl,2 <i>H</i> -1,2,3-triazol-2-yl)]	Ph(2-F,3-F)
Ph(2-Cl,3-I)	Ph[3-(2-Cl,1 <i>H</i> -imidazol-1-yl)]	Ph(2-F,3-Br)
Ph(2-Cl,3-Me)	Ph[3-(2-Cl,3-pyridinyl)]	Ph(2-F,3-I)
Ph(2-Cl,3-Et)	Ph[3-(2-Cl,4-pyridinyl)]	Ph(2-F,3-Me)
Ph(2-Cl,3- <i>n</i> -Pr)	Ph[3-(2-Cl,2-pyridinyl)]	Ph(2-F,3-Et)
Ph(2-Cl,3- <i>t</i> -Bu)	Ph(2-Cl,3-C ₂ F ₅)	Ph(2-F,3- <i>n</i> -Pr)
Ph(2-Cl,3- <i>i</i> -Pr)	Ph(2-Cl,3-CF ₂ CF ₂ H)	Ph(2-F,3- <i>t</i> -Bu)
Ph(2-Cl,3- <i>c</i> -Pr)	Ph(2-Cl,3-OCF ₂ CF ₂ H)	Ph(2-F,3- <i>i</i> -Pr)
Ph(2-Cl,3-cyclohexyl)	Ph(2-Cl,3-OC ₂ F ₅)	Ph(2-F,3-cyclohexyl)
Ph(2-Cl,3-CH=CH ₂)	Ph(2-Cl,3-OCH ₂ CF ₃)	Ph(2-F,3-CH=CH ₂)
Ph(2-Cl,3-CF ₃)	Ph(2-Cl,3-OCH ₂ C≡CH)	Ph(2-F,3-CF ₃)
Ph(2-Cl,3-CH ₂ CF ₃)	Ph(2-Cl,3-OCH ₂ C≡CCF ₃)	Ph(2-F,3-CH ₂ CF ₃)
Ph(2-Cl,3-CF ₂ H)	Ph(2-Cl,3-OCH ₂ C≡CCF ₂ H)	Ph(2-F,3-CF ₂ H)
Ph(2-Cl,3-CH ₂ F)	Ph(2-Cl,3-OCH ₂ C≡CCH ₃)	Ph(2-F,3-CH ₂ F)
Ph(2-Cl,3-OCF ₃)	Ph(2-Cl,3-OCH ₂ C≡C- <i>c</i> -Pr)	Ph(2-F,3-OCH ₂ F)
Ph(2-Cl,3-OCH ₂ F)	Ph(2-Cl,3-C≡CCF ₂ H)	Ph(2-F,3-OCF ₂ H)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-SCF ₃)	Ph(2-F,3-CH=CCl ₂)	2-Furanyl(4-CF ₃)
Ph(2-F,3-SMe)	Ph(2-F,3-CH=CBr ₂)	2-Furanyl(5-F)
Ph(2-F,3-SOMe)	Ph(2-F,3-OCH=CH ₂)	2-Furanyl(5-Cl)
Ph(2-F,3-SO ₂ Me)	Ph(2-F,3-OCH=CF ₂)	2-Furanyl(5-CF ₃)
Ph(2-F,3-OSO ₂ Me)	Ph(2-F,3-OCH=CCl ₂)	2-Furanyl(4-Me)
Ph(2-F,3-C≡CH)	Ph(2-F,3-OCH=CBr ₂)	2-Furanyl(4-Et)
Ph(2-F,3-OMe)	Ph(2-F,3-CH ₂ CH=CH ₂)	2-Furanyl(4- <i>i</i> -Pr)
Ph(2-F,3-OEt)	Ph(2-F,3-CH ₂ CH=CF ₂)	2-Furanyl(4- <i>c</i> -Pr)
Ph(2-F,3-NHCO ₂ - <i>t</i> -Bu)	Ph(2-F,3-CH ₂ CH=CCl ₂)	2-Furanyl(4-CF ₂ H)
Ph(2-F,3-NHCOMe)	Ph(2-F,3-CH ₂ CH=CBr ₂)	2-Furanyl(4-OCF ₂ H)
Ph(2-F,3-NHCOCF ₃)	Ph(2-F,3-OCH ₂ CH=CH ₂)	2-Furanyl(4-OCF ₂ CF ₂ H)
Ph(2-F,3-NO ₂)	Ph(2-F,3-OCH ₂ CH=CF ₂)	2-Furanyl(5-Me)
Ph(2-F,3-Ph)	Ph(2-F,3-OCH ₂ CH=CCl ₂)	2-Furanyl(5-Et)
Ph(2-F,3-COMe)	Ph(2-F,3-OCH ₂ CH=CBr ₂)	2-Furanyl(5- <i>i</i> -Pr)
Ph(2-F,3-OCOMe)	Ph(2-F,3-SCF ₂ H)	2-Furanyl(5- <i>c</i> -Pr)
Ph(2-F,3-CO ₂ Me)	Ph(2-F,3-SCF ₂ CF ₂ H)	2-Furanyl(5-CF ₂ H)
Ph(2-F,3-OCO ₂ Me)	Ph(2-F,3-SF ₅)	2-Furanyl(5-OCF ₂ H)
Ph[3-(2-F,1 <i>H</i> -imidazol-1-yl)]	4-Pyridinyl(5-OCF ₂ H)	2-Furanyl(5-OCF ₂ CF ₂ H)
Ph[3-(2-F,3-pyridinyl)]	4-Pyridinyl(5-CF ₂ H)	2-Furanyl(5-OC ₂ F ₅)
Ph[3-(2-F,4-pyridinyl)]	4-Pyridinyl(5-OCF ₂ CF ₂ H)	Ph(4-I)
Ph[3-(2-F,2-pyridinyl)]	2-Thienyl(4-Me)	Ph(4- <i>n</i> -Pr)
Ph(2-F,3-C ₂ F ₅)	2-Thienyl(4-Et)	Ph(4-OCHF ₂)
Ph(2-F,3-CF ₂ CF ₂ H)	2-Thienyl(4- <i>i</i> -Pr)	Ph(4-C ₂ F ₅)
Ph(2-F,3-OCF ₂ CF ₂ H)	2-Thienyl(4- <i>c</i> -Pr)	Ph(4-CF ₂ CF ₂ H)
Ph(2-F,3-OC ₂ F ₅)	2-Thienyl(4-CF ₂ H)	Ph(4-OCF ₂ CF ₂ H)
Ph(2-F,3-OCH ₂ CF ₃)	2-Thienyl(4-OCF ₂ H)	Ph(4-OC ₂ F ₅)
Ph(2-F,3-OCH ₂ C≡CH)	2-Thienyl(4-OCF ₂ CF ₂ H)	Ph(4-OCH ₂ CF ₃)
Ph(2-F,3-OCH ₂ C≡CCF ₃)	2-Thienyl(5-Me)	Ph(4-OCH ₂ C≡CH)
Ph(2-F,3-OCH ₂ C≡CCF ₂ H)	2-Thienyl(5-Et)	Ph(4-OCH ₂ C≡CCF ₃)
Ph(2-F,3-OCH ₂ C≡CCH ₃)	2-Thienyl(5- <i>i</i> -Pr)	Ph(4-OCH ₂ C≡CCF ₂ H)
Ph(2-F,3-OCH ₂ C≡C- <i>c</i> -Pr)	2-Thienyl(5- <i>c</i> -Pr)	Ph(4-OCH ₂ C≡CCH ₃)
Ph(2-F,3-C≡CCF ₂ H)	2-Thienyl(5-CF ₂ H)	Ph(4-OCH ₂ C≡C- <i>c</i> -Pr)
Ph(2-F,3-C≡CCH ₃)	2-Thienyl(5-OCF ₂ H)	Ph(4-C≡CCF ₂ H)
Ph(2-F,3-C≡C- <i>c</i> -Pr)	2-Thienyl(5-OCF ₂ CF ₂ H)	Ph(4-C≡CCH ₃)
Ph(2-F,3-OPh)	2-Thienyl(5-OC ₂ F ₅)	Ph(4-C≡C- <i>c</i> -Pr)
Ph(2-F,3-C≡CCF ₃)	2-Furanyl(4-F)	Ph(4-OPh)
Ph(2-F,3-CH=CF ₂)	2-Furanyl(4-Cl)	Ph(4-C≡CCF ₃)

Q ¹	Q ¹	Q ¹
Ph(4-CH=CF ₂)	Ph(2-Cl,4-SMe)	Ph(2-Cl,4-OCH=CF ₂)
Ph(4-CH=CCl ₂)	Ph(2-Cl,4-SOMe)	Ph(2-Cl,4-OCH=CCl ₂)
Ph(4-CH=CBr ₂)	Ph(2-Cl,4-SO ₂ Me)	Ph(2-Cl,4-OCH=CBr ₂)
Ph(4-OCH=CH ₂)	Ph(2-Cl,4-OSO ₂ Me)	Ph(2-Cl,4-CH ₂ CH=CH ₂)
Ph(4-OCH=CF ₂)	Ph(2-Cl,4-C≡CH)	Ph(2-Cl,4-CH ₂ CH=CF ₂)
Ph(4-OCH=CCl ₂)	Ph(2-Cl,4-OMe)	Ph(2-Cl,4-CH ₂ CH=CCl ₂)
Ph(4-OCH=CBr ₂)	Ph(2-Cl,4-OEt)	Ph(2-Cl,4-CH ₂ CH=CBr ₂)
Ph(4-CH ₂ CH=CH ₂)	Ph(2-Cl,4-NHCO ₂ - <i>t</i> -Bu)	Ph(2-Cl,4-OCH ₂ CH=CH ₂)
Ph(4-CH ₂ CH=CF ₂)	Ph(2-Cl,4-NHCOMe)	Ph(2-Cl,4-OCH ₂ CH=CF ₂)
Ph(4-CH ₂ CH=CCl ₂)	Ph(2-Cl,4-NHCOCF ₃)	Ph(2-Cl,4-OCH ₂ CH=CCl ₂)
Ph(4-CH ₂ CH=CBr ₂)	Ph(2-Cl,4-CN)	Ph(2-Cl,4-OCH ₂ CH=CBr ₂)
Ph(4-OCH ₂ CH=CH ₂)	Ph(2-Cl,4-NO ₂)	Ph(2-Cl,4-SCF ₂ H)
Ph(4-OCH ₂ CH=CF ₂)	Ph(2-Cl,4-Ph)	Ph(2-Cl,4-SCF ₂ CF ₂ H)
Ph(4-OCH ₂ CH=CCl ₂)	Ph(2-Cl,4-COMe)	Ph(2-F,4-Cl)
Ph(4-OCH ₂ CH=CBr ₂)	Ph(2-Cl,4-OCOMe)	Ph(2,4-di-F)
Ph(4-SCF ₂ H)	Ph(2-Cl,4-CO ₂ Me)	Ph(2-F,4-Br)
Ph(4-SCF ₂ CF ₂ H)	Ph(2-Cl,4-OCO ₂ Me)	Ph(2-F,4-I)
Ph(2,4-di-Cl)	Ph(2-Cl,4-TMS)	Ph(2-F,4-Me)
Ph(2-Cl,4-F)	Ph(2-Cl,4-C ₂ F ₅)	Ph(2-F,4-Et)
Ph(2-Cl,4-Br)	Ph(2-Cl,4-CF ₂ CF ₂ H)	Ph(2-F,4- <i>n</i> -Pr)
Ph(2-Cl,4-I)	Ph(2-Cl,4-OCF ₂ CF ₂ H)	Ph(2-F,4- <i>t</i> -Bu)
Ph(2-Cl,4-Me)	Ph(2-Cl,4-OC ₂ F ₅)	Ph(2-F,4- <i>i</i> -Pr)
Ph(2-Cl,4-Et)	Ph(2-Cl,4-OCH ₂ CF ₃)	Ph(2-F,4-cyclohexyl)
Ph(2-Cl,4- <i>n</i> -Pr)	Ph(2-Cl,4-OCH ₂ C≡CH)	Ph(2-F,4-CH=CH ₂)
Ph(2-Cl,4- <i>t</i> -Bu)	Ph(2-Cl,4-OCH ₂ C≡CCF ₃)	Ph(2-F,4-CF ₃)
Ph(2-Cl,4- <i>i</i> -Pr)	Ph(2-Cl,4-OCH ₂ C≡CCF ₂ H)	Ph(2-F,4-CH ₂ CF ₃)
Ph(2-Cl,4- <i>c</i> -Pr)	Ph(2-Cl,4-OCH ₂ C≡CCH ₃)	Ph(2-F,4-CHF ₂)
Ph(2-Cl,4-cyclohexyl)	Ph(2-Cl,4-OCH ₂ C≡C- <i>c</i> -Pr)	Ph(2-F,4-CH ₂ F)
Ph(2-Cl,4-CH=CH ₂)	Ph(2-Cl,4-C≡CCF ₂ H)	Ph(2-F,4-OCF ₃)
Ph(2-Cl,4-CF ₃)	Ph(2-Cl,4-C≡CCH ₃)	Ph(2-F,4-OCH ₂ F)
Ph(2-Cl,4-CH ₂ CF ₃)	Ph(2-Cl,4-C≡C- <i>c</i> -Pr)	Ph(2-F,4-OCHF ₂)
Ph(2-Cl,4-CHF ₂)	Ph(2-Cl,4-OPh)	Ph(2-F,4-SCF ₃)
Ph(2-Cl,4-CH ₂ F)	Ph(2-Cl,4-C≡CCF ₃)	Ph(2-F,4-SMe)
Ph(2-Cl,4-OCF ₃)	Ph(2-Cl,4-CH=CF ₂)	Ph(2-F,4-SOMe)
Ph(2-Cl,4-OCH ₂ F)	Ph(2-Cl,4-CH=CCl ₂)	Ph(2-F,4-SO ₂ Me)
Ph(2-Cl,4-OCHF ₂)	Ph(2-Cl,4-CH=CBr ₂)	Ph(2-F,4-OSO ₂ Me)
Ph(2-Cl,4-SCF ₃)	Ph(2-Cl,4-OCH=CH ₂)	Ph(2-F,4-C≡CH)

Q ¹	Q ¹	Q ¹
Ph(2-F,4-OMe)	Ph(2-F,4-CH ₂ CH=CBr ₂)	Ph(3-Cl,4-OMe)
Ph(2-F,4-OEt)	Ph(2-F,4-OCH ₂ CH=CH ₂)	Ph(3-Cl,4-OCF ₂ CF ₂ H)
Ph(2-F,4-NHCO ₂ - <i>t</i> -Bu)	Ph(2-F,4-OCH ₂ CH=CF ₂)	Ph(3-Cl,4-OC ₂ F ₅)
Ph(2-F,4-NHCOMe)	Ph(2-F,4-OCH ₂ CH=CCl ₂)	Ph(3,4-di-F)
Ph(2-F,4-NHCOCF ₃)	Ph(2-F,4-OCH ₂ CH=CBr ₂)	Ph(3-F,4-I)
Ph(2-F,4-CN)	Ph(2-F,4-SCF ₂ H)	Ph(3-F,4-Et)
Ph(2-F,4-NO ₂)	Ph(2-F,4-SCF ₂ CF ₂ H)	Ph(3-F,4- <i>n</i> -Pr)
Ph(2-F,4-Ph)	Ph(2-F,4-SF ₅)	Ph(3-F,4- <i>i</i> -Pr)
Ph(2-F,4-COMe)	3-Pyridinyl(5-OCF ₂ H)	Ph(3-F,4-C ₂ F ₅)
Ph(2-F,4-OCOMe)	3-Pyridinyl(5-CF ₂ H)	Ph(3-F,4-CF ₂ CF ₂ H)
Ph(2-F,4-CO ₂ Me)	3-Pyridinyl(5-OCF ₂ CF ₂ H)	Ph(3-F,4-CF ₂ H)
Ph(2-F,4-OCO ₂ Me)	3-Thienyl(4-Me)	Ph(3-F,4-OMe)
Ph(2-F,4-C ₂ F ₅)	3-Thienyl(4-Et)	Ph(3-F,4-OCF ₂ CF ₂ H)
Ph(2-F,4-CF ₂ CF ₂ H)	3-Thienyl(4- <i>i</i> -Pr)	Ph(3-F,4-OC ₂ F ₅)
Ph(2-F,4-OCF ₂ CF ₂ H)	3-Thienyl(4- <i>c</i> -Pr)	Ph(3-Br,4-I)
Ph(2-F,4-OC ₂ F ₅)	3-Thienyl(4-CF ₂ H)	Ph(3-Br,4-Et)
Ph(2-F,4-OCH ₂ CF ₃)	3-Thienyl(4-OCF ₂ H)	Ph(3-Br,4- <i>n</i> -Pr)
Ph(2-F,4-OCH ₂ C≡CH)	3-Thienyl(4-OCF ₂ CF ₂ H)	Ph(3-Br,4- <i>t</i> -Bu)
Ph(2-F,4-OCH ₂ C≡CCF ₃)	3-Thienyl(4-OC ₂ F ₅)	Ph(3-Br,4- <i>i</i> -Pr)
Ph(2-F,4-OCH ₂ C≡CCF ₂ H)	3-Furanyl(5-F)	Ph(3-Br,4-C ₂ F ₅)
Ph(2-F,4-OCH ₂ C≡CCH ₃)	3-Furanyl(5-Cl)	Ph(3-Br,4-CF ₂ CF ₂ H)
Ph(2-F,4-OCH ₂ C≡C- <i>c</i> -Pr)	3-Furanyl(5-CF ₃)	Ph(3-Br,4-CF ₂ H)
Ph(2-F,4-C≡CCF ₂ H)	3-Furanyl(4-Me)	Ph(3-Br,4-OMe)
Ph(2-F,4-C≡CCH ₃)	3-Furanyl(4-Et)	Ph(3-Br,4-OCF ₂ CF ₂ H)
Ph(2-F,4-C≡C- <i>c</i> -Pr)	3-Furanyl(4- <i>i</i> -Pr)	Ph(3-Br,4-OC ₂ F ₅)
Ph(2-F,4-OPh)	3-Furanyl(4- <i>c</i> -Pr)	Ph(3-I,4-Cl)
Ph(2-F,4-C≡CCF ₃)	3-Furanyl(4-CF ₂ H)	Ph(3-I,4-F)
Ph(2-F,4-CH=CF ₂)	3-Furanyl(4-OCF ₂ H)	Ph(3-I,4-Br)
Ph(2-F,4-CH=CCl ₂)	3-Furanyl(4-OCF ₂ CF ₂ H)	Ph(3,4-di-I)
Ph(2-F,4-CH=CBr ₂)	3-Furanyl(4-OC ₂ F ₅)	Ph(3-I,4-Me)
Ph(2-F,4-OCH=CH ₂)	Ph(3-Cl,4-I)	Ph(3-I,4-Et)
Ph(2-F,4-OCH=CF ₂)	Ph(3-Cl,4-Et)	Ph(3-I,4- <i>n</i> -Pr)
Ph(2-F,4-OCH=CCl ₂)	Ph(3-Cl,4- <i>n</i> -Pr)	Ph(3-I,4- <i>t</i> -Bu)
Ph(2-F,4-OCH=CBr ₂)	Ph(3-Cl,4- <i>i</i> -Pr)	Ph(3-I,4- <i>i</i> -Pr)
Ph(2-F,4-CH ₂ CH=CH ₂)	Ph(3-Cl,4-C ₂ F ₅)	Ph(3-I,4- <i>c</i> -Pr)
Ph(2-F,4-CH ₂ CH=CF ₂)	Ph(3-Cl,4-CF ₂ CF ₂ H)	Ph(3-I,4-CF ₃)
Ph(2-F,4-CH ₂ CH=CCl ₂)	Ph(3-Cl,4-CF ₂ H)	Ph(3-I,4-C ₂ F ₅)

Q ¹	Q ¹	Q ¹
Ph(3-I,4-CF ₂ CF ₂ H)	Ph(3-Et,4-OCF ₂ CF ₂ H)	Ph(3- <i>i</i> -Pr,4-Cl)
Ph(3-I,4-CF ₂ H)	Ph(3-Et,4-OC ₂ F ₅)	Ph(3- <i>i</i> -Pr,4-F)
Ph(3-I,4-OMe)	Ph(3-Et,4-SO ₂ Me)	Ph(3- <i>i</i> -Pr,4-Br)
Ph(3-I,4-OCF ₃)	Ph(3-Et,4-TMS)	Ph(3- <i>i</i> -Pr,4-I)
Ph(3-I,4-OCHF ₂)	Ph(3-Et,4-CN)	Ph(3- <i>i</i> -Pr,4-Me)
Ph(3-I,4-OCF ₂ CF ₂ H)	Ph(3- <i>n</i> -Pr,4-Cl)	Ph(3- <i>i</i> -Pr,4-Et)
Ph(3-I,4-OC ₂ F ₅)	Ph(3- <i>n</i> -Pr,4-F)	Ph(3- <i>i</i> -Pr,4- <i>n</i> -Pr)
Ph(3-I,4-SO ₂ Me)	Ph(3- <i>n</i> -Pr,4-Br)	Ph(3- <i>i</i> -Pr,4- <i>t</i> -Bu)
Ph(3-I,4-TMS)	Ph(3- <i>n</i> -Pr,4-I)	Ph(3,4-di- <i>i</i> -Pr)
Ph(3-I,4-CN)	Ph(3- <i>n</i> -Pr,4-Me)	Ph(3- <i>i</i> -Pr,4- <i>c</i> -Pr)
Ph(3-Me,4-I)	Ph(3- <i>n</i> -Pr,4-Et)	Ph(3- <i>i</i> -Pr,4-CF ₃)
Ph(3-Me,4-Et)	Ph(3,4-di- <i>n</i> -Pr)	Ph(3- <i>i</i> -Pr,4-C ₂ F ₅)
Ph(3-Me,4- <i>n</i> -Pr)	Ph(3- <i>n</i> -Pr,4- <i>t</i> -Bu)	Ph(3- <i>i</i> -Pr,4-CF ₂ CF ₂ H)
Ph(3-Me,4- <i>i</i> -Pr)	Ph(3- <i>n</i> -Pr,4- <i>i</i> -Pr)	Ph(3- <i>i</i> -Pr,4-CF ₂ H)
Ph(3-Me,4-C ₂ F ₅)	Ph(3- <i>n</i> -Pr,4- <i>c</i> -Pr)	Ph(3- <i>i</i> -Pr,4-OMe)
Ph(3-Me,4-CF ₂ CF ₂ H)	Ph(3- <i>n</i> -Pr,4-CF ₃)	Ph(3- <i>i</i> -Pr,4-OCF ₃)
Ph(3-Me,4-CF ₂ H)	Ph(3- <i>n</i> -Pr,4-C ₂ F ₅)	Ph(3- <i>i</i> -Pr,4-OCHF ₂)
Ph(3-Me,4-OMe)	Ph(3- <i>n</i> -Pr,4-CF ₂ CF ₂ H)	Ph(3- <i>i</i> -Pr,4-OCF ₂ CF ₂ H)
Ph(3-Me,4-OCF ₂ CF ₂ H)	Ph(3- <i>n</i> -Pr,4-CF ₂ H)	Ph(3- <i>i</i> -Pr,4-OC ₂ F ₅)
Ph(3-Me,4-OC ₂ F ₅)	Ph(3- <i>n</i> -Pr,4-OMe)	Ph(3- <i>i</i> -Pr,4-SO ₂ Me)
Ph(3-Et,4-Cl)	Ph(3- <i>n</i> -Pr,4-OCF ₃)	Ph(3- <i>i</i> -Pr,4-TMS)
Ph(3-Et,4-F)	Ph(3- <i>n</i> -Pr,4-OCHF ₂)	Ph(3- <i>i</i> -Pr,4-CN)
Ph(3-Et,4-Br)	Ph(3- <i>n</i> -Pr,4-OCF ₂ CF ₂ H)	Ph(3- <i>c</i> -Pr,4-I)
Ph(3-Et,4-I)	Ph(3- <i>n</i> -Pr,4-OC ₂ F ₅)	Ph(3- <i>c</i> -Pr,4-Et)
Ph(3-Et,4-Me)	Ph(3- <i>n</i> -Pr,4-SO ₂ Me)	Ph(3- <i>c</i> -Pr,4- <i>n</i> -Pr)
Ph(3,4-di-Et)	Ph(3- <i>n</i> -Pr,4-TMS)	Ph(3- <i>c</i> -Pr,4- <i>i</i> -Pr)
Ph(3-Et,4- <i>n</i> -Pr)	Ph(3- <i>n</i> -Pr,4-CN)	Ph(3- <i>c</i> -Pr,4-C ₂ F ₅)
Ph(3-Et,4- <i>t</i> -Bu)	Ph(3- <i>t</i> -Bu,4-I)	Ph(3- <i>c</i> -Pr,4-CF ₂ CF ₂ H)
Ph(3-Et,4- <i>i</i> -Pr)	Ph(3- <i>t</i> -Bu,4-Et)	Ph(3- <i>c</i> -Pr,4-CF ₂ H)
Ph(3-Et,4- <i>c</i> -Pr)	Ph(3- <i>t</i> -Bu,4- <i>n</i> -Pr)	Ph(3- <i>c</i> -Pr,4-OMe)
Ph(3-Et,4-CF ₃)	Ph(3- <i>t</i> -Bu,4- <i>i</i> -Pr)	Ph(3- <i>c</i> -Pr,4-OCF ₂ CF ₂ H)
Ph(3-Et,4-C ₂ F ₅)	Ph(3- <i>t</i> -Bu,4-C ₂ F ₅)	Ph(3- <i>c</i> -Pr,4-OC ₂ F ₅)
Ph(3-Et,4-CF ₂ CF ₂ H)	Ph(3- <i>t</i> -Bu,4-CF ₂ CF ₂ H)	Ph(3-CF ₃ ,4-I)
Ph(3-Et,4-CF ₂ H)	Ph(3- <i>t</i> -Bu,4-CF ₂ H)	Ph(3-CF ₃ ,4-Et)
Ph(3-Et,4-OMe)	Ph(3- <i>t</i> -Bu,4-OMe)	Ph(3-CF ₃ ,4- <i>n</i> -Pr)
Ph(3-Et,4-OCF ₃)	Ph(3- <i>t</i> -Bu,4-OCF ₂ CF ₂ H)	Ph(3-CF ₃ ,4- <i>i</i> -Pr)
Ph(3-Et,4-OCHF ₂)	Ph(3- <i>t</i> -Bu,4-OC ₂ F ₅)	Ph(3-CF ₃ ,4-C ₂ F ₅)

Q ¹	Q ¹	Q ¹
Ph(3-CF ₃ ,4-CF ₂ CF ₂ H)	Ph(3-CF ₂ CF ₂ H,4- <i>c</i> -Pr)	Ph(3-OMe,4-Br)
Ph(3-CF ₃ ,4-CF ₂ H)	Ph(3-CF ₂ CF ₂ H,4-CF ₃)	Ph(3-OMe,4-I)
Ph(3-CF ₃ ,4-OMe)	Ph(3-CF ₂ CF ₂ H,4-C ₂ F ₅)	Ph(3-OMe,4-Me)
Ph(3-CF ₃ ,4-OCF ₂ CF ₂ H)	Ph(3,4-di-CF ₂ CF ₂ H)	Ph(3-OMe,4-Et)
Ph(3-CF ₃ ,4-OC ₂ F ₅)	Ph(3-CF ₂ CF ₂ H,4-CF ₂ H)	Ph(3-OMe,4- <i>n</i> -Pr)
Ph(3-CF ₃ ,4-TMS)	Ph(3-CF ₂ CF ₂ H,4-OMe)	Ph(3-OMe,4- <i>t</i> -Bu)
Ph(3-C ₂ F ₅ ,4-Cl)	Ph(3-CF ₂ CF ₂ H,4-OCF ₃)	Ph(3-OMe,4- <i>i</i> -Pr)
Ph(3-C ₂ F ₅ ,4-F)	Ph(3-CF ₂ CF ₂ H,4-OCHF ₂)	Ph(3-OMe,4- <i>c</i> -Pr)
Ph(3-C ₂ F ₅ ,4-Br)	Ph(3-CF ₂ CF ₂ H,4-OCF ₂ CF ₂ H)	Ph(3-OMe,4-CF ₃)
Ph(3-C ₂ F ₅ ,4-I)	Ph(3-CF ₂ CF ₂ H,4-OC ₂ F ₅)	Ph(3-OMe,4-C ₂ F ₅)
Ph(3-C ₂ F ₅ ,4-Me)	Ph(3-CF ₂ CF ₂ H,4-SO ₂ Me)	Ph(3-OMe,4-CF ₂ CF ₂ H)
Ph(3-C ₂ F ₅ ,4-Et)	Ph(3-CF ₂ CF ₂ H,4-TMS)	Ph(3-OMe,4-CF ₂ H)
Ph(3-C ₂ F ₅ ,4- <i>n</i> -Pr)	Ph(3-CF ₂ CF ₂ H,4-CN)	Ph(3,4-di-OMe)
Ph(3-C ₂ F ₅ ,4- <i>t</i> -Bu)	Ph(3-CF ₂ H,4-Cl)	Ph(3-OMe,4-OCF ₃)
Ph(3-C ₂ F ₅ ,4- <i>i</i> -Pr)	Ph(3-CF ₂ H,4-F)	Ph(3-OMe,4-OCHF ₂)
Ph(3-C ₂ F ₅ ,4- <i>c</i> -Pr)	Ph(3-CF ₂ H,4-Br)	Ph(3-OMe,4-OCF ₂ CF ₂ H)
Ph(3-C ₂ F ₅ CF ₃ ,4-CF ₃)	Ph(3-CF ₂ H,4-I)	Ph(3-OMe,4-OC ₂ F ₅)
Ph(3,4-di-C ₂ F ₅)	Ph(3-CF ₂ H,4-Me)	Ph(3-OMe,4-SO ₂ Me)
Ph(3-C ₂ F ₅ ,4-CF ₂ CF ₂ H)	Ph(3-CF ₂ H,4-Et)	Ph(3-OMe,4-TMS)
Ph(3-C ₂ F ₅ ,4-CF ₂ H)	Ph(3-CF ₂ H,4- <i>n</i> -Pr)	Ph(3-OMe,4-CN)
Ph(3-C ₂ F ₅ ,4-OMe)	Ph(3-CF ₂ H,4- <i>t</i> -Bu)	Ph(3-OCF ₃ ,4-I)
Ph(3-C ₂ F ₅ ,4-OCF ₃)	Ph(3-CF ₂ H,4- <i>i</i> -Pr)	Ph(3-OCF ₃ ,4-Et)
Ph(3-C ₂ F ₅ ,4-OCHF ₂)	Ph(3-CF ₂ H,4- <i>c</i> -Pr)	Ph(3-OCF ₃ ,4- <i>n</i> -Pr)
Ph(3-C ₂ F ₅ ,4-OCF ₂ CF ₂ H)	Ph(3-CF ₂ H,4-CF ₃)	Ph(3-OCF ₃ ,4- <i>i</i> -Pr)
Ph(3-C ₂ F ₅ ,4-OC ₂ F ₅)	Ph(3-CF ₂ H,4-C ₂ F ₅)	Ph(3-OCF ₃ ,4-CF ₃)
Ph(3-C ₂ F ₅ ,4-SO ₂ Me)	Ph(3-CF ₂ H,4-CF ₂ CF ₂ H)	Ph(3-OCF ₃ ,4-C ₂ F ₅)
Ph(3-C ₂ F ₅ ,4-TMS)	Ph(3,4-di-CF ₂ H)	Ph(3-OCF ₃ ,4-CF ₂ CF ₂ H)
Ph(3-C ₂ F ₅ ,4-CN)	Ph(3-CF ₂ H,4-OMe)	Ph(3-OCF ₃ ,4-CF ₂ H)
Ph(3-CF ₂ CF ₂ H,4-Cl)	Ph(3-CF ₂ H,4-OCF ₃)	Ph(3-OCF ₃ ,4-OMe)
Ph(3-CF ₂ CF ₂ H,4-F)	Ph(3-CF ₂ H,4-OCHF ₂)	Ph(3-OCF ₃ ,4-OCF ₂ CF ₂ H)
Ph(3-CF ₂ CF ₂ H,4-Br)	Ph(3-CF ₂ H,4-OCF ₂ CF ₂ H)	Ph(3-OCF ₃ ,4-OC ₂ F ₅)
Ph(3-CF ₂ CF ₂ H,4-I)	Ph(3-CF ₂ H,4-OC ₂ F ₅)	Ph(3-OCHF ₂ ,4-Cl)
Ph(3-CF ₂ CF ₂ H,4-Me)	Ph(3-CF ₂ H,4-SO ₂ Me)	Ph(3-OCHF ₂ ,4-F)
Ph(3-CF ₂ CF ₂ H,4-Et)	Ph(3-CF ₂ H,4-TMS)	Ph(3-OCHF ₂ ,4-Br)
Ph(3-CF ₂ CF ₂ H,4- <i>n</i> -Pr)	Ph(3-CF ₂ H,4-CN)	Ph(3-OCHF ₂ ,4-I)
Ph(3-CF ₂ CF ₂ H,4- <i>t</i> -Bu)	Ph(3-OMe,4-Cl)	Ph(3-OCHF ₂ ,4-Me)
Ph(3-CF ₂ CF ₂ H,4- <i>i</i> -Pr)	Ph(3-OMe,4-F)	Ph(3-OCHF ₂ ,4-Et)

Q ¹	Q ¹	Q ¹
Ph(3-OCHF ₂ ,4- <i>n</i> -Pr)	Ph(3-OCF ₂ CF ₂ H,4-CN)	Ph(3-TMS,4-Me)
Ph(3-OCHF ₂ ,4- <i>t</i> -Bu)	Ph(3-OC ₂ F ₅ ,4-Cl)	Ph(3-TMS,4-Et)
Ph(3-OCHF ₂ ,4- <i>i</i> -Pr)	Ph(3-OC ₂ F ₅ ,4-F)	Ph(3-TMS,4- <i>n</i> -Pr)
Ph(3-OCHF ₂ ,4- <i>c</i> -Pr)	Ph(3-OC ₂ F ₅ ,4-Br)	Ph(3-TMS,4- <i>t</i> -Bu)
Ph(3-OCHF ₂ CF ₃ ,4-CF ₃)	Ph(3-OC ₂ F ₅ ,4-I)	Ph(3-TMS,4- <i>i</i> -Pr)
Ph(3-OC ₂ F ₅ ,4-C ₂ F ₅)	Ph(3-OC ₂ F ₅ ,4-Me)	Ph(3-TMS,4- <i>c</i> -Pr)
Ph(3-OCHF ₂ ,4-CF ₂ CF ₂ H)	Ph(3-OC ₂ F ₅ ,4-Et)	Ph(3-TMS,4-CF ₃)
Ph(3-OCHF ₂ ,4-CF ₂ H)	Ph(3-OC ₂ F ₅ ,4- <i>n</i> -Pr)	Ph(3-TMS,4-C ₂ F ₅)
Ph(3-OCHF ₂ ,4-OMe)	Ph(3-OC ₂ F ₅ ,4- <i>t</i> -Bu)	Ph(3-TMS,4-CF ₂ CF ₂ H)
Ph(3-OCHF ₂ ,4-OCF ₃)	Ph(3-OC ₂ F ₅ ,4- <i>i</i> -Pr)	Ph(3-TMS,4-CF ₂ H)
Ph(3,4-di-OCHF ₂)	Ph(3-OC ₂ F ₅ ,4- <i>c</i> -Pr)	Ph(3-TMS,4-OMe)
Ph(3-OCHF ₂ ,4-OCF ₂ CF ₂ H)	Ph(3-OC ₂ F ₅ CF ₃ ,4-CF ₃)	Ph(3-TMS,4-OCF ₃)
Ph(3-OCHF ₂ ,4-OC ₂ F ₅)	Ph(3-OC ₂ F ₅ ,4-CF ₂ CF ₂ H)	Ph(3-TMS,4-OCHF ₂)
Ph(3-OCHF ₂ ,4-SO ₂ Me)	Ph(3-OC ₂ F ₅ ,4-CF ₂ H)	Ph(3-TMS,4-OCF ₂ CF ₂ H)
Ph(3-OCHF ₂ ,4-TMS)	Ph(3-OC ₂ F ₅ ,4-OMe)	Ph(3-TMS,4-OC ₂ F ₅)
Ph(3-OCHF ₂ ,4-CN)	Ph(3-OC ₂ F ₅ ,4-OCF ₃)	Ph(3-TMS,4-SO ₂ Me)
Ph(3-OCF ₂ CF ₂ H,4-Cl)	Ph(3-OC ₂ F ₅ ,4-OCHF ₂)	Ph(3,4-di-TMS)
Ph(3-OCF ₂ CF ₂ H,4-F)	Ph(3-OC ₂ F ₅ ,4-OCF ₂ CF ₂ H)	Ph(3-TMS,4-CN)
Ph(3-OCF ₂ CF ₂ H,4-Br)	Ph(3,4-di-OC ₂ F ₅)	Ph(3-CN,4-I)
Ph(3-OCF ₂ CF ₂ H,4-I)	Ph(3-OC ₂ F ₅ ,4-SO ₂ Me)	Ph(3-CN,4-Et)
Ph(3-OCF ₂ CF ₂ H,4-Me)	Ph(3-OC ₂ F ₅ ,4-TMS)	Ph(3-CN,4- <i>n</i> -Pr)
Ph(3-OCF ₂ CF ₂ H,4-Et)	Ph(3-OC ₂ F ₅ ,4-CN)	Ph(3-CN,4- <i>i</i> -Pr)
Ph(3-OCF ₂ CF ₂ H,4- <i>n</i> -Pr)	Ph(3-SO ₂ Me,4-I)	Ph(3-CN,4-C ₂ F ₅)
Ph(3-OCF ₂ CF ₂ H,4- <i>t</i> -Bu)	Ph(3-SO ₂ Me,4-Et)	Ph(3-CN,4-CF ₂ CF ₂ H)
Ph(3-OCF ₂ CF ₂ H,4- <i>i</i> -Pr)	Ph(3-SO ₂ Me,4- <i>n</i> -Pr)	Ph(3-CN,4-CF ₂ H)
Ph(3-OCF ₂ CF ₂ H,4- <i>c</i> -Pr)	Ph(3-SO ₂ Me,4- <i>i</i> -Pr)	Ph(3-CN,4-OMe)
Ph(3-OCF ₂ CF ₂ H,4-CF ₃)	Ph(3-SO ₂ MeCF ₃ ,4-CF ₃)	Ph(3-CN,4-OCF ₂ CF ₂ H)
Ph(3-OCF ₂ CF ₂ H,4-C ₂ F ₅)	Ph(3-SO ₂ Me,4-C ₂ F ₅)	Ph(3-CN,4-OC ₂ F ₅)
Ph(3-OCF ₂ CF ₂ H,4-CF ₂ CF ₂ H)	Ph(3-SO ₂ Me,4-CF ₂ CF ₂ H)	Ph(3,5-di-Cl)
Ph(3-OCF ₂ CF ₂ H,4-CF ₂ H)	Ph(3-SO ₂ Me,4-CF ₂ H)	Ph(3-Cl,5-F)
Ph(3-OCF ₂ CF ₂ H,4-OMe)	Ph(3-SO ₂ Me,4-OMe)	Ph(3-Cl,5-Br)
Ph(3-OCF ₂ CF ₂ H,4-OCF ₃)	Ph(3-SO ₂ Me,4-OCF ₂ CF ₂ H)	Ph(3-Cl,5-I)
Ph(3-OCF ₂ CF ₂ H,4-OCHF ₂)	Ph(3-SO ₂ Me,4-OC ₂ F ₅)	Ph(3-Cl,5-Me)
Ph(3,4-di-OCF ₂ CF ₂ H)	Ph(3-TMS,4-Cl)	Ph(3-Cl,5-Et)
Ph(3-OCF ₂ CF ₂ H,4-OC ₂ F ₅)	Ph(3-TMS,4-F)	Ph(3-Cl,5- <i>n</i> -Pr)
Ph(3-OCF ₂ CF ₂ H,4-SO ₂ Me)	Ph(3-TMS,4-Br)	Ph(3-Cl,5- <i>t</i> -Bu)
Ph(3-OCF ₂ CF ₂ H,4-TMS)	Ph(3-TMS,4-I)	Ph(3-Cl,5- <i>i</i> -Pr)

Q ¹	Q ¹	Q ¹
Ph(3-Cl,5- <i>c</i> -Pr)	Ph(3,5-di-Br)	Ph(3-I,5-OCF ₂ CF ₂ H)
Ph(3-Cl,5-CF ₃)	Ph(3-Br,5-I)	Ph(3-I,5-OC ₂ F ₅)
Ph(3-Cl,5-C ₂ F ₅)	Ph(3-Br,5-Me)	Ph(3-I,5-SO ₂ Me)
Ph(3-Cl,5-CF ₂ CF ₂ H)	Ph(3-Br,5-Et)	Ph(3-I,5-TMS)
Ph(3-Cl,5-CF ₂ H)	Ph(3-Br,5- <i>n</i> -Pr)	Ph(3-I,5-CN)
Ph(3-Cl,5-OMe)	Ph(3-Br,5- <i>t</i> -Bu)	Ph(3-Me,5-Cl)
Ph(3-Cl,5-OCF ₃)	Ph(3-Br,5- <i>i</i> -Pr)	Ph(3-Me,5-F)
Ph(3-Cl,5-OCHF ₂)	Ph(3-Br,5- <i>c</i> -Pr)	Ph(3-Me,5-Br)
Ph(3-Cl,5-OCF ₂ CF ₂ H)	Ph(3-Br,5-CF ₃)	Ph(3-Me,5-I)
Ph(3-Cl,5-OC ₂ F ₅)	Ph(3-Br,5-C ₂ F ₅)	Ph(3,5-di-Me)
Ph(3-Cl,5-SO ₂ Me)	Ph(3-Br,5-CF ₂ CF ₂ H)	Ph(3-Me,5-Et)
Ph(3-Cl,5-TMS)	Ph(3-Br,5-CF ₂ H)	Ph(3-Me,5- <i>n</i> -Pr)
Ph(3-Cl,5-CN)	Ph(3-Br,5-OMe)	Ph(3-Me,5- <i>t</i> -Bu)
Ph(3-F,5-Cl)	Ph(3-Br,5-OCF ₃)	Ph(3-Me,5- <i>i</i> -Pr)
Ph(3,5-di-F)	Ph(3-Br,5-OCHF ₂)	Ph(3-Me,5- <i>c</i> -Pr)
Ph(3-F,5-Br)	Ph(3-Br,5-OCF ₂ CF ₂ H)	Ph(3-Me,5-CF ₃)
Ph(3-F,5-I)	Ph(3-Br,5-OC ₂ F ₅)	Ph(3-Me,5-C ₂ F ₅)
Ph(3-F,5-Me)	Ph(3-Br,5-SO ₂ Me)	Ph(3-Me,5-CF ₂ CF ₂ H)
Ph(3-F,5-Et)	Ph(3-Br,5-TMS)	Ph(3-Me,5-CF ₂ H)
Ph(3-F,5- <i>n</i> -Pr)	Ph(3-Br,5-CN)	Ph(3-Me,5-OMe)
Ph(3-F,5- <i>t</i> -Bu)	Ph(3-I,5-Cl)	Ph(3-Me,5-OCF ₃)
Ph(3-F,5- <i>i</i> -Pr)	Ph(3-I,5-F)	Ph(3-Me,5-OCHF ₂)
Ph(3-F,5- <i>c</i> -Pr)	Ph(3-I,5-Br)	Ph(3-Me,5-OCF ₂ CF ₂ H)
Ph(3-F,5-CF ₃)	Ph(3,5-di-I)	Ph(3-Me,5-OC ₂ F ₅)
Ph(3-F,5-C ₂ F ₅)	Ph(3-I,5-Me)	Ph(3-Me,5-SO ₂ Me)
Ph(3-F,5-CF ₂ CF ₂ H)	Ph(3-I,5-Et)	Ph(3-Me,5-TMS)
Ph(3-F,5-CF ₂ H)	Ph(3-I,5- <i>n</i> -Pr)	Ph(3-Me,5-CN)
Ph(3-F,5-OMe)	Ph(3-I,5- <i>t</i> -Bu)	Ph(3-Et,5-Cl)
Ph(3-F,5-OCF ₃)	Ph(3-I,5- <i>i</i> -Pr)	Ph(3-Et,5-F)
Ph(3-F,5-OCHF ₂)	Ph(3-I,5- <i>c</i> -Pr)	Ph(3-Et,5-Br)
Ph(3-F,5-OCF ₂ CF ₂ H)	Ph(3-I,5-CF ₃)	Ph(3-Et,5-I)
Ph(3-F,5-OC ₂ F ₅)	Ph(3-I,5-C ₂ F ₅)	Ph(3-Et,5-Me)
Ph(3-F,5-SO ₂ Me)	Ph(3-I,5-CF ₂ CF ₂ H)	Ph(3,5-di-Et)
Ph(3-F,5-TMS)	Ph(3-I,5-CF ₂ H)	Ph(3-Et,5- <i>n</i> -Pr)
Ph(3-F,5-CN)	Ph(3-I,5-OMe)	Ph(3-Et,5- <i>t</i> -Bu)
Ph(3-Br,5-Cl)	Ph(3-I,5-OCF ₃)	Ph(3-Et,5- <i>i</i> -Pr)
Ph(3-Br,5-F)	Ph(3-I,5-OCHF ₂)	Ph(3-Et,5- <i>c</i> -Pr)

Q ¹	Q ¹	Q ¹
Ph(3-Et,5-CF ₃)	Ph(3- <i>t</i> -Bu,5-I)	Ph(3- <i>i</i> -Pr,5-OC ₂ F ₅)
Ph(3-Et,5-C ₂ F ₅)	Ph(3- <i>t</i> -Bu,5-Me)	Ph(3- <i>i</i> -Pr,5-SO ₂ Me)
Ph(3-Et,5-CF ₂ CF ₂ H)	Ph(3- <i>t</i> -Bu,5-Et)	Ph(3- <i>i</i> -Pr,5-TMS)
Ph(3-Et,5-CF ₂ H)	Ph(3- <i>t</i> -Bu,5- <i>n</i> -Pr)	Ph(3- <i>i</i> -Pr,5-CN)
Ph(3-Et,5-OMe)	Ph(3,5-di- <i>t</i> -Bu)	Ph(3- <i>c</i> -Pr,5-Cl)
Ph(3-Et,5-OCF ₃)	Ph(3- <i>t</i> -Bu,5- <i>i</i> -Pr)	Ph(3- <i>c</i> -Pr,5-F)
Ph(3-Et,5-OCHF ₂)	Ph(3- <i>t</i> -Bu,5- <i>c</i> -Pr)	Ph(3- <i>c</i> -Pr,5-Br)
Ph(3-Et,5-OCF ₂ CF ₂ H)	Ph(3- <i>t</i> -Bu,5-CF ₃)	Ph(3- <i>c</i> -Pr,5-I)
Ph(3-Et,5-OC ₂ F ₅)	Ph(3- <i>t</i> -Bu,5-C ₂ F ₅)	Ph(3- <i>c</i> -Pr,5-Me)
Ph(3-Et,5-SO ₂ Me)	Ph(3- <i>t</i> -Bu,5-CF ₂ CF ₂ H)	Ph(3- <i>c</i> -Pr,5-Et)
Ph(3-Et,5-TMS)	Ph(3- <i>t</i> -Bu,5-CF ₂ H)	Ph(3- <i>c</i> -Pr,5- <i>n</i> -Pr)
Ph(3-Et,5-CN)	Ph(3- <i>t</i> -Bu,5-OMe)	Ph(3- <i>c</i> -Pr,5- <i>t</i> -Bu)
Ph(3- <i>n</i> -Pr,5-Cl)	Ph(3- <i>t</i> -Bu,5-OCF ₃)	Ph(3- <i>c</i> -Pr,5- <i>i</i> -Pr)
Ph(3- <i>n</i> -Pr,5-F)	Ph(3- <i>t</i> -Bu,5-OCHF ₂)	Ph(3,5-di- <i>c</i> -Pr)
Ph(3- <i>n</i> -Pr,5-Br)	Ph(3- <i>t</i> -Bu,5-OCF ₂ CF ₂ H)	Ph(3- <i>c</i> -Pr,5-CF ₃)
Ph(3- <i>n</i> -Pr,5-I)	Ph(3- <i>t</i> -Bu,5-OC ₂ F ₅)	Ph(3- <i>c</i> -Pr,5-C ₂ F ₅)
Ph(3- <i>n</i> -Pr,5-Me)	Ph(3- <i>t</i> -Bu,5-SO ₂ Me)	Ph(3- <i>c</i> -Pr,5-CF ₂ CF ₂ H)
Ph(3- <i>n</i> -Pr,5-Et)	Ph(3- <i>t</i> -Bu,5-TMS)	Ph(3- <i>c</i> -Pr,5-CF ₂ H)
Ph(3,5-di- <i>n</i> -Pr)	Ph(3- <i>t</i> -Bu,5-CN)	Ph(3- <i>c</i> -Pr,5-OMe)
Ph(3- <i>n</i> -Pr,5- <i>t</i> -Bu)	Ph(3- <i>i</i> -Pr,5-Cl)	Ph(3- <i>c</i> -Pr,5-OCF ₃)
Ph(3- <i>n</i> -Pr,5- <i>i</i> -Pr)	Ph(3- <i>i</i> -Pr,5-F)	Ph(3- <i>c</i> -Pr,5-OCHF ₂)
Ph(3- <i>n</i> -Pr,5- <i>c</i> -Pr)	Ph(3- <i>i</i> -Pr,5-Br)	Ph(3- <i>c</i> -Pr,5-OCF ₂ CF ₂ H)
Ph(3- <i>n</i> -Pr,5-CF ₃)	Ph(3- <i>i</i> -Pr,5-I)	Ph(3- <i>c</i> -Pr,5-OC ₂ F ₅)
Ph(3- <i>n</i> -Pr,5-C ₂ F ₅)	Ph(3- <i>i</i> -Pr,5-Me)	Ph(3- <i>c</i> -Pr,5-SO ₂ Me)
Ph(3- <i>n</i> -Pr,5-CF ₂ CF ₂ H)	Ph(3- <i>i</i> -Pr,5-Et)	Ph(3- <i>c</i> -Pr,5-TMS)
Ph(3- <i>n</i> -Pr,5-CF ₂ H)	Ph(3- <i>i</i> -Pr,5- <i>n</i> -Pr)	Ph(3- <i>c</i> -Pr,5-CN)
Ph(3- <i>n</i> -Pr,5-OMe)	Ph(3- <i>i</i> -Pr,5- <i>t</i> -Bu)	Ph(3-CF ₃ ,5-Cl)
Ph(3- <i>n</i> -Pr,5-OCF ₃)	Ph(3,5-di- <i>i</i> -Pr)	Ph(3-CF ₃ ,5-F)
Ph(3- <i>n</i> -Pr,5-OCHF ₂)	Ph(3- <i>i</i> -Pr,5- <i>c</i> -Pr)	Ph(3-CF ₃ ,5-Br)
Ph(3- <i>n</i> -Pr,5-OCF ₂ CF ₂ H)	Ph(3- <i>i</i> -Pr,5-CF ₃)	Ph(3-CF ₃ ,5-I)
Ph(3- <i>n</i> -Pr,5-OC ₂ F ₅)	Ph(3- <i>i</i> -Pr,5-C ₂ F ₅)	Ph(3-CF ₃ ,5-Me)
Ph(3- <i>n</i> -Pr,5-SO ₂ Me)	Ph(3- <i>i</i> -Pr,5-CF ₂ CF ₂ H)	Ph(3-CF ₃ ,5-Et)
Ph(3- <i>n</i> -Pr,5-TMS)	Ph(3- <i>i</i> -Pr,5-CF ₂ H)	Ph(3-CF ₃ ,5- <i>n</i> -Pr)
Ph(3- <i>n</i> -Pr,5-CN)	Ph(3- <i>i</i> -Pr,5-OMe)	Ph(3-CF ₃ ,5- <i>t</i> -Bu)
Ph(3- <i>t</i> -Bu,5-Cl)	Ph(3- <i>i</i> -Pr,5-OCF ₃)	Ph(3-CF ₃ ,5- <i>i</i> -Pr)
Ph(3- <i>t</i> -Bu,5-F)	Ph(3- <i>i</i> -Pr,5-OCHF ₂)	Ph(3-CF ₃ ,5- <i>c</i> -Pr)
Ph(3- <i>t</i> -Bu,5-Br)	Ph(3- <i>i</i> -Pr,5-OCF ₂ CF ₂ H)	Ph(3,5-di-CF ₃)

Q ¹	Q ¹	Q ¹
Ph(3-CF ₃ ,5-C ₂ F ₅)	Ph(3-CF ₂ CF ₂ H,5-Me)	Ph(3-CF ₂ H,5-SO ₂ Me)
Ph(3-CF ₃ ,5-CF ₂ CF ₂ H)	Ph(3-CF ₂ CF ₂ H,5-Et)	Ph(3-CF ₂ H,5-TMS)
Ph(3-CF ₃ ,5-CF ₂ H)	Ph(3-CF ₂ CF ₂ H,5- <i>n</i> -Pr)	Ph(3-CF ₂ H,5-CN)
Ph(3-CF ₃ ,5-OMe)	Ph(3-CF ₂ CF ₂ H,5- <i>t</i> -Bu)	Ph(3-OMe,5-Cl)
Ph(3-CF ₃ ,5-OCF ₃)	Ph(3-CF ₂ CF ₂ H,5- <i>i</i> -Pr)	Ph(3-OMe,5-F)
Ph(3-CF ₃ ,5-OCHF ₂)	Ph(3-CF ₂ CF ₂ H,5- <i>c</i> -Pr)	Ph(3-OMe,5-Br)
Ph(3-CF ₃ ,5-OCF ₂ CF ₂ H)	Ph(3-CF ₂ CF ₂ H,5-CF ₃)	Ph(3-OMe,5-I)
Ph(3-CF ₃ ,5-OC ₂ F ₅)	Ph(3-CF ₂ CF ₂ H,5-C ₂ F ₅)	Ph(3-OMe,5-Me)
Ph(3-CF ₃ ,5-SO ₂ Me)	Ph(3,5-di-CF ₂ CF ₂ H)	Ph(3-OMe,5-Et)
Ph(3-CF ₃ ,5-TMS)	Ph(3-CF ₂ CF ₂ H,5-CF ₂ H)	Ph(3-OMe,5- <i>n</i> -Pr)
Ph(3-CF ₃ ,5-CN)	Ph(3-CF ₂ CF ₂ H,5-OMe)	Ph(3-OMe,5- <i>t</i> -Bu)
Ph(3-C ₂ F ₅ ,5-Cl)	Ph(3-CF ₂ CF ₂ H,5-OCF ₃)	Ph(3-OMe,5- <i>i</i> -Pr)
Ph(3-C ₂ F ₅ ,5-F)	Ph(3-CF ₂ CF ₂ H,5-OCHF ₂)	Ph(3-OMe,5- <i>c</i> -Pr)
Ph(3-C ₂ F ₅ ,5-Br)	Ph(3-CF ₂ CF ₂ H,5-OCF ₂ CF ₂ H)	Ph(3-OMeCF ₃ ,5-CF ₃)
Ph(3-C ₂ F ₅ ,5-I)	Ph(3-CF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(3-OMe,5-C ₂ F ₅)
Ph(3-C ₂ F ₅ ,5-Me)	Ph(3-CF ₂ CF ₂ H,5-SO ₂ Me)	Ph(3-OMe,5-CF ₂ CF ₂ H)
Ph(3-C ₂ F ₅ ,5-Et)	Ph(3-CF ₂ CF ₂ H,5-TMS)	Ph(3-OMe,5-CF ₂ H)
Ph(3-C ₂ F ₅ ,5- <i>n</i> -Pr)	Ph(3-CF ₂ CF ₂ H,5-CN)	Ph(3,5-di-OMe)
Ph(3-C ₂ F ₅ ,5- <i>t</i> -Bu)	Ph(3-CF ₂ H,5-Cl)	Ph(3-OMe,5-OCF ₃)
Ph(3-C ₂ F ₅ ,5- <i>i</i> -Pr)	Ph(3-CF ₂ H,5-F)	Ph(3-OMe,5-OCHF ₂)
Ph(3-C ₂ F ₅ ,5- <i>c</i> -Pr)	Ph(3-CF ₂ H,5-Br)	Ph(3-OMe,5-OCF ₂ CF ₂ H)
Ph(3-C ₂ F ₅ CF ₃ ,5-CF ₃)	Ph(3-CF ₂ H,5-I)	Ph(3-OMe,5-OC ₂ F ₅)
Ph(3,5-di-C ₂ F ₅)	Ph(3-CF ₂ H,5-Me)	Ph(3-OMe,5-SO ₂ Me)
Ph(3-C ₂ F ₅ ,5-CF ₂ CF ₂ H)	Ph(3-CF ₂ H,5-Et)	Ph(3-OMe,5-TMS)
Ph(3-C ₂ F ₅ ,5-CF ₂ H)	Ph(3-CF ₂ H,5- <i>n</i> -Pr)	Ph(3-OMe,5-CN)
Ph(3-C ₂ F ₅ ,5-OMe)	Ph(3-CF ₂ H,5- <i>t</i> -Bu)	Ph(3-OCF ₃ ,5-Cl)
Ph(3-C ₂ F ₅ ,5-OCF ₃)	Ph(3-CF ₂ H,5- <i>i</i> -Pr)	Ph(3-OCF ₃ ,5-F)
Ph(3-C ₂ F ₅ ,5-OCHF ₂)	Ph(3-CF ₂ H,5- <i>c</i> -Pr)	Ph(3-OCF ₃ ,5-Br)
Ph(3-C ₂ F ₅ ,5-OCF ₂ CF ₂ H)	Ph(3-CF ₂ H,5-CF ₃)	Ph(3-OCF ₃ ,5-I)
Ph(3-C ₂ F ₅ ,5-OC ₂ F ₅)	Ph(3-CF ₂ H,5-C ₂ F ₅)	Ph(3-OCF ₃ ,5-Me)
Ph(3-C ₂ F ₅ ,5-SO ₂ Me)	Ph(3-CF ₂ H,5-CF ₂ CF ₂ H)	Ph(3-OCF ₃ ,5-Et)
Ph(3-C ₂ F ₅ ,5-TMS)	Ph(3,5-di-CF ₂ H)	Ph(3-OCF ₃ ,5- <i>n</i> -Pr)
Ph(3-C ₂ F ₅ ,5-CN)	Ph(3-CF ₂ H,5-OMe)	Ph(3-OCF ₃ ,5- <i>t</i> -Bu)
Ph(3-CF ₂ CF ₂ H,5-Cl)	Ph(3-CF ₂ H,5-OCF ₃)	Ph(3-OCF ₃ ,5- <i>i</i> -Pr)
Ph(3-CF ₂ CF ₂ H,5-F)	Ph(3-CF ₂ H,5-OCHF ₂)	Ph(3-OCF ₃ ,5- <i>c</i> -Pr)
Ph(3-CF ₂ CF ₂ H,5-Br)	Ph(3-CF ₂ H,5-OCF ₂ CF ₂ H)	Ph(3-OCF ₃ ,5-CF ₃)
Ph(3-CF ₂ CF ₂ H,5-I)	Ph(3-CF ₂ H,5-OC ₂ F ₅)	Ph(3-OCF ₃ ,5-C ₂ F ₅)

Q ¹	Q ¹	Q ¹
Ph(3-OCF ₃ ,5-CF ₂ CF ₂ H)	Ph(3-OCF ₂ CF ₂ H,5-Et)	Ph(3-OC ₂ F ₅ ,5-CN)
Ph(3-OCF ₃ ,5-CF ₂ H)	Ph(3-OCF ₂ CF ₂ H,5- <i>n</i> -Pr)	Ph(3-SO ₂ Me,5-Cl)
Ph(3-OCF ₃ ,5-OMe)	Ph(3-OCF ₂ CF ₂ H,5- <i>t</i> -Bu)	Ph(3-SO ₂ Me,5-F)
Ph(3,5-di-OCF ₃)	Ph(3-OCF ₂ CF ₂ H,5- <i>i</i> -Pr)	Ph(3-SO ₂ Me,5-Br)
Ph(3-OCF ₃ ,5-OCHF ₂)	Ph(3-OCF ₂ CF ₂ H,5- <i>c</i> -Pr)	Ph(3-SO ₂ Me,5-I)
Ph(3-OCF ₃ ,5-OCF ₂ CF ₂ H)	Ph(3-OCF ₂ CF ₂ H,5-CF ₃)	Ph(3-SO ₂ Me,5-Me)
Ph(3-OCF ₃ ,5-OC ₂ F ₅)	Ph(3-OCF ₂ CF ₂ H,5-C ₂ F ₅)	Ph(3-SO ₂ Me,5-Et)
Ph(3-OCF ₃ ,5-SO ₂ Me)	Ph(3-OCF ₂ CF ₂ H,5-CF ₂ CF ₂ H)	Ph(3-SO ₂ Me,5- <i>n</i> -Pr)
Ph(3-OCF ₃ ,5-TMS)	Ph(3-OCF ₂ CF ₂ H,5-CF ₂ H)	Ph(3-SO ₂ Me,5- <i>t</i> -Bu)
Ph(3-OCF ₃ ,5-CN)	Ph(3-OCF ₂ CF ₂ H,5-OMe)	Ph(3-SO ₂ Me,5- <i>i</i> -Pr)
Ph(3-OCHF ₂ ,5-Cl)	Ph(3-OCF ₂ CF ₂ H,5-OCF ₃)	Ph(3-SO ₂ Me,5- <i>c</i> -Pr)
Ph(3-OCHF ₂ ,5-F)	Ph(3-OCF ₂ CF ₂ H,5-OCHF ₂)	Ph(3-SO ₂ MeCF ₃ ,5-CF ₃)
Ph(3-OCHF ₂ ,5-Br)	Ph(3,5-di-OCF ₂ CF ₂ H)	Ph(3-SO ₂ Me,5-C ₂ F ₅)
Ph(3-OCHF ₂ ,5-I)	Ph(3-OCF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(3-SO ₂ Me,5-CF ₂ CF ₂ H)
Ph(3-OCHF ₂ ,5-Me)	Ph(3-OCF ₂ CF ₂ H,5-SO ₂ Me)	Ph(3-SO ₂ Me,5-CF ₂ H)
Ph(3-OCHF ₂ ,5-Et)	Ph(3-OCF ₂ CF ₂ H,5-TMS)	Ph(3-SO ₂ Me,5-OMe)
Ph(3-OCHF ₂ ,5- <i>n</i> -Pr)	Ph(3-OCF ₂ CF ₂ H,5-CN)	Ph(3-SO ₂ Me,5-OCF ₃)
Ph(3-OCHF ₂ ,5- <i>t</i> -Bu)	Ph(3-OC ₂ F ₅ ,5-Cl)	Ph(3-SO ₂ Me,5-OCHF ₂)
Ph(3-OCHF ₂ ,5- <i>i</i> -Pr)	Ph(3-OC ₂ F ₅ ,5-F)	Ph(3-SO ₂ Me,5-OCF ₂ CF ₂ H)
Ph(3-OCHF ₂ ,5- <i>c</i> -Pr)	Ph(3-OC ₂ F ₅ ,5-Br)	Ph(3-SO ₂ Me,5-OC ₂ F ₅)
Ph(3-OCHF ₂ CF ₃ ,5-CF ₃)	Ph(3-OC ₂ F ₅ ,5-I)	Ph(3,5-di-SO ₂ Me)
Ph(3-OC ₂ F ₅ ,5-C ₂ F ₅)	Ph(3-OC ₂ F ₅ ,5-Me)	Ph(3-SO ₂ Me,5-TMS)
Ph(3-OCHF ₂ ,5-CF ₂ CF ₂ H)	Ph(3-OC ₂ F ₅ ,5-Et)	Ph(3-SO ₂ Me,5-CN)
Ph(3-OCHF ₂ ,5-CF ₂ H)	Ph(3-OC ₂ F ₅ ,5- <i>n</i> -Pr)	Ph(3-TMS,5-Cl)
Ph(3-OCHF ₂ ,5-OMe)	Ph(3-OC ₂ F ₅ ,5- <i>t</i> -Bu)	Ph(3-TMS,5-F)
Ph(3-OCHF ₂ ,5-OCF ₃)	Ph(3-OC ₂ F ₅ ,5- <i>i</i> -Pr)	Ph(3-TMS,5-Br)
Ph(3,5-di-OCHF ₂)	Ph(3-OC ₂ F ₅ ,5- <i>c</i> -Pr)	Ph(3-TMS,5-I)
Ph(3-OCHF ₂ ,5-OCF ₂ CF ₂ H)	Ph(3-OC ₂ F ₅ CF ₃ ,5-CF ₃)	Ph(3-TMS,5-Me)
Ph(3-OCHF ₂ ,5-OC ₂ F ₅)	Ph(3-OC ₂ F ₅ ,5-CF ₂ CF ₂ H)	Ph(3-TMS,5-Et)
Ph(3-OCHF ₂ ,5-SO ₂ Me)	Ph(3-OC ₂ F ₅ ,5-CF ₂ H)	Ph(3-TMS,5- <i>n</i> -Pr)
Ph(3-OCHF ₂ ,5-TMS)	Ph(3-OC ₂ F ₅ ,5-OMe)	Ph(3-TMS,5- <i>t</i> -Bu)
Ph(3-OCHF ₂ ,5-CN)	Ph(3-OC ₂ F ₅ ,5-OCF ₃)	Ph(3-TMS,5- <i>i</i> -Pr)
Ph(3-OCF ₂ CF ₂ H,5-Cl)	Ph(3-OC ₂ F ₅ ,5-OCHF ₂)	Ph(3-TMS,5- <i>c</i> -Pr)
Ph(3-OCF ₂ CF ₂ H,5-F)	Ph(3,5-di-OC ₂ F ₅)	Ph(3-TMS,5-CF ₃)
Ph(3-OCF ₂ CF ₂ H,5-Br)	Ph(3,5-di-OC ₂ F ₅)	Ph(3-TMS,5-C ₂ F ₅)
Ph(3-OCF ₂ CF ₂ H,5-I)	Ph(3-OC ₂ F ₅ ,5-SO ₂ Me)	Ph(3-TMS,5-CF ₂ CF ₂ H)
Ph(3-OCF ₂ CF ₂ H,5-Me)	Ph(3-OC ₂ F ₅ ,5-TMS)	Ph(3-TMS,5-CF ₂ H)

Q ¹	Q ¹	Q ¹
Ph(3-TMS,5-OMe)	Ph(2-Cl,3-Cl,4- <i>t</i> -Bu)	Ph(2-Cl,3-Br,4-Cl)
Ph(3-TMS,5-OCF ₃)	Ph(2-Cl,3-Cl,4- <i>i</i> -Pr)	Ph(2-Cl,3-Br,4-F)
Ph(3-TMS,5-OCHF ₂)	Ph(2-Cl,3-Cl,4- <i>c</i> -Pr)	Ph(2-Cl,3,4-di-Br)
Ph(3-TMS,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-Cl,4-CF ₃)	Ph(2-Cl,3-Br,4-I)
Ph(3-TMS,5-OC ₂ F ₅)	Ph(2-Cl,3-Cl,4-C ₂ F ₅)	Ph(2-Cl,3-Br,4-Me)
Ph(3-TMS,5-SO ₂ Me)	Ph(2-Cl,3-Cl,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-Br,4-Et)
Ph(3,5-di-TMS)	Ph(2-Cl,3-Cl,4-CF ₂ H)	Ph(2-Cl,3-Br,4- <i>n</i> -Pr)
Ph(3-TMS,5-CN)	Ph(2-Cl,3-Cl,4-OMe)	Ph(2-Cl,3-Br,4- <i>t</i> -Bu)
Ph(3-CN,5-Cl)	Ph(2-Cl,3-Cl,4-OCF ₃)	Ph(2-Cl,3-Br,4- <i>i</i> -Pr)
Ph(3-CN,5-F)	Ph(2-Cl,3-Cl,4-OCHF ₂)	Ph(2-Cl,3-Br,4- <i>c</i> -Pr)
Ph(3-CN,5-Br)	Ph(2-Cl,3-Cl,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-Br,4-CF ₃)
Ph(3-CN,5-I)	Ph(2-Cl,3-Cl,4-OC ₂ F ₅)	Ph(2-Cl,3-Br,4-C ₂ F ₅)
Ph(3-CN,5-Me)	Ph(2-Cl,3-Cl,4-SO ₂ Me)	Ph(2-Cl,3-Br,4-CF ₂ CF ₂ H)
Ph(3-CN,5-Et)	Ph(2-Cl,3-Cl,4-TMS)	Ph(2-Cl,3-Br,4-CF ₂ H)
Ph(3-CN,5- <i>n</i> -Pr)	Ph(2-Cl,3-Cl,4-CN)	Ph(2-Cl,3-Br,4-OMe)
Ph(3-CN,5- <i>t</i> -Bu)	Ph(2-Cl,3-F,4-Cl)	Ph(2-Cl,3-Br,4-OCF ₃)
Ph(3-CN,5- <i>i</i> -Pr)	Ph(2-Cl,3,4-di-F)	Ph(2-Cl,3-Br,4-OCHF ₂)
Ph(3-CN,5- <i>c</i> -Pr)	Ph(2-Cl,3-F,4-Br)	Ph(2-Cl,3-Br,4-OCF ₂ CF ₂ H)
Ph(3-CN,5-CF ₃)	Ph(2-Cl,3-F,4-I)	Ph(2-Cl,3-Br,4-OC ₂ F ₅)
Ph(3-CN,5-C ₂ F ₅)	Ph(2-Cl,3-F,4-Me)	Ph(2-Cl,3-Br,4-SO ₂ Me)
Ph(3-CN,5-CF ₂ CF ₂ H)	Ph(2-Cl,3-F,4-Et)	Ph(2-Cl,3-Br,4-TMS)
Ph(3-CN,5-CF ₂ H)	Ph(2-Cl,3-F,4- <i>n</i> -Pr)	Ph(2-Cl,3-Br,4-CN)
Ph(3-CN,5-OMe)	Ph(2-Cl,3-F,4- <i>t</i> -Bu)	Ph(2-Cl,3-I,4-Cl)
Ph(3-CN,5-OCF ₃)	Ph(2-Cl,3-F,4- <i>i</i> -Pr)	Ph(2-Cl,3-I,4-F)
Ph(3-CN,5-OCHF ₂)	Ph(2-Cl,3-F,4- <i>c</i> -Pr)	Ph(2-Cl,3-I,4-Br)
Ph(3-CN,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-F,4-CF ₃)	Ph(2-Cl,3,4-di-I)
Ph(3-CN,5-OC ₂ F ₅)	Ph(2-Cl,3-F,4-C ₂ F ₅)	Ph(2-Cl,3-I,4-Me)
Ph(3-CN,5-SO ₂ Me)	Ph(2-Cl,3-F,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-I,4-Et)
Ph(3-CN,5-TMS)	Ph(2-Cl,3-F,4-CF ₂ H)	Ph(2-Cl,3-I,4- <i>n</i> -Pr)
Ph(3,5-di-CN)	Ph(2-Cl,3-F,4-OMe)	Ph(2-Cl,3-I,4- <i>t</i> -Bu)
Ph(2,3,4-tri-Cl)	Ph(2-Cl,3-F,4-OCF ₃)	Ph(2-Cl,3-I,4- <i>i</i> -Pr)
Ph(2-Cl,3-Cl,4-F)	Ph(2-Cl,3-F,4-OCHF ₂)	Ph(2-Cl,3-I,4- <i>c</i> -Pr)
Ph(2-Cl,3-Cl,4-Br)	Ph(2-Cl,3-F,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-I,4-CF ₃)
Ph(2-Cl,3-Cl,4-I)	Ph(2-Cl,3-F,4-OC ₂ F ₅)	Ph(2-Cl,3-I,4-C ₂ F ₅)
Ph(2-Cl,3-Cl,4-Me)	Ph(2-Cl,3-F,4-SO ₂ Me)	Ph(2-Cl,3-I,4-CF ₂ CF ₂ H)
Ph(2-Cl,3-Cl,4-Et)	Ph(2-Cl,3-F,4-TMS)	Ph(2-Cl,3-I,4-CF ₂ H)
Ph(2-Cl,3-Cl,4- <i>n</i> -Pr)	Ph(2-Cl,3-F,4-CN)	Ph(2-Cl,3-I,4-OMe)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,3-I,4-OCF ₃)	Ph(2-Cl,3-Et,4- <i>i</i> -Pr)	Ph(2-Cl,3- <i>t</i> -Bu,4-F)
Ph(2-Cl,3-I,4-OCHF ₂)	Ph(2-Cl,3-Et,4- <i>c</i> -Pr)	Ph(2-Cl,3- <i>t</i> -Bu,4-Br)
Ph(2-Cl,3-I,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-Et,4-CF ₃)	Ph(2-Cl,3- <i>t</i> -Bu,4-I)
Ph(2-Cl,3-I,4-OC ₂ F ₅)	Ph(2-Cl,3-Et,4-C ₂ F ₅)	Ph(2-Cl,3- <i>t</i> -Bu,4-Me)
Ph(2-Cl,3-I,4-SO ₂ Me)	Ph(2-Cl,3-Et,4-CF ₂ CF ₂ H)	Ph(2-Cl,3- <i>t</i> -Bu,4-Et)
Ph(2-Cl,3-I,4-TMS)	Ph(2-Cl,3-Et,4-CF ₂ H)	Ph(2-Cl,3- <i>t</i> -Bu,4- <i>n</i> -Pr)
Ph(2-Cl,3-I,4-CN)	Ph(2-Cl,3-Et,4-OMe)	Ph(2-Cl,3,4-di- <i>t</i> -Bu)
Ph(2-Cl,3-Me,4-Cl)	Ph(2-Cl,3-Et,4-OCF ₃)	Ph(2-Cl,3- <i>t</i> -Bu,4- <i>i</i> -Pr)
Ph(2-Cl,3-Me,4-F)	Ph(2-Cl,3-Et,4-OCHF ₂)	Ph(2-Cl,3- <i>t</i> -Bu,4- <i>c</i> -Pr)
Ph(2-Cl,3-Me,4-Br)	Ph(2-Cl,3-Et,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3- <i>t</i> -Bu,4-CF ₃)
Ph(2-Cl,3-Me,4-I)	Ph(2-Cl,3-Et,4-OC ₂ F ₅)	Ph(2-Cl,3- <i>t</i> -Bu,4-C ₂ F ₅)
Ph(2-Cl,3,4-di-Me)	Ph(2-Cl,3-Et,4-SO ₂ Me)	Ph(2-Cl,3- <i>t</i> -Bu,4-CF ₂ CF ₂ H)
Ph(2-Cl,3-Me,4-Et)	Ph(2-Cl,3-Et,4-TMS)	Ph(2-Cl,3- <i>t</i> -Bu,4-CF ₂ H)
Ph(2-Cl,3-Me,4- <i>n</i> -Pr)	Ph(2-Cl,3-Et,4-CN)	Ph(2-Cl,3- <i>t</i> -Bu,4-OMe)
Ph(2-Cl,3-Me,4- <i>t</i> -Bu)	Ph(2-Cl,3- <i>n</i> -Pr,4-Cl)	Ph(2-Cl,3- <i>t</i> -Bu,4-OCF ₃)
Ph(2-Cl,3-Me,4- <i>i</i> -Pr)	Ph(2-Cl,3- <i>n</i> -Pr,4-F)	Ph(2-Cl,3- <i>t</i> -Bu,4-OCHF ₂)
Ph(2-Cl,3-Me,4- <i>c</i> -Pr)	Ph(2-Cl,3- <i>n</i> -Pr,4-Br)	Ph(2-Cl,3- <i>t</i> -Bu,4-OCF ₂ CF ₂ H)
Ph(2-Cl,3-Me,4-CF ₃)	Ph(2-Cl,3- <i>n</i> -Pr,4-I)	Ph(2-Cl,3- <i>t</i> -Bu,4-OC ₂ F ₅)
Ph(2-Cl,3-Me,4-C ₂ F ₅)	Ph(2-Cl,3- <i>n</i> -Pr,4-Me)	Ph(2-Cl,3- <i>t</i> -Bu,4-SO ₂ Me)
Ph(2-Cl,3-Me,4-CF ₂ CF ₂ H)	Ph(2-Cl,3- <i>n</i> -Pr,4-Et)	Ph(2-Cl,3- <i>t</i> -Bu,4-TMS)
Ph(2-Cl,3-Me,4-CF ₂ H)	Ph(2-Cl,3,4-di- <i>n</i> -Pr)	Ph(2-Cl,3- <i>t</i> -Bu,4-CN)
Ph(2-Cl,3-Me,4-OMe)	Ph(2-Cl,3- <i>n</i> -Pr,4- <i>t</i> -Bu)	Ph(2-Cl,3- <i>i</i> -Pr,4-Cl)
Ph(2-Cl,3-Me,4-OCF ₃)	Ph(2-Cl,3- <i>n</i> -Pr,4- <i>i</i> -Pr)	Ph(2-Cl,3- <i>i</i> -Pr,4-F)
Ph(2-Cl,3-Me,4-OCHF ₂)	Ph(2-Cl,3- <i>n</i> -Pr,4- <i>c</i> -Pr)	Ph(2-Cl,3- <i>i</i> -Pr,4-Br)
Ph(2-Cl,3-Me,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3- <i>n</i> -Pr,4-CF ₃)	Ph(2-Cl,3- <i>i</i> -Pr,4-I)
Ph(2-Cl,3-Me,4-OC ₂ F ₅)	Ph(2-Cl,3- <i>n</i> -Pr,4-C ₂ F ₅)	Ph(2-Cl,3- <i>i</i> -Pr,4-Me)
Ph(2-Cl,3-Me,4-SO ₂ Me)	Ph(2-Cl,3- <i>n</i> -Pr,4-CF ₂ CF ₂ H)	Ph(2-Cl,3- <i>i</i> -Pr,4-Et)
Ph(2-Cl,3-Me,4-TMS)	Ph(2-Cl,3- <i>n</i> -Pr,4-CF ₂ H)	Ph(2-Cl,3- <i>i</i> -Pr,4- <i>n</i> -Pr)
Ph(2-Cl,3-Me,4-CN)	Ph(2-Cl,3- <i>n</i> -Pr,4-OMe)	Ph(2-Cl,3- <i>i</i> -Pr,4- <i>t</i> -Bu)
Ph(2-Cl,3-Et,4-Cl)	Ph(2-Cl,3- <i>n</i> -Pr,4-OCF ₃)	Ph(2-Cl,3,4-di- <i>i</i> -Pr)
Ph(2-Cl,3-Et,4-F)	Ph(2-Cl,3- <i>n</i> -Pr,4-OCHF ₂)	Ph(2-Cl,3- <i>i</i> -Pr,4- <i>c</i> -Pr)
Ph(2-Cl,3-Et,4-Br)	Ph(2-Cl,3- <i>n</i> -Pr,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3- <i>i</i> -Pr,4-CF ₃)
Ph(2-Cl,3-Et,4-I)	Ph(2-Cl,3- <i>n</i> -Pr,4-OC ₂ F ₅)	Ph(2-Cl,3- <i>i</i> -Pr,4-C ₂ F ₅)
Ph(2-Cl,3-Et,4-Me)	Ph(2-Cl,3- <i>n</i> -Pr,4-SO ₂ Me)	Ph(2-Cl,3- <i>i</i> -Pr,4-CF ₂ CF ₂ H)
Ph(2-Cl,3,4-di-Et)	Ph(2-Cl,3- <i>n</i> -Pr,4-TMS)	Ph(2-Cl,3- <i>i</i> -Pr,4-CF ₂ H)
Ph(2-Cl,3-Et,4- <i>n</i> -Pr)	Ph(2-Cl,3- <i>n</i> -Pr,4-CN)	Ph(2-Cl,3- <i>i</i> -Pr,4-OMe)
Ph(2-Cl,3-Et,4- <i>t</i> -Bu)	Ph(2-Cl,3- <i>t</i> -Bu,4-Cl)	Ph(2-Cl,3- <i>i</i> -Pr,4-OCF ₃)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,3- <i>i</i> -Pr,4-OCHF ₂)	Ph(2-Cl,3-CF ₃ ,4- <i>c</i> -Pr)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-Br)
Ph(2-Cl,3- <i>i</i> -Pr,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3,4-di-CF ₃)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-I)
Ph(2-Cl,3- <i>i</i> -Pr,4-OC ₂ F ₅)	Ph(2-Cl,3-CF ₃ ,4-C ₂ F ₅)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-Me)
Ph(2-Cl,3- <i>i</i> -Pr,4-SO ₂ Me)	Ph(2-Cl,3-CF ₃ ,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-Et)
Ph(2-Cl,3- <i>i</i> -Pr,4-TMS)	Ph(2-Cl,3-CF ₃ ,4-CF ₂ H)	Ph(2-Cl,3-CF ₂ CF ₂ H,4- <i>n</i> -Pr)
Ph(2-Cl,3- <i>i</i> -Pr,4-CN)	Ph(2-Cl,3-CF ₃ ,4-OMe)	Ph(2-Cl,3-CF ₂ CF ₂ H,4- <i>t</i> -Bu)
Ph(2-Cl,3- <i>c</i> -Pr,4-Cl)	Ph(2-Cl,3-CF ₃ ,4-OCF ₃)	Ph(2-Cl,3-CF ₂ CF ₂ H,4- <i>i</i> -Pr)
Ph(2-Cl,3- <i>c</i> -Pr,4-F)	Ph(2-Cl,3-CF ₃ ,4-OCHF ₂)	Ph(2-Cl,3-CF ₂ CF ₂ H,4- <i>c</i> -Pr)
Ph(2-Cl,3- <i>c</i> -Pr,4-Br)	Ph(2-Cl,3-CF ₃ ,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-CF ₃)
Ph(2-Cl,3- <i>c</i> -Pr,4-I)	Ph(2-Cl,3-CF ₃ ,4-OC ₂ F ₅)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-C ₂ F ₅)
Ph(2-Cl,3- <i>c</i> -Pr,4-Me)	Ph(2-Cl,3-CF ₃ ,4-SO ₂ Me)	Ph(2-Cl,3,4-di-CF ₂ CF ₂ H)
Ph(2-Cl,3- <i>c</i> -Pr,4-Et)	Ph(2-Cl,3-CF ₃ ,4-TMS)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-CF ₂ H)
Ph(2-Cl,3- <i>c</i> -Pr,4- <i>n</i> -Pr)	Ph(2-Cl,3-CF ₃ ,4-CN)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-OMe)
Ph(2-Cl,3- <i>c</i> -Pr,4- <i>t</i> -Bu)	Ph(2-Cl,3-C ₂ F ₅ ,4-Cl)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-OCF ₃)
Ph(2-Cl,3- <i>c</i> -Pr,4- <i>i</i> -Pr)	Ph(2-Cl,3-C ₂ F ₅ ,4-F)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-OCHF ₂)
Ph(2-Cl,3,4-di- <i>c</i> -Pr)	Ph(2-Cl,3-C ₂ F ₅ ,4-Br)	Ph(2-Cl,3-CF ₂ CF ₂ H,4- OCF ₂ CF ₂ H)
Ph(2-Cl,3- <i>c</i> -Pr,4-CF ₃)	Ph(2-Cl,3-C ₂ F ₅ ,4-I)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-OC ₂ F ₅)
Ph(2-Cl,3- <i>c</i> -Pr,4-C ₂ F ₅)	Ph(2-Cl,3-C ₂ F ₅ ,4-Me)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-SO ₂ Me)
Ph(2-Cl,3- <i>c</i> -Pr,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-C ₂ F ₅ ,4-Et)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-TMS)
Ph(2-Cl,3- <i>c</i> -Pr,4-CF ₂ H)	Ph(2-Cl,3-C ₂ F ₅ ,4- <i>n</i> -Pr)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-CN)
Ph(2-Cl,3- <i>c</i> -Pr,4-OMe)	Ph(2-Cl,3-C ₂ F ₅ ,4- <i>t</i> -Bu)	Ph(2-Cl,3-CF ₂ H,4-Cl)
Ph(2-Cl,3- <i>c</i> -Pr,4-OCF ₃)	Ph(2-Cl,3-C ₂ F ₅ ,4- <i>i</i> -Pr)	Ph(2-Cl,3-CF ₂ H,4-F)
Ph(2-Cl,3- <i>c</i> -Pr,4-OCHF ₂)	Ph(2-Cl,3-C ₂ F ₅ ,4- <i>c</i> -Pr)	Ph(2-Cl,3-CF ₂ H,4-Br)
Ph(2-Cl,3- <i>c</i> -Pr,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-C ₂ F ₅ CF ₃ ,4-CF ₃)	Ph(2-Cl,3-CF ₂ H,4-I)
Ph(2-Cl,3- <i>c</i> -Pr,4-OC ₂ F ₅)	Ph(2-Cl,3,4-di-C ₂ F ₅)	Ph(2-Cl,3-CF ₂ H,4-Me)
Ph(2-Cl,3- <i>c</i> -Pr,4-SO ₂ Me)	Ph(2-Cl,3-C ₂ F ₅ ,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-CF ₂ H,4-Et)
Ph(2-Cl,3- <i>c</i> -Pr,4-TMS)	Ph(2-Cl,3-C ₂ F ₅ ,4-CF ₂ H)	Ph(2-Cl,3-CF ₂ H,4- <i>n</i> -Pr)
Ph(2-Cl,3- <i>c</i> -Pr,4-CN)	Ph(2-Cl,3-C ₂ F ₅ ,4-OMe)	Ph(2-Cl,3-CF ₂ H,4- <i>t</i> -Bu)
Ph(2-Cl,3-CF ₃ ,4-Cl)	Ph(2-Cl,3-C ₂ F ₅ ,4-OCF ₃)	Ph(2-Cl,3-CF ₂ H,4- <i>i</i> -Pr)
Ph(2-Cl,3-CF ₃ ,4-F)	Ph(2-Cl,3-C ₂ F ₅ ,4-OCHF ₂)	Ph(2-Cl,3-CF ₂ H,4- <i>c</i> -Pr)
Ph(2-Cl,3-CF ₃ ,4-Br)	Ph(2-Cl,3-C ₂ F ₅ ,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-CF ₂ H,4-CF ₃)
Ph(2-Cl,3-CF ₃ ,4-I)	Ph(2-Cl,3-C ₂ F ₅ ,4-OC ₂ F ₅)	Ph(2-Cl,3-CF ₂ H,4-C ₂ F ₅)
Ph(2-Cl,3-CF ₃ ,4-Me)	Ph(2-Cl,3-C ₂ F ₅ ,4-SO ₂ Me)	Ph(2-Cl,3-CF ₂ H,4-CF ₂ CF ₂ H)
Ph(2-Cl,3-CF ₃ ,4-Et)	Ph(2-Cl,3-C ₂ F ₅ ,4-TMS)	Ph(2-Cl,3,4-di-CF ₂ H)
Ph(2-Cl,3-CF ₃ ,4- <i>n</i> -Pr)	Ph(2-Cl,3-C ₂ F ₅ ,4-CN)	Ph(2-Cl,3-CF ₂ H,4-OMe)
Ph(2-Cl,3-CF ₃ ,4- <i>t</i> -Bu)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-Cl)	Ph(2-Cl,3-CF ₂ H,4-OCF ₃)
Ph(2-Cl,3-CF ₃ ,4- <i>i</i> -Pr)	Ph(2-Cl,3-CF ₂ CF ₂ H,4-F)	

Q ¹	Q ¹	Q ¹
Ph(2-Cl,3-CF ₂ H,4-OCHF ₂)	Ph(2-Cl,3-OCF ₃ ,4- <i>c</i> -Pr)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-Br)
Ph(2-Cl,3-CF ₂ H,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-OCF ₃ ,4-CF ₃)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-I)
Ph(2-Cl,3-CF ₂ H,4-OC ₂ F ₅)	Ph(2-Cl,3-OCF ₃ ,4-C ₂ F ₅)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-Me)
Ph(2-Cl,3-CF ₂ H,4-SO ₂ Me)	Ph(2-Cl,3-OCF ₃ ,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-Et)
Ph(2-Cl,3-CF ₂ H,4-TMS)	Ph(2-Cl,3-OCF ₃ ,4-CF ₂ H)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4- <i>n</i> -Pr)
Ph(2-Cl,3-CF ₂ H,4-CN)	Ph(2-Cl,3-OCF ₃ ,4-OMe)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4- <i>t</i> -Bu)
Ph(2-Cl,3-OMe,4-Cl)	Ph(2-Cl,3,4-di-OCF ₃)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4- <i>i</i> -Pr)
Ph(2-Cl,3-OMe,4-F)	Ph(2-Cl,3-OCF ₃ ,4-OCHF ₂)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4- <i>c</i> -Pr)
Ph(2-Cl,3-OMe,4-Br)	Ph(2-Cl,3-OCF ₃ ,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-CF ₃)
Ph(2-Cl,3-OMe,4-I)	Ph(2-Cl,3-OCF ₃ ,4-OC ₂ F ₅)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-C ₂ F ₅)
Ph(2-Cl,3-OMe,4-Me)	Ph(2-Cl,3-OCF ₃ ,4-SO ₂ Me)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4- CF ₂ CF ₂ H)
Ph(2-Cl,3-OMe,4-Et)	Ph(2-Cl,3-OCF ₃ ,4-TMS)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-CF ₂ H)
Ph(2-Cl,3-OMe,4- <i>n</i> -Pr)	Ph(2-Cl,3-OCF ₃ ,4-CN)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-OMe)
Ph(2-Cl,3-OMe,4- <i>t</i> -Bu)	Ph(2-Cl,3-OCHF ₂ ,4-Cl)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-OCF ₃)
Ph(2-Cl,3-OMe,4- <i>i</i> -Pr)	Ph(2-Cl,3-OCHF ₂ ,4-F)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-OCHF ₂)
Ph(2-Cl,3-OMe,4- <i>c</i> -Pr)	Ph(2-Cl,3-OCHF ₂ ,4-Br)	Ph(2-Cl,3,4-di-OCF ₂ CF ₂ H)
Ph(2-Cl,3-OMe,4-CF ₃)	Ph(2-Cl,3-OCHF ₂ ,4-I)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-OC ₂ F ₅)
Ph(2-Cl,3-OMe,4-C ₂ F ₅)	Ph(2-Cl,3-OCHF ₂ ,4-Me)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-SO ₂ Me)
Ph(2-Cl,3-OMe,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-OCHF ₂ ,4-Et)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-TMS)
Ph(2-Cl,3-OMe,4-CF ₂ H)	Ph(2-Cl,3-OCHF ₂ ,4- <i>n</i> -Pr)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-CN)
Ph(2-Cl,3,4-di-OMe)	Ph(2-Cl,3-OCHF ₂ ,4- <i>t</i> -Bu)	Ph(2-Cl,3-OC ₂ F ₅ ,4-Cl)
Ph(2-Cl,3-OMe,4-OCF ₃)	Ph(2-Cl,3-OCHF ₂ ,4- <i>i</i> -Pr)	Ph(2-Cl,3-OC ₂ F ₅ ,4-F)
Ph(2-Cl,3-OMe,4-OCHF ₂)	Ph(2-Cl,3-OCHF ₂ ,4- <i>c</i> -Pr)	Ph(2-Cl,3-OC ₂ F ₅ ,4-Br)
Ph(2-Cl,3-OMe,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-OCHF ₂ CF ₃ ,4-CF ₃)	Ph(2-Cl,3-OC ₂ F ₅ ,4-I)
Ph(2-Cl,3-OMe,4-OC ₂ F ₅)	Ph(2-Cl,3-OC ₂ F ₅ ,4-C ₂ F ₅)	Ph(2-Cl,3-OC ₂ F ₅ ,4-Me)
Ph(2-Cl,3-OMe,4-SO ₂ Me)	Ph(2-Cl,3-OCHF ₂ ,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-OC ₂ F ₅ ,4-Et)
Ph(2-Cl,3-OMe,4-TMS)	Ph(2-Cl,3-OCHF ₂ ,4-CF ₂ H)	Ph(2-Cl,3-OC ₂ F ₅ ,4- <i>n</i> -Pr)
Ph(2-Cl,3-OMe,4-CN)	Ph(2-Cl,3-OCHF ₂ ,4-OMe)	Ph(2-Cl,3-OC ₂ F ₅ ,4- <i>t</i> -Bu)
Ph(2-Cl,3-OCF ₃ ,4-Cl)	Ph(2-Cl,3-OCHF ₂ ,4-OCF ₃)	Ph(2-Cl,3-OC ₂ F ₅ ,4- <i>i</i> -Pr)
Ph(2-Cl,3-OCF ₃ ,4-F)	Ph(2-Cl,3,4-di-OCHF ₂)	Ph(2-Cl,3-OC ₂ F ₅ ,4- <i>c</i> -Pr)
Ph(2-Cl,3-OCF ₃ ,4-Br)	Ph(2-Cl,3-OCHF ₂ ,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-OC ₂ F ₅ CF ₃ ,4-CF ₃)
Ph(2-Cl,3-OCF ₃ ,4-I)	Ph(2-Cl,3-OCHF ₂ ,4-OC ₂ F ₅)	Ph(2-Cl,3-OC ₂ F ₅ ,4-CF ₂ CF ₂ H)
Ph(2-Cl,3-OCF ₃ ,4-Me)	Ph(2-Cl,3-OCHF ₂ ,4-SO ₂ Me)	Ph(2-Cl,3-OC ₂ F ₅ ,4-CF ₂ H)
Ph(2-Cl,3-OCF ₃ ,4-Et)	Ph(2-Cl,3-OCHF ₂ ,4-TMS)	Ph(2-Cl,3-OC ₂ F ₅ ,4-OMe)
Ph(2-Cl,3-OCF ₃ ,4- <i>n</i> -Pr)	Ph(2-Cl,3-OCHF ₂ ,4-CN)	Ph(2-Cl,3-OC ₂ F ₅ ,4-OCF ₃)
Ph(2-Cl,3-OCF ₃ ,4- <i>t</i> -Bu)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-Cl)	Ph(2-Cl,3-OC ₂ F ₅ ,4-OCHF ₂)
Ph(2-Cl,3-OCF ₃ ,4- <i>i</i> -Pr)	Ph(2-Cl,3-OCF ₂ CF ₂ H,4-F)	

Q ¹	Q ¹	Q ¹
Ph(2-Cl,3-OC ₂ F ₅ ,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-TMS,4-CF ₃)	Ph(2-Cl,3-Cl,5-I)
Ph(2-Cl,3,4-di-OC ₂ F ₅)	Ph(2-Cl,3-TMS,4-C ₂ F ₅)	Ph(2-Cl,3-Cl,5-Me)
Ph(2-Cl,3-OC ₂ F ₅ ,4-SO ₂ Me)	Ph(2-Cl,3-TMS,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-Cl,5-Et)
Ph(2-Cl,3-OC ₂ F ₅ ,4-TMS)	Ph(2-Cl,3-TMS,4-CF ₂ H)	Ph(2-Cl,3-Cl,5- <i>n</i> -Pr)
Ph(2-Cl,3-OC ₂ F ₅ ,4-CN)	Ph(2-Cl,3-TMS,4-OMe)	Ph(2-Cl,3-Cl,5- <i>t</i> -Bu)
Ph(2-Cl,3-SO ₂ Me,4-Cl)	Ph(2-Cl,3-TMS,4-OCF ₃)	Ph(2-Cl,3-Cl,5- <i>i</i> -Pr)
Ph(2-Cl,3-SO ₂ Me,4-F)	Ph(2-Cl,3-TMS,4-OCHF ₂)	Ph(2-Cl,3-Cl,5- <i>c</i> -Pr)
Ph(2-Cl,3-SO ₂ Me,4-Br)	Ph(2-Cl,3-TMS,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-Cl,5-CF ₃)
Ph(2-Cl,3-SO ₂ Me,4-I)	Ph(2-Cl,3-TMS,4-OC ₂ F ₅)	Ph(2-Cl,3-Cl,5-C ₂ F ₅)
Ph(2-Cl,3-SO ₂ Me,4-Me)	Ph(2-Cl,3-TMS,4-SO ₂ Me)	Ph(2-Cl,3-Cl,5-CF ₂ CF ₂ H)
Ph(2-Cl,3-SO ₂ Me,4-Et)	Ph(2-Cl,3,4-di-TMS)	Ph(2-Cl,3-Cl,5-CF ₂ H)
Ph(2-Cl,3-SO ₂ Me,4- <i>n</i> -Pr)	Ph(2-Cl,3-TMS,4-CN)	Ph(2-Cl,3-Cl,5-OMe)
Ph(2-Cl,3-SO ₂ Me,4- <i>t</i> -Bu)	Ph(2-Cl,3-CN,4-Cl)	Ph(2-Cl,3-Cl,5-OCF ₃)
Ph(2-Cl,3-SO ₂ Me,4- <i>i</i> -Pr)	Ph(2-Cl,3-CN,4-F)	Ph(2-Cl,3-Cl,5-OCHF ₂)
Ph(2-Cl,3-SO ₂ Me,4- <i>c</i> -Pr)	Ph(2-Cl,3-CN,4-Br)	Ph(2-Cl,3-Cl,5-OCF ₂ CF ₂ H)
Ph(2-Cl,3-SO ₂ MeCF ₃ ,4-CF ₃)	Ph(2-Cl,3-CN,4-I)	Ph(2-Cl,3-Cl,5-OC ₂ F ₅)
Ph(2-Cl,3-SO ₂ Me,4-C ₂ F ₅)	Ph(2-Cl,3-CN,4-Me)	Ph(2-Cl,3-Cl,5-SO ₂ Me)
Ph(2-Cl,3-SO ₂ Me,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-CN,4-Et)	Ph(2-Cl,3-Cl,5-TMS)
Ph(2-Cl,3-SO ₂ Me,4-CF ₂ H)	Ph(2-Cl,3-CN,4- <i>n</i> -Pr)	Ph(2-Cl,3-Cl,5-CN)
Ph(2-Cl,3-SO ₂ Me,4-OMe)	Ph(2-Cl,3-CN,4- <i>t</i> -Bu)	Ph(2-Cl,3-F,5-Cl)
Ph(2-Cl,3-SO ₂ Me,4-OCF ₃)	Ph(2-Cl,3-CN,4- <i>i</i> -Pr)	Ph(2-Cl,3,5-di-F)
Ph(2-Cl,3-SO ₂ Me,4-OCHF ₂)	Ph(2-Cl,3-CN,4- <i>c</i> -Pr)	Ph(2-Cl,3-F,5-Br)
Ph(2-Cl,3-SO ₂ Me,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-CN,4-CF ₃)	Ph(2-Cl,3-F,5-I)
Ph(2-Cl,3-SO ₂ Me,4-OC ₂ F ₅)	Ph(2-Cl,3-CN,4-C ₂ F ₅)	Ph(2-Cl,3-F,5-Me)
Ph(2-Cl,3,4-di-SO ₂ Me)	Ph(2-Cl,3-CN,4-CF ₂ CF ₂ H)	Ph(2-Cl,3-F,5-Et)
Ph(2-Cl,3-SO ₂ Me,4-TMS)	Ph(2-Cl,3-CN,4-CF ₂ H)	Ph(2-Cl,3-F,5- <i>n</i> -Pr)
Ph(2-Cl,3-SO ₂ Me,4-CN)	Ph(2-Cl,3-CN,4-OMe)	Ph(2-Cl,3-F,5- <i>t</i> -Bu)
Ph(2-Cl,3-TMS,4-Cl)	Ph(2-Cl,3-CN,4-OCF ₃)	Ph(2-Cl,3-F,5- <i>i</i> -Pr)
Ph(2-Cl,3-TMS,4-F)	Ph(2-Cl,3-CN,4-OCHF ₂)	Ph(2-Cl,3-F,5- <i>c</i> -Pr)
Ph(2-Cl,3-TMS,4-Br)	Ph(2-Cl,3-CN,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-F,5-CF ₃)
Ph(2-Cl,3-TMS,4-I)	Ph(2-Cl,3-CN,4-OC ₂ F ₅)	Ph(2-Cl,3-F,5-C ₂ F ₅)
Ph(2-Cl,3-TMS,4-Me)	Ph(2-Cl,3-CN,4-SO ₂ Me)	Ph(2-Cl,3-F,5-CF ₂ CF ₂ H)
Ph(2-Cl,3-TMS,4-Et)	Ph(2-Cl,3-CN,4-TMS)	Ph(2-Cl,3-F,5-CF ₂ H)
Ph(2-Cl,3-TMS,4- <i>n</i> -Pr)	Ph(2-Cl,3,4-di-CN)	Ph(2-Cl,3-F,5-OMe)
Ph(2-Cl,3-TMS,4- <i>t</i> -Bu)	Ph(2,3,5-tri-Cl)	Ph(2-Cl,3-F,5-OCF ₃)
Ph(2-Cl,3-TMS,4- <i>i</i> -Pr)	Ph(2-Cl,3-Cl,5-F)	Ph(2-Cl,3-F,5-OCHF ₂)
Ph(2-Cl,3-TMS,4- <i>c</i> -Pr)	Ph(2-Cl,3-Cl,5-Br)	Ph(2-Cl,3-F,5-OCF ₂ CF ₂ H)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,3-F,5-OC ₂ F ₅)	Ph(2-Cl,3-I,5-C ₂ F ₅)	Ph(2-Cl,3-Et,5-Me)
Ph(2-Cl,3-F,5-SO ₂ Me)	Ph(2-Cl,3-I,5-CF ₂ CF ₂ H)	Ph(2-Cl,3,5-di-Et)
Ph(2-Cl,3-F,5-TMS)	Ph(2-Cl,3-I,5-CF ₂ H)	Ph(2-Cl,3-Et,5- <i>n</i> -Pr)
Ph(2-Cl,3-F,5-CN)	Ph(2-Cl,3-I,5-OMe)	Ph(2-Cl,3-Et,5- <i>t</i> -Bu)
Ph(2-Cl,3-Br,5-Cl)	Ph(2-Cl,3-I,5-OCF ₃)	Ph(2-Cl,3-Et,5- <i>i</i> -Pr)
Ph(2-Cl,3-Br,5-F)	Ph(2-Cl,3-I,5-OCHF ₂)	Ph(2-Cl,3-Et,5- <i>c</i> -Pr)
Ph(2-Cl,3,5-di-Br)	Ph(2-Cl,3-I,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-Et,5-CF ₃)
Ph(2-Cl,3-Br,5-I)	Ph(2-Cl,3-I,5-OC ₂ F ₅)	Ph(2-Cl,3-Et,5-C ₂ F ₅)
Ph(2-Cl,3-Br,5-Me)	Ph(2-Cl,3-I,5-SO ₂ Me)	Ph(2-Cl,3-Et,5-CF ₂ CF ₂ H)
Ph(2-Cl,3-Br,5-Et)	Ph(2-Cl,3-I,5-TMS)	Ph(2-Cl,3-Et,5-CF ₂ H)
Ph(2-Cl,3-Br,5- <i>n</i> -Pr)	Ph(2-Cl,3-I,5-CN)	Ph(2-Cl,3-Et,5-OMe)
Ph(2-Cl,3-Br,5- <i>t</i> -Bu)	Ph(2-Cl,3-Me,5-Cl)	Ph(2-Cl,3-Et,5-OCF ₃)
Ph(2-Cl,3-Br,5- <i>i</i> -Pr)	Ph(2-Cl,3-Me,5-F)	Ph(2-Cl,3-Et,5-OCHF ₂)
Ph(2-Cl,3-Br,5- <i>c</i> -Pr)	Ph(2-Cl,3-Me,5-Br)	Ph(2-Cl,3-Et,5-OCF ₂ CF ₂ H)
Ph(2-Cl,3-Br,5-CF ₃)	Ph(2-Cl,3-Me,5-I)	Ph(2-Cl,3-Et,5-OC ₂ F ₅)
Ph(2-Cl,3-Br,5-C ₂ F ₅)	Ph(2-Cl,3,5-di-Me)	Ph(2-Cl,3-Et,5-SO ₂ Me)
Ph(2-Cl,3-Br,5-CF ₂ CF ₂ H)	Ph(2-Cl,3-Me,5-Et)	Ph(2-Cl,3-Et,5-TMS)
Ph(2-Cl,3-Br,5-CF ₂ H)	Ph(2-Cl,3-Me,5- <i>n</i> -Pr)	Ph(2-Cl,3-Et,5-CN)
Ph(2-Cl,3-Br,5-OMe)	Ph(2-Cl,3-Me,5- <i>t</i> -Bu)	Ph(2-Cl,3- <i>n</i> -Pr,5-Cl)
Ph(2-Cl,3-Br,5-OCF ₃)	Ph(2-Cl,3-Me,5- <i>i</i> -Pr)	Ph(2-Cl,3- <i>n</i> -Pr,5-F)
Ph(2-Cl,3-Br,5-OCHF ₂)	Ph(2-Cl,3-Me,5- <i>c</i> -Pr)	Ph(2-Cl,3- <i>n</i> -Pr,5-Br)
Ph(2-Cl,3-Br,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-Me,5-CF ₃)	Ph(2-Cl,3- <i>n</i> -Pr,5-I)
Ph(2-Cl,3-Br,5-OC ₂ F ₅)	Ph(2-Cl,3-Me,5-C ₂ F ₅)	Ph(2-Cl,3- <i>n</i> -Pr,5-Me)
Ph(2-Cl,3-Br,5-SO ₂ Me)	Ph(2-Cl,3-Me,5-CF ₂ CF ₂ H)	Ph(2-Cl,3- <i>n</i> -Pr,5-Et)
Ph(2-Cl,3-Br,5-TMS)	Ph(2-Cl,3-Me,5-CF ₂ H)	Ph(2-Cl,3,5-di- <i>n</i> -Pr)
Ph(2-Cl,3-Br,5-CN)	Ph(2-Cl,3-Me,5-OMe)	Ph(2-Cl,3- <i>n</i> -Pr,5- <i>t</i> -Bu)
Ph(2-Cl,3-I,5-Cl)	Ph(2-Cl,3-Me,5-OCF ₃)	Ph(2-Cl,3- <i>n</i> -Pr,5- <i>i</i> -Pr)
Ph(2-Cl,3-I,5-F)	Ph(2-Cl,3-Me,5-OCHF ₂)	Ph(2-Cl,3- <i>n</i> -Pr,5- <i>c</i> -Pr)
Ph(2-Cl,3-I,5-Br)	Ph(2-Cl,3-Me,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3- <i>n</i> -Pr,5-CF ₃)
Ph(2-Cl,3,5-di-I)	Ph(2-Cl,3-Me,5-OC ₂ F ₅)	Ph(2-Cl,3- <i>n</i> -Pr,5-C ₂ F ₅)
Ph(2-Cl,3-I,5-Me)	Ph(2-Cl,3-Me,5-SO ₂ Me)	Ph(2-Cl,3- <i>n</i> -Pr,5-CF ₂ CF ₂ H)
Ph(2-Cl,3-I,5-Et)	Ph(2-Cl,3-Me,5-TMS)	Ph(2-Cl,3- <i>n</i> -Pr,5-CF ₂ H)
Ph(2-Cl,3-I,5- <i>n</i> -Pr)	Ph(2-Cl,3-Me,5-CN)	Ph(2-Cl,3- <i>n</i> -Pr,5-OMe)
Ph(2-Cl,3-I,5- <i>t</i> -Bu)	Ph(2-Cl,3-Et,5-Cl)	Ph(2-Cl,3- <i>n</i> -Pr,5-OCF ₃)
Ph(2-Cl,3-I,5- <i>i</i> -Pr)	Ph(2-Cl,3-Et,5-F)	Ph(2-Cl,3- <i>n</i> -Pr,5-OCHF ₂)
Ph(2-Cl,3-I,5- <i>c</i> -Pr)	Ph(2-Cl,3-Et,5-Br)	Ph(2-Cl,3- <i>n</i> -Pr,5-OCF ₂ CF ₂ H)
Ph(2-Cl,3-I,5-CF ₃)	Ph(2-Cl,3-Et,5-I)	Ph(2-Cl,3- <i>n</i> -Pr,5-OC ₂ F ₅)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,3- <i>n</i> -Pr,5-SO ₂ Me)	Ph(2-Cl,3- <i>i</i> -Pr,5-CF ₂ CF ₂ H)	Ph(2-Cl,3-CF ₃ ,5-Et)
Ph(2-Cl,3- <i>n</i> -Pr,5-TMS)	Ph(2-Cl,3- <i>i</i> -Pr,5-CF ₂ H)	Ph(2-Cl,3-CF ₃ ,5- <i>n</i> -Pr)
Ph(2-Cl,3- <i>n</i> -Pr,5-CN)	Ph(2-Cl,3- <i>i</i> -Pr,5-OMe)	Ph(2-Cl,3-CF ₃ ,5- <i>t</i> -Bu)
Ph(2-Cl,3- <i>t</i> -Bu,5-Cl)	Ph(2-Cl,3- <i>i</i> -Pr,5-OCF ₃)	Ph(2-Cl,3-CF ₃ ,5- <i>i</i> -Pr)
Ph(2-Cl,3- <i>t</i> -Bu,5-F)	Ph(2-Cl,3- <i>i</i> -Pr,5-OCHF ₂)	Ph(2-Cl,3-CF ₃ ,5- <i>c</i> -Pr)
Ph(2-Cl,3- <i>t</i> -Bu,5-Br)	Ph(2-Cl,3- <i>i</i> -Pr,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3,5-di-CF ₃)
Ph(2-Cl,3- <i>t</i> -Bu,5-I)	Ph(2-Cl,3- <i>i</i> -Pr,5-OC ₂ F ₅)	Ph(2-Cl,3-CF ₃ ,5-C ₂ F ₅)
Ph(2-Cl,3- <i>t</i> -Bu,5-Me)	Ph(2-Cl,3- <i>i</i> -Pr,5-SO ₂ Me)	Ph(2-Cl,3-CF ₃ ,5-CF ₂ CF ₂ H)
Ph(2-Cl,3- <i>t</i> -Bu,5-Et)	Ph(2-Cl,3- <i>i</i> -Pr,5-TMS)	Ph(2-Cl,3-CF ₃ ,5-CF ₂ H)
Ph(2-Cl,3- <i>t</i> -Bu,5- <i>n</i> -Pr)	Ph(2-Cl,3- <i>i</i> -Pr,5-CN)	Ph(2-Cl,3-CF ₃ ,5-OMe)
Ph(2-Cl,3,5-di- <i>t</i> -Bu)	Ph(2-Cl,3- <i>c</i> -Pr,5-Cl)	Ph(2-Cl,3-CF ₃ ,5-OCF ₃)
Ph(2-Cl,3- <i>t</i> -Bu,5- <i>i</i> -Pr)	Ph(2-Cl,3- <i>c</i> -Pr,5-F)	Ph(2-Cl,3-CF ₃ ,5-OCHF ₂)
Ph(2-Cl,3- <i>t</i> -Bu,5- <i>c</i> -Pr)	Ph(2-Cl,3- <i>c</i> -Pr,5-Br)	Ph(2-Cl,3-CF ₃ ,5-OCF ₂ CF ₂ H)
Ph(2-Cl,3- <i>t</i> -Bu,5-CF ₃)	Ph(2-Cl,3- <i>c</i> -Pr,5-I)	Ph(2-Cl,3-CF ₃ ,5-OC ₂ F ₅)
Ph(2-Cl,3- <i>t</i> -Bu,5-C ₂ F ₅)	Ph(2-Cl,3- <i>c</i> -Pr,5-Me)	Ph(2-Cl,3-CF ₃ ,5-SO ₂ Me)
Ph(2-Cl,3- <i>t</i> -Bu,5-CF ₂ CF ₂ H)	Ph(2-Cl,3- <i>c</i> -Pr,5-Et)	Ph(2-Cl,3-CF ₃ ,5-TMS)
Ph(2-Cl,3- <i>t</i> -Bu,5-CF ₂ H)	Ph(2-Cl,3- <i>c</i> -Pr,5- <i>n</i> -Pr)	Ph(2-Cl,3-CF ₃ ,5-CN)
Ph(2-Cl,3- <i>t</i> -Bu,5-OMe)	Ph(2-Cl,3- <i>c</i> -Pr,5- <i>t</i> -Bu)	Ph(2-Cl,3-C ₂ F ₅ ,5-Cl)
Ph(2-Cl,3- <i>t</i> -Bu,5-OCF ₃)	Ph(2-Cl,3- <i>c</i> -Pr,5- <i>i</i> -Pr)	Ph(2-Cl,3-C ₂ F ₅ ,5-F)
Ph(2-Cl,3- <i>t</i> -Bu,5-OCHF ₂)	Ph(2-Cl,3,5-di- <i>c</i> -Pr)	Ph(2-Cl,3-C ₂ F ₅ ,5-Br)
Ph(2-Cl,3- <i>t</i> -Bu,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3- <i>c</i> -Pr,5-CF ₃)	Ph(2-Cl,3-C ₂ F ₅ ,5-I)
Ph(2-Cl,3- <i>t</i> -Bu,5-OC ₂ F ₅)	Ph(2-Cl,3- <i>c</i> -Pr,5-C ₂ F ₅)	Ph(2-Cl,3-C ₂ F ₅ ,5-Me)
Ph(2-Cl,3- <i>t</i> -Bu,5-SO ₂ Me)	Ph(2-Cl,3- <i>c</i> -Pr,5-CF ₂ CF ₂ H)	Ph(2-Cl,3-C ₂ F ₅ ,5-Et)
Ph(2-Cl,3- <i>t</i> -Bu,5-TMS)	Ph(2-Cl,3- <i>c</i> -Pr,5-CF ₂ H)	Ph(2-Cl,3-C ₂ F ₅ ,5- <i>n</i> -Pr)
Ph(2-Cl,3- <i>t</i> -Bu,5-CN)	Ph(2-Cl,3- <i>c</i> -Pr,5-OMe)	Ph(2-Cl,3-C ₂ F ₅ ,5- <i>t</i> -Bu)
Ph(2-Cl,3- <i>i</i> -Pr,5-Cl)	Ph(2-Cl,3- <i>c</i> -Pr,5-OCF ₃)	Ph(2-Cl,3-C ₂ F ₅ ,5- <i>i</i> -Pr)
Ph(2-Cl,3- <i>i</i> -Pr,5-F)	Ph(2-Cl,3- <i>c</i> -Pr,5-OCHF ₂)	Ph(2-Cl,3-C ₂ F ₅ ,5- <i>c</i> -Pr)
Ph(2-Cl,3- <i>i</i> -Pr,5-Br)	Ph(2-Cl,3- <i>c</i> -Pr,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-C ₂ F ₅ CF ₃ ,5-CF ₃)
Ph(2-Cl,3- <i>i</i> -Pr,5-I)	Ph(2-Cl,3- <i>c</i> -Pr,5-OC ₂ F ₅)	Ph(2-Cl,3,5-di-C ₂ F ₅)
Ph(2-Cl,3- <i>i</i> -Pr,5-Me)	Ph(2-Cl,3- <i>c</i> -Pr,5-SO ₂ Me)	Ph(2-Cl,3-C ₂ F ₅ ,5-CF ₂ CF ₂ H)
Ph(2-Cl,3- <i>i</i> -Pr,5-Et)	Ph(2-Cl,3- <i>c</i> -Pr,5-TMS)	Ph(2-Cl,3-C ₂ F ₅ ,5-CF ₂ H)
Ph(2-Cl,3- <i>i</i> -Pr,5- <i>n</i> -Pr)	Ph(2-Cl,3- <i>c</i> -Pr,5-CN)	Ph(2-Cl,3-C ₂ F ₅ ,5-OMe)
Ph(2-Cl,3- <i>i</i> -Pr,5- <i>t</i> -Bu)	Ph(2-Cl,3-CF ₃ ,5-Cl)	Ph(2-Cl,3-C ₂ F ₅ ,5-OCF ₃)
Ph(2-Cl,3,5-di- <i>i</i> -Pr)	Ph(2-Cl,3-CF ₃ ,5-F)	Ph(2-Cl,3-C ₂ F ₅ ,5-OCHF ₂)
Ph(2-Cl,3- <i>i</i> -Pr,5- <i>c</i> -Pr)	Ph(2-Cl,3-CF ₃ ,5-Br)	Ph(2-Cl,3-C ₂ F ₅ ,5-OCF ₂ CF ₂ H)
Ph(2-Cl,3- <i>i</i> -Pr,5-CF ₃)	Ph(2-Cl,3-CF ₃ ,5-I)	Ph(2-Cl,3-C ₂ F ₅ ,5-OC ₂ F ₅)
Ph(2-Cl,3- <i>i</i> -Pr,5-C ₂ F ₅)	Ph(2-Cl,3-CF ₃ ,5-Me)	Ph(2-Cl,3-C ₂ F ₅ ,5-SO ₂ Me)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,3-C ₂ F ₅ ,5-TMS)	Ph(2-Cl,3-CF ₂ H,5-CF ₂ CF ₂ H)	Ph(2-Cl,3-OCF ₃ ,5-Et)
Ph(2-Cl,3-C ₂ F ₅ ,5-CN)	Ph(2-Cl,3,5-di-CF ₂ H)	Ph(2-Cl,3-OCF ₃ ,5- <i>n</i> -Pr)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-Cl)	Ph(2-Cl,3-CF ₂ H,5-OMe)	Ph(2-Cl,3-OCF ₃ ,5- <i>t</i> -Bu)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-F)	Ph(2-Cl,3-CF ₂ H,5-OCF ₃)	Ph(2-Cl,3-OCF ₃ ,5- <i>i</i> -Pr)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-Br)	Ph(2-Cl,3-CF ₂ H,5-OCHF ₂)	Ph(2-Cl,3-OCF ₃ ,5- <i>c</i> -Pr)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-I)	Ph(2-Cl,3-CF ₂ H,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-OCF ₃ ,5-CF ₃)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-Me)	Ph(2-Cl,3-CF ₂ H,5-OC ₂ F ₅)	Ph(2-Cl,3-OCF ₃ ,5-C ₂ F ₅)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-Et)	Ph(2-Cl,3-CF ₂ H,5-SO ₂ Me)	Ph(2-Cl,3-OCF ₃ ,5-CF ₂ CF ₂ H)
Ph(2-Cl,3-CF ₂ CF ₂ H,5- <i>n</i> -Pr)	Ph(2-Cl,3-CF ₂ H,5-TMS)	Ph(2-Cl,3-OCF ₃ ,5-CF ₂ H)
Ph(2-Cl,3-CF ₂ CF ₂ H,5- <i>t</i> -Bu)	Ph(2-Cl,3-CF ₂ H,5-CN)	Ph(2-Cl,3-OCF ₃ ,5-OMe)
Ph(2-Cl,3-CF ₂ CF ₂ H,5- <i>i</i> -Pr)	Ph(2-Cl,3-OMe,5-Cl)	Ph(2-Cl,3,5-di-OCF ₃)
Ph(2-Cl,3-CF ₂ CF ₂ H,5- <i>c</i> -Pr)	Ph(2-Cl,3-OMe,5-F)	Ph(2-Cl,3-OCF ₃ ,5-OCHF ₂)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-CF ₃)	Ph(2-Cl,3-OMe,5-Br)	Ph(2-Cl,3-OCF ₃ ,5-OCF ₂ CF ₂ H)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-C ₂ F ₅)	Ph(2-Cl,3-OMe,5-I)	Ph(2-Cl,3-OCF ₃ ,5-OC ₂ F ₅)
Ph(2-Cl,3,5-di-CF ₂ CF ₂ H)	Ph(2-Cl,3-OMe,5-Me)	Ph(2-Cl,3-OCF ₃ ,5-SO ₂ Me)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-CF ₂ H)	Ph(2-Cl,3-OMe,5-Et)	Ph(2-Cl,3-OCF ₃ ,5-TMS)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-OMe)	Ph(2-Cl,3-OMe,5- <i>n</i> -Pr)	Ph(2-Cl,3-OCF ₃ ,5-CN)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-OCF ₃)	Ph(2-Cl,3-OMe,5- <i>t</i> -Bu)	Ph(2-Cl,3-OCHF ₂ ,5-Cl)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-OCHF ₂)	Ph(2-Cl,3-OMe,5- <i>i</i> -Pr)	Ph(2-Cl,3-OCHF ₂ ,5-F)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-OMe,5- <i>c</i> -Pr)	Ph(2-Cl,3-OCHF ₂ ,5-Br)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-OMe,5-CF ₃)	Ph(2-Cl,3-OCHF ₂ ,5-I)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(2-Cl,3-OMe,5-C ₂ F ₅)	Ph(2-Cl,3-OCHF ₂ ,5-Me)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-SO ₂ Me)	Ph(2-Cl,3-OMe,5-CF ₂ CF ₂ H)	Ph(2-Cl,3-OCHF ₂ ,5-Et)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-TMS)	Ph(2-Cl,3-OMe,5-CF ₂ H)	Ph(2-Cl,3-OCHF ₂ ,5- <i>n</i> -Pr)
Ph(2-Cl,3-CF ₂ CF ₂ H,5-CN)	Ph(2-Cl,3,5-di-OMe)	Ph(2-Cl,3-OCHF ₂ ,5- <i>t</i> -Bu)
Ph(2-Cl,3-CF ₂ H,5-Cl)	Ph(2-Cl,3-OMe,5-OCF ₃)	Ph(2-Cl,3-OCHF ₂ ,5- <i>i</i> -Pr)
Ph(2-Cl,3-CF ₂ H,5-F)	Ph(2-Cl,3-OMe,5-OCHF ₂)	Ph(2-Cl,3-OCHF ₂ ,5- <i>c</i> -Pr)
Ph(2-Cl,3-CF ₂ H,5-Br)	Ph(2-Cl,3-OMe,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-OCHF ₂ CF ₃ ,5-CF ₃)
Ph(2-Cl,3-CF ₂ H,5-I)	Ph(2-Cl,3-OMe,5-OC ₂ F ₅)	Ph(2-Cl,3-OC ₂ F ₅ ,5-C ₂ F ₅)
Ph(2-Cl,3-CF ₂ H,5-Me)	Ph(2-Cl,3-OMe,5-SO ₂ Me)	Ph(2-Cl,3-OCHF ₂ ,5-CF ₂ CF ₂ H)
Ph(2-Cl,3-CF ₂ H,5-Et)	Ph(2-Cl,3-OMe,5-TMS)	Ph(2-Cl,3-OCHF ₂ ,5-CF ₂ H)
Ph(2-Cl,3-CF ₂ H,5- <i>n</i> -Pr)	Ph(2-Cl,3-OMe,5-CN)	Ph(2-Cl,3-OCHF ₂ ,5-OMe)
Ph(2-Cl,3-CF ₂ H,5- <i>t</i> -Bu)	Ph(2-Cl,3-OCF ₃ ,5-Cl)	Ph(2-Cl,3-OCHF ₂ ,5-OCF ₃)
Ph(2-Cl,3-CF ₂ H,5- <i>i</i> -Pr)	Ph(2-Cl,3-OCF ₃ ,5-F)	Ph(2-Cl,3,5-di-OCHF ₂)
Ph(2-Cl,3-CF ₂ H,5- <i>c</i> -Pr)	Ph(2-Cl,3-OCF ₃ ,5-Br)	Ph(2-Cl,3-OCHF ₂ ,5-OCF ₂ CF ₂ H)
Ph(2-Cl,3-CF ₂ H,5-CF ₃)	Ph(2-Cl,3-OCF ₃ ,5-I)	Ph(2-Cl,3-OCHF ₂ ,5-OC ₂ F ₅)
Ph(2-Cl,3-CF ₂ H,5-C ₂ F ₅)	Ph(2-Cl,3-OCF ₃ ,5-Me)	Ph(2-Cl,3-OCHF ₂ ,5-SO ₂ Me)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,3-OCHF ₂ ,5-TMS)	Ph(2-Cl,3-OC ₂ F ₅ ,5-CF ₂ H)	Ph(2-Cl,3-TMS,5- <i>n</i> -Pr)
Ph(2-Cl,3-OCHF ₂ ,5-CN)	Ph(2-Cl,3-OC ₂ F ₅ ,5-OMe)	Ph(2-Cl,3-TMS,5- <i>t</i> -Bu)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-Cl)	Ph(2-Cl,3-OC ₂ F ₅ ,5-OCF ₃)	Ph(2-Cl,3-TMS,5- <i>i</i> -Pr)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-F)	Ph(2-Cl,3-OC ₂ F ₅ ,5-OCHF ₂)	Ph(2-Cl,3-TMS,5- <i>c</i> -Pr)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-Br)	Ph(2-Cl,3-OC ₂ F ₅ ,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-TMS,5-CF ₃)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-I)	Ph(2-Cl,3,5-di-OC ₂ F ₅)	Ph(2-Cl,3-TMS,5-C ₂ F ₅)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-Me)	Ph(2-Cl,3-OC ₂ F ₅ ,5-SO ₂ Me)	Ph(2-Cl,3-TMS,5-CF ₂ CF ₂ H)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-Et)	Ph(2-Cl,3-OC ₂ F ₅ ,5-TMS)	Ph(2-Cl,3-TMS,5-CF ₂ H)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5- <i>n</i> -Pr)	Ph(2-Cl,3-OC ₂ F ₅ ,5-CN)	Ph(2-Cl,3-TMS,5-OMe)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5- <i>t</i> -Bu)	Ph(2-Cl,3-SO ₂ Me,5-Cl)	Ph(2-Cl,3-TMS,5-OCF ₃)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5- <i>i</i> -Pr)	Ph(2-Cl,3-SO ₂ Me,5-F)	Ph(2-Cl,3-TMS,5-OCHF ₂)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5- <i>c</i> -Pr)	Ph(2-Cl,3-SO ₂ Me,5-Br)	Ph(2-Cl,3-TMS,5-OCF ₂ CF ₂ H)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-CF ₃)	Ph(2-Cl,3-SO ₂ Me,5-I)	Ph(2-Cl,3-TMS,5-OC ₂ F ₅)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-C ₂ F ₅)	Ph(2-Cl,3-SO ₂ Me,5-Me)	Ph(2-Cl,3-TMS,5-SO ₂ Me)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5- CF ₂ CF ₂ H)	Ph(2-Cl,3-SO ₂ Me,5-Et)	Ph(2-Cl,3,5-di-TMS)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-CF ₂ H)	Ph(2-Cl,3-SO ₂ Me,5- <i>n</i> -Pr)	Ph(2-Cl,3-TMS,5-CN)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-OMe)	Ph(2-Cl,3-SO ₂ Me,5- <i>t</i> -Bu)	Ph(2-Cl,3-CN,5-Cl)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-OCF ₃)	Ph(2-Cl,3-SO ₂ Me,5- <i>i</i> -Pr)	Ph(2-Cl,3-CN,5-F)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-OCHF ₂)	Ph(2-Cl,3-SO ₂ Me,5- <i>c</i> -Pr)	Ph(2-Cl,3-CN,5-Br)
Ph(2-Cl,3,5-di-OCF ₂ CF ₂ H)	Ph(2-Cl,3-SO ₂ MeCF ₃ ,5-CF ₃)	Ph(2-Cl,3-CN,5-I)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(2-Cl,3-SO ₂ Me,5-C ₂ F ₅)	Ph(2-Cl,3-CN,5-Me)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-SO ₂ Me)	Ph(2-Cl,3-SO ₂ Me,5-CF ₂ CF ₂ H)	Ph(2-Cl,3-CN,5-Et)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-TMS)	Ph(2-Cl,3-SO ₂ Me,5-CF ₂ H)	Ph(2-Cl,3-CN,5- <i>n</i> -Pr)
Ph(2-Cl,3-OCF ₂ CF ₂ H,5-CN)	Ph(2-Cl,3-SO ₂ Me,5-OMe)	Ph(2-Cl,3-CN,5- <i>t</i> -Bu)
Ph(2-Cl,3-OC ₂ F ₅ ,5-Cl)	Ph(2-Cl,3-SO ₂ Me,5-OCF ₃)	Ph(2-Cl,3-CN,5- <i>i</i> -Pr)
Ph(2-Cl,3-OC ₂ F ₅ ,5-F)	Ph(2-Cl,3-SO ₂ Me,5-OCHF ₂)	Ph(2-Cl,3-CN,5- <i>c</i> -Pr)
Ph(2-Cl,3-OC ₂ F ₅ ,5-Br)	Ph(2-Cl,3-SO ₂ Me,5-OCF ₂ CF ₂ H)	Ph(2-Cl,3-CN,5-CF ₃)
Ph(2-Cl,3-OC ₂ F ₅ ,5-I)	Ph(2-Cl,3-SO ₂ Me,5-OC ₂ F ₅)	Ph(2-Cl,3-CN,5-C ₂ F ₅)
Ph(2-Cl,3-OC ₂ F ₅ ,5-Me)	Ph(2-Cl,3,5-di-SO ₂ Me)	Ph(2-Cl,3-CN,5-CF ₂ CF ₂ H)
Ph(2-Cl,3-OC ₂ F ₅ ,5-Et)	Ph(2-Cl,3-SO ₂ Me,5-TMS)	Ph(2-Cl,3-CN,5-CF ₂ H)
Ph(2-Cl,3-OC ₂ F ₅ ,5- <i>n</i> -Pr)	Ph(2-Cl,3-SO ₂ Me,5-CN)	Ph(2-Cl,3-CN,5-OMe)
Ph(2-Cl,3-OC ₂ F ₅ ,5- <i>t</i> -Bu)	Ph(2-Cl,3-TMS,5-Cl)	Ph(2-Cl,3-CN,5-OCF ₃)
Ph(2-Cl,3-OC ₂ F ₅ ,5- <i>i</i> -Pr)	Ph(2-Cl,3-TMS,5-F)	Ph(2-Cl,3-CN,5-OCHF ₂)
Ph(2-Cl,3-OC ₂ F ₅ ,5- <i>c</i> -Pr)	Ph(2-Cl,3-TMS,5-Br)	Ph(2-Cl,3-CN,5-OCF ₂ CF ₂ H)
Ph(2-Cl,3-OC ₂ F ₅ CF ₃ ,5-CF ₃)	Ph(2-Cl,3-TMS,5-I)	Ph(2-Cl,3-CN,5-OC ₂ F ₅)
Ph(2-Cl,3-OC ₂ F ₅ ,5-CF ₂ CF ₂ H)	Ph(2-Cl,3-TMS,5-Me)	Ph(2-Cl,3-CN,5-SO ₂ Me)
	Ph(2-Cl,3-TMS,5-Et)	Ph(2-Cl,3-CN,5-TMS)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,3,5-di-CN)	Ph(2-Cl,4-F,5-OMe)	Ph(2-Cl,4-I,5- <i>t</i> -Bu)
Ph(2,4,5-tri-Cl)	Ph(2-Cl,4-F,5-OCF ₃)	Ph(2-Cl,4-I,5- <i>i</i> -Pr)
Ph(2-Cl,4-Cl,5-F)	Ph(2-Cl,4-F,5-OCHF ₂)	Ph(2-Cl,4-I,5- <i>c</i> -Pr)
Ph(2-Cl,4-Cl,5-Br)	Ph(2-Cl,4-F,5-OCF ₂ CF ₂ H)	Ph(2-Cl,4-I,5-CF ₃)
Ph(2-Cl,4-Cl,5-I)	Ph(2-Cl,4-F,5-OC ₂ F ₅)	Ph(2-Cl,4-I,5-C ₂ F ₅)
Ph(2-Cl,4-Cl,5-Me)	Ph(2-Cl,4-F,5-SO ₂ Me)	Ph(2-Cl,4-I,5-CF ₂ CF ₂ H)
Ph(2-Cl,4-Cl,5-Et)	Ph(2-Cl,4-F,5-TMS)	Ph(2-Cl,4-I,5-CF ₂ H)
Ph(2-Cl,4-Cl,5- <i>n</i> -Pr)	Ph(2-Cl,4-F,5-CN)	Ph(2-Cl,4-I,5-OMe)
Ph(2-Cl,4-Cl,5- <i>t</i> -Bu)	Ph(2-Cl,4-Br,5-Cl)	Ph(2-Cl,4-I,5-OCF ₃)
Ph(2-Cl,4-Cl,5- <i>i</i> -Pr)	Ph(2-Cl,4-Br,5-F)	Ph(2-Cl,4-I,5-OCHF ₂)
Ph(2-Cl,4-Cl,5- <i>c</i> -Pr)	Ph(2-Cl,4,5-di-Br)	Ph(2-Cl,4-I,5-OCF ₂ CF ₂ H)
Ph(2-Cl,4-Cl,5-CF ₃)	Ph(2-Cl,4-Br,5-I)	Ph(2-Cl,4-I,5-OC ₂ F ₅)
Ph(2-Cl,4-Cl,5-C ₂ F ₅)	Ph(2-Cl,4-Br,5-Me)	Ph(2-Cl,4-I,5-SO ₂ Me)
Ph(2-Cl,4-Cl,5-CF ₂ CF ₂ H)	Ph(2-Cl,4-Br,5-Et)	Ph(2-Cl,4-I,5-TMS)
Ph(2-Cl,4-Cl,5-CF ₂ H)	Ph(2-Cl,4-Br,5- <i>n</i> -Pr)	Ph(2-Cl,4-I,5-CN)
Ph(2-Cl,4-Cl,5-OMe)	Ph(2-Cl,4-Br,5- <i>t</i> -Bu)	Ph(2-Cl,4-Me,5-Cl)
Ph(2-Cl,4-Cl,5-OCF ₃)	Ph(2-Cl,4-Br,5- <i>i</i> -Pr)	Ph(2-Cl,4-Me,5-F)
Ph(2-Cl,4-Cl,5-OCHF ₂)	Ph(2-Cl,4-Br,5- <i>c</i> -Pr)	Ph(2-Cl,4-Me,5-Br)
Ph(2-Cl,4-Cl,5-OCF ₂ CF ₂ H)	Ph(2-Cl,4-Br,5-CF ₃)	Ph(2-Cl,4-Me,5-I)
Ph(2-Cl,4-Cl,5-OC ₂ F ₅)	Ph(2-Cl,4-Br,5-C ₂ F ₅)	Ph(2-Cl,4,5-di-Me)
Ph(2-Cl,4-Cl,5-SO ₂ Me)	Ph(2-Cl,4-Br,5-CF ₂ CF ₂ H)	Ph(2-Cl,4-Me,5-Et)
Ph(2-Cl,4-Cl,5-TMS)	Ph(2-Cl,4-Br,5-CF ₂ H)	Ph(2-Cl,4-Me,5- <i>n</i> -Pr)
Ph(2-Cl,4-Cl,5-CN)	Ph(2-Cl,4-Br,5-OMe)	Ph(2-Cl,4-Me,5- <i>t</i> -Bu)
Ph(2-Cl,4-F,5-Cl)	Ph(2-Cl,4-Br,5-OCF ₃)	Ph(2-Cl,4-Me,5- <i>i</i> -Pr)
Ph(2-Cl,4,5-di-F)	Ph(2-Cl,4-Br,5-OCHF ₂)	Ph(2-Cl,4-Me,5- <i>c</i> -Pr)
Ph(2-Cl,4-F,5-Br)	Ph(2-Cl,4-Br,5-OCF ₂ CF ₂ H)	Ph(2-Cl,4-Me,5-CF ₃)
Ph(2-Cl,4-F,5-I)	Ph(2-Cl,4-Br,5-OC ₂ F ₅)	Ph(2-Cl,4-Me,5-C ₂ F ₅)
Ph(2-Cl,4-F,5-Me)	Ph(2-Cl,4-Br,5-SO ₂ Me)	Ph(2-Cl,4-Me,5-CF ₂ CF ₂ H)
Ph(2-Cl,4-F,5-Et)	Ph(2-Cl,4-Br,5-TMS)	Ph(2-Cl,4-Me,5-CF ₂ H)
Ph(2-Cl,4-F,5- <i>n</i> -Pr)	Ph(2-Cl,4-Br,5-CN)	Ph(2-Cl,4-Me,5-OMe)
Ph(2-Cl,4-F,5- <i>t</i> -Bu)	Ph(2-Cl,4-I,5-Cl)	Ph(2-Cl,4-Me,5-OCF ₃)
Ph(2-Cl,4-F,5- <i>i</i> -Pr)	Ph(2-Cl,4-I,5-F)	Ph(2-Cl,4-Me,5-OCHF ₂)
Ph(2-Cl,4-F,5- <i>c</i> -Pr)	Ph(2-Cl,4-I,5-Br)	Ph(2-Cl,4-Me,5-OCF ₂ CF ₂ H)
Ph(2-Cl,4-F,5-CF ₃)	Ph(2-Cl,4,5-di-I)	Ph(2-Cl,4-Me,5-OC ₂ F ₅)
Ph(2-Cl,4-F,5-C ₂ F ₅)	Ph(2-Cl,4-I,5-Me)	Ph(2-Cl,4-Me,5-SO ₂ Me)
Ph(2-Cl,4-F,5-CF ₂ CF ₂ H)	Ph(2-Cl,4-I,5-Et)	Ph(2-Cl,4-Me,5-TMS)
Ph(2-Cl,4-F,5-CF ₂ H)	Ph(2-Cl,4-I,5- <i>n</i> -Pr)	Ph(2-Cl,4-Me,5-CN)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,4-Et,5-Cl)	Ph(2-Cl,4- <i>n</i> -Pr,5-OCF ₃)	Ph(2-Cl,4,5-di- <i>i</i> -Pr)
Ph(2-Cl,4-Et,5-F)	Ph(2-Cl,4- <i>n</i> -Pr,5-OCHF ₂)	Ph(2-Cl,4- <i>i</i> -Pr,5- <i>c</i> -Pr)
Ph(2-Cl,4-Et,5-Br)	Ph(2-Cl,4- <i>n</i> -Pr,5-OCF ₂ CF ₂ H)	Ph(2-Cl,4- <i>i</i> -Pr,5-CF ₃)
Ph(2-Cl,4-Et,5-I)	Ph(2-Cl,4- <i>n</i> -Pr,5-OC ₂ F ₅)	Ph(2-Cl,4- <i>i</i> -Pr,5-C ₂ F ₅)
Ph(2-Cl,4-Et,5-Me)	Ph(2-Cl,4- <i>n</i> -Pr,5-SO ₂ Me)	Ph(2-Cl,4- <i>i</i> -Pr,5-CF ₂ CF ₂ H)
Ph(2-Cl,4,5-di-Et)	Ph(2-Cl,4- <i>n</i> -Pr,5-TMS)	Ph(2-Cl,4- <i>i</i> -Pr,5-CF ₂ H)
Ph(2-Cl,4-Et,5- <i>n</i> -Pr)	Ph(2-Cl,4- <i>n</i> -Pr,5-CN)	Ph(2-Cl,4- <i>i</i> -Pr,5-OMe)
Ph(2-Cl,4-Et,5- <i>t</i> -Bu)	Ph(2-Cl,4- <i>t</i> -Bu,5-Cl)	Ph(2-Cl,4- <i>i</i> -Pr,5-OCF ₃)
Ph(2-Cl,4-Et,5- <i>i</i> -Pr)	Ph(2-Cl,4- <i>t</i> -Bu,5-F)	Ph(2-Cl,4- <i>i</i> -Pr,5-OCHF ₂)
Ph(2-Cl,4-Et,5- <i>c</i> -Pr)	Ph(2-Cl,4- <i>t</i> -Bu,5-Br)	Ph(2-Cl,4- <i>i</i> -Pr,5-OCF ₂ CF ₂ H)
Ph(2-Cl,4-Et,5-CF ₃)	Ph(2-Cl,4- <i>t</i> -Bu,5-I)	Ph(2-Cl,4- <i>i</i> -Pr,5-OC ₂ F ₅)
Ph(2-Cl,4-Et,5-C ₂ F ₅)	Ph(2-Cl,4- <i>t</i> -Bu,5-Me)	Ph(2-Cl,4- <i>i</i> -Pr,5-SO ₂ Me)
Ph(2-Cl,4-Et,5-CF ₂ CF ₂ H)	Ph(2-Cl,4- <i>t</i> -Bu,5-Et)	Ph(2-Cl,4- <i>i</i> -Pr,5-TMS)
Ph(2-Cl,4-Et,5-CF ₂ H)	Ph(2-Cl,4- <i>t</i> -Bu,5- <i>n</i> -Pr)	Ph(2-Cl,4- <i>i</i> -Pr,5-CN)
Ph(2-Cl,4-Et,5-OMe)	Ph(2-Cl,4,5-di- <i>t</i> -Bu)	Ph(2-Cl,4- <i>c</i> -Pr,5-Cl)
Ph(2-Cl,4-Et,5-OCF ₃)	Ph(2-Cl,4- <i>t</i> -Bu,5- <i>i</i> -Pr)	Ph(2-Cl,4- <i>c</i> -Pr,5-F)
Ph(2-Cl,4-Et,5-OCHF ₂)	Ph(2-Cl,4- <i>t</i> -Bu,5- <i>c</i> -Pr)	Ph(2-Cl,4- <i>c</i> -Pr,5-Br)
Ph(2-Cl,4-Et,5-OCF ₂ CF ₂ H)	Ph(2-Cl,4- <i>t</i> -Bu,5-CF ₃)	Ph(2-Cl,4- <i>c</i> -Pr,5-I)
Ph(2-Cl,4-Et,5-OC ₂ F ₅)	Ph(2-Cl,4- <i>t</i> -Bu,5-C ₂ F ₅)	Ph(2-Cl,4- <i>c</i> -Pr,5-Me)
Ph(2-Cl,4-Et,5-SO ₂ Me)	Ph(2-Cl,4- <i>t</i> -Bu,5-CF ₂ CF ₂ H)	Ph(2-Cl,4- <i>c</i> -Pr,5-Et)
Ph(2-Cl,4-Et,5-TMS)	Ph(2-Cl,4- <i>t</i> -Bu,5-CF ₂ H)	Ph(2-Cl,4- <i>c</i> -Pr,5- <i>n</i> -Pr)
Ph(2-Cl,4-Et,5-CN)	Ph(2-Cl,4- <i>t</i> -Bu,5-OMe)	Ph(2-Cl,4- <i>c</i> -Pr,5- <i>t</i> -Bu)
Ph(2-Cl,4- <i>n</i> -Pr,5-Cl)	Ph(2-Cl,4- <i>t</i> -Bu,5-OCF ₃)	Ph(2-Cl,4- <i>c</i> -Pr,5- <i>i</i> -Pr)
Ph(2-Cl,4- <i>n</i> -Pr,5-F)	Ph(2-Cl,4- <i>t</i> -Bu,5-OCHF ₂)	Ph(2-Cl,4,5-di- <i>c</i> -Pr)
Ph(2-Cl,4- <i>n</i> -Pr,5-Br)	Ph(2-Cl,4- <i>t</i> -Bu,5-OCF ₂ CF ₂ H)	Ph(2-Cl,4- <i>c</i> -Pr,5-CF ₃)
Ph(2-Cl,4- <i>n</i> -Pr,5-I)	Ph(2-Cl,4- <i>t</i> -Bu,5-OC ₂ F ₅)	Ph(2-Cl,4- <i>c</i> -Pr,5-C ₂ F ₅)
Ph(2-Cl,4- <i>n</i> -Pr,5-Me)	Ph(2-Cl,4- <i>t</i> -Bu,5-SO ₂ Me)	Ph(2-Cl,4- <i>c</i> -Pr,5-CF ₂ CF ₂ H)
Ph(2-Cl,4- <i>n</i> -Pr,5-Et)	Ph(2-Cl,4- <i>t</i> -Bu,5-TMS)	Ph(2-Cl,4- <i>c</i> -Pr,5-CF ₂ H)
Ph(2-Cl,4,5-di- <i>n</i> -Pr)	Ph(2-Cl,4- <i>t</i> -Bu,5-CN)	Ph(2-Cl,4- <i>c</i> -Pr,5-OMe)
Ph(2-Cl,4- <i>n</i> -Pr,5- <i>t</i> -Bu)	Ph(2-Cl,4- <i>i</i> -Pr,5-Cl)	Ph(2-Cl,4- <i>c</i> -Pr,5-OCF ₃)
Ph(2-Cl,4- <i>n</i> -Pr,5- <i>i</i> -Pr)	Ph(2-Cl,4- <i>i</i> -Pr,5-F)	Ph(2-Cl,4- <i>c</i> -Pr,5-OCHF ₂)
Ph(2-Cl,4- <i>n</i> -Pr,5- <i>c</i> -Pr)	Ph(2-Cl,4- <i>i</i> -Pr,5-Br)	Ph(2-Cl,4- <i>c</i> -Pr,5-OCF ₂ CF ₂ H)
Ph(2-Cl,4- <i>n</i> -Pr,5-CF ₃)	Ph(2-Cl,4- <i>i</i> -Pr,5-I)	Ph(2-Cl,4- <i>c</i> -Pr,5-OC ₂ F ₅)
Ph(2-Cl,4- <i>n</i> -Pr,5-C ₂ F ₅)	Ph(2-Cl,4- <i>i</i> -Pr,5-Me)	Ph(2-Cl,4- <i>c</i> -Pr,5-SO ₂ Me)
Ph(2-Cl,4- <i>n</i> -Pr,5-CF ₂ CF ₂ H)	Ph(2-Cl,4- <i>i</i> -Pr,5-Et)	Ph(2-Cl,4- <i>c</i> -Pr,5-TMS)
Ph(2-Cl,4- <i>n</i> -Pr,5-CF ₂ H)	Ph(2-Cl,4- <i>i</i> -Pr,5- <i>n</i> -Pr)	Ph(2-Cl,4- <i>c</i> -Pr,5-CN)
Ph(2-Cl,4- <i>n</i> -Pr,5-OMe)	Ph(2-Cl,4- <i>i</i> -Pr,5- <i>t</i> -Bu)	Ph(2-Cl,4-CF ₃ ,5-Cl)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,4-CF ₃ ,5-F)	Ph(2-Cl,4-CF ₂ CF ₃ ,5-OCHF ₂)	Ph(2-Cl,4-CF ₂ H,5- <i>t</i> -Bu)
Ph(2-Cl,4-CF ₃ ,5-Br)	Ph(2-Cl,4-CF ₂ CF ₃ ,5-	Ph(2-Cl,4-CF ₂ H,5- <i>i</i> -Pr)
Ph(2-Cl,4-CF ₃ ,5-I)	OCF ₂ CF ₂ H)	Ph(2-Cl,4-CF ₂ H,5- <i>c</i> -Pr)
Ph(2-Cl,4-CF ₃ ,5-Me)	Ph(2-Cl,4-CF ₂ CF ₃ ,5-OC ₂ F ₅)	Ph(2-Cl,4-CF ₂ H,5-CF ₃)
Ph(2-Cl,4-CF ₃ ,5-Et)	Ph(2-Cl,4-CF ₂ CF ₃ ,5-SO ₂ Me)	Ph(2-Cl,4-CF ₂ H,5-C ₂ F ₅)
Ph(2-Cl,4-CF ₃ ,5- <i>n</i> -Pr)	Ph(2-Cl,4-CF ₂ CF ₃ ,5-TMS)	Ph(2-Cl,4-CF ₂ H,5-CF ₂ CF ₂ H)
Ph(2-Cl,4-CF ₃ ,5- <i>t</i> -Bu)	Ph(2-Cl,4-CF ₂ CF ₃ ,5-CN)	Ph(2-Cl,4,5-di-CF ₂ H)
Ph(2-Cl,4-CF ₃ ,5- <i>i</i> -Pr)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-Cl)	Ph(2-Cl,4-CF ₂ H,5-OMe)
Ph(2-Cl,4-CF ₃ ,5- <i>c</i> -Pr)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-F)	Ph(2-Cl,4-CF ₂ H,5-OCF ₃)
Ph(2-Cl,4,5-di-CF ₃)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-Br)	Ph(2-Cl,4-CF ₂ H,5-OCHF ₂)
Ph(2-Cl,4-CF ₃ ,5-C ₂ F ₅)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-I)	Ph(2-Cl,4-CF ₂ H,5-OCF ₂ CF ₂ H)
Ph(2-Cl,4-CF ₃ ,5-CF ₂ CF ₂ H)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-Me)	Ph(2-Cl,4-CF ₂ H,5-OC ₂ F ₅)
Ph(2-Cl,4-CF ₃ ,5-CF ₂ H)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-Et)	Ph(2-Cl,4-CF ₂ H,5-SO ₂ Me)
Ph(2-Cl,4-CF ₃ ,5-OMe)	Ph(2-Cl,4-CF ₂ CF ₂ H,5- <i>n</i> -Pr)	Ph(2-Cl,4-CF ₂ H,5-TMS)
Ph(2-Cl,4-CF ₃ ,5-OCF ₃)	Ph(2-Cl,4-CF ₂ CF ₂ H,5- <i>t</i> -Bu)	Ph(2-Cl,4-CF ₂ H,5-CN)
Ph(2-Cl,4-CF ₃ ,5-OCHF ₂)	Ph(2-Cl,4-CF ₂ CF ₂ H,5- <i>i</i> -Pr)	Ph(2-Cl,4-OMe,5-Cl)
Ph(2-Cl,4-CF ₃ ,5-OCF ₂ CF ₂ H)	Ph(2-Cl,4-CF ₂ CF ₂ H,5- <i>c</i> -Pr)	Ph(2-Cl,4-OMe,5-F)
Ph(2-Cl,4-CF ₃ ,5-OC ₂ F ₅)	Ph(2-Cl,4-CF ₂ CF ₂ CF ₃ H,5-CF ₃)	Ph(2-Cl,4-OMe,5-Br)
Ph(2-Cl,4-CF ₃ ,5-SO ₂ Me)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-C ₂ F ₅)	Ph(2-Cl,4-OMe,5-I)
Ph(2-Cl,4-CF ₃ ,5-TMS)	Ph(2-Cl,4,5-di-CF ₂ CF ₂ H)	Ph(2-Cl,4-OMe,5-Me)
Ph(2-Cl,4-CF ₃ ,5-CN)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-CF ₂ H)	Ph(2-Cl,4-OMe,5-Et)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-Cl)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-OMe)	Ph(2-Cl,4-OMe,5- <i>n</i> -Pr)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-F)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-OCF ₃)	Ph(2-Cl,4-OMe,5- <i>t</i> -Bu)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-Br)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-OCHF ₂)	Ph(2-Cl,4-OMe,5- <i>i</i> -Pr)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-I)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-	Ph(2-Cl,4-OMe,5- <i>c</i> -Pr)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-Me)	OCF ₂ CF ₂ H)	Ph(2-Cl,4-OMeCF ₃ ,5-CF ₃)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-Et)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(2-Cl,4-OMe,5-C ₂ F ₅)
Ph(2-Cl,4-CF ₂ CF ₃ ,5- <i>n</i> -Pr)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-SO ₂ Me)	Ph(2-Cl,4-OMe,5-CF ₂ CF ₂ H)
Ph(2-Cl,4-CF ₂ CF ₃ ,5- <i>t</i> -Bu)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-TMS)	Ph(2-Cl,4-OMe,5-CF ₂ H)
Ph(2-Cl,4-CF ₂ CF ₃ ,5- <i>i</i> -Pr)	Ph(2-Cl,4-CF ₂ CF ₂ H,5-CN)	Ph(2-Cl,4,5-di-OMe)
Ph(2-Cl,4-CF ₂ CF ₃ ,5- <i>c</i> -Pr)	Ph(2-Cl,4-CF ₂ H,5-Cl)	Ph(2-Cl,4-OMe,5-OCF ₃)
Ph(2-Cl,4-C ₂ F ₅ CF ₃ ,5-CF ₃)	Ph(2-Cl,4-CF ₂ H,5-F)	Ph(2-Cl,4-OMe,5-OCHF ₂)
Ph(2-Cl,4,5-di-C ₂ F ₅)	Ph(2-Cl,4-CF ₂ H,5-Br)	Ph(2-Cl,4-OMe,5-OCF ₂ CF ₂ H)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-CF ₂ CF ₂ H)	Ph(2-Cl,4-CF ₂ H,5-I)	Ph(2-Cl,4-OMe,5-OC ₂ F ₅)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-CF ₂ H)	Ph(2-Cl,4-CF ₂ H,5-Me)	Ph(2-Cl,4-OMe,5-SO ₂ Me)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-OMe)	Ph(2-Cl,4-CF ₂ H,5-Et)	Ph(2-Cl,4-OMe,5-TMS)
Ph(2-Cl,4-CF ₂ CF ₃ ,5-OCF ₃)	Ph(2-Cl,4-CF ₂ H,5- <i>n</i> -Pr)	Ph(2-Cl,4-OMe,5-CN)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,4-OCF ₃ ,5-Cl)	Ph(2-Cl,4-OCHF ₂ ,5-OCF ₃)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5- <i>n</i> -Pr)
Ph(2-Cl,4-OCF ₃ ,5-F)	Ph(2-Cl,4,5-di-OCHF ₂)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5- <i>t</i> -Bu)
Ph(2-Cl,4-OCF ₃ ,5-Br)	Ph(2-Cl,4-OCHF ₂ ,5-OCF ₂ CF ₂ H)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5- <i>i</i> -Pr)
Ph(2-Cl,4-OCF ₃ ,5-I)	Ph(2-Cl,4-OCHF ₂ ,5-OC ₂ F ₅)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5- <i>c</i> -Pr)
Ph(2-Cl,4-OCF ₃ ,5-Me)	Ph(2-Cl,4-OCHF ₂ ,5-SO ₂ Me)	Ph(2-Cl,4-OC ₂ F ₅ CF ₃ ,5-CF ₃)
Ph(2-Cl,4-OCF ₃ ,5-Et)	Ph(2-Cl,4-OCHF ₂ ,5-TMS)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-
Ph(2-Cl,4-OCF ₃ ,5- <i>n</i> -Pr)	Ph(2-Cl,4-OCHF ₂ ,5-CN)	CF ₂ CF ₂ H)
Ph(2-Cl,4-OCF ₃ ,5- <i>t</i> -Bu)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-Cl)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-CF ₂ H)
Ph(2-Cl,4-OCF ₃ ,5- <i>i</i> -Pr)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-F)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-OMe)
Ph(2-Cl,4-OCF ₃ ,5- <i>c</i> -Pr)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-Br)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-OCF ₃)
Ph(2-Cl,4-OCF ₃ ,5-CF ₃)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-I)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-OCHF ₂)
Ph(2-Cl,4-OCF ₃ ,5-C ₂ F ₅)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-Me)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-
Ph(2-Cl,4-OCF ₃ ,5-CF ₂ CF ₂ H)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-Et)	OCF ₂ CF ₂ H)
Ph(2-Cl,4-OCF ₃ ,5-CF ₂ H)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5- <i>n</i> -Pr)	Ph(2-Cl,4,5-di-OC ₂ F ₅)
Ph(2-Cl,4-OCF ₃ ,5-OMe)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5- <i>t</i> -Bu)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-SO ₂ Me)
Ph(2-Cl,4,5-di-OCF ₃)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5- <i>i</i> -Pr)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-TMS)
Ph(2-Cl,4-OCF ₃ ,5-OCHF ₂)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5- <i>c</i> -Pr)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-CN)
Ph(2-Cl,4-OCF ₃ ,5-OCF ₂ CF ₂ H)	Ph(2-Cl,4-OCF ₂ CF ₂ CF ₃ H,5-	Ph(2-Cl,4-SO ₂ Me,5-Cl)
Ph(2-Cl,4-OCF ₃ ,5-OC ₂ F ₅)	CF ₃)	Ph(2-Cl,4-SO ₂ Me,5-F)
Ph(2-Cl,4-OCF ₃ ,5-SO ₂ Me)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-C ₂ F ₅)	Ph(2-Cl,4-SO ₂ Me,5-Br)
Ph(2-Cl,4-OCF ₃ ,5-TMS)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-	Ph(2-Cl,4-SO ₂ Me,5-I)
Ph(2-Cl,4-OCF ₃ ,5-CN)	CF ₂ CF ₂ H)	Ph(2-Cl,4-SO ₂ Me,5-Me)
Ph(2-Cl,4-OCHF ₂ ,5-Cl)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-CF ₂ H)	Ph(2-Cl,4-SO ₂ Me,5-Et)
Ph(2-Cl,4-OCHF ₂ ,5-F)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-OMe)	Ph(2-Cl,4-SO ₂ Me,5- <i>n</i> -Pr)
Ph(2-Cl,4-OCHF ₂ ,5-Br)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-OCF ₃)	Ph(2-Cl,4-SO ₂ Me,5- <i>t</i> -Bu)
Ph(2-Cl,4-OCHF ₂ ,5-I)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-OCHF ₂)	Ph(2-Cl,4-SO ₂ Me,5- <i>i</i> -Pr)
Ph(2-Cl,4-OCHF ₂ ,5-Me)	Ph(2-Cl,4,5-di-OCF ₂ CF ₂ H)	Ph(2-Cl,4-SO ₂ Me,5- <i>c</i> -Pr)
Ph(2-Cl,4-OCHF ₂ ,5-Et)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(2-Cl,4-SO ₂ MeCF ₃ ,5-CF ₃)
Ph(2-Cl,4-OCHF ₂ ,5- <i>n</i> -Pr)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-SO ₂ Me)	Ph(2-Cl,4-SO ₂ Me,5-C ₂ F ₅)
Ph(2-Cl,4-OCHF ₂ ,5- <i>t</i> -Bu)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-TMS)	Ph(2-Cl,4-SO ₂ Me,5-CF ₂ CF ₂ H)
Ph(2-Cl,4-OCHF ₂ ,5- <i>i</i> -Pr)	Ph(2-Cl,4-OCF ₂ CF ₂ H,5-CN)	Ph(2-Cl,4-SO ₂ Me,5-CF ₂ H)
Ph(2-Cl,4-OCHF ₂ ,5- <i>c</i> -Pr)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-Cl)	Ph(2-Cl,4-SO ₂ Me,5-OMe)
Ph(2-Cl,4-OCHF ₂ CF ₃ ,5-CF ₃)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-F)	Ph(2-Cl,4-SO ₂ Me,5-OCF ₃)
Ph(2-Cl,4-OCF ₂ CF ₃ ,5-C ₂ F ₅)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-Br)	Ph(2-Cl,4-SO ₂ Me,5-OCHF ₂)
Ph(2-Cl,4-OCHF ₂ ,5-CF ₂ CF ₂ H)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-I)	Ph(2-Cl,4-SO ₂ Me,5-OCF ₂ CF ₂ H)
Ph(2-Cl,4-OCHF ₂ ,5-CF ₂ H)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-Me)	Ph(2-Cl,4-SO ₂ Me,5-OC ₂ F ₅)
Ph(2-Cl,4-OCHF ₂ ,5-OMe)	Ph(2-Cl,4-OCF ₂ CF ₃ ,5-Et)	Ph(2-Cl,4,5-di-SO ₂ Me)

Q ¹	Q ¹	Q ¹
Ph(2-Cl,4-SO ₂ Me,5-TMS)	Ph(2-Cl,4-CN,5-CF ₂ H)	Ph(2-F,3-F,4-OC ₂ F ₅)
Ph(2-Cl,4-SO ₂ Me,5-CN)	Ph(2-Cl,4-CN,5-OMe)	Ph(2-F,3-Br,4-Cl)
Ph(2-Cl,4-TMS,5-Cl)	Ph(2-Cl,4-CN,5-OCF ₃)	Ph(2-F,3,4-di-Br)
Ph(2-Cl,4-TMS,5-F)	Ph(2-Cl,4-CN,5-OCHF ₂)	Ph(2-F,3-Br,4-I)
Ph(2-Cl,4-TMS,5-Br)	Ph(2-Cl,4-CN,5-OCF ₂ CF ₂ H)	Ph(2-F,3-Br,4-Me)
Ph(2-Cl,4-TMS,5-I)	Ph(2-Cl,4-CN,5-OC ₂ F ₅)	Ph(2-F,3-Br,4-Et)
Ph(2-Cl,4-TMS,5-Me)	Ph(2-Cl,4-CN,5-SO ₂ Me)	Ph(2-F,3-Br,4- <i>n</i> -Pr)
Ph(2-Cl,4-TMS,5-Et)	Ph(2-Cl,4-CN,5-TMS)	Ph(2-F,3-Br,4- <i>t</i> -Bu)
Ph(2-Cl,4-TMS,5- <i>n</i> -Pr)	Ph(2-Cl,4,5-di-CN)	Ph(2-F,3-Br,4- <i>i</i> -Pr)
Ph(2-Cl,4-TMS,5- <i>t</i> -Bu)	Ph(2-F,3,4-di-Cl)	Ph(2-F,3-Br,4-CF ₃)
Ph(2-Cl,4-TMS,5- <i>i</i> -Pr)	Ph(2-F,3-Cl,4-I)	Ph(2-F,3-Br,4-C ₂ F ₅)
Ph(2-Cl,4-TMS,5- <i>c</i> -Pr)	Ph(2-F,3-Cl,4-Me)	Ph(2-F,3-Br,4-CF ₂ CF ₂ H)
Ph(2-Cl,4-TMS,5-CF ₃)	Ph(2-F,3-Cl,4-Et)	Ph(2-F,3-Br,4-CF ₂ H)
Ph(2-Cl,4-TMS,5-C ₂ F ₅)	Ph(2-F,3-Cl,4- <i>n</i> -Pr)	Ph(2-F,3-Br,4-OMe)
Ph(2-Cl,4-TMS,5-CF ₂ CF ₂ H)	Ph(2-F,3-Cl,4- <i>i</i> -Pr)	Ph(2-F,3-Br,4-OCF ₂ CF ₂ H)
Ph(2-Cl,4-TMS,5-CF ₂ H)	Ph(2-F,3-Cl,4-CF ₃)	Ph(2-F,3-Br,4-OC ₂ F ₅)
Ph(2-Cl,4-TMS,5-OMe)	Ph(2-F,3-Cl,4-C ₂ F ₅)	Ph(2-F,3-I,4-Cl)
Ph(2-Cl,4-TMS,5-OCF ₃)	Ph(2-F,3-Cl,4-CF ₂ CF ₂ H)	Ph(2-F,3-I,4-F)
Ph(2-Cl,4-TMS,5-OCHF ₂)	Ph(2-F,3-Cl,4-CF ₂ H)	Ph(2-F,3-I,4-Br)
Ph(2-Cl,4-TMS,5-OCF ₂ CF ₂ H)	Ph(2-F,3-Cl,4-OMe)	Ph(2-F,3,4-di-I)
Ph(2-Cl,4-TMS,5-OC ₂ F ₅)	Ph(2-F,3-Cl,4-OCHF ₂)	Ph(2-F,3-I,4-Me)
Ph(2-Cl,4-TMS,5-SO ₂ Me)	Ph(2-F,3-Cl,4-OCF ₂ CF ₂ H)	Ph(2-F,3-I,4-Et)
Ph(2-Cl,4,5-di-TMS)	Ph(2-F,3-Cl,4-OC ₂ F ₅)	Ph(2-F,3-I,4- <i>n</i> -Pr)
Ph(2-Cl,4-TMS,5-CN)	Ph(2,3,4-tri-F)	Ph(2-F,3-I,4- <i>t</i> -Bu)
Ph(2-Cl,4-CN,5-Cl)	Ph(2-F,3-F,4-Br)	Ph(2-F,3-I,4- <i>i</i> -Pr)
Ph(2-Cl,4-CN,5-F)	Ph(2-F,3-F,4-I)	Ph(2-F,3-I,4- <i>c</i> -Pr)
Ph(2-Cl,4-CN,5-Br)	Ph(2-F,3-F,4-Et)	Ph(2-F,3-I,4-CF ₃)
Ph(2-Cl,4-CN,5-I)	Ph(2-F,3-F,4- <i>n</i> -Pr)	Ph(2-F,3-I,4-C ₂ F ₅)
Ph(2-Cl,4-CN,5-Me)	Ph(2-F,3-F,4- <i>t</i> -Bu)	Ph(2-F,3-I,4-CF ₂ CF ₂ H)
Ph(2-Cl,4-CN,5-Et)	Ph(2-F,3-F,4- <i>i</i> -Pr)	Ph(2-F,3-I,4-CF ₂ H)
Ph(2-Cl,4-CN,5- <i>n</i> -Pr)	Ph(2-F,3-F,4-CF ₃)	Ph(2-F,3-I,4-OMe)
Ph(2-Cl,4-CN,5- <i>t</i> -Bu)	Ph(2-F,3-F,4-C ₂ F ₅)	Ph(2-F,3-I,4-OCF ₃)
Ph(2-Cl,4-CN,5- <i>i</i> -Pr)	Ph(2-F,3-F,4-CF ₂ CF ₂ H)	Ph(2-F,3-I,4-OCHF ₂)
Ph(2-Cl,4-CN,5- <i>c</i> -Pr)	Ph(2-F,3-F,4-CF ₂ H)	Ph(2-F,3-I,4-OCF ₂ CF ₂ H)
Ph(2-Cl,4-CN,5-CF ₃)	Ph(2-F,3-F,4-OMe)	Ph(2-F,3-I,4-OC ₂ F ₅)
Ph(2-Cl,4-CN,5-C ₂ F ₅)	Ph(2-F,3-F,4-OCHF ₂)	Ph(2-F,3-I,4-SO ₂ Me)
Ph(2-Cl,4-CN,5-CF ₂ CF ₂ H)	Ph(2-F,3-F,4-OCF ₂ CF ₂ H)	Ph(2-F,3-I,4-TMS)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-I,4-CN)	Ph(2-F,3- <i>n</i> -Pr,4-Br)	Ph(2-F,3- <i>i</i> -Pr,4- <i>n</i> -Pr)
Ph(2-F,3-Me,4-I)	Ph(2-F,3- <i>n</i> -Pr,4-I)	Ph(2-F,3- <i>i</i> -Pr,4- <i>t</i> -Bu)
Ph(2-F,3,4-di-Me)	Ph(2-F,3- <i>n</i> -Pr,4-Me)	Ph(2-F,3,4-di- <i>i</i> -Pr)
Ph(2-F,3-Me,4-Et)	Ph(2-F,3- <i>n</i> -Pr,4-Et)	Ph(2-F,3- <i>i</i> -Pr,4- <i>c</i> -Pr)
Ph(2-F,3-Me,4- <i>n</i> -Pr)	Ph(2-F,3,4-di- <i>n</i> -Pr)	Ph(2-F,3- <i>i</i> -Pr,4-CF ₃)
Ph(2-F,3-Me,4- <i>i</i> -Pr)	Ph(2-F,3- <i>n</i> -Pr,4- <i>t</i> -Bu)	Ph(2-F,3- <i>i</i> -Pr,4-C ₂ F ₅)
Ph(2-F,3-Me,4- <i>c</i> -Pr)	Ph(2-F,3- <i>n</i> -Pr,4- <i>i</i> -Pr)	Ph(2-F,3- <i>i</i> -Pr,4-CF ₂ CF ₂ H)
Ph(2-F,3-Me,4-C ₂ F ₅)	Ph(2-F,3- <i>n</i> -Pr,4- <i>c</i> -Pr)	Ph(2-F,3- <i>i</i> -Pr,4-CF ₂ H)
Ph(2-F,3-Me,4-CF ₂ CF ₂ H)	Ph(2-F,3- <i>n</i> -Pr,4-CF ₃)	Ph(2-F,3- <i>i</i> -Pr,4-OMe)
Ph(2-F,3-Me,4-CF ₂ H)	Ph(2-F,3- <i>n</i> -Pr,4-C ₂ F ₅)	Ph(2-F,3- <i>i</i> -Pr,4-OCF ₃)
Ph(2-F,3-Me,4-OMe)	Ph(2-F,3- <i>n</i> -Pr,4-CF ₂ CF ₂ H)	Ph(2-F,3- <i>i</i> -Pr,4-OCHF ₂)
Ph(2-F,3-Me,4-OCF ₂ CF ₂ H)	Ph(2-F,3- <i>n</i> -Pr,4-CF ₂ H)	Ph(2-F,3- <i>i</i> -Pr,4-OCF ₂ CF ₂ H)
Ph(2-F,3-Me,4-OC ₂ F ₅)	Ph(2-F,3- <i>n</i> -Pr,4-OMe)	Ph(2-F,3- <i>i</i> -Pr,4-OC ₂ F ₅)
Ph(2-F,3-Et,4-Cl)	Ph(2-F,3- <i>n</i> -Pr,4-OCF ₃)	Ph(2-F,3- <i>i</i> -Pr,4-SO ₂ Me)
Ph(2-F,3-Et,4-F)	Ph(2-F,3- <i>n</i> -Pr,4-OCHF ₂)	Ph(2-F,3- <i>i</i> -Pr,4-TMS)
Ph(2-F,3-Et,4-Br)	Ph(2-F,3- <i>n</i> -Pr,4-OCF ₂ CF ₂ H)	Ph(2-F,3- <i>i</i> -Pr,4-CN)
Ph(2-F,3-Et,4-I)	Ph(2-F,3- <i>n</i> -Pr,4-OC ₂ F ₅)	Ph(2-F,3- <i>c</i> -Pr,4-I)
Ph(2-F,3-Et,4-Me)	Ph(2-F,3- <i>n</i> -Pr,4-SO ₂ Me)	Ph(2-F,3- <i>c</i> -Pr,4-Et)
Ph(2-F,3,4-di-Et)	Ph(2-F,3- <i>n</i> -Pr,4-TMS)	Ph(2-F,3- <i>c</i> -Pr,4- <i>n</i> -Pr)
Ph(2-F,3-Et,4- <i>n</i> -Pr)	Ph(2-F,3- <i>n</i> -Pr,4-CN)	Ph(2-F,3- <i>c</i> -Pr,4- <i>i</i> -Pr)
Ph(2-F,3-Et,4- <i>t</i> -Bu)	Ph(2-F,3- <i>t</i> -Bu,4-I)	Ph(2-F,3- <i>c</i> -Pr,4-C ₂ F ₅)
Ph(2-F,3-Et,4- <i>i</i> -Pr)	Ph(2-F,3- <i>t</i> -Bu,4-Et)	Ph(2-F,3- <i>c</i> -Pr,4-CF ₂ CF ₂ H)
Ph(2-F,3-Et,4- <i>c</i> -Pr)	Ph(2-F,3- <i>t</i> -Bu,4- <i>n</i> -Pr)	Ph(2-F,3- <i>c</i> -Pr,4-CF ₂ H)
Ph(2-F,3-Et,4-CF ₃)	Ph(2-F,3,4-di- <i>t</i> -Bu)	Ph(2-F,3- <i>c</i> -Pr,4-OMe)
Ph(2-F,3-Et,4-C ₂ F ₅)	Ph(2-F,3- <i>t</i> -Bu,4- <i>i</i> -Pr)	Ph(2-F,3- <i>c</i> -Pr,4-OCF ₂ CF ₂ H)
Ph(2-F,3-Et,4-CF ₂ CF ₂ H)	Ph(2-F,3- <i>t</i> -Bu,4-C ₂ F ₅)	Ph(2-F,3- <i>c</i> -Pr,4-OC ₂ F ₅)
Ph(2-F,3-Et,4-CF ₂ H)	Ph(2-F,3- <i>t</i> -Bu,4-CF ₂ CF ₂ H)	Ph(2-F,3-CF ₃ ,4-I)
Ph(2-F,3-Et,4-OMe)	Ph(2-F,3- <i>t</i> -Bu,4-CF ₂ H)	Ph(2-F,3-CF ₃ ,4-Et)
Ph(2-F,3-Et,4-OCF ₃)	Ph(2-F,3- <i>t</i> -Bu,4-OMe)	Ph(2-F,3-CF ₃ ,4- <i>n</i> -Pr)
Ph(2-F,3-Et,4-OCHF ₂)	Ph(2-F,3- <i>t</i> -Bu,4-OCF ₂ CF ₂ H)	Ph(2-F,3-CF ₃ ,4- <i>i</i> -Pr)
Ph(2-F,3-Et,4-OCF ₂ CF ₂ H)	Ph(2-F,3- <i>t</i> -Bu,4-OC ₂ F ₅)	Ph(2-F,3,4-di-CF ₃)
Ph(2-F,3-Et,4-OC ₂ F ₅)	Ph(2-F,3- <i>i</i> -Pr,4-Cl)	Ph(2-F,3-CF ₃ ,4-C ₂ F ₅)
Ph(2-F,3-Et,4-SO ₂ Me)	Ph(2-F,3- <i>i</i> -Pr,4-F)	Ph(2-F,3-CF ₃ ,4-CF ₂ CF ₂ H)
Ph(2-F,3-Et,4-TMS)	Ph(2-F,3- <i>i</i> -Pr,4-Br)	Ph(2-F,3-CF ₃ ,4-CF ₂ H)
Ph(2-F,3-Et,4-CN)	Ph(2-F,3- <i>i</i> -Pr,4-I)	Ph(2-F,3-CF ₃ ,4-OMe)
Ph(2-F,3- <i>n</i> -Pr,4-Cl)	Ph(2-F,3- <i>i</i> -Pr,4-Me)	Ph(2-F,3-CF ₃ ,4-OCF ₃)
Ph(2-F,3- <i>n</i> -Pr,4-F)	Ph(2-F,3- <i>i</i> -Pr,4-Et)	Ph(2-F,3-CF ₃ ,4-OCHF ₂)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-CF ₃ ,4-OCF ₂ CF ₂ H)	Ph(2-F,3-CF ₂ CF ₂ H,4-C ₂ F ₅)	Ph(2-F,3-OMe,4-I)
Ph(2-F,3-CF ₃ ,4-OC ₂ F ₅)	Ph(2-F,3,4-di-CF ₂ CF ₂ H)	Ph(2-F,3-OMe,4-Me)
Ph(2-F,3-CF ₃ ,4-TMS)	Ph(2-F,3-CF ₂ CF ₂ H,4-CF ₂ H)	Ph(2-F,3-OMe,4-Et)
Ph(2-F,3-CF ₃ ,4-CN)	Ph(2-F,3-CF ₂ CF ₂ H,4-OMe)	Ph(2-F,3-OMe,4- <i>n</i> -Pr)
Ph(2-F,3-C ₂ F ₅ ,4-Cl)	Ph(2-F,3-CF ₂ CF ₂ H,4-OCF ₃)	Ph(2-F,3-OMe,4- <i>t</i> -Bu)
Ph(2-F,3-C ₂ F ₅ ,4-F)	Ph(2-F,3-CF ₂ CF ₂ H,4-OCHF ₂)	Ph(2-F,3-OMe,4- <i>i</i> -Pr)
Ph(2-F,3-C ₂ F ₅ ,4-Br)	Ph(2-F,3-CF ₂ CF ₂ H,4-OCF ₂ CF ₂ H)	Ph(2-F,3-OMe,4- <i>c</i> -Pr)
Ph(2-F,3-C ₂ F ₅ ,4-I)		Ph(2-F,3-OMe,4-CF ₃)
Ph(2-F,3-C ₂ F ₅ ,4-Me)	Ph(2-F,3-CF ₂ CF ₂ H,4-OC ₂ F ₅)	Ph(2-F,3-OMe,4-C ₂ F ₅)
Ph(2-F,3-C ₂ F ₅ ,4-Et)	Ph(2-F,3-CF ₂ CF ₂ H,4-SO ₂ Me)	Ph(2-F,3-OMe,4-CF ₂ CF ₂ H)
Ph(2-F,3-C ₂ F ₅ ,4- <i>n</i> -Pr)	Ph(2-F,3-CF ₂ CF ₂ H,4-TMS)	Ph(2-F,3-OMe,4-CF ₂ H)
Ph(2-F,3-C ₂ F ₅ ,4- <i>t</i> -Bu)	Ph(2-F,3-CF ₂ CF ₂ H,4-CN)	Ph(2-F,3,4-di-OMe)
Ph(2-F,3-C ₂ F ₅ ,4- <i>i</i> -Pr)	Ph(2-F,3-CF ₂ H,4-Cl)	Ph(2-F,3-OMe,4-OCF ₃)
Ph(2-F,3-C ₂ F ₅ ,4- <i>c</i> -Pr)	Ph(2-F,3-CF ₂ H,4-F)	Ph(2-F,3-OMe,4-OCHF ₂)
Ph(2-F,3-C ₂ F ₅ CF ₃ ,4-CF ₃)	Ph(2-F,3-CF ₂ H,4-Br)	Ph(2-F,3-OMe,4-OCF ₂ CF ₂ H)
Ph(2-F,3,4-di-C ₂ F ₅)	Ph(2-F,3-CF ₂ H,4-I)	Ph(2-F,3-OMe,4-OC ₂ F ₅)
Ph(2-F,3-C ₂ F ₅ ,4-CF ₂ CF ₂ H)	Ph(2-F,3-CF ₂ H,4-Me)	Ph(2-F,3-OMe,4-SO ₂ Me)
Ph(2-F,3-C ₂ F ₅ ,4-CF ₂ H)	Ph(2-F,3-CF ₂ H,4-Et)	Ph(2-F,3-OMe,4-TMS)
Ph(2-F,3-C ₂ F ₅ ,4-OMe)	Ph(2-F,3-CF ₂ H,4- <i>n</i> -Pr)	Ph(2-F,3-OMe,4-CN)
Ph(2-F,3-C ₂ F ₅ ,4-OCF ₃)	Ph(2-F,3-CF ₂ H,4- <i>t</i> -Bu)	Ph(2-F,3-OCF ₃ ,4-Cl)
Ph(2-F,3-C ₂ F ₅ ,4-OCHF ₂)	Ph(2-F,3-CF ₂ H,4- <i>i</i> -Pr)	Ph(2-F,3-OCF ₃ ,4-F)
Ph(2-F,3-C ₂ F ₅ ,4-OCF ₂ CF ₂ H)	Ph(2-F,3-CF ₂ H,4- <i>c</i> -Pr)	Ph(2-F,3-OCF ₃ ,4-Br)
Ph(2-F,3-C ₂ F ₅ ,4-OC ₂ F ₅)	Ph(2-F,3-CF ₂ H,4-CF ₃)	Ph(2-F,3-OCF ₃ ,4-I)
Ph(2-F,3-C ₂ F ₅ ,4-SO ₂ Me)	Ph(2-F,3-CF ₂ H,4-C ₂ F ₅)	Ph(2-F,3-OCF ₃ ,4-Me)
Ph(2-F,3-C ₂ F ₅ ,4-TMS)	Ph(2-F,3-CF ₂ H,4-CF ₂ CF ₂ H)	Ph(2-F,3-OCF ₃ ,4-Et)
Ph(2-F,3-C ₂ F ₅ ,4-CN)	Ph(2-F,3,4-di-CF ₂ H)	Ph(2-F,3-OCF ₃ ,4- <i>n</i> -Pr)
Ph(2-F,3-CF ₂ CF ₂ H,4-Cl)	Ph(2-F,3-CF ₂ H,4-OMe)	Ph(2-F,3-OCF ₃ ,4- <i>t</i> -Bu)
Ph(2-F,3-CF ₂ CF ₂ H,4-F)	Ph(2-F,3-CF ₂ H,4-OCF ₃)	Ph(2-F,3-OCF ₃ ,4- <i>i</i> -Pr)
Ph(2-F,3-CF ₂ CF ₂ H,4-Br)	Ph(2-F,3-CF ₂ H,4-OCHF ₂)	Ph(2-F,3-OCF ₃ ,4-CF ₃)
Ph(2-F,3-CF ₂ CF ₂ H,4-I)	Ph(2-F,3-CF ₂ H,4-OCF ₂ CF ₂ H)	Ph(2-F,3-OCF ₃ ,4-C ₂ F ₅)
Ph(2-F,3-CF ₂ CF ₂ H,4-Me)	Ph(2-F,3-CF ₂ H,4-OC ₂ F ₅)	Ph(2-F,3-OCF ₃ ,4-CF ₂ CF ₂ H)
Ph(2-F,3-CF ₂ CF ₂ H,4-Et)	Ph(2-F,3-CF ₂ H,4-SO ₂ Me)	Ph(2-F,3-OCF ₃ ,4-CF ₂ H)
Ph(2-F,3-CF ₂ CF ₂ H,4- <i>n</i> -Pr)	Ph(2-F,3-CF ₂ H,4-TMS)	Ph(2-F,3-OCF ₃ ,4-OMe)
Ph(2-F,3-CF ₂ CF ₂ H,4- <i>t</i> -Bu)	Ph(2-F,3-CF ₂ H,4-CN)	Ph(2-F,3,4-di-OCF ₃)
Ph(2-F,3-CF ₂ CF ₂ H,4- <i>i</i> -Pr)	Ph(2-F,3-OMe,4-Cl)	Ph(2-F,3-OCF ₃ ,4-OCF ₂ CF ₂ H)
Ph(2-F,3-CF ₂ CF ₂ H,4- <i>c</i> -Pr)	Ph(2-F,3-OMe,4-F)	Ph(2-F,3-OCF ₃ ,4-OC ₂ F ₅)
Ph(2-F,3-CF ₂ CF ₂ H,4-CF ₃)	Ph(2-F,3-OMe,4-Br)	Ph(2-F,3-OCHF ₂ ,4-Cl)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-OCHF ₂ ,4-F)	Ph(2-F,3-OCF ₂ CF ₂ H,4-OCF ₃)	Ph(2-F,3-SO ₂ Me,4-C ₂ F ₅)
Ph(2-F,3-OCHF ₂ ,4-Br)	Ph(2-F,3-OCF ₂ CF ₂ H,4-OCHF ₂)	Ph(2-F,3-SO ₂ Me,4-CF ₂ CF ₂ H)
Ph(2-F,3-OCHF ₂ ,4-I)	Ph(2-F,3,4-di-OCF ₂ CF ₂ H)	Ph(2-F,3-SO ₂ Me,4-CF ₂ H)
Ph(2-F,3-OCHF ₂ ,4-Me)	Ph(2-F,3-OCF ₂ CF ₂ H,4-OC ₂ F ₅)	Ph(2-F,3-SO ₂ Me,4-OMe)
Ph(2-F,3-OCHF ₂ ,4-Et)	Ph(2-F,3-OCF ₂ CF ₂ H,4-SO ₂ Me)	Ph(2-F,3-SO ₂ Me,4-OCHF ₂)
Ph(2-F,3-OCHF ₂ ,4- <i>n</i> -Pr)	Ph(2-F,3-OCF ₂ CF ₂ H,4-TMS)	Ph(2-F,3-SO ₂ Me,4-OCF ₂ CF ₂ H)
Ph(2-F,3-OCHF ₂ ,4- <i>t</i> -Bu)	Ph(2-F,3-OCF ₂ CF ₂ H,4-CN)	Ph(2-F,3-SO ₂ Me,4-OC ₂ F ₅)
Ph(2-F,3-OCHF ₂ ,4- <i>i</i> -Pr)	Ph(2-F,3-OC ₂ F ₅ ,4-Cl)	Ph(2-F,3-TMS,4-Cl)
Ph(2-F,3-OCHF ₂ ,4- <i>c</i> -Pr)	Ph(2-F,3-OC ₂ F ₅ ,4-F)	Ph(2-F,3-TMS,4-F)
Ph(2-F,3-OCHF ₂ CF ₃ ,4-CF ₃)	Ph(2-F,3-OC ₂ F ₅ ,4-Br)	Ph(2-F,3-TMS,4-Br)
Ph(2-F,3-OC ₂ F ₅ ,4-C ₂ F ₅)	Ph(2-F,3-OC ₂ F ₅ ,4-I)	Ph(2-F,3-TMS,4-I)
Ph(2-F,3-OCHF ₂ ,4-CF ₂ CF ₂ H)	Ph(2-F,3-OC ₂ F ₅ ,4-Me)	Ph(2-F,3-TMS,4-Me)
Ph(2-F,3-OCHF ₂ ,4-CF ₂ H)	Ph(2-F,3-OC ₂ F ₅ ,4-Et)	Ph(2-F,3-TMS,4-Et)
Ph(2-F,3-OCHF ₂ ,4-OMe)	Ph(2-F,3-OC ₂ F ₅ ,4- <i>n</i> -Pr)	Ph(2-F,3-TMS,4- <i>n</i> -Pr)
Ph(2-F,3-OCHF ₂ ,4-OCF ₃)	Ph(2-F,3-OC ₂ F ₅ ,4- <i>t</i> -Bu)	Ph(2-F,3-TMS,4- <i>t</i> -Bu)
Ph(2-F,3,4-di-OCHF ₂)	Ph(2-F,3-OC ₂ F ₅ ,4- <i>i</i> -Pr)	Ph(2-F,3-TMS,4- <i>i</i> -Pr)
Ph(2-F,3-OCHF ₂ ,4-OCF ₂ CF ₂ H)	Ph(2-F,3-OC ₂ F ₅ ,4- <i>c</i> -Pr)	Ph(2-F,3-TMS,4- <i>c</i> -Pr)
Ph(2-F,3-OCHF ₂ ,4-OC ₂ F ₅)	Ph(2-F,3-OC ₂ F ₅ CF ₃ ,4-CF ₃)	Ph(2-F,3-TMS,4-CF ₃)
Ph(2-F,3-OCHF ₂ ,4-SO ₂ Me)	Ph(2-F,3-OC ₂ F ₅ ,4-CF ₂ CF ₂ H)	Ph(2-F,3-TMS,4-C ₂ F ₅)
Ph(2-F,3-OCHF ₂ ,4-TMS)	Ph(2-F,3-OC ₂ F ₅ ,4-CF ₂ H)	Ph(2-F,3-TMS,4-CF ₂ CF ₂ H)
Ph(2-F,3-OCHF ₂ ,4-CN)	Ph(2-F,3-OC ₂ F ₅ ,4-OMe)	Ph(2-F,3-TMS,4-CF ₂ H)
Ph(2-F,3-OCF ₂ CF ₂ H,4-Cl)	Ph(2-F,3-OC ₂ F ₅ ,4-OCF ₃)	Ph(2-F,3-TMS,4-OMe)
Ph(2-F,3-OCF ₂ CF ₂ H,4-F)	Ph(2-F,3-OC ₂ F ₅ ,4-OCHF ₂)	Ph(2-F,3-TMS,4-OCF ₃)
Ph(2-F,3-OCF ₂ CF ₂ H,4-Br)	Ph(2-F,3-OC ₂ F ₅ ,4-OCF ₂ CF ₂ H)	Ph(2-F,3-TMS,4-OCHF ₂)
Ph(2-F,3-OCF ₂ CF ₂ H,4-I)	Ph(2-F,3,4-di-OC ₂ F ₅)	Ph(2-F,3-TMS,4-OCF ₂ CF ₂ H)
Ph(2-F,3-OCF ₂ CF ₂ H,4-Me)	Ph(2-F,3-OC ₂ F ₅ ,4-SO ₂ Me)	Ph(2-F,3-TMS,4-OC ₂ F ₅)
Ph(2-F,3-OCF ₂ CF ₂ H,4-Et)	Ph(2-F,3-OC ₂ F ₅ ,4-TMS)	Ph(2-F,3-TMS,4-SO ₂ Me)
Ph(2-F,3-OCF ₂ CF ₂ H,4- <i>n</i> -Pr)	Ph(2-F,3-OC ₂ F ₅ ,4-CN)	Ph(2-F,3,4-di-TMS)
Ph(2-F,3-OCF ₂ CF ₂ H,4- <i>t</i> -Bu)	Ph(2-F,3-SO ₂ Me,4-Cl)	Ph(2-F,3-TMS,4-CN)
Ph(2-F,3-OCF ₂ CF ₂ H,4- <i>i</i> -Pr)	Ph(2-F,3-SO ₂ Me,4-Br)	Ph(2-F,3-CN,4-F)
Ph(2-F,3-OCF ₂ CF ₂ H,4- <i>c</i> -Pr)	Ph(2-F,3-SO ₂ Me,4-I)	Ph(2-F,3-CN,4-Br)
Ph(2-F,3-OCF ₂ CF ₂ H,4-CF ₃)	Ph(2-F,3-SO ₂ Me,4-Me)	Ph(2-F,3-CN,4-I)
Ph(2-F,3-OCF ₂ CF ₂ H,4-C ₂ F ₅)	Ph(2-F,3-SO ₂ Me,4-Et)	Ph(2-F,3-CN,4-Me)
Ph(2-F,3-OCF ₂ CF ₂ H,4- CF ₂ CF ₂ H)	Ph(2-F,3-SO ₂ Me,4- <i>n</i> -Pr)	Ph(2-F,3-CN,4-Et)
Ph(2-F,3-OCF ₂ CF ₂ H,4-CF ₂ H)	Ph(2-F,3-SO ₂ Me,4- <i>t</i> -Bu)	Ph(2-F,3-CN,4- <i>n</i> -Pr)
Ph(2-F,3-OCF ₂ CF ₂ H,4-OMe)	Ph(2-F,3-SO ₂ Me,4- <i>i</i> -Pr)	Ph(2-F,3-CN,4- <i>t</i> -Bu)
	Ph(2-F,3-SO ₂ MeCF ₃ ,4-CF ₃)	Ph(2-F,3-CN,4- <i>i</i> -Pr)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-CN,4- <i>c</i> -Pr)	Ph(2-F,3-F,5-I)	Ph(2-F,3-Br,5-OC ₂ F ₅)
Ph(2-F,3-CN,4-CF ₃)	Ph(2-F,3-F,5-Me)	Ph(2-F,3-Br,5-SO ₂ Me)
Ph(2-F,3-CN,4-C ₂ F ₅)	Ph(2-F,3-F,5-Et)	Ph(2-F,3-Br,5-TMS)
Ph(2-F,3-CN,4-CF ₂ CF ₂ H)	Ph(2-F,3-F,5- <i>n</i> -Pr)	Ph(2-F,3-Br,5-CN)
Ph(2-F,3-CN,4-CF ₂ H)	Ph(2-F,3-F,5- <i>t</i> -Bu)	Ph(2-F,3-I,5-Cl)
Ph(2-F,3-CN,4-OMe)	Ph(2-F,3-F,5- <i>i</i> -Pr)	Ph(2-F,3-I,5-F)
Ph(2-F,3-CN,4-OCF ₃)	Ph(2-F,3-F,5- <i>c</i> -Pr)	Ph(2-F,3-I,5-Br)
Ph(2-F,3-CN,4-OCHF ₂)	Ph(2-F,3-F,5-CF ₃)	Ph(2-F,3,5-di-I)
Ph(2-F,3-CN,4-OCF ₂ CF ₂ H)	Ph(2-F,3-F,5-C ₂ F ₅)	Ph(2-F,3-I,5-Me)
Ph(2-F,3-CN,4-OC ₂ F ₅)	Ph(2-F,3-F,5-CF ₂ CF ₂ H)	Ph(2-F,3-I,5-Et)
Ph(2-F,3-CN,4-TMS)	Ph(2-F,3-F,5-CF ₂ H)	Ph(2-F,3-I,5- <i>n</i> -Pr)
Ph(2-F,3,4-di-CN)	Ph(2-F,3-F,5-OMe)	Ph(2-F,3-I,5- <i>t</i> -Bu)
Ph(2-F,3,5-di-Cl)	Ph(2-F,3-F,5-OCF ₃)	Ph(2-F,3-I,5- <i>i</i> -Pr)
Ph(2-F,3-Cl,5-F)	Ph(2-F,3-F,5-OCHF ₂)	Ph(2-F,3-I,5- <i>c</i> -Pr)
Ph(2-F,3-Cl,5-Br)	Ph(2-F,3-F,5-OCF ₂ CF ₂ H)	Ph(2-F,3-I,5-CF ₃)
Ph(2-F,3-Cl,5-I)	Ph(2-F,3-F,5-OC ₂ F ₅)	Ph(2-F,3-I,5-C ₂ F ₅)
Ph(2-F,3-Cl,5-Me)	Ph(2-F,3-F,5-SO ₂ Me)	Ph(2-F,3-I,5-CF ₂ CF ₂ H)
Ph(2-F,3-Cl,5-Et)	Ph(2-F,3-F,5-TMS)	Ph(2-F,3-I,5-CF ₂ H)
Ph(2-F,3-Cl,5- <i>n</i> -Pr)	Ph(2-F,3-F,5-CN)	Ph(2-F,3-I,5-OMe)
Ph(2-F,3-Cl,5- <i>t</i> -Bu)	Ph(2-F,3-Br,5-Cl)	Ph(2-F,3-I,5-OCF ₃)
Ph(2-F,3-Cl,5- <i>i</i> -Pr)	Ph(2-F,3-Br,5-F)	Ph(2-F,3-I,5-OCHF ₂)
Ph(2-F,3-Cl,5- <i>c</i> -Pr)	Ph(2-F,3,5-di-Br)	Ph(2-F,3-I,5-OCF ₂ CF ₂ H)
Ph(2-F,3-Cl,5-CF ₃)	Ph(2-F,3-Br,5-I)	Ph(2-F,3-I,5-OC ₂ F ₅)
Ph(2-F,3-Cl,5-C ₂ F ₅)	Ph(2-F,3-Br,5-Me)	Ph(2-F,3-I,5-SO ₂ Me)
Ph(2-F,3-Cl,5-CF ₂ CF ₂ H)	Ph(2-F,3-Br,5-Et)	Ph(2-F,3-I,5-TMS)
Ph(2-F,3-Cl,5-CF ₂ H)	Ph(2-F,3-Br,5- <i>n</i> -Pr)	Ph(2-F,3-I,5-CN)
Ph(2-F,3-Cl,5-OMe)	Ph(2-F,3-Br,5- <i>t</i> -Bu)	Ph(2-F,3-Me,5-Cl)
Ph(2-F,3-Cl,5-OCF ₃)	Ph(2-F,3-Br,5- <i>i</i> -Pr)	Ph(2-F,3-Me,5-F)
Ph(2-F,3-Cl,5-OCHF ₂)	Ph(2-F,3-Br,5- <i>c</i> -Pr)	Ph(2-F,3-Me,5-Br)
Ph(2-F,3-Cl,5-OCF ₂ CF ₂ H)	Ph(2-F,3-Br,5-CF ₃)	Ph(2-F,3-Me,5-I)
Ph(2-F,3-Cl,5-OC ₂ F ₅)	Ph(2-F,3-Br,5-C ₂ F ₅)	Ph(2-F,3,5-di-Me)
Ph(2-F,3-Cl,5-SO ₂ Me)	Ph(2-F,3-Br,5-CF ₂ CF ₂ H)	Ph(2-F,3-Me,5-Et)
Ph(2-F,3-Cl,5-TMS)	Ph(2-F,3-Br,5-CF ₂ H)	Ph(2-F,3-Me,5- <i>n</i> -Pr)
Ph(2-F,3-Cl,5-CN)	Ph(2-F,3-Br,5-OMe)	Ph(2-F,3-Me,5- <i>t</i> -Bu)
Ph(2-F,3-F,5-Cl)	Ph(2-F,3-Br,5-OCF ₃)	Ph(2-F,3-Me,5- <i>i</i> -Pr)
Ph(2,3,5-tri-F)	Ph(2-F,3-Br,5-OCHF ₂)	Ph(2-F,3-Me,5- <i>c</i> -Pr)
Ph(2-F,3-F,5-Br)	Ph(2-F,3-Br,5-OCF ₂ CF ₂ H)	Ph(2-F,3-Me,5-CF ₃)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-Me,5-C ₂ F ₅)	Ph(2-F,3- <i>n</i> -Pr,5-Me)	Ph(2-F,3- <i>t</i> -Bu,5-SO ₂ Me)
Ph(2-F,3-Me,5-CF ₂ CF ₂ H)	Ph(2-F,3- <i>n</i> -Pr,5-Et)	Ph(2-F,3- <i>t</i> -Bu,5-TMS)
Ph(2-F,3-Me,5-CF ₂ H)	Ph(2-F,3,5-di- <i>n</i> -Pr)	Ph(2-F,3- <i>t</i> -Bu,5-CN)
Ph(2-F,3-Me,5-OMe)	Ph(2-F,3- <i>n</i> -Pr,5- <i>t</i> -Bu)	Ph(2-F,3- <i>i</i> -Pr,5-Cl)
Ph(2-F,3-Me,5-OCF ₃)	Ph(2-F,3- <i>n</i> -Pr,5- <i>i</i> -Pr)	Ph(2-F,3- <i>i</i> -Pr,5-F)
Ph(2-F,3-Me,5-OCHF ₂)	Ph(2-F,3- <i>n</i> -Pr,5- <i>c</i> -Pr)	Ph(2-F,3- <i>i</i> -Pr,5-Br)
Ph(2-F,3-Me,5-OCF ₂ CF ₂ H)	Ph(2-F,3- <i>n</i> -Pr,5-CF ₃)	Ph(2-F,3- <i>i</i> -Pr,5-I)
Ph(2-F,3-Me,5-OC ₂ F ₅)	Ph(2-F,3- <i>n</i> -Pr,5-C ₂ F ₅)	Ph(2-F,3- <i>i</i> -Pr,5-Me)
Ph(2-F,3-Me,5-SO ₂ Me)	Ph(2-F,3- <i>n</i> -Pr,5-CF ₂ CF ₂ H)	Ph(2-F,3- <i>i</i> -Pr,5-Et)
Ph(2-F,3-Me,5-TMS)	Ph(2-F,3- <i>n</i> -Pr,5-CF ₂ H)	Ph(2-F,3- <i>i</i> -Pr,5- <i>n</i> -Pr)
Ph(2-F,3-Me,5-CN)	Ph(2-F,3- <i>n</i> -Pr,5-OMe)	Ph(2-F,3- <i>i</i> -Pr,5- <i>t</i> -Bu)
Ph(2-F,3-Et,5-Cl)	Ph(2-F,3- <i>n</i> -Pr,5-OCF ₃)	Ph(2-F,3,5-di- <i>i</i> -Pr)
Ph(2-F,3-Et,5-F)	Ph(2-F,3- <i>n</i> -Pr,5-OCHF ₂)	Ph(2-F,3- <i>i</i> -Pr,5- <i>c</i> -Pr)
Ph(2-F,3-Et,5-Br)	Ph(2-F,3- <i>n</i> -Pr,5-OCF ₂ CF ₂ H)	Ph(2-F,3- <i>i</i> -Pr,5-CF ₃)
Ph(2-F,3-Et,5-I)	Ph(2-F,3- <i>n</i> -Pr,5-OC ₂ F ₅)	Ph(2-F,3- <i>i</i> -Pr,5-C ₂ F ₅)
Ph(2-F,3-Et,5-Me)	Ph(2-F,3- <i>n</i> -Pr,5-SO ₂ Me)	Ph(2-F,3- <i>i</i> -Pr,5-CF ₂ CF ₂ H)
Ph(2-F,3,5-di-Et)	Ph(2-F,3- <i>n</i> -Pr,5-TMS)	Ph(2-F,3- <i>i</i> -Pr,5-CF ₂ H)
Ph(2-F,3-Et,5- <i>n</i> -Pr)	Ph(2-F,3- <i>n</i> -Pr,5-CN)	Ph(2-F,3- <i>i</i> -Pr,5-OMe)
Ph(2-F,3-Et,5- <i>t</i> -Bu)	Ph(2-F,3- <i>t</i> -Bu,5-Cl)	Ph(2-F,3- <i>i</i> -Pr,5-OCF ₃)
Ph(2-F,3-Et,5- <i>i</i> -Pr)	Ph(2-F,3- <i>t</i> -Bu,5-F)	Ph(2-F,3- <i>i</i> -Pr,5-OCHF ₂)
Ph(2-F,3-Et,5- <i>c</i> -Pr)	Ph(2-F,3- <i>t</i> -Bu,5-Br)	Ph(2-F,3- <i>i</i> -Pr,5-OCF ₂ CF ₂ H)
Ph(2-F,3-Et,5-CF ₃)	Ph(2-F,3- <i>t</i> -Bu,5-I)	Ph(2-F,3- <i>i</i> -Pr,5-OC ₂ F ₅)
Ph(2-F,3-Et,5-C ₂ F ₅)	Ph(2-F,3- <i>t</i> -Bu,5-Me)	Ph(2-F,3- <i>i</i> -Pr,5-SO ₂ Me)
Ph(2-F,3-Et,5-CF ₂ CF ₂ H)	Ph(2-F,3- <i>t</i> -Bu,5-Et)	Ph(2-F,3- <i>i</i> -Pr,5-TMS)
Ph(2-F,3-Et,5-CF ₂ H)	Ph(2-F,3- <i>t</i> -Bu,5- <i>n</i> -Pr)	Ph(2-F,3- <i>i</i> -Pr,5-CN)
Ph(2-F,3-Et,5-OMe)	Ph(2-F,3,5-di- <i>t</i> -Bu)	Ph(2-F,3- <i>c</i> -Pr,5-Cl)
Ph(2-F,3-Et,5-OCF ₃)	Ph(2-F,3- <i>t</i> -Bu,5- <i>i</i> -Pr)	Ph(2-F,3- <i>c</i> -Pr,5-F)
Ph(2-F,3-Et,5-OCHF ₂)	Ph(2-F,3- <i>t</i> -Bu,5- <i>c</i> -Pr)	Ph(2-F,3- <i>c</i> -Pr,5-Br)
Ph(2-F,3-Et,5-OCF ₂ CF ₂ H)	Ph(2-F,3- <i>t</i> -Bu,5-CF ₃)	Ph(2-F,3- <i>c</i> -Pr,5-I)
Ph(2-F,3-Et,5-OC ₂ F ₅)	Ph(2-F,3- <i>t</i> -Bu,5-C ₂ F ₅)	Ph(2-F,3- <i>c</i> -Pr,5-Me)
Ph(2-F,3-Et,5-SO ₂ Me)	Ph(2-F,3- <i>t</i> -Bu,5-CF ₂ CF ₂ H)	Ph(2-F,3- <i>c</i> -Pr,5-Et)
Ph(2-F,3-Et,5-TMS)	Ph(2-F,3- <i>t</i> -Bu,5-CF ₂ H)	Ph(2-F,3- <i>c</i> -Pr,5- <i>n</i> -Pr)
Ph(2-F,3-Et,5-CN)	Ph(2-F,3- <i>t</i> -Bu,5-OMe)	Ph(2-F,3- <i>c</i> -Pr,5- <i>t</i> -Bu)
Ph(2-F,3- <i>n</i> -Pr,5-Cl)	Ph(2-F,3- <i>t</i> -Bu,5-OCF ₃)	Ph(2-F,3- <i>c</i> -Pr,5- <i>i</i> -Pr)
Ph(2-F,3- <i>n</i> -Pr,5-F)	Ph(2-F,3- <i>t</i> -Bu,5-OCHF ₂)	Ph(2-F,3,5-di- <i>c</i> -Pr)
Ph(2-F,3- <i>n</i> -Pr,5-Br)	Ph(2-F,3- <i>t</i> -Bu,5-OCF ₂ CF ₂ H)	Ph(2-F,3- <i>c</i> -Pr,5-CF ₃)
Ph(2-F,3- <i>n</i> -Pr,5-I)	Ph(2-F,3- <i>t</i> -Bu,5-OC ₂ F ₅)	Ph(2-F,3- <i>c</i> -Pr,5-C ₂ F ₅)

Q ¹	Q ¹	Q ¹
Ph(2-F,3- <i>c</i> -Pr,5-CF ₂ CF ₂ H)	Ph(2-F,3-C ₂ F ₅ ,5-Et)	Ph(2-F,3-CF ₂ CF ₂ H,5-SO ₂ Me)
Ph(2-F,3- <i>c</i> -Pr,5-CF ₂ H)	Ph(2-F,3-C ₂ F ₅ ,5- <i>n</i> -Pr)	Ph(2-F,3-CF ₂ CF ₂ H,5-TMS)
Ph(2-F,3- <i>c</i> -Pr,5-OMe)	Ph(2-F,3-C ₂ F ₅ ,5- <i>t</i> -Bu)	Ph(2-F,3-CF ₂ CF ₂ H,5-CN)
Ph(2-F,3- <i>c</i> -Pr,5-OCF ₃)	Ph(2-F,3-C ₂ F ₅ ,5- <i>i</i> -Pr)	Ph(2-F,3-CF ₂ H,5-Cl)
Ph(2-F,3- <i>c</i> -Pr,5-OCHF ₂)	Ph(2-F,3-C ₂ F ₅ ,5- <i>c</i> -Pr)	Ph(2-F,3-CF ₂ H,5-F)
Ph(2-F,3- <i>c</i> -Pr,5-OCF ₂ CF ₂ H)	Ph(2-F,3-C ₂ F ₅ CF ₃ ,5-CF ₃)	Ph(2-F,3-CF ₂ H,5-Br)
Ph(2-F,3- <i>c</i> -Pr,5-OC ₂ F ₅)	Ph(2-F,3,5-di-C ₂ F ₅)	Ph(2-F,3-CF ₂ H,5-I)
Ph(2-F,3- <i>c</i> -Pr,5-SO ₂ Me)	Ph(2-F,3-C ₂ F ₅ ,5-CF ₂ CF ₂ H)	Ph(2-F,3-CF ₂ H,5-Me)
Ph(2-F,3- <i>c</i> -Pr,5-TMS)	Ph(2-F,3-C ₂ F ₅ ,5-CF ₂ H)	Ph(2-F,3-CF ₂ H,5-Et)
Ph(2-F,3- <i>c</i> -Pr,5-CN)	Ph(2-F,3-C ₂ F ₅ ,5-OMe)	Ph(2-F,3-CF ₂ H,5- <i>n</i> -Pr)
Ph(2-F,3-CF ₃ ,5-Cl)	Ph(2-F,3-C ₂ F ₅ ,5-OCF ₃)	Ph(2-F,3-CF ₂ H,5- <i>t</i> -Bu)
Ph(2-F,3-CF ₃ ,5-F)	Ph(2-F,3-C ₂ F ₅ ,5-OCHF ₂)	Ph(2-F,3-CF ₂ H,5- <i>i</i> -Pr)
Ph(2-F,3-CF ₃ ,5-Br)	Ph(2-F,3-C ₂ F ₅ ,5-OCF ₂ CF ₂ H)	Ph(2-F,3-CF ₂ H,5- <i>c</i> -Pr)
Ph(2-F,3-CF ₃ ,5-I)	Ph(2-F,3-C ₂ F ₅ ,5-OC ₂ F ₅)	Ph(2-F,3-CF ₂ H,5-CF ₃)
Ph(2-F,3-CF ₃ ,5-Me)	Ph(2-F,3-C ₂ F ₅ ,5-SO ₂ Me)	Ph(2-F,3-CF ₂ H,5-C ₂ F ₅)
Ph(2-F,3-CF ₃ ,5-Et)	Ph(2-F,3-C ₂ F ₅ ,5-TMS)	Ph(2-F,3-CF ₂ H,5-CF ₂ CF ₂ H)
Ph(2-F,3-CF ₃ ,5- <i>n</i> -Pr)	Ph(2-F,3-C ₂ F ₅ ,5-CN)	Ph(2-F,3,5-di-CF ₂ H)
Ph(2-F,3-CF ₃ ,5- <i>t</i> -Bu)	Ph(2-F,3-CF ₂ CF ₂ H,5-Cl)	Ph(2-F,3-CF ₂ H,5-OMe)
Ph(2-F,3-CF ₃ ,5- <i>i</i> -Pr)	Ph(2-F,3-CF ₂ CF ₂ H,5-F)	Ph(2-F,3-CF ₂ H,5-OCF ₃)
Ph(2-F,3-CF ₃ ,5- <i>c</i> -Pr)	Ph(2-F,3-CF ₂ CF ₂ H,5-Br)	Ph(2-F,3-CF ₂ H,5-OCHF ₂)
Ph(2-F,3,5-di-CF ₃)	Ph(2-F,3-CF ₂ CF ₂ H,5-I)	Ph(2-F,3-CF ₂ H,5-OCF ₂ CF ₂ H)
Ph(2-F,3-CF ₃ ,5-C ₂ F ₅)	Ph(2-F,3-CF ₂ CF ₂ H,5-Me)	Ph(2-F,3-CF ₂ H,5-OC ₂ F ₅)
Ph(2-F,3-CF ₃ ,5-CF ₂ CF ₂ H)	Ph(2-F,3-CF ₂ CF ₂ H,5-Et)	Ph(2-F,3-CF ₂ H,5-SO ₂ Me)
Ph(2-F,3-CF ₃ ,5-CF ₂ H)	Ph(2-F,3-CF ₂ CF ₂ H,5- <i>n</i> -Pr)	Ph(2-F,3-CF ₂ H,5-TMS)
Ph(2-F,3-CF ₃ ,5-OMe)	Ph(2-F,3-CF ₂ CF ₂ H,5- <i>t</i> -Bu)	Ph(2-F,3-CF ₂ H,5-CN)
Ph(2-F,3-CF ₃ ,5-OCF ₃)	Ph(2-F,3-CF ₂ CF ₂ H,5- <i>i</i> -Pr)	Ph(2-F,3-OMe,5-Cl)
Ph(2-F,3-CF ₃ ,5-OCHF ₂)	Ph(2-F,3-CF ₂ CF ₂ H,5- <i>c</i> -Pr)	Ph(2-F,3-OMe,5-F)
Ph(2-F,3-CF ₃ ,5-OCF ₂ CF ₂ H)	Ph(2-F,3-CF ₂ CF ₂ H,5-CF ₃)	Ph(2-F,3-OMe,5-Br)
Ph(2-F,3-CF ₃ ,5-OC ₂ F ₅)	Ph(2-F,3-CF ₂ CF ₂ H,5-C ₂ F ₅)	Ph(2-F,3-OMe,5-I)
Ph(2-F,3-CF ₃ ,5-SO ₂ Me)	Ph(2-F,3,5-di-CF ₂ CF ₂ H)	Ph(2-F,3-OMe,5-Me)
Ph(2-F,3-CF ₃ ,5-TMS)	Ph(2-F,3-CF ₂ CF ₂ H,5-CF ₂ H)	Ph(2-F,3-OMe,5-Et)
Ph(2-F,3-CF ₃ ,5-CN)	Ph(2-F,3-CF ₂ CF ₂ H,5-OMe)	Ph(2-F,3-OMe,5- <i>n</i> -Pr)
Ph(2-F,3-C ₂ F ₅ ,5-Cl)	Ph(2-F,3-CF ₂ CF ₂ H,5-OCF ₃)	Ph(2-F,3-OMe,5- <i>t</i> -Bu)
Ph(2-F,3-C ₂ F ₅ ,5-F)	Ph(2-F,3-CF ₂ CF ₂ H,5-OCHF ₂)	Ph(2-F,3-OMe,5- <i>i</i> -Pr)
Ph(2-F,3-C ₂ F ₅ ,5-Br)	Ph(2-F,3-CF ₂ CF ₂ H,5-	Ph(2-F,3-OMe,5- <i>c</i> -Pr)
Ph(2-F,3-C ₂ F ₅ ,5-I)	OCF ₂ CF ₂ H)	Ph(2-F,3-OMe,5-CF ₃)
Ph(2-F,3-C ₂ F ₅ ,5-Me)	Ph(2-F,3-CF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(2-F,3-OMe,5-C ₂ F ₅)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-OMe,5-CF ₂ CF ₂ H)	Ph(2-F,3-OCHF ₂ ,5-Et)	Ph(2-F,3-OCF ₂ CF ₂ H,5-SO ₂ Me)
Ph(2-F,3-OMe,5-CF ₂ H)	Ph(2-F,3-OCHF ₂ ,5- <i>n</i> -Pr)	Ph(2-F,3-OCF ₂ CF ₂ H,5-TMS)
Ph(2-F,3,5-di-OMe)	Ph(2-F,3-OCHF ₂ ,5- <i>t</i> -Bu)	Ph(2-F,3-OCF ₂ CF ₂ H,5-CN)
Ph(2-F,3-OMe,5-OCF ₃)	Ph(2-F,3-OCHF ₂ ,5- <i>i</i> -Pr)	Ph(2-F,3-OC ₂ F ₅ ,5-Cl)
Ph(2-F,3-OMe,5-OCHF ₂)	Ph(2-F,3-OCHF ₂ ,5- <i>c</i> -Pr)	Ph(2-F,3-OC ₂ F ₅ ,5-F)
Ph(2-F,3-OMe,5-OCF ₂ CF ₂ H)	Ph(2-F,3-OCHF ₂ CF ₃ ,5-CF ₃)	Ph(2-F,3-OC ₂ F ₅ ,5-Br)
Ph(2-F,3-OMe,5-OC ₂ F ₅)	Ph(2-F,3-OC ₂ F ₅ ,5-C ₂ F ₅)	Ph(2-F,3-OC ₂ F ₅ ,5-I)
Ph(2-F,3-OMe,5-SO ₂ Me)	Ph(2-F,3-OCHF ₂ ,5-CF ₂ CF ₂ H)	Ph(2-F,3-OC ₂ F ₅ ,5-Me)
Ph(2-F,3-OMe,5-TMS)	Ph(2-F,3-OCHF ₂ ,5-CF ₂ H)	Ph(2-F,3-OC ₂ F ₅ ,5-Et)
Ph(2-F,3-OMe,5-CN)	Ph(2-F,3-OCHF ₂ ,5-OMe)	Ph(2-F,3-OC ₂ F ₅ ,5- <i>n</i> -Pr)
Ph(2-F,3-OCF ₃ ,5-Cl)	Ph(2-F,3-OCHF ₂ ,5-OCF ₃)	Ph(2-F,3-OC ₂ F ₅ ,5- <i>t</i> -Bu)
Ph(2-F,3-OCF ₃ ,5-F)	Ph(2-F,3,5-di-OCHF ₂)	Ph(2-F,3-OC ₂ F ₅ ,5- <i>i</i> -Pr)
Ph(2-F,3-OCF ₃ ,5-Br)	Ph(2-F,3-OCHF ₂ ,5-OCF ₂ CF ₂ H)	Ph(2-F,3-OC ₂ F ₅ ,5- <i>c</i> -Pr)
Ph(2-F,3-OCF ₃ ,5-I)	Ph(2-F,3-OCHF ₂ ,5-OC ₂ F ₅)	Ph(2-F,3-OC ₂ F ₅ CF ₃ ,5-CF ₃)
Ph(2-F,3-OCF ₃ ,5-Me)	Ph(2-F,3-OCHF ₂ ,5-SO ₂ Me)	Ph(2-F,3-OC ₂ F ₅ ,5-CF ₂ CF ₂ H)
Ph(2-F,3-OCF ₃ ,5-Et)	Ph(2-F,3-OCHF ₂ ,5-TMS)	Ph(2-F,3-OC ₂ F ₅ ,5-CF ₂ H)
Ph(2-F,3-OCF ₃ ,5- <i>n</i> -Pr)	Ph(2-F,3-OCHF ₂ ,5-CN)	Ph(2-F,3-OC ₂ F ₅ ,5-OMe)
Ph(2-F,3-OCF ₃ ,5- <i>t</i> -Bu)	Ph(2-F,3-OCF ₂ CF ₂ H,5-Cl)	Ph(2-F,3-OC ₂ F ₅ ,5-OCF ₃)
Ph(2-F,3-OCF ₃ ,5- <i>i</i> -Pr)	Ph(2-F,3-OCF ₂ CF ₂ H,5-F)	Ph(2-F,3-OC ₂ F ₅ ,5-OCHF ₂)
Ph(2-F,3-OCF ₃ ,5- <i>c</i> -Pr)	Ph(2-F,3-OCF ₂ CF ₂ H,5-Br)	Ph(2-F,3-OC ₂ F ₅ ,5-OCF ₂ CF ₂ H)
Ph(2-F,3-OCF ₃ ,5-CF ₃)	Ph(2-F,3-OCF ₂ CF ₂ H,5-I)	Ph(2-F,3,5-di-OC ₂ F ₅)
Ph(2-F,3-OCF ₃ ,5-C ₂ F ₅)	Ph(2-F,3-OCF ₂ CF ₂ H,5-Me)	Ph(2-F,3-OC ₂ F ₅ ,5-SO ₂ Me)
Ph(2-F,3-OCF ₃ ,5-CF ₂ CF ₂ H)	Ph(2-F,3-OCF ₂ CF ₂ H,5-Et)	Ph(2-F,3-OC ₂ F ₅ ,5-TMS)
Ph(2-F,3-OCF ₃ ,5-CF ₂ H)	Ph(2-F,3-OCF ₂ CF ₂ H,5- <i>n</i> -Pr)	Ph(2-F,3-OC ₂ F ₅ ,5-CN)
Ph(2-F,3-OCF ₃ ,5-OMe)	Ph(2-F,3-OCF ₂ CF ₂ H,5- <i>t</i> -Bu)	Ph(2-F,3-SO ₂ Me,5-Cl)
Ph(2-F,3,5-di-OCF ₃)	Ph(2-F,3-OCF ₂ CF ₂ H,5- <i>i</i> -Pr)	Ph(2-F,3-SO ₂ Me,5-F)
Ph(2-F,3-OCF ₃ ,5-OCHF ₂)	Ph(2-F,3-OCF ₂ CF ₂ H,5- <i>c</i> -Pr)	Ph(2-F,3-SO ₂ Me,5-Br)
Ph(2-F,3-OCF ₃ ,5-OCF ₂ CF ₂ H)	Ph(2-F,3-OCF ₂ CF ₂ H,5-CF ₃)	Ph(2-F,3-SO ₂ Me,5-I)
Ph(2-F,3-OCF ₃ ,5-OC ₂ F ₅)	Ph(2-F,3-OCF ₂ CF ₂ H,5-C ₂ F ₅)	Ph(2-F,3-SO ₂ Me,5-Me)
Ph(2-F,3-OCF ₃ ,5-SO ₂ Me)	Ph(2-F,3-OCF ₂ CF ₂ H,5-	Ph(2-F,3-SO ₂ Me,5-Et)
Ph(2-F,3-OCF ₃ ,5-TMS)	CF ₂ CF ₂ H)	Ph(2-F,3-SO ₂ Me,5- <i>n</i> -Pr)
Ph(2-F,3-OCF ₃ ,5-CN)	Ph(2-F,3-OCF ₂ CF ₂ H,5-CF ₂ H)	Ph(2-F,3-SO ₂ Me,5- <i>t</i> -Bu)
Ph(2-F,3-OCHF ₂ ,5-Cl)	Ph(2-F,3-OCF ₂ CF ₂ H,5-OMe)	Ph(2-F,3-SO ₂ Me,5- <i>i</i> -Pr)
Ph(2-F,3-OCHF ₂ ,5-F)	Ph(2-F,3-OCF ₂ CF ₂ H,5-OCF ₃)	Ph(2-F,3-SO ₂ Me,5- <i>c</i> -Pr)
Ph(2-F,3-OCHF ₂ ,5-Br)	Ph(2-F,3-OCF ₂ CF ₂ H,5-OCHF ₂)	Ph(2-F,3-SO ₂ MeCF ₃ ,5-CF ₃)
Ph(2-F,3-OCHF ₂ ,5-I)	Ph(2-F,3,5-di-OCF ₂ CF ₂ H)	Ph(2-F,3-SO ₂ Me,5-C ₂ F ₅)
Ph(2-F,3-OCHF ₂ ,5-Me)	Ph(2-F,3-OCF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(2-F,3-SO ₂ Me,5-CF ₂ CF ₂ H)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-SO ₂ Me,5-CF ₂ H)	Ph(2-F,3-CN,5- <i>n</i> -Pr)	Ph(2-F,4-Cl,5-CN)
Ph(2-F,3-SO ₂ Me,5-OMe)	Ph(2-F,3-CN,5- <i>t</i> -Bu)	Ph(2-F,4-F,5-Cl)
Ph(2-F,3-SO ₂ Me,5-OCF ₃)	Ph(2-F,3-CN,5- <i>i</i> -Pr)	Ph(2,4,5-tri-F)
Ph(2-F,3-SO ₂ Me,5-OCHF ₂)	Ph(2-F,3-CN,5- <i>c</i> -Pr)	Ph(2-F,4-F,5-Br)
Ph(2-F,3-SO ₂ Me,5-OCF ₂ CF ₂ H)	Ph(2-F,3-CN,5-CF ₃)	Ph(2-F,4-F,5-I)
Ph(2-F,3-SO ₂ Me,5-OC ₂ F ₅)	Ph(2-F,3-CN,5-C ₂ F ₅)	Ph(2-F,4-F,5-Me)
Ph(2-F,3,5-di-SO ₂ Me)	Ph(2-F,3-CN,5-CF ₂ CF ₂ H)	Ph(2-F,4-F,5-Et)
Ph(2-F,3-SO ₂ Me,5-TMS)	Ph(2-F,3-CN,5-CF ₂ H)	Ph(2-F,4-F,5- <i>n</i> -Pr)
Ph(2-F,3-SO ₂ Me,5-CN)	Ph(2-F,3-CN,5-OMe)	Ph(2-F,4-F,5- <i>t</i> -Bu)
Ph(2-F,3-TMS,5-Cl)	Ph(2-F,3-CN,5-OCF ₃)	Ph(2-F,4-F,5- <i>i</i> -Pr)
Ph(2-F,3-TMS,5-F)	Ph(2-F,3-CN,5-OCHF ₂)	Ph(2-F,4-F,5- <i>c</i> -Pr)
Ph(2-F,3-TMS,5-Br)	Ph(2-F,3-CN,5-OCF ₂ CF ₂ H)	Ph(2-F,4-F,5-CF ₃)
Ph(2-F,3-TMS,5-I)	Ph(2-F,3-CN,5-OC ₂ F ₅)	Ph(2-F,4-F,5-C ₂ F ₅)
Ph(2-F,3-TMS,5-Me)	Ph(2-F,3-CN,5-SO ₂ Me)	Ph(2-F,4-F,5-CF ₂ CF ₂ H)
Ph(2-F,3-TMS,5-Et)	Ph(2-F,3-CN,5-TMS)	Ph(2-F,4-F,5-CF ₂ H)
Ph(2-F,3-TMS,5- <i>n</i> -Pr)	Ph(2-F,3,5-di-CN)	Ph(2-F,4-F,5-OMe)
Ph(2-F,3-TMS,5- <i>t</i> -Bu)	Ph(2-F,4,5-di-Cl)	Ph(2-F,4-F,5-OCF ₃)
Ph(2-F,3-TMS,5- <i>i</i> -Pr)	Ph(2-F,4-Cl,5-F)	Ph(2-F,4-F,5-OCHF ₂)
Ph(2-F,3-TMS,5- <i>c</i> -Pr)	Ph(2-F,4-Cl,5-Br)	Ph(2-F,4-F,5-OCF ₂ CF ₂ H)
Ph(2-F,3-TMS,5-CF ₃)	Ph(2-F,4-Cl,5-I)	Ph(2-F,4-F,5-OC ₂ F ₅)
Ph(2-F,3-TMS,5-C ₂ F ₅)	Ph(2-F,4-Cl,5-Me)	Ph(2-F,4-F,5-SO ₂ Me)
Ph(2-F,3-TMS,5-CF ₂ CF ₂ H)	Ph(2-F,4-Cl,5-Et)	Ph(2-F,4-F,5-TMS)
Ph(2-F,3-TMS,5-CF ₂ H)	Ph(2-F,4-Cl,5- <i>n</i> -Pr)	Ph(2-F,4-F,5-CN)
Ph(2-F,3-TMS,5-OMe)	Ph(2-F,4-Cl,5- <i>t</i> -Bu)	Ph(2-F,4-Br,5-Cl)
Ph(2-F,3-TMS,5-OCF ₃)	Ph(2-F,4-Cl,5- <i>i</i> -Pr)	Ph(2-F,4-Br,5-F)
Ph(2-F,3-TMS,5-OCHF ₂)	Ph(2-F,4-Cl,5- <i>c</i> -Pr)	Ph(2-F,4,5-di-Br)
Ph(2-F,3-TMS,5-OCF ₂ CF ₂ H)	Ph(2-F,4-Cl,5-CF ₃)	Ph(2-F,4-Br,5-I)
Ph(2-F,3-TMS,5-OC ₂ F ₅)	Ph(2-F,4-Cl,5-C ₂ F ₅)	Ph(2-F,4-Br,5-Me)
Ph(2-F,3-TMS,5-SO ₂ Me)	Ph(2-F,4-Cl,5-CF ₂ CF ₂ H)	Ph(2-F,4-Br,5-Et)
Ph(2-F,3,5-di-TMS)	Ph(2-F,4-Cl,5-CF ₂ H)	Ph(2-F,4-Br,5- <i>n</i> -Pr)
Ph(2-F,3-TMS,5-CN)	Ph(2-F,4-Cl,5-OMe)	Ph(2-F,4-Br,5- <i>t</i> -Bu)
Ph(2-F,3-CN,5-Cl)	Ph(2-F,4-Cl,5-OCF ₃)	Ph(2-F,4-Br,5- <i>i</i> -Pr)
Ph(2-F,3-CN,5-F)	Ph(2-F,4-Cl,5-OCHF ₂)	Ph(2-F,4-Br,5- <i>c</i> -Pr)
Ph(2-F,3-CN,5-Br)	Ph(2-F,4-Cl,5-OCF ₂ CF ₂ H)	Ph(2-F,4-Br,5-CF ₃)
Ph(2-F,3-CN,5-I)	Ph(2-F,4-Cl,5-OC ₂ F ₅)	Ph(2-F,4-Br,5-C ₂ F ₅)
Ph(2-F,3-CN,5-Me)	Ph(2-F,4-Cl,5-SO ₂ Me)	Ph(2-F,4-Br,5-CF ₂ CF ₂ H)
Ph(2-F,3-CN,5-Et)	Ph(2-F,4-Cl,5-TMS)	Ph(2-F,4-Br,5-CF ₂ H)

Q ¹	Q ¹	Q ¹
Ph(2-F,4-Br,5-OMe)	Ph(2-F,4-Me,5- <i>t</i> -Bu)	Ph(2-F,4- <i>n</i> -Pr,5-Cl)
Ph(2-F,4-Br,5-OCF ₃)	Ph(2-F,4-Me,5- <i>i</i> -Pr)	Ph(2-F,4- <i>n</i> -Pr,5-F)
Ph(2-F,4-Br,5-OCHF ₂)	Ph(2-F,4-Me,5- <i>c</i> -Pr)	Ph(2-F,4- <i>n</i> -Pr,5-Br)
Ph(2-F,4-Br,5-OCF ₂ CF ₂ H)	Ph(2-F,4-Me,5-CF ₃)	Ph(2-F,4- <i>n</i> -Pr,5-I)
Ph(2-F,4-Br,5-OC ₂ F ₅)	Ph(2-F,4-Me,5-C ₂ F ₅)	Ph(2-F,4- <i>n</i> -Pr,5-Me)
Ph(2-F,4-Br,5-SO ₂ Me)	Ph(2-F,4-Me,5-CF ₂ CF ₂ H)	Ph(2-F,4- <i>n</i> -Pr,5-Et)
Ph(2-F,4-Br,5-TMS)	Ph(2-F,4-Me,5-CF ₂ H)	Ph(2-F,4,5-di- <i>n</i> -Pr)
Ph(2-F,4-Br,5-CN)	Ph(2-F,4-Me,5-OMe)	Ph(2-F,4- <i>n</i> -Pr,5- <i>t</i> -Bu)
Ph(2-F,4-I,5-Cl)	Ph(2-F,4-Me,5-OCF ₃)	Ph(2-F,4- <i>n</i> -Pr,5- <i>i</i> -Pr)
Ph(2-F,4-I,5-F)	Ph(2-F,4-Me,5-OCHF ₂)	Ph(2-F,4- <i>n</i> -Pr,5- <i>c</i> -Pr)
Ph(2-F,4-I,5-Br)	Ph(2-F,4-Me,5-OCF ₂ CF ₂ H)	Ph(2-F,4- <i>n</i> -Pr,5-CF ₃)
Ph(2-F,4,5-di-I)	Ph(2-F,4-Me,5-OC ₂ F ₅)	Ph(2-F,4- <i>n</i> -Pr,5-C ₂ F ₅)
Ph(2-F,4-I,5-Me)	Ph(2-F,4-Me,5-SO ₂ Me)	Ph(2-F,4- <i>n</i> -Pr,5-CF ₂ CF ₂ H)
Ph(2-F,4-I,5-Et)	Ph(2-F,4-Me,5-TMS)	Ph(2-F,4- <i>n</i> -Pr,5-CF ₂ H)
Ph(2-F,4-I,5- <i>n</i> -Pr)	Ph(2-F,4-Me,5-CN)	Ph(2-F,4- <i>n</i> -Pr,5-OMe)
Ph(2-F,4-I,5- <i>t</i> -Bu)	Ph(2-F,4-Et,5-Cl)	Ph(2-F,4- <i>n</i> -Pr,5-OCF ₃)
Ph(2-F,4-I,5- <i>i</i> -Pr)	Ph(2-F,4-Et,5-F)	Ph(2-F,4- <i>n</i> -Pr,5-OCHF ₂)
Ph(2-F,4-I,5- <i>c</i> -Pr)	Ph(2-F,4-Et,5-Br)	Ph(2-F,4- <i>n</i> -Pr,5-OCF ₂ CF ₂ H)
Ph(2-F,4-I,5-CF ₃)	Ph(2-F,4-Et,5-I)	Ph(2-F,4- <i>n</i> -Pr,5-OC ₂ F ₅)
Ph(2-F,4-I,5-C ₂ F ₅)	Ph(2-F,4-Et,5-Me)	Ph(2-F,4- <i>n</i> -Pr,5-SO ₂ Me)
Ph(2-F,4-I,5-CF ₂ CF ₂ H)	Ph(2-F,4,5-di-Et)	Ph(2-F,4- <i>n</i> -Pr,5-TMS)
Ph(2-F,4-I,5-CF ₂ H)	Ph(2-F,4-Et,5- <i>n</i> -Pr)	Ph(2-F,4- <i>n</i> -Pr,5-CN)
Ph(2-F,4-I,5-OMe)	Ph(2-F,4-Et,5- <i>t</i> -Bu)	Ph(2-F,4- <i>t</i> -Bu,5-Cl)
Ph(2-F,4-I,5-OCF ₃)	Ph(2-F,4-Et,5- <i>i</i> -Pr)	Ph(2-F,4- <i>t</i> -Bu,5-F)
Ph(2-F,4-I,5-OCHF ₂)	Ph(2-F,4-Et,5- <i>c</i> -Pr)	Ph(2-F,4- <i>t</i> -Bu,5-Br)
Ph(2-F,4-I,5-OCF ₂ CF ₂ H)	Ph(2-F,4-Et,5-CF ₃)	Ph(2-F,4- <i>t</i> -Bu,5-I)
Ph(2-F,4-I,5-OC ₂ F ₅)	Ph(2-F,4-Et,5-C ₂ F ₅)	Ph(2-F,4- <i>t</i> -Bu,5-Me)
Ph(2-F,4-I,5-SO ₂ Me)	Ph(2-F,4-Et,5-CF ₂ CF ₂ H)	Ph(2-F,4- <i>t</i> -Bu,5-Et)
Ph(2-F,4-I,5-TMS)	Ph(2-F,4-Et,5-CF ₂ H)	Ph(2-F,4- <i>t</i> -Bu,5- <i>n</i> -Pr)
Ph(2-F,4-I,5-CN)	Ph(2-F,4-Et,5-OMe)	Ph(2-F,4,5-di- <i>t</i> -Bu)
Ph(2-F,4-Me,5-Cl)	Ph(2-F,4-Et,5-OCF ₃)	Ph(2-F,4- <i>t</i> -Bu,5- <i>i</i> -Pr)
Ph(2-F,4-Me,5-F)	Ph(2-F,4-Et,5-OCHF ₂)	Ph(2-F,4- <i>t</i> -Bu,5- <i>c</i> -Pr)
Ph(2-F,4-Me,5-Br)	Ph(2-F,4-Et,5-OCF ₂ CF ₂ H)	Ph(2-F,4- <i>t</i> -Bu,5-CF ₃)
Ph(2-F,4-Me,5-I)	Ph(2-F,4-Et,5-OC ₂ F ₅)	Ph(2-F,4- <i>t</i> -Bu,5-C ₂ F ₅)
Ph(2-F,4,5-di-Me)	Ph(2-F,4-Et,5-SO ₂ Me)	Ph(2-F,4- <i>t</i> -Bu,5-CF ₂ CF ₂ H)
Ph(2-F,4-Me,5-Et)	Ph(2-F,4-Et,5-TMS)	Ph(2-F,4- <i>t</i> -Bu,5-CF ₂ H)
Ph(2-F,4-Me,5- <i>n</i> -Pr)	Ph(2-F,4-Et,5-CN)	Ph(2-F,4- <i>t</i> -Bu,5-OMe)

Q ¹	Q ¹	Q ¹
Ph(2-F,4- <i>t</i> -Bu,5-OCF ₃)	Ph(2-F,4- <i>c</i> -Pr,5- <i>i</i> -Pr)	Ph(2-F,4-CF ₂ CF ₃ ,5-F)
Ph(2-F,4- <i>t</i> -Bu,5-OCHF ₂)	Ph(2-F,4,5-di- <i>c</i> -Pr)	Ph(2-F,4-CF ₂ CF ₃ ,5-Br)
Ph(2-F,4- <i>t</i> -Bu,5-OCF ₂ CF ₂ H)	Ph(2-F,4- <i>c</i> -Pr,5-CF ₃)	Ph(2-F,4-CF ₂ CF ₃ ,5-I)
Ph(2-F,4- <i>t</i> -Bu,5-OC ₂ F ₅)	Ph(2-F,4- <i>c</i> -Pr,5-C ₂ F ₅)	Ph(2-F,4-CF ₂ CF ₃ ,5-Me)
Ph(2-F,4- <i>t</i> -Bu,5-SO ₂ Me)	Ph(2-F,4- <i>c</i> -Pr,5-CF ₂ CF ₂ H)	Ph(2-F,4-CF ₂ CF ₃ ,5-Et)
Ph(2-F,4- <i>t</i> -Bu,5-TMS)	Ph(2-F,4- <i>c</i> -Pr,5-CF ₂ H)	Ph(2-F,4-CF ₂ CF ₃ ,5- <i>n</i> -Pr)
Ph(2-F,4- <i>t</i> -Bu,5-CN)	Ph(2-F,4- <i>c</i> -Pr,5-OMe)	Ph(2-F,4-CF ₂ CF ₃ ,5- <i>t</i> -Bu)
Ph(2-F,4- <i>i</i> -Pr,5-Cl)	Ph(2-F,4- <i>c</i> -Pr,5-OCF ₃)	Ph(2-F,4-CF ₂ CF ₃ ,5- <i>i</i> -Pr)
Ph(2-F,4- <i>i</i> -Pr,5-F)	Ph(2-F,4- <i>c</i> -Pr,5-OCHF ₂)	Ph(2-F,4-CF ₂ CF ₃ ,5- <i>c</i> -Pr)
Ph(2-F,4- <i>i</i> -Pr,5-Br)	Ph(2-F,4- <i>c</i> -Pr,5-OCF ₂ CF ₂ H)	Ph(2-F,4-C ₂ F ₅ CF ₃ ,5-CF ₃)
Ph(2-F,4- <i>i</i> -Pr,5-I)	Ph(2-F,4- <i>c</i> -Pr,5-OC ₂ F ₅)	Ph(2-F,4,5-di-C ₂ F ₅)
Ph(2-F,4- <i>i</i> -Pr,5-Me)	Ph(2-F,4- <i>c</i> -Pr,5-SO ₂ Me)	Ph(2-F,4-CF ₂ CF ₃ ,5-CF ₂ CF ₂ H)
Ph(2-F,4- <i>i</i> -Pr,5-Et)	Ph(2-F,4- <i>c</i> -Pr,5-TMS)	Ph(2-F,4-CF ₂ CF ₃ ,5-CF ₂ H)
Ph(2-F,4- <i>i</i> -Pr,5- <i>n</i> -Pr)	Ph(2-F,4- <i>c</i> -Pr,5-CN)	Ph(2-F,4-CF ₂ CF ₃ ,5-OMe)
Ph(2-F,4- <i>i</i> -Pr,5- <i>t</i> -Bu)	Ph(2-F,4-CF ₃ ,5-Cl)	Ph(2-F,4-CF ₂ CF ₃ ,5-OCF ₃)
Ph(2-F,4,5-di- <i>i</i> -Pr)	Ph(2-F,4-CF ₃ ,5-F)	Ph(2-F,4-CF ₂ CF ₃ ,5-OCHF ₂)
Ph(2-F,4- <i>i</i> -Pr,5- <i>c</i> -Pr)	Ph(2-F,4-CF ₃ ,5-Br)	Ph(2-F,4-CF ₂ CF ₃ ,5-OCF ₂ CF ₂ H)
Ph(2-F,4- <i>i</i> -Pr,5-CF ₃)	Ph(2-F,4-CF ₃ ,5-I)	Ph(2-F,4-CF ₂ CF ₃ ,5-OC ₂ F ₅)
Ph(2-F,4- <i>i</i> -Pr,5-C ₂ F ₅)	Ph(2-F,4-CF ₃ ,5-Me)	Ph(2-F,4-CF ₂ CF ₃ ,5-SO ₂ Me)
Ph(2-F,4- <i>i</i> -Pr,5-CF ₂ CF ₂ H)	Ph(2-F,4-CF ₃ ,5-Et)	Ph(2-F,4-CF ₂ CF ₃ ,5-TMS)
Ph(2-F,4- <i>i</i> -Pr,5-CF ₂ H)	Ph(2-F,4-CF ₃ ,5- <i>n</i> -Pr)	Ph(2-F,4-CF ₂ CF ₃ ,5-CN)
Ph(2-F,4- <i>i</i> -Pr,5-OMe)	Ph(2-F,4-CF ₃ ,5- <i>t</i> -Bu)	Ph(2-F,4-CF ₂ CF ₂ H,5-Cl)
Ph(2-F,4- <i>i</i> -Pr,5-OCF ₃)	Ph(2-F,4-CF ₃ ,5- <i>i</i> -Pr)	Ph(2-F,4-CF ₂ CF ₂ H,5-F)
Ph(2-F,4- <i>i</i> -Pr,5-OCHF ₂)	Ph(2-F,4-CF ₃ ,5- <i>c</i> -Pr)	Ph(2-F,4-CF ₂ CF ₂ H,5-Br)
Ph(2-F,4- <i>i</i> -Pr,5-OCF ₂ CF ₂ H)	Ph(2-F,4,5-di-CF ₃)	Ph(2-F,4-CF ₂ CF ₂ H,5-I)
Ph(2-F,4- <i>i</i> -Pr,5-OC ₂ F ₅)	Ph(2-F,4-CF ₃ ,5-C ₂ F ₅)	Ph(2-F,4-CF ₂ CF ₂ H,5-Me)
Ph(2-F,4- <i>i</i> -Pr,5-SO ₂ Me)	Ph(2-F,4-CF ₃ ,5-CF ₂ CF ₂ H)	Ph(2-F,4-CF ₂ CF ₂ H,5-Et)
Ph(2-F,4- <i>i</i> -Pr,5-TMS)	Ph(2-F,4-CF ₃ ,5-CF ₂ H)	Ph(2-F,4-CF ₂ CF ₂ H,5- <i>n</i> -Pr)
Ph(2-F,4- <i>i</i> -Pr,5-CN)	Ph(2-F,4-CF ₃ ,5-OMe)	Ph(2-F,4-CF ₂ CF ₂ H,5- <i>t</i> -Bu)
Ph(2-F,4- <i>c</i> -Pr,5-Cl)	Ph(2-F,4-CF ₃ ,5-OCF ₃)	Ph(2-F,4-CF ₂ CF ₂ H,5- <i>i</i> -Pr)
Ph(2-F,4- <i>c</i> -Pr,5-F)	Ph(2-F,4-CF ₃ ,5-OCHF ₂)	Ph(2-F,4-CF ₂ CF ₂ H,5- <i>c</i> -Pr)
Ph(2-F,4- <i>c</i> -Pr,5-Br)	Ph(2-F,4-CF ₃ ,5-OCF ₂ CF ₂ H)	Ph(2-F,4-CF ₂ CF ₂ CF ₃ H,5-CF ₃)
Ph(2-F,4- <i>c</i> -Pr,5-I)	Ph(2-F,4-CF ₃ ,5-OC ₂ F ₅)	Ph(2-F,4-CF ₂ CF ₂ H,5-C ₂ F ₅)
Ph(2-F,4- <i>c</i> -Pr,5-Me)	Ph(2-F,4-CF ₃ ,5-SO ₂ Me)	Ph(2-F,4,5-di-CF ₂ CF ₂ H)
Ph(2-F,4- <i>c</i> -Pr,5-Et)	Ph(2-F,4-CF ₃ ,5-TMS)	Ph(2-F,4-CF ₂ CF ₂ H,5-CF ₂ H)
Ph(2-F,4- <i>c</i> -Pr,5- <i>n</i> -Pr)	Ph(2-F,4-CF ₃ ,5-CN)	Ph(2-F,4-CF ₂ CF ₂ H,5-OMe)
Ph(2-F,4- <i>c</i> -Pr,5- <i>t</i> -Bu)	Ph(2-F,4-CF ₂ CF ₃ ,5-Cl)	Ph(2-F,4-CF ₂ CF ₂ H,5-OCF ₃)

Q ¹	Q ¹	Q ¹
Ph(2-F,4-CF ₂ CF ₂ H,5-OCHF ₂)	Ph(2-F,4-OMe,5- <i>i</i> -Pr)	Ph(2-F,4-OCHF ₂ ,5-F)
Ph(2-F,4-CF ₂ CF ₂ H,5-OCF ₂ CF ₂ H)	Ph(2-F,4-OMe,5- <i>c</i> -Pr)	Ph(2-F,4-OCHF ₂ ,5-Br)
Ph(2-F,4-CF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(2-F,4-OMe,5-CF ₃)	Ph(2-F,4-OCHF ₂ ,5-I)
Ph(2-F,4-CF ₂ CF ₂ H,5-SO ₂ Me)	Ph(2-F,4-OMe,5-C ₂ F ₅)	Ph(2-F,4-OCHF ₂ ,5-Me)
Ph(2-F,4-CF ₂ CF ₂ H,5-TMS)	Ph(2-F,4-OMe,5-CF ₂ CF ₂ H)	Ph(2-F,4-OCHF ₂ ,5-Et)
Ph(2-F,4-CF ₂ CF ₂ H,5-CN)	Ph(2-F,4-OMe,5-CF ₂ H)	Ph(2-F,4-OCHF ₂ ,5- <i>n</i> -Pr)
Ph(2-F,4-CF ₂ H,5-Cl)	Ph(2-F,4,5-di-OMe)	Ph(2-F,4-OCHF ₂ ,5- <i>t</i> -Bu)
Ph(2-F,4-CF ₂ H,5-F)	Ph(2-F,4-OMe,5-OCF ₃)	Ph(2-F,4-OCHF ₂ ,5- <i>i</i> -Pr)
Ph(2-F,4-CF ₂ H,5-Br)	Ph(2-F,4-OMe,5-OCHF ₂)	Ph(2-F,4-OCHF ₂ ,5- <i>c</i> -Pr)
Ph(2-F,4-CF ₂ H,5-I)	Ph(2-F,4-OMe,5-OCF ₂ CF ₂ H)	Ph(2-F,4-OCHF ₂ CF ₃ ,5-CF ₃)
Ph(2-F,4-CF ₂ H,5-Me)	Ph(2-F,4-OMe,5-OC ₂ F ₅)	Ph(2-F,4-OCF ₂ CF ₃ ,5-C ₂ F ₅)
Ph(2-F,4-CF ₂ H,5-Et)	Ph(2-F,4-OMe,5-SO ₂ Me)	Ph(2-F,4-OCHF ₂ ,5-CF ₂ CF ₂ H)
Ph(2-F,4-CF ₂ H,5- <i>n</i> -Pr)	Ph(2-F,4-OMe,5-TMS)	Ph(2-F,4-OCHF ₂ ,5-CF ₂ H)
Ph(2-F,4-CF ₂ H,5- <i>t</i> -Bu)	Ph(2-F,4-OMe,5-CN)	Ph(2-F,4-OCHF ₂ ,5-OMe)
Ph(2-F,4-CF ₂ H,5- <i>i</i> -Pr)	Ph(2-F,4-OCF ₃ ,5-Cl)	Ph(2-F,4-OCHF ₂ ,5-OCF ₃)
Ph(2-F,4-CF ₂ H,5- <i>c</i> -Pr)	Ph(2-F,4-OCF ₃ ,5-F)	Ph(2-F,4,5-di-OCHF ₂)
Ph(2-F,4-CF ₂ H,5-CF ₃)	Ph(2-F,4-OCF ₃ ,5-Br)	Ph(2-F,4-OCHF ₂ ,5-OCF ₂ CF ₂ H)
Ph(2-F,4-CF ₂ H,5-C ₂ F ₅)	Ph(2-F,4-OCF ₃ ,5-I)	Ph(2-F,4-OCHF ₂ ,5-OC ₂ F ₅)
Ph(2-F,4-CF ₂ H,5-CF ₂ CF ₂ H)	Ph(2-F,4-OCF ₃ ,5-Me)	Ph(2-F,4-OCHF ₂ ,5-SO ₂ Me)
Ph(2-F,4,5-di-CF ₂ H)	Ph(2-F,4-OCF ₃ ,5-Et)	Ph(2-F,4-OCHF ₂ ,5-TMS)
Ph(2-F,4-CF ₂ H,5-OMe)	Ph(2-F,4-OCF ₃ ,5- <i>n</i> -Pr)	Ph(2-F,4-OCHF ₂ ,5-CN)
Ph(2-F,4-CF ₂ H,5-OCF ₃)	Ph(2-F,4-OCF ₃ ,5- <i>t</i> -Bu)	Ph(2-F,4-OCF ₂ CF ₂ H,5-Cl)
Ph(2-F,4-CF ₂ H,5-OCHF ₂)	Ph(2-F,4-OCF ₃ ,5- <i>i</i> -Pr)	Ph(2-F,4-OCF ₂ CF ₂ H,5-F)
Ph(2-F,4-CF ₂ H,5-OCF ₂ CF ₂ H)	Ph(2-F,4-OCF ₃ ,5- <i>c</i> -Pr)	Ph(2-F,4-OCF ₂ CF ₂ H,5-Br)
Ph(2-F,4-CF ₂ H,5-OC ₂ F ₅)	Ph(2-F,4-OCF ₃ ,5-CF ₃)	Ph(2-F,4-OCF ₂ CF ₂ H,5-I)
Ph(2-F,4-CF ₂ H,5-SO ₂ Me)	Ph(2-F,4-OCF ₃ ,5-C ₂ F ₅)	Ph(2-F,4-OCF ₂ CF ₂ H,5-Me)
Ph(2-F,4-CF ₂ H,5-TMS)	Ph(2-F,4-OCF ₃ ,5-CF ₂ CF ₂ H)	Ph(2-F,4-OCF ₂ CF ₂ H,5-Et)
Ph(2-F,4-CF ₂ H,5-CN)	Ph(2-F,4-OCF ₃ ,5-CF ₂ H)	Ph(2-F,4-OCF ₂ CF ₂ H,5- <i>n</i> -Pr)
Ph(2-F,4-OMe,5-Cl)	Ph(2-F,4-OCF ₃ ,5-OMe)	Ph(2-F,4-OCF ₂ CF ₂ H,5- <i>t</i> -Bu)
Ph(2-F,4-OMe,5-F)	Ph(2-F,4,5-di-OCF ₃)	Ph(2-F,4-OCF ₂ CF ₂ H,5- <i>i</i> -Pr)
Ph(2-F,4-OMe,5-Br)	Ph(2-F,4-OCF ₃ ,5-OCHF ₂)	Ph(2-F,4-OCF ₂ CF ₂ H,5- <i>c</i> -Pr)
Ph(2-F,4-OMe,5-I)	Ph(2-F,4-OCF ₃ ,5-OCF ₂ CF ₂ H)	Ph(2-F,4-OCF ₂ CF ₂ CF ₃ H,5-CF ₃)
Ph(2-F,4-OMe,5-Me)	Ph(2-F,4-OCF ₃ ,5-OC ₂ F ₅)	Ph(2-F,4-OCF ₂ CF ₂ H,5-C ₂ F ₅)
Ph(2-F,4-OMe,5-Et)	Ph(2-F,4-OCF ₃ ,5-SO ₂ Me)	Ph(2-F,4-OCF ₂ CF ₂ H,5-
Ph(2-F,4-OMe,5- <i>n</i> -Pr)	Ph(2-F,4-OCF ₃ ,5-TMS)	CF ₂ CF ₂ H)
Ph(2-F,4-OMe,5- <i>t</i> -Bu)	Ph(2-F,4-OCF ₃ ,5-CN)	Ph(2-F,4-OCF ₂ CF ₂ H,5-CF ₂ H)
	Ph(2-F,4-OCHF ₂ ,5-Cl)	Ph(2-F,4-OCF ₂ CF ₂ H,5-OMe)

Q ¹	Q ¹	Q ¹
Ph(2-F,4-OCF ₂ CF ₂ H,5-OCF ₃)	Ph(2-F,4-SO ₂ Me,5- <i>i</i> -Pr)	Ph(2-F,4-CN,5-F)
Ph(2-F,4-OCF ₂ CF ₂ H,5-OCHF ₂)	Ph(2-F,4-SO ₂ Me,5- <i>c</i> -Pr)	Ph(2-F,4-CN,5-Br)
Ph(2-F,4,5-di-OCF ₂ CF ₂ H)	Ph(2-F,4-SO ₂ MeCF ₃ ,5-CF ₃)	Ph(2-F,4-CN,5-I)
Ph(2-F,4-OCF ₂ CF ₂ H,5-OC ₂ F ₅)	Ph(2-F,4-SO ₂ Me,5-C ₂ F ₅)	Ph(2-F,4-CN,5-Me)
Ph(2-F,4-OCF ₂ CF ₂ H,5-SO ₂ Me)	Ph(2-F,4-SO ₂ Me,5-CF ₂ CF ₂ H)	Ph(2-F,4-CN,5-Et)
Ph(2-F,4-OCF ₂ CF ₂ H,5-TMS)	Ph(2-F,4-SO ₂ Me,5-CF ₂ H)	Ph(2-F,4-CN,5- <i>n</i> -Pr)
Ph(2-F,4-OCF ₂ CF ₂ H,5-CN)	Ph(2-F,4-SO ₂ Me,5-OMe)	Ph(2-F,4-CN,5- <i>t</i> -Bu)
Ph(2-F,4-OCF ₂ CF ₃ ,5-Cl)	Ph(2-F,4-SO ₂ Me,5-OCF ₃)	Ph(2-F,4-CN,5- <i>i</i> -Pr)
Ph(2-F,4-OCF ₂ CF ₃ ,5-F)	Ph(2-F,4-SO ₂ Me,5-OCHF ₂)	Ph(2-F,4-CN,5- <i>c</i> -Pr)
Ph(2-F,4-OCF ₂ CF ₃ ,5-Br)	Ph(2-F,4-SO ₂ Me,5-OCF ₂ CF ₂ H)	Ph(2-F,4-CN,5-CF ₃)
Ph(2-F,4-OCF ₂ CF ₃ ,5-I)	Ph(2-F,4-SO ₂ Me,5-OC ₂ F ₅)	Ph(2-F,4-CN,5-C ₂ F ₅)
Ph(2-F,4-OCF ₂ CF ₃ ,5-Me)	Ph(2-F,4,5-di-SO ₂ Me)	Ph(2-F,4-CN,5-CF ₂ CF ₂ H)
Ph(2-F,4-OCF ₂ CF ₃ ,5-Et)	Ph(2-F,4-SO ₂ Me,5-TMS)	Ph(2-F,4-CN,5-CF ₂ H)
Ph(2-F,4-OCF ₂ CF ₃ ,5- <i>n</i> -Pr)	Ph(2-F,4-SO ₂ Me,5-CN)	Ph(2-F,4-CN,5-OMe)
Ph(2-F,4-OCF ₂ CF ₃ ,5- <i>t</i> -Bu)	Ph(2-F,4-TMS,5-Cl)	Ph(2-F,4-CN,5-OCF ₃)
Ph(2-F,4-OCF ₂ CF ₃ ,5- <i>i</i> -Pr)	Ph(2-F,4-TMS,5-F)	Ph(2-F,4-CN,5-OCHF ₂)
Ph(2-F,4-OCF ₂ CF ₃ ,5- <i>c</i> -Pr)	Ph(2-F,4-TMS,5-Br)	Ph(2-F,4-CN,5-OCF ₂ CF ₂ H)
Ph(2-F,4-OC ₂ F ₅ CF ₃ ,5-CF ₃)	Ph(2-F,4-TMS,5-I)	Ph(2-F,4-CN,5-OC ₂ F ₅)
Ph(2-F,4-OCF ₂ CF ₃ ,5-CF ₂ CF ₂ H)	Ph(2-F,4-TMS,5-Me)	Ph(2-F,4-CN,5-SO ₂ Me)
Ph(2-F,4-OCF ₂ CF ₃ ,5-CF ₂ H)	Ph(2-F,4-TMS,5-Et)	Ph(2-F,4-CN,5-TMS)
Ph(2-F,4-OCF ₂ CF ₃ ,5-OMe)	Ph(2-F,4-TMS,5- <i>n</i> -Pr)	Ph(2-F,4,5-di-CN)
Ph(2-F,4-OCF ₂ CF ₃ ,5-OCF ₃)	Ph(2-F,4-TMS,5- <i>t</i> -Bu)	Ph(3,4,5-tri-Cl)
Ph(2-F,4-OCF ₂ CF ₃ ,5-OCHF ₂)	Ph(2-F,4-TMS,5- <i>i</i> -Pr)	Ph(3-Cl,4-F,5-Cl)
Ph(2-F,4-OCF ₂ CF ₃ ,5-OCF ₂ CF ₂ H)	Ph(2-F,4-TMS,5- <i>c</i> -Pr)	Ph(3-Cl,4-Br,5-Cl)
Ph(2-F,4,5-di-OC ₂ F ₅)	Ph(2-F,4-TMS,5-CF ₃)	Ph(3-Cl,4-I,5-Cl)
Ph(2-F,4-OCF ₂ CF ₃ ,5-SO ₂ Me)	Ph(2-F,4-TMS,5-C ₂ F ₅)	Ph(3-Cl,4-Me,5-Cl)
Ph(2-F,4-OCF ₂ CF ₃ ,5-TMS)	Ph(2-F,4-TMS,5-CF ₂ CF ₂ H)	Ph(3-Cl,4-Et,5-Cl)
Ph(2-F,4-OCF ₂ CF ₃ ,5-CN)	Ph(2-F,4-TMS,5-CF ₂ H)	Ph(3-Cl,4- <i>n</i> -Pr,5-Cl)
Ph(2-F,4-SO ₂ Me,5-Cl)	Ph(2-F,4-TMS,5-OMe)	Ph(3-Cl,4- <i>t</i> -Bu,5-Cl)
Ph(2-F,4-SO ₂ Me,5-F)	Ph(2-F,4-TMS,5-OCF ₃)	Ph(3-Cl,4- <i>i</i> -Pr,5-Cl)
Ph(2-F,4-SO ₂ Me,5-Br)	Ph(2-F,4-TMS,5-OCHF ₂)	Ph(3-Cl,4- <i>c</i> -Pr,5-Cl)
Ph(2-F,4-SO ₂ Me,5-I)	Ph(2-F,4-TMS,5-OCF ₂ CF ₂ H)	Ph(3-Cl,4-CF ₃ ,5-Cl)
Ph(2-F,4-SO ₂ Me,5-Me)	Ph(2-F,4-TMS,5-OC ₂ F ₅)	Ph(3-Cl,4-C ₂ F ₅ ,5-Cl)
Ph(2-F,4-SO ₂ Me,5-Et)	Ph(2-F,4-TMS,5-SO ₂ Me)	Ph(3-Cl,4-CF ₂ CF ₂ H,5-Cl)
Ph(2-F,4-SO ₂ Me,5- <i>n</i> -Pr)	Ph(2-F,4,5-di-TMS)	Ph(3-Cl,4-CF ₂ H,5-Cl)
Ph(2-F,4-SO ₂ Me,5- <i>t</i> -Bu)	Ph(2-F,4-TMS,5-CN)	Ph(3-Cl,4-OMe,5-Cl)
	Ph(2-F,4-CN,5-Cl)	Ph(3-Cl,4-OCF ₃ ,5-Cl)

Q ¹	Q ¹	Q ¹
Ph(3-Cl,4-OCHF ₂ ,5-Cl)	Ph(3-Br,4- <i>c</i> -Pr,5-Br)	Ph(3-CF ₃ ,4-Br,5-CF ₃)
Ph(3-Cl,4-OCF ₂ CF ₂ H,5-Cl)	Ph(3-Br,4-CF ₃ ,5-Br)	Ph(3-CF ₃ ,4- <i>i</i> ,5-CF ₃)
Ph(3-Cl,4-OC ₂ F ₅ ,5-Cl)	Ph(3-Br,4-C ₂ F ₅ ,5-Br)	Ph(3-CF ₃ ,4-Me,5-CF ₃)
Ph(3-Cl,4-SO ₂ Me,5-Cl)	Ph(3-Br,4-CF ₂ CF ₂ H,5-Br)	Ph(3-CF ₃ ,4-Et,5-CF ₃)
Ph(3-Cl,4-TMS,5-Cl)	Ph(3-Br,4-CF ₂ H,5-Br)	Ph(3-CF ₃ ,4- <i>n</i> -Pr,5-CF ₃)
Ph(3-Cl,4-CN,5-Cl)	Ph(3-Br,4-OMe,5-Br)	Ph(3-CF ₃ ,4- <i>t</i> -Bu,5-CF ₃)
Ph(3-F,4-Cl,5-F)	Ph(3-Br,4-OCF ₃ ,5-Br)	Ph(3-CF ₃ ,4- <i>i</i> -Pr,5-CF ₃)
Ph(3,4,5-tri-F)	Ph(3-Br,4-OCHF ₂ ,5-Br)	Ph(3-CF ₃ ,4- <i>c</i> -Pr,5-CF ₃)
Ph(3-F,4-Br,5-F)	Ph(3-Br,4-OCF ₂ CF ₂ H,5-Br)	Ph(3,4,5-tri-CF ₃)
Ph(3-F,4- <i>i</i> ,5-F)	Ph(3-Br,4-OC ₂ F ₅ ,5-Br)	Ph(3-CF ₃ ,4-C ₂ F ₅ ,5-CF ₃)
Ph(3-F,4-Me,5-F)	Ph(3-Br,4-SO ₂ Me,5-Br)	Ph(3-CF ₃ ,4-CF ₂ CF ₂ H,5-CF ₃)
Ph(3-F,4-Et,5-F)	Ph(3-Br,4-TMS,5-Br)	Ph(3-CF ₃ ,4-CF ₂ H,5-CF ₃)
Ph(3-F,4- <i>n</i> -Pr,5-F)	Ph(3-Br,4-CN,5-Br)	Ph(3-CF ₃ ,4-OMe,5-CF ₃)
Ph(3-F,4- <i>t</i> -Bu,5-F)	Ph(3-Me,4-Cl,5-Me)	Ph(3-CF ₃ ,4-OCF ₃ ,5-CF ₃)
Ph(3-F,4- <i>i</i> -Pr,5-F)	Ph(3-Me,4-F,5-Me)	Ph(3-CF ₃ ,4-OCHF ₂ ,5-CF ₃)
Ph(3-F,4- <i>c</i> -Pr,5-F)	Ph(3-Me,4-Br,5-Me)	Ph(3-CF ₃ ,4-OCF ₂ CF ₂ H,5-CF ₃)
Ph(3-F,4-CF ₃ ,5-F)	Ph(3-Me,4- <i>i</i> ,5-Me)	Ph(3,5-di-CF ₃ ,4-OC ₂ F ₅)
Ph(3-F,4-C ₂ F ₅ ,5-F)	Ph(3,4-tri-Me)	Ph(3-CF ₃ ,4-SO ₂ Me,5-CF ₃)
Ph(3-F,4-CF ₂ CF ₂ H,5-F)	Ph(3-Me,4-Et,5-Me)	Ph(3-CF ₃ ,4-TMS,5-CF ₃)
Ph(3-F,4-CF ₂ H,5-F)	Ph(3-Me,4- <i>n</i> -Pr,5-Me)	Ph(3-CF ₃ ,4-CN,5-CF ₃)
Ph(3-F,4-OMe,5-F)	Ph(3-Me,4- <i>t</i> -Bu,5-Me)	Ph(3-OCHF ₂ ,4-Cl,5-OCHF ₂)
Ph(3-F,4-OCF ₃ ,5-F)	Ph(3-Me,4- <i>i</i> -Pr,5-Me)	Ph(3-OCHF ₂ ,4-F,5-OCHF ₂)
Ph(3-F,4-OCHF ₂ ,5-F)	Ph(3-Me,4- <i>c</i> -Pr,5-Me)	Ph(3-OCHF ₂ ,4-Br,5-OCHF ₂)
Ph(3-F,4-OCF ₂ CF ₂ H,5-F)	Ph(3-Me,4-CF ₃ ,5-Me)	Ph(3-OCHF ₂ ,4- <i>i</i> ,5-OCHF ₂)
Ph(3-F,4-OC ₂ F ₅ ,5-F)	Ph(3-Me,4-C ₂ F ₅ ,5-Me)	Ph(3-OCHF ₂ ,4-Me,5-OCHF ₂)
Ph(3-F,4-SO ₂ Me,5-F)	Ph(3-Me,4-CF ₂ CF ₂ H,5-Me)	Ph(3-OCHF ₂ ,4-Et,5-OCHF ₂)
Ph(3-F,4-TMS,5-F)	Ph(3-Me,4-CF ₂ H,5-Me)	Ph(3-OCHF ₂ ,4- <i>n</i> -Pr,5-OCHF ₂)
Ph(3-F,4-CN,5-F)	Ph(3-Me,4-OMe,5-Me)	Ph(3-OCHF ₂ ,4- <i>t</i> -Bu,5-OCHF ₂)
Ph(3-Br,4-Cl,5-Br)	Ph(3-Me,4-OCF ₃ ,5-Me)	Ph(3-OCHF ₂ ,4- <i>i</i> -Pr,5-OCHF ₂)
Ph(3-Br,4-F,5-Br)	Ph(3-Me,4-OCHF ₂ ,5-Me)	Ph(3-OCHF ₂ ,4- <i>c</i> -Pr,5-OCHF ₂)
Ph(3,4,5-tri-Br)	Ph(3-Me,4-OCF ₂ CF ₂ H,5-Me)	Ph(3,5-di-OCHF ₂ CF ₃ ,4-CF ₃)
Ph(3-Br,4- <i>i</i> ,5-Br)	Ph(3-Me,4-OC ₂ F ₅ ,5-Me)	Ph(3-OC ₂ F ₅ ,4-C ₂ F ₅ ,5-OCHF ₂)
Ph(3-Br,4-Me,5-Br)	Ph(3-Me,4-SO ₂ Me,5-Me)	Ph(3,5-di-OCHF ₂ ,4-CF ₂ CF ₂ H)
Ph(3-Br,4-Et,5-Br)	Ph(3-Me,4-TMS,5-Me)	Ph(3-OCHF ₂ ,4-CF ₂ H,5-OCHF ₂)
Ph(3-Br,4- <i>n</i> -Pr,5-Br)	Ph(3-Me,4-CN,5-Me)	Ph(3-OCHF ₂ ,4-OMe,5-OCHF ₂)
Ph(3-Br,4- <i>t</i> -Bu,5-Br)	Ph(3-CF ₃ ,4-Cl,5-CF ₃)	Ph(3-OCHF ₂ ,4-OCF ₃ ,5-OCHF ₂)
Ph(3-Br,4- <i>i</i> -Pr,5-Br)	Ph(3-CF ₃ ,4-F,5-CF ₃)	Ph(3,4,5-tri-OCHF ₂)

Q ¹	Q ¹	Q ¹
Ph(3,5-di-OCHF ₂ ,4-OCF ₂ CF ₂ H)	Ph(2-Cl,3-F,4-CF ₃ ,5-F)	Ph(2-Cl,3-Me,4-I,5-Me)
Ph(3,5-di-OCHF ₂ ,4-OC ₂ F ₅)	Ph(2-Cl,3-F,4-C ₂ F ₅ ,5-F)	Ph(2-Cl,3,4-tri-Me)
Ph(3,5-di-OCHF ₂ ,4-SO ₂ Me)	Ph(2-Cl,3-F,4-CF ₂ CF ₂ H,5-F)	Ph(2-Cl,3-Me,4-Et,5-Me)
Ph(3-OCHF ₂ ,4-TMS,5-OCHF ₂)	Ph(2-Cl,3-F,4-CF ₂ H,5-F)	Ph(2-Cl,3-Me,4- <i>n</i> -Pr,5-Me)
Ph(3-OCHF ₂ ,4-CN,5-OCHF ₂)	Ph(2-Cl,3-F,4-OMe,5-F)	Ph(2-Cl,3-Me,4- <i>t</i> -Bu,5-Me)
Ph(2,3,4,5-tetra-Cl)	Ph(2-Cl,3-F,4-OCF ₃ ,5-F)	Ph(2-Cl,3-Me,4- <i>i</i> -Pr,5-Me)
Ph(2-Cl,3-Cl,4-F,5-Cl)	Ph(2-Cl,3-F,4-OCHF ₂ ,5-F)	Ph(2-Cl,3-Me,4- <i>c</i> -Pr,5-Me)
Ph(2-Cl,3-Cl,4-Br,5-Cl)	Ph(2-Cl,3-F,4-OCF ₂ CF ₂ H,5-F)	Ph(2-Cl,3-Me,4-CF ₃ ,5-Me)
Ph(2-Cl,3-Cl,4-I,5-Cl)	Ph(2-Cl,3,5-di-F,4-OC ₂ F ₅)	Ph(2-Cl,3,5-di-Me,4-C ₂ F ₅)
Ph(2-Cl,3-Cl,4-Me,5-Cl)	Ph(2-Cl,3-F,4-SO ₂ Me,5-F)	Ph(2-Cl,3-Me,4-CF ₂ CF ₂ H,5-Me)
Ph(2-Cl,3-Cl,4-Et,5-Cl)	Ph(2-Cl,3-F,4-TMS,5-F)	Ph(2-Cl,3-Me,4-CF ₂ H,5-Me)
Ph(2-Cl,3-Cl,4- <i>n</i> -Pr,5-Cl)	Ph(2-Cl,3-F,4-CN,5-F)	Ph(2-Cl,3-Me,4-OMe,5-Me)
Ph(2-Cl,3-Cl,4- <i>t</i> -Bu,5-Cl)	Ph(2-Cl,3-Br,4-Cl,5-Br)	Ph(2-Cl,3-Me,4-OCF ₃ ,5-Me)
Ph(2-Cl,3-Cl,4- <i>i</i> -Pr,5-Cl)	Ph(2-Cl,3-Br,4-F,5-Br)	Ph(2-Cl,3-Me,4-OCHF ₂ ,5-Me)
Ph(2-Cl,3-Cl,4- <i>c</i> -Pr,5-Cl)	Ph(2-Cl,3,4,5-tri-Br)	Ph(2-Cl,3,5-di-Me,4-OCF ₂ CF ₂ H)
Ph(2-Cl,3-Cl,4-CF ₃ ,5-Cl)	Ph(2-Cl,3-Br,4-I,5-Br)	Ph(2-Cl,3-Me,4-OC ₂ F ₅ ,5-Me)
Ph(2-Cl,3,5-di-Cl,4-C ₂ F ₅)	Ph(2-Cl,3-Br,4-Me,5-Br)	Ph(2-Cl,3,5-di-Me,4-SO ₂ Me)
Ph(2-Cl,3-Cl,4-CF ₂ CF ₂ H,5-Cl)	Ph(2-Cl,3-Br,4-Et,5-Br)	Ph(2-Cl,3-Me,4-TMS,5-Me)
Ph(2-Cl,3-Cl,4-CF ₂ H,5-Cl)	Ph(2-Cl,3-Br,4- <i>n</i> -Pr,5-Br)	Ph(2-Cl,3-Me,4-CN,5-Me)
Ph(2-Cl,3-Cl,4-OMe,5-Cl)	Ph(2-Cl,3-Br,4- <i>t</i> -Bu,5-Br)	Ph(2-Cl,3-CF ₃ ,4-Cl,5-CF ₃)
Ph(2-Cl,3-Cl,4-OCF ₃ ,5-Cl)	Ph(2-Cl,3-Br,4- <i>i</i> -Pr,5-Br)	Ph(2-Cl,3-CF ₃ ,4-F,5-CF ₃)
Ph(2-Cl,3-Cl,4-OCHF ₂ ,5-Cl)	Ph(2-Cl,3-Br,4- <i>c</i> -Pr,5-Br)	Ph(2-Cl,3-CF ₃ ,4-Br,5-CF ₃)
Ph(2-Cl,3-Cl,4-OCF ₂ CF ₂ H,5-Cl)	Ph(2-Cl,3-Br,4-CF ₃ ,5-Br)	Ph(2-Cl,3-CF ₃ ,4-I,5-CF ₃)
Ph(2-Cl,3,5-di-Cl,4-OC ₂ F ₅)	Ph(2-Cl,3,5-di-Br,4-C ₂ F ₅)	Ph(2-Cl,3-CF ₃ ,4-Me,5-CF ₃)
Ph(2-Cl,3-Cl,4-SO ₂ Me,5-Cl)	Ph(2-Cl,3-Br,4-CF ₂ CF ₂ H,5-Br)	Ph(2-Cl,3-CF ₃ ,4-Et,5-CF ₃)
Ph(2-Cl,3-Cl,4-TMS,5-Cl)	Ph(2-Cl,3-Br,4-CF ₂ H,5-Br)	Ph(2-Cl,3-CF ₃ ,4- <i>n</i> -Pr,5-CF ₃)
Ph(2-Cl,3-Cl,4-CN,5-Cl)	Ph(2-Cl,3-Br,4-OMe,5-Br)	Ph(2-Cl,3-CF ₃ ,4- <i>t</i> -Bu,5-CF ₃)
Ph(2-Cl,3-F,4-Cl,5-F)	Ph(2-Cl,3-Br,4-OCF ₃ ,5-Br)	Ph(2-Cl,3-CF ₃ ,4- <i>i</i> -Pr,5-CF ₃)
Ph(2-Cl,3,4,5-tri-F)	Ph(2-Cl,3-Br,4-OCHF ₂ ,5-Br)	Ph(2-Cl,3-CF ₃ ,4- <i>c</i> -Pr,5-CF ₃)
Ph(2-Cl,3-F,4-Br,5-F)	Ph(2-Cl,3-Br,4-OCF ₂ CF ₂ H,5-Br)	Ph(2-Cl,3,4,5-tri-CF ₃)
Ph(2-Cl,3-F,4-I,5-F)	Ph(2-Cl,3,5-di-Br,4-OC ₂ F ₅)	Ph(2-Cl,3,5-di-CF ₃ ,4-C ₂ F ₅)
Ph(2-Cl,3-F,4-Me,5-F)	Ph(2-Cl,3-Br,4-SO ₂ Me,5-Br)	Ph(2-Cl,3,5-di-CF ₃ ,4-CF ₂ CF ₂ H)
Ph(2-Cl,3-F,4-Et,5-F)	Ph(2-Cl,3-Br,4-TMS,5-Br)	Ph(2-Cl,3-CF ₃ ,4-CF ₂ H,5-CF ₃)
Ph(2-Cl,3-F,4- <i>n</i> -Pr,5-F)	Ph(2-Cl,3-Br,4-CN,5-Br)	Ph(2-Cl,3-CF ₃ ,4-OMe,5-CF ₃)
Ph(2-Cl,3-F,4- <i>t</i> -Bu,5-F)	Ph(2-Cl,3-Me,4-Cl,5-Me)	Ph(2-Cl,3-CF ₃ ,4-OCF ₃ ,5-CF ₃)
Ph(2-Cl,3-F,4- <i>i</i> -Pr,5-F)	Ph(2-Cl,3-Me,4-F,5-Me)	Ph(2-Cl,3-CF ₃ ,4-OCHF ₂ ,5-CF ₃)
Ph(2-Cl,3-F,4- <i>c</i> -Pr,5-F)	Ph(2-Cl,3-Me,4-Br,5-Me)	Ph(2-Cl,3,5-di-CF ₃ ,4-

Q ¹	Q ¹	Q ¹
OCF ₂ CF ₂ H-)	Ph(2-F,3-Cl,4-Me,5-Cl)	Ph(2-F,3-F,4-SO ₂ Me,5-F)
Ph(2-Cl,3,5-di-CF ₃ ,4-OC ₂ F ₅)	Ph(2-F,3-Cl,4-Et,5-Cl)	Ph(2-F,3-F,4-TMS,5-F)
Ph(2-Cl,3,5-di-CF ₃ ,4-SO ₂ Me)	Ph(2-F,3-Cl,4- <i>n</i> -Pr,5-Cl)	Ph(2-F,3-F,4-CN,5-F)
Ph(2-Cl,3,5-di-CF ₃ ,4-TMS)	Ph(2-F,3-Cl,4- <i>t</i> -Bu,5-Cl)	Ph(2-F,3-Br,4-Cl,5-Br)
Ph(2-Cl,3-CF ₃ ,4-CN,5-CF ₃)	Ph(2-F,3-Cl,4- <i>i</i> -Pr,5-Cl)	Ph(2-F,3-Br,4-F,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4-Cl)	Ph(2-F,3-Cl,4- <i>c</i> -Pr,5-Cl)	Ph(2-F,3,4,5-tri-Br)
Ph(2-Cl,3-OCHF ₂ ,4-F,5-OCHF ₂)	Ph(2-F,3-Cl,4-CF ₃ ,5-Cl)	Ph(2-F,3-Br,4-I,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4-Br)	Ph(2-F,3-Cl,4-C ₂ F ₅ ,5-Cl)	Ph(2-F,3-Br,4-Me,5-Br)
Ph(2-Cl,3-OCHF ₂ ,4-I,5-OCHF ₂)	Ph(2-F,3-Cl,4-CF ₂ CF ₂ H,5-Cl)	Ph(2-F,3-Br,4-Et,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4-Me)	Ph(2-F,3-Cl,4-CF ₂ H,5-Cl)	Ph(2-F,3-Br,4- <i>n</i> -Pr,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4-Et)	Ph(2-F,3-Cl,4-OMe,5-Cl)	Ph(2-F,3-Br,4- <i>t</i> -Bu,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4- <i>n</i> -Pr)	Ph(2-F,3-Cl,4-OCF ₃ ,5-Cl)	Ph(2-F,3-Br,4- <i>i</i> -Pr,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4- <i>t</i> -Bu)	Ph(2-F,3-Cl,4-OCHF ₂ ,5-Cl)	Ph(2-F,3-Br,4- <i>c</i> -Pr,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4- <i>i</i> -Pr)	Ph(2-F,3-Cl,4-OCF ₂ CF ₂ H,5-Cl)	Ph(2-F,3-Br,4-CF ₃ ,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4- <i>c</i> -Pr)	Ph(2-F,3,5-di-Cl,4-OC ₂ F ₅)	Ph(2-F,3,5-di-Br,4-C ₂ F ₅)
Ph(2-Cl,3,5-di-OCHF ₂ CF ₃ ,4- CF ₃)	Ph(2-F,3-Cl,4-SO ₂ Me,5-Cl)	Ph(2-F,3-Br,4-CF ₂ CF ₂ H,5-Br)
Ph(2-Cl,3-OC ₂ F ₅ ,4-C ₂ F ₅ ,5- OCHF ₂)	Ph(2-F,3-Cl,4-TMS,5-Cl)	Ph(2-F,3-Br,4-CF ₂ H,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4- CF ₂ CF ₂ H)	Ph(2-F,3-Cl,4-CN,5-Cl)	Ph(2-F,3-Br,4-OMe,5-Br)
Ph(2-Cl,3-OCHF ₂ ,4-CF ₂ H,5- OCHF ₂)	Ph(2-F,3-F,4-Cl,5-F)	Ph(2-F,3-Br,4-OCF ₃ ,5-Br)
Ph(2-Cl,3,5-di OCHF ₂ ,4-OMe)	Ph(2,3,4,5-tetra-F)	Ph(2-F,3-Br,4-OCHF ₂ ,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4-OCF ₃)	Ph(2-F,3-F,4-Br,5-F)	Ph(2-F,3-Br,4-OCF ₂ CF ₂ H,5-Br)
Ph(2-Cl,3,4,5-tri-OCHF ₂)	Ph(2-F,3-F,4-I,5-F)	Ph(2-F,3-Br,4-OC ₂ F ₅ ,5-Br)
Ph(2-Cl,3-OCHF ₂ ,4- OCF ₂ CF ₂ H,5-OCHF ₂)	Ph(2-F,3-F,4-Me,5-F)	Ph(2-F,3-Br,4-SO ₂ Me,5-Br)
Ph(2-Cl,3-OCHF ₂ ,4-OC ₂ F ₅ ,5- OCHF ₂)	Ph(2-F,3-F,4-Et,5-F)	Ph(2-F,3-Br,4-TMS,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4-SO ₂ Me)	Ph(2-F,3-F,4- <i>n</i> -Pr,5-F)	Ph(2-F,3-Br,4-CN,5-Br)
Ph(2-Cl,3,5-di-OCHF ₂ ,4-TMS)	Ph(2-F,3-F,4- <i>t</i> -Bu,5-F)	Ph(2-F,3-Me,4-Cl,5-Me)
Ph(2-Cl,3,5-di-OCHF ₂ ,4-CN)	Ph(2-F,3-F,4- <i>i</i> -Pr,5-F)	Ph(2-F,3-Me,4-F,5-Me)
Ph(2-F,3,4,5-tri-Cl)	Ph(2-F,3-F,4- <i>c</i> -Pr,5-F)	Ph(2-F,3-Me,4-Br,5-Me)
Ph(2-F,3-Cl,4-F,5-Cl)	Ph(2-F,3-F,4-CF ₃ ,5-F)	Ph(2-F,3-Me,4-I,5-Me)
Ph(2-F,3-Cl,4-Br,5-Cl)	Ph(2-F,3-F,4-C ₂ F ₅ ,5-F)	Ph(2-F,3,4-tri-Me)
Ph(2-F,3-Cl,4-I,5-Cl)	Ph(2-F,3-F,4-CF ₂ CF ₂ H,5-F)	Ph(2-F,3-Me,4-Et,5-Me)
	Ph(2-F,3-F,4-CF ₂ H,5-F)	Ph(2-F,3-Me,4- <i>n</i> -Pr,5-Me)
	Ph(2-F,3-F,4-OMe,5-F)	Ph(2-F,3-Me,4- <i>t</i> -Bu,5-Me)
	Ph(2-F,3-F,4-OCF ₃ ,5-F)	Ph(2-F,3-Me,4- <i>i</i> -Pr,5-Me)
	Ph(2-F,3-F,4-OCHF ₂ ,5-F)	Ph(2-F,3-Me,4- <i>c</i> -Pr,5-Me)
	Ph(2-F,3-F,4-OCF ₂ CF ₂ H,5-F)	Ph(2-F,3-Me,4-CF ₃ ,5-Me)
	Ph(2-F,3-F,4-OC ₂ F ₅ ,5-F)	Ph(2-F,3-Me,4-C ₂ F ₅ ,5-Me)

Q ¹	Q ¹	Q ¹
Ph(2-F,3-Me,4-CF ₂ CF ₂ H,5-Me)	Ph(2-F,3-OCHF ₂ ,4-Cl,5-OCHF ₂)	Ph(2-F,3-OCHF ₂ ,4-TMS,5-OCHF ₂)
Ph(2-F,3-Me,4-CF ₂ H,5-Me)	Ph(2-F,3-OCHF ₂ ,4-F,5-OCHF ₂)	Ph(2-F,3-OCHF ₂ ,4-CN,5-OCHF ₂)
Ph(2-F,3-Me,4-OMe,5-Me)	Ph(2-F,3-OCHF ₂ ,4-Br,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-CF ₂ CF ₂ H,5-Cl)
Ph(2-F,3-Me,4-OCF ₃ ,5-Me)	Ph(2-F,3-OCHF ₂ ,4-I,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-CF ₂ CF ₂ H,5-F)
Ph(2-F,3-Me,4-OCHF ₂ ,5-Me)	Ph(2-F,3-OCHF ₂ ,4-Me,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-CH ₂ CF ₃ ,5-Cl)
Ph(2-F,3-Me,4-OCF ₂ CF ₂ H,5-Me)	Ph(2-F,3-OCHF ₂ ,4-Et,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-CH ₂ CF ₃ ,5-F)
Ph(2-F,3-Me,4-OC ₂ F ₅ ,5-Me)	Ph(2-F,3-OCHF ₂ ,4- <i>n</i> -Pr,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-CH ₂ CF ₃ ,5-Cl)
Ph(2-F,3-Me,4-SO ₂ Me,5-Me)	Ph(2-F,3-OCHF ₂ ,4- <i>n</i> -Pr,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-Me,5-CF ₂ H)
Ph(2-F,3-Me,4-TMS,5-Me)	Ph(2-F,3-OCHF ₂ ,4- <i>n</i> -Pr,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-CF ₂ CF ₂ H,5-CF ₂ H)
Ph(2-F,3-Me,4-CN,5-Me)	Ph(2-F,3-OCHF ₂ ,4- <i>n</i> -Pr,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-CH ₂ CF ₃ ,5-CF ₂ H)
Ph(2-F,3-CF ₃ ,4-Cl,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4- <i>n</i> -Pr,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-Me,5-CF ₃)
Ph(2-F,3-CF ₃ ,4-F,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4- <i>n</i> -Pr,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-CF ₂ CF ₂ H,5-CF ₃)
Ph(2-F,3-CF ₃ ,4-Br,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4- <i>n</i> -Pr,5-OCHF ₂)	1 <i>H</i> -Imidazol-2-yl(1-CH ₂ CF ₃ ,5-CF ₃)
Ph(2-F,3-CF ₃ ,4-I,5-CF ₃)	Ph(2-F,3,5-di-OCHF ₂ ,4- <i>c</i> -Pr)	1,3-Benzodioxol-4-yl
Ph(2-F,3-CF ₃ ,4-Me,5-CF ₃)	Ph(2-F,3-OCHF ₂ CF ₃ ,4-CF ₃ ,5-OCHF ₂)	1,3-Benzodioxol-4-yl(2,2-di-Me)
Ph(2-F,3-CF ₃ ,4-Et,5-CF ₃)	Ph(2-F,3-OCHF ₂ CF ₃ ,4-CF ₃ ,5-OCHF ₂)	1,4-Benzodioxol-4-yl(2,3-dihydro)
Ph(2-F,3-CF ₃ ,4- <i>n</i> -Pr,5-CF ₃)	Ph(2-F,3-OC ₂ F ₅ ,4-C ₂ F ₅ ,5-OCHF ₂)	1,4-Benzodioxol-4-yl(2,2,3,3-tetrafluoro)
Ph(2-F,3-CF ₃ ,4- <i>t</i> -Bu,5-CF ₃)	Ph(2-F,3-OC ₂ F ₅ ,4-C ₂ F ₅ ,5-OCHF ₂)	1 <i>H</i> -Pyrazol-3-yl(1-CH ₂ CF ₃ ,4-F)
Ph(2-F,3-CF ₃ ,4- <i>i</i> -Pr,5-CF ₃)	Ph(2-F,3,5-di-OCHF ₂ ,4-CF ₂ CF ₂ H)	1 <i>H</i> -Pyrazol-3-yl(1-CH ₂ CF ₃ ,4-Cl)
Ph(2-F,3-CF ₃ ,4- <i>c</i> -Pr,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-CF ₂ H,5-OCHF ₂)	1 <i>H</i> -Pyrazol-3-yl(1-CF ₂ CF ₂ H,4-F)
Ph(2-F,3,4,5-tri-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-CF ₂ H,5-OCHF ₂)	1 <i>H</i> -Pyrazol-3-yl(1-CF ₂ CF ₂ H,4-Cl)
Ph(2-F,3-CF ₃ ,4-C ₂ F ₅ ,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-OMe,5-OCHF ₂)	1,3-Benzodioxol-4-yl(2,2-di-F)
Ph(2-F,3-CF ₃ ,4-CF ₂ CF ₂ H,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-OMe,5-OCHF ₂)	
Ph(2-F,3-CF ₃ ,4-CF ₂ H,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-OCF ₃ ,5-OCHF ₂)	
Ph(2-F,3-CF ₃ ,4-OMe,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-OCF ₃ ,5-OCHF ₂)	
Ph(2-F,3-CF ₃ ,4-OCF ₃ ,5-CF ₃)	Ph(2-F,3,4,5-tri-OCHF ₂)	
Ph(2-F,3-CF ₃ ,4-OCHF ₂ ,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-OCF ₂ CF ₂ H,5-OCHF ₂)	
Ph(2-F,3-CF ₃ ,4-OCF ₂ CF ₂ H,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-OC ₂ F ₅ ,5-OCHF ₂)	
Ph(2-F,3-CF ₃ ,4-OC ₂ F ₅ ,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-OC ₂ F ₅ ,5-OCHF ₂)	
Ph(2-F,3-CF ₃ ,4-SO ₂ Me,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-SO ₂ Me,5-OCHF ₂)	
Ph(2-F,3-CF ₃ ,4-TMS,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-SO ₂ Me,5-OCHF ₂)	
Ph(2-F,3-CF ₃ ,4-CN,5-CF ₃)	Ph(2-F,3-OCHF ₂ ,4-SO ₂ Me,5-OCHF ₂)	

Table 2 is constructed in the same manner except that the Row Heading “Y¹ is O; Y² is O; R² is H; R⁴ is H; R⁵ is H; Q² is Ph(2-F); and Q¹ is” is replaced with the Row Heading

listed for Table 2 below (i.e. “Y¹ is O; Y¹ is O; R² is H; R⁴ is H; R⁵ is H; Q² is Ph(2,3-F); and Q¹ is”). Therefore the first entry in Table 2 is a compound of Formula 1 wherein Y¹ is O, R² is H, R⁴ is H, R⁵ is H, Q² is Ph(2,3-F); and Q¹ is Ph(3-Cl) (i.e. 3-chlorophenyl). Tables 3 through 1699 are constructed similarly.

Table	Row Heading
2	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2,3-di-F); and Q ¹ is
3	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2,4-di-F); and Q ¹ is
4	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2,5-di-F); and Q ¹ is
5	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2,3,4-tri-F); and Q ¹ is
6	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2,3,5-tri-F); and Q ¹ is
7	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2,3,4,5-tetra-F); and Q ¹ is
8	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-Cl,4-Br); and Q ¹ is
9	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-Cl,4-F); and Q ¹ is
10	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-Br,4-F); and Q ¹ is
11	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-Me); and Q ¹ is
12	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-Me,4-F); and Q ¹ is
13	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-Me,4-Cl); and Q ¹ is
14	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-Cl); and Q ¹ is
15	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,4-Cl); and Q ¹ is
16	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3,4-di-Cl); and Q ¹ is
17	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,4-Br); and Q ¹ is
18	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-OMe); and Q ¹ is
19	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-OMe,4-F); and Q ¹ is
20	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-OMe,4-Cl); and Q ¹ is
21	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-CF ₂ H); and Q ¹ is
22	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-CF ₃); and Q ¹ is
23	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-CF ₃ ,4-F); and Q ¹ is
24	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-NO ₂); and Q ¹ is
25	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-NO ₂ ,4-F); and Q ¹ is
26	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-SO ₂ Me); and Q ¹ is
27	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-F,3-SO ₂ Me,4-F); and Q ¹ is
28	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-CF ₃); and Q ¹ is
29	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-CF ₃ ,3-F); and Q ¹ is
30	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-CF ₃ ,3-Me); and Q ¹ is
31	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-CF ₃ ,4-F); and Q ¹ is
32	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is H; Q ² is Ph(2-CF ₃ ,3-Cl); and Q ¹ is

33	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is
34	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
35	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H); and Q^1 is
36	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
37	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
38	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
39	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
40	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is
41	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is
42	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me); and Q^1 is
43	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Me); and Q^1 is
44	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-F); and Q^1 is
45	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
46	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
47	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is
48	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is
49	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
50	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-F); and Q^1 is
51	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,5-F); and Q^1 is
52	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
53	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
54	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et); and Q^1 is
55	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-F); and Q^1 is
56	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-Cl); and Q^1 is
57	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,4-F); and Q^1 is
58	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
59	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
60	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
61	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
62	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is
63	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is
64	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
65	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
66	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
67	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
68	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
69	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂); and Q^1 is

70	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is
71	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
72	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
73	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
74	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃); and Q^1 is
75	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
76	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
77	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl); and Q^1 is
78	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me); and Q^1 is
79	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
80	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Cl); and Q^1 is
81	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-Cl); and Q^1 is
82	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-F); and Q^1 is
83	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,4-F); and Q^1 is
84	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,5-F); and Q^1 is
85	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is
86	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
87	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
88	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
89	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
90	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
91	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
92	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is
93	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is
94	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
95	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br); and Q^1 is
96	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3-F); and Q^1 is
97	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,4-F); and Q^1 is
98	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
99	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I); and Q^1 is
100	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3-F); and Q^1 is
101	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,4-F); and Q^1 is
102	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3,4-di-F); and Q^1 is
103	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN); and Q^1 is
104	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Me); and Q^1 is
105	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-F); and Q^1 is
106	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-F); and Q^1 is

107	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Cl); and Q^1 is
108	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-Cl); and Q^1 is
109	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3,4-di-F); and Q^1 is
110	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl; and Q^1 is
111	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-F; and Q^1 is
112	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-F; and Q^1 is
113	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3,4-di-F; and Q^1 is
114	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl; and Q^1 is
115	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-Cl; and Q^1 is
116	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl,4-F; and Q^1 is
117	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me); and Q^1 is
118	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-F); and Q^1 is
119	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Me); and Q^1 is
120	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-F); and Q^1 is
121	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 5-F); and Q^1 is
122	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3,4-di-F); and Q^1 is
123	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Cl); and Q^1 is
124	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-Cl); and Q^1 is
125	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3-Cl,4-F); and Q^1 is
126	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂); and Q^1 is
127	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-F); and Q^1 is
128	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q^1 is
129	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 4-F); and Q^1 is
130	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 5-F); and Q^1 is
131	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ ,3,4-di-F); and Q^1 is
132	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F); and Q^1 is
133	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-F); and Q^1 is
134	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-F); and Q^1 is
135	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4,5-tri-F); and Q^1 is
136	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F,4-Cl); and Q^1 is
137	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃); and Q^1 is
138	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-F); and Q^1 is
139	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-Cl); and Q^1 is
140	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,5-F); and Q^1 is
141	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4,5-di-F); and Q^1 is
142	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me); and Q^1 is
143	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-Cl); and Q^1 is

144	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-F); and Q^1 is
145	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4,5-di-F); and Q^1 is
146	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,5-F); and Q^1 is
147	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂); and Q^1 is
148	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-F); and Q^1 is
149	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4,5-di-F); and Q^1 is
150	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-Cl); and Q^1 is
151	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,5-F); and Q^1 is
152	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me); and Q^1 is
153	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-F); and Q^1 is
154	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-Cl); and Q^1 is
155	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,5-F); and Q^1 is
156	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4,5-di-F); and Q^1 is
157	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl); and Q^1 is
158	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4-F); and Q^1 is
159	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-Cl); and Q^1 is
160	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,5-F); and Q^1 is
161	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4,5-di-F); and Q^1 is
162	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-Cl); and Q^1 is
163	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-F); and Q^1 is
164	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-Cl); and Q^1 is
165	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-4-yl; and Q^1 is
166	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-5-yl; and Q^1 is
167	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q^1 is
168	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
169	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is
170	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-5-yl; and Q^1 is
171	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F); and Q^1 is
172	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-F); and Q^1 is
173	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-F); and Q^1 is
174	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,5-di-F); and Q^1 is
175	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4-tri-F); and Q^1 is
176	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,5-tri-F); and Q^1 is
177	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4,5-tetra-F); and Q^1 is
178	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-Br); and Q^1 is
179	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-F); and Q^1 is
180	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Br,4-F); and Q^1 is

181	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me); and Q^1 is
182	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-F); and Q^1 is
183	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-Cl); and Q^1 is
184	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl); and Q^1 is
185	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Cl); and Q^1 is
186	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3,4-di-Cl); and Q^1 is
187	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Br); and Q^1 is
188	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe); and Q^1 is
189	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-F); and Q^1 is
190	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-Cl); and Q^1 is
191	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₂ H); and Q^1 is
192	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃); and Q^1 is
193	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃ ,4-F); and Q^1 is
194	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂); and Q^1 is
195	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂ ,4-F); and Q^1 is
196	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me); and Q^1 is
197	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me,4-F); and Q^1 is
198	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃); and Q^1 is
199	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-F); and Q^1 is
200	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Me); and Q^1 is
201	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-F); and Q^1 is
202	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Cl); and Q^1 is
203	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is
204	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
205	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H); and Q^1 is
206	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
207	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
208	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
209	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
210	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is
211	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is
212	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me); and Q^1 is
213	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Me); and Q^1 is
214	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-F); and Q^1 is
215	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
216	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
217	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is

218	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is
219	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
220	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-F); and Q^1 is
221	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,5-F); and Q^1 is
222	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
223	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
224	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et); and Q^1 is
225	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-F); and Q^1 is
226	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-Cl); and Q^1 is
227	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,4-F); and Q^1 is
228	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
229	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
230	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
231	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
232	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is
233	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is
234	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
235	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
236	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
237	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
238	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
239	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂); and Q^1 is
240	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is
241	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
242	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
243	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
244	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃); and Q^1 is
245	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
246	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
247	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl); and Q^1 is
248	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me); and Q^1 is
249	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
250	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Cl); and Q^1 is
251	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-Cl); and Q^1 is
252	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-F); and Q^1 is
253	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,4-F); and Q^1 is
254	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,5-F); and Q^1 is

255	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is
256	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
257	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
258	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
259	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
260	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
261	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
262	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is
263	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is
264	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
265	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br); and Q^1 is
266	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3-F); and Q^1 is
267	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,4-F); and Q^1 is
268	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
269	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I); and Q^1 is
270	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3-F); and Q^1 is
271	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,4-F); and Q^1 is
272	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3,4-di-F); and Q^1 is
273	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN); and Q^1 is
274	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Me); and Q^1 is
275	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-F); and Q^1 is
276	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-F); and Q^1 is
277	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Cl); and Q^1 is
278	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-Cl); and Q^1 is
279	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3,4-di-F); and Q^1 is
280	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl; and Q^1 is
281	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-F; and Q^1 is
282	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-F; and Q^1 is
283	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3,4-di-F; and Q^1 is
284	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl; and Q^1 is
285	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-Cl; and Q^1 is
286	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl,4-F; and Q^1 is
287	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me); and Q^1 is
288	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-F); and Q^1 is
289	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Me); and Q^1 is
290	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-F); and Q^1 is
291	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 5-F); and Q^1 is

292	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3,4-di-F); and Q^1 is
293	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Cl); and Q^1 is
294	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-Cl); and Q^1 is
295	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3-Cl,4-F); and Q^1 is
296	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂); and Q^1 is
297	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-F); and Q^1 is
298	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q^1 is
299	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 4-F); and Q^1 is
300	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 5-F); and Q^1 is
301	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ ,3,4-di-F); and Q^1 is
302	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F); and Q^1 is
303	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-F); and Q^1 is
304	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-F); and Q^1 is
305	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4,5-tri-F); and Q^1 is
306	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F,4-Cl); and Q^1 is
307	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃); and Q^1 is
308	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-F); and Q^1 is
309	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-Cl); and Q^1 is
310	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,5-F); and Q^1 is
311	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4,5-di-F); and Q^1 is
312	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me); and Q^1 is
313	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-Cl); and Q^1 is
314	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-F); and Q^1 is
315	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4,5-di-F); and Q^1 is
316	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,5-F); and Q^1 is
317	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂); and Q^1 is
318	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-F); and Q^1 is
319	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4,5-di-F); and Q^1 is
320	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-Cl); and Q^1 is
321	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,5-F); and Q^1 is
322	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me); and Q^1 is
323	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-F); and Q^1 is
324	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-Cl); and Q^1 is
325	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,5-F); and Q^1 is
326	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4,5-di-F); and Q^1 is
327	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl); and Q^1 is
328	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4-F); and Q^1 is

329	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-Cl); and Q^1 is
330	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,5-F); and Q^1 is
331	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4,5-di-F); and Q^1 is
332	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-Cl); and Q^1 is
333	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-F); and Q^1 is
334	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-Cl); and Q^1 is
335	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-4-yl; and Q^1 is
336	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-5-yl; and Q^1 is
337	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q^1 is
338	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
339	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is
340	Y^1 is S; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-5-yl; and Q^1 is
341	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F); and Q^1 is
342	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-F); and Q^1 is
343	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-F); and Q^1 is
344	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,5-di-F); and Q^1 is
345	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4-tri-F); and Q^1 is
346	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,5-tri-F); and Q^1 is
347	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4,5-tetra-F); and Q^1 is
348	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-Br); and Q^1 is
349	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-F); and Q^1 is
350	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Br,4-F); and Q^1 is
351	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me); and Q^1 is
352	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-F); and Q^1 is
353	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-Cl); and Q^1 is
354	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl); and Q^1 is
355	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Cl); and Q^1 is
356	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3,4-di-Cl); and Q^1 is
357	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Br); and Q^1 is
358	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe); and Q^1 is
359	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-F); and Q^1 is
360	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-Cl); and Q^1 is
361	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₂ H); and Q^1 is
362	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃); and Q^1 is
363	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃ ,4-F); and Q^1 is
364	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂); and Q^1 is
365	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂ ,4-F); and Q^1 is

366	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me); and Q^1 is
367	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me,4-F); and Q^1 is
368	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃); and Q^1 is
369	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-F); and Q^1 is
370	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Me); and Q^1 is
371	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-F); and Q^1 is
372	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Cl); and Q^1 is
373	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is
374	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
375	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H); and Q^1 is
376	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
377	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
378	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
379	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
380	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is
381	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is
382	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me); and Q^1 is
383	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Me); and Q^1 is
384	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-F); and Q^1 is
385	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
386	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
387	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is
388	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is
389	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
390	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-F); and Q^1 is
391	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,5-F); and Q^1 is
392	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
393	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
394	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et); and Q^1 is
395	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-F); and Q^1 is
396	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-Cl); and Q^1 is
397	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,4-F); and Q^1 is
398	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
399	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
400	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
401	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
402	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is

403	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is
404	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
405	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
406	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
407	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
408	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
409	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂); and Q^1 is
410	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is
411	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
412	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
413	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
414	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃); and Q^1 is
415	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
416	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
417	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl); and Q^1 is
418	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me); and Q^1 is
419	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
420	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Cl); and Q^1 is
421	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-Cl); and Q^1 is
422	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-F); and Q^1 is
423	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,4-F); and Q^1 is
424	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,5-F); and Q^1 is
425	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is
426	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
427	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
428	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
429	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
430	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
431	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
432	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is
433	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is
434	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
435	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br); and Q^1 is
436	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3-F); and Q^1 is
437	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,4-F); and Q^1 is
438	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
439	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I); and Q^1 is

440	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3-F); and Q^1 is
441	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,4-F); and Q^1 is
442	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3,4-di-F); and Q^1 is
443	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN); and Q^1 is
444	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Me); and Q^1 is
445	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-F); and Q^1 is
446	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-F); and Q^1 is
447	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Cl); and Q^1 is
448	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-Cl); and Q^1 is
449	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3,4-di-F); and Q^1 is
450	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl; and Q^1 is
451	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-F; and Q^1 is
452	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-F; and Q^1 is
453	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3,4-di-F; and Q^1 is
454	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl; and Q^1 is
455	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-Cl; and Q^1 is
456	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl,4-F; and Q^1 is
457	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me); and Q^1 is
458	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-F); and Q^1 is
459	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Me); and Q^1 is
460	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-F); and Q^1 is
461	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 5-F); and Q^1 is
462	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3,4-di-F); and Q^1 is
463	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Cl); and Q^1 is
464	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-Cl); and Q^1 is
465	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3-Cl,4-F); and Q^1 is
466	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂); and Q^1 is
467	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-F); and Q^1 is
468	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q^1 is
469	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 4-F); and Q^1 is
470	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 5-F); and Q^1 is
471	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ ,3,4-di-F); and Q^1 is
472	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F); and Q^1 is
473	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-F); and Q^1 is
474	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-F); and Q^1 is
475	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4,5-tri-F); and Q^1 is
476	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F,4-Cl); and Q^1 is

477	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃); and Q^1 is
478	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-F); and Q^1 is
479	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-Cl); and Q^1 is
480	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,5-F); and Q^1 is
481	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4,5-di-F); and Q^1 is
482	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me); and Q^1 is
483	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-Cl); and Q^1 is
484	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-F); and Q^1 is
485	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4,5-di-F); and Q^1 is
486	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,5-F); and Q^1 is
487	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂); and Q^1 is
488	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-F); and Q^1 is
489	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4,5-di-F); and Q^1 is
490	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-Cl); and Q^1 is
491	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,5-F); and Q^1 is
492	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me); and Q^1 is
493	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-F); and Q^1 is
494	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-Cl); and Q^1 is
495	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,5-F); and Q^1 is
496	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4,5-di-F); and Q^1 is
497	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl); and Q^1 is
498	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4-F); and Q^1 is
499	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-Cl); and Q^1 is
500	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,5-F); and Q^1 is
501	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4,5-di-F); and Q^1 is
502	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-Cl); and Q^1 is
503	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-F); and Q^1 is
504	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-Cl); and Q^1 is
505	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-4-yl; and Q^1 is
506	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-5-yl; and Q^1 is
507	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q^1 is
508	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
509	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is
510	Y^1 is O; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-5-yl; and Q^1 is
511	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F); and Q^1 is
512	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-F); and Q^1 is
513	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-F); and Q^1 is

514	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,5-di-F); and Q^1 is
515	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4-tri-F); and Q^1 is
516	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,5-tri-F); and Q^1 is
517	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4,5-tetra-F); and Q^1 is
518	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-Br); and Q^1 is
519	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-F); and Q^1 is
520	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Br,4-F); and Q^1 is
521	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me); and Q^1 is
522	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-F); and Q^1 is
523	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-Cl); and Q^1 is
524	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl); and Q^1 is
525	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Cl); and Q^1 is
526	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3,4-di-Cl); and Q^1 is
527	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Br); and Q^1 is
528	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe); and Q^1 is
529	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-F); and Q^1 is
530	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-Cl); and Q^1 is
531	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₂ H); and Q^1 is
532	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃); and Q^1 is
533	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃ ,4-F); and Q^1 is
534	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂); and Q^1 is
535	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂ ,4-F); and Q^1 is
536	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me); and Q^1 is
537	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me,4-F); and Q^1 is
538	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃); and Q^1 is
539	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-F); and Q^1 is
540	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Me); and Q^1 is
541	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-F); and Q^1 is
542	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Cl); and Q^1 is
543	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is
544	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
545	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H); and Q^1 is
546	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
547	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
548	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
549	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
550	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is

551	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is
552	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me); and Q^1 is
553	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Me); and Q^1 is
554	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-F); and Q^1 is
555	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
556	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
557	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is
558	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is
559	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
560	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-F); and Q^1 is
561	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,5-F); and Q^1 is
562	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
563	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
564	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et); and Q^1 is
565	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-F); and Q^1 is
566	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-Cl); and Q^1 is
567	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,4-F); and Q^1 is
568	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
569	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
570	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
571	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
572	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is
573	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is
574	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
575	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
576	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
577	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
578	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
579	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂); and Q^1 is
580	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is
581	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
582	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
583	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
584	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃); and Q^1 is
585	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
586	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
587	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl); and Q^1 is

588	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me); and Q^1 is
589	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
590	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Cl); and Q^1 is
591	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-Cl); and Q^1 is
592	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-F); and Q^1 is
593	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,4-F); and Q^1 is
594	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,5-F); and Q^1 is
595	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is
596	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
597	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
598	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
599	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
600	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
601	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
602	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is
603	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is
604	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
605	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br); and Q^1 is
606	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3-F); and Q^1 is
607	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,4-F); and Q^1 is
608	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
609	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I); and Q^1 is
610	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3-F); and Q^1 is
611	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,4-F); and Q^1 is
612	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3,4-di-F); and Q^1 is
613	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN); and Q^1 is
614	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Me); and Q^1 is
615	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-F); and Q^1 is
616	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-F); and Q^1 is
617	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Cl); and Q^1 is
618	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-Cl); and Q^1 is
619	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3,4-di-F); and Q^1 is
620	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl; and Q^1 is
621	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-F; and Q^1 is
622	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-F; and Q^1 is
623	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3,4-di-F; and Q^1 is
624	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl; and Q^1 is

625	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-Cl; and Q^1 is
626	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl,4-F; and Q^1 is
627	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me); and Q^1 is
628	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-F); and Q^1 is
629	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Me); and Q^1 is
630	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-F); and Q^1 is
631	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 5-F); and Q^1 is
632	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3,4-di-F); and Q^1 is
633	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Cl); and Q^1 is
634	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-Cl); and Q^1 is
635	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3-Cl,4-F); and Q^1 is
636	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂); and Q^1 is
637	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-F); and Q^1 is
638	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q^1 is
639	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 4-F); and Q^1 is
640	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 5-F); and Q^1 is
641	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ ,3,4-di-F); and Q^1 is
642	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F); and Q^1 is
643	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-F); and Q^1 is
644	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-F); and Q^1 is
645	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4,5-tri-F); and Q^1 is
646	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F,4-Cl); and Q^1 is
647	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃); and Q^1 is
648	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-F); and Q^1 is
649	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-Cl); and Q^1 is
650	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,5-F); and Q^1 is
651	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4,5-di-F); and Q^1 is
652	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me); and Q^1 is
653	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-Cl); and Q^1 is
654	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-F); and Q^1 is
655	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4,5-di-F); and Q^1 is
656	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,5-F); and Q^1 is
657	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂); and Q^1 is
658	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-F); and Q^1 is
659	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4,5-di-F); and Q^1 is
660	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-Cl); and Q^1 is
661	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,5-F); and Q^1 is

662	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me); and Q^1 is
663	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-F); and Q^1 is
664	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-Cl); and Q^1 is
665	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,5-F); and Q^1 is
666	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4,5-di-F); and Q^1 is
667	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl); and Q^1 is
668	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4-F); and Q^1 is
669	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-Cl); and Q^1 is
670	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,5-F); and Q^1 is
671	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4,5-di-F); and Q^1 is
672	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-Cl); and Q^1 is
673	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-F); and Q^1 is
674	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-Cl); and Q^1 is
675	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-4-yl; and Q^1 is
676	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-5-yl; and Q^1 is
677	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q^1 is
678	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
679	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is
680	Y^1 is S; Y^2 is S; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-5-yl; and Q^1 is
681	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F); and Q^1 is
682	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-F); and Q^1 is
683	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-F); and Q^1 is
684	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,5-di-F); and Q^1 is
685	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4-tri-F); and Q^1 is
686	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,5-tri-F); and Q^1 is
687	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4,5-tetra-F); and Q^1 is
688	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-Br); and Q^1 is
689	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-F); and Q^1 is
690	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Br,4-F); and Q^1 is
691	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me); and Q^1 is
692	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-F); and Q^1 is
693	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-Cl); and Q^1 is
694	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl); and Q^1 is
695	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Cl); and Q^1 is
696	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3,4-di-Cl); and Q^1 is
697	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Br); and Q^1 is
698	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe); and Q^1 is

699	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-F); and Q^1 is
700	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-Cl); and Q^1 is
701	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₂ H); and Q^1 is
702	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃); and Q^1 is
703	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃ ,4-F); and Q^1 is
704	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂); and Q^1 is
705	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂ ,4-F); and Q^1 is
706	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me); and Q^1 is
707	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me,4-F); and Q^1 is
708	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃); and Q^1 is
709	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-F); and Q^1 is
710	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Me); and Q^1 is
711	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-F); and Q^1 is
712	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Cl); and Q^1 is
713	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is
714	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
715	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H); and Q^1 is
716	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
717	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
718	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
719	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
720	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is
721	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is
722	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me); and Q^1 is
723	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Me); and Q^1 is
724	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-F); and Q^1 is
725	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
726	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
727	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is
728	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is
729	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
730	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-F); and Q^1 is
731	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,5-F); and Q^1 is
732	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
733	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
734	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et); and Q^1 is
735	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-F); and Q^1 is

736	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-Cl); and Q^1 is
737	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,4-F); and Q^1 is
738	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
739	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
740	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
741	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
742	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is
743	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is
744	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
745	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
746	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
747	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
748	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
749	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂); and Q^1 is
750	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is
751	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
752	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
753	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
754	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃); and Q^1 is
755	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
756	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
757	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl); and Q^1 is
758	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me); and Q^1 is
759	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
760	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Cl); and Q^1 is
761	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-Cl); and Q^1 is
762	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-F); and Q^1 is
763	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,4-F); and Q^1 is
764	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,5-F); and Q^1 is
765	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is
766	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
767	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
768	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
769	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
770	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
771	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
772	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is

773	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is
774	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
775	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br); and Q^1 is
776	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3-F); and Q^1 is
777	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,4-F); and Q^1 is
778	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
779	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I); and Q^1 is
780	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3-F); and Q^1 is
781	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,4-F); and Q^1 is
782	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3,4-di-F); and Q^1 is
783	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN); and Q^1 is
784	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Me); and Q^1 is
785	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-F); and Q^1 is
786	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-F); and Q^1 is
787	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Cl); and Q^1 is
788	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-Cl); and Q^1 is
789	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3,4-di-F); and Q^1 is
790	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl; and Q^1 is
791	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-F; and Q^1 is
792	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-F; and Q^1 is
793	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3,4-di-F; and Q^1 is
794	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl; and Q^1 is
795	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-Cl; and Q^1 is
796	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl,4-F; and Q^1 is
797	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me); and Q^1 is
798	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-F); and Q^1 is
799	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Me); and Q^1 is
800	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-F); and Q^1 is
801	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 5-F); and Q^1 is
802	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3,4-di-F); and Q^1 is
803	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Cl); and Q^1 is
804	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-Cl); and Q^1 is
805	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3-Cl,4-F); and Q^1 is
806	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂); and Q^1 is
807	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-F); and Q^1 is
808	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q^1 is
809	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 4-F); and Q^1 is

810	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 5-F); and Q^1 is
811	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3,4-di-F); and Q^1 is
812	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F); and Q^1 is
813	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-F); and Q^1 is
814	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-F); and Q^1 is
815	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4,5-tri-F); and Q^1 is
816	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-F, 4-Cl); and Q^1 is
817	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃); and Q^1 is
818	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ , 4-F); and Q^1 is
819	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ , 4-Cl); and Q^1 is
820	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ , 5-F); and Q^1 is
821	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ , 4,5-di-F); and Q^1 is
822	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me); and Q^1 is
823	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me, 4-Cl); and Q^1 is
824	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me, 4-F); and Q^1 is
825	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me, 4,5-di-F); and Q^1 is
826	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me, 5-F); and Q^1 is
827	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂); and Q^1 is
828	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ , 4-F); and Q^1 is
829	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ , 4,5-di-F); and Q^1 is
830	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ , 4-Cl); and Q^1 is
831	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ , 5-F); and Q^1 is
832	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me); and Q^1 is
833	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me, 4-F); and Q^1 is
834	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me, 4-Cl); and Q^1 is
835	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me, 5-F); and Q^1 is
836	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Me, 4,5-di-F); and Q^1 is
837	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl); and Q^1 is
838	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl, 4-F); and Q^1 is
839	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-Cl); and Q^1 is
840	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl, 5-F); and Q^1 is
841	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl, 4,5-di-F); and Q^1 is
842	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-Cl); and Q^1 is
843	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-F); and Q^1 is
844	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is Ph(4-Cl); and Q^1 is
845	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-4-yl; and Q^1 is
846	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-5-yl; and Q^1 is

847	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q^1 is
848	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
849	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is
850	Y^1 is NH; Y^2 is O; R^2 is H; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-5-yl; and Q^1 is
851	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F); and Q^1 is
852	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-F); and Q^1 is
853	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-F); and Q^1 is
854	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2,5-di-F); and Q^1 is
855	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4-tri-F); and Q^1 is
856	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2,3,5-tri-F); and Q^1 is
857	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2,3,4,5-tetra-F); and Q^1 is
858	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-Br); and Q^1 is
859	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-F); and Q^1 is
860	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Br,4-F); and Q^1 is
861	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me); and Q^1 is
862	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-F); and Q^1 is
863	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Me,4-Cl); and Q^1 is
864	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-Cl); and Q^1 is
865	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Cl); and Q^1 is
866	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3,4-di-Cl); and Q^1 is
867	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,4-Br); and Q^1 is
868	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe); and Q^1 is
869	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-F); and Q^1 is
870	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-Cl); and Q^1 is
871	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₂ H); and Q^1 is
872	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃); and Q^1 is
873	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-CF ₃ ,4-F); and Q^1 is
874	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂); and Q^1 is
875	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-NO ₂ ,4-F); and Q^1 is
876	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me); and Q^1 is
877	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me,4-F); and Q^1 is
878	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃); and Q^1 is
879	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-F); and Q^1 is
880	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Me); and Q^1 is
881	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-F); and Q^1 is
882	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Cl); and Q^1 is
883	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is

884	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
885	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H); and Q^1 is
886	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
887	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
888	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
889	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
890	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is
891	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is
892	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me); and Q^1 is
893	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Me); and Q^1 is
894	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-F); and Q^1 is
895	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
896	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
897	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is
898	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is
899	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
900	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,4-F); and Q^1 is
901	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,5-F); and Q^1 is
902	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
903	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
904	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Et); and Q^1 is
905	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-F); and Q^1 is
906	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3-Cl); and Q^1 is
907	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,4-F); and Q^1 is
908	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
909	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
910	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
911	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
912	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is
913	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is
914	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
915	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
916	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
917	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
918	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
919	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂); and Q^1 is
920	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is

921	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
922	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
923	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
924	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃); and Q^1 is
925	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
926	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
927	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl); and Q^1 is
928	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me); and Q^1 is
929	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
930	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2,3-di-Cl); and Q^1 is
931	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2,4-di-Cl); and Q^1 is
932	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3-F); and Q^1 is
933	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,4-F); and Q^1 is
934	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,5-F); and Q^1 is
935	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is
936	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
937	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
938	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
939	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
940	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
941	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
942	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is
943	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is
944	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
945	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Br); and Q^1 is
946	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3-F); and Q^1 is
947	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,4-F); and Q^1 is
948	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
949	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-I); and Q^1 is
950	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3-F); and Q^1 is
951	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-I,4-F); and Q^1 is
952	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-I,3,4-di-F); and Q^1 is
953	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CN); and Q^1 is
954	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Me); and Q^1 is
955	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-F); and Q^1 is
956	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-F); and Q^1 is
957	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3-Cl); and Q^1 is

958	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,4-Cl); and Q^1 is
959	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-CN,3,4-di-F); and Q^1 is
960	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl; and Q^1 is
961	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-F; and Q^1 is
962	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-F; and Q^1 is
963	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3,4-di-F; and Q^1 is
964	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl; and Q^1 is
965	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,4-Cl; and Q^1 is
966	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl,4-F; and Q^1 is
967	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me); and Q^1 is
968	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-F); and Q^1 is
969	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Me); and Q^1 is
970	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-F); and Q^1 is
971	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 5-F); and Q^1 is
972	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3,4-di-F); and Q^1 is
973	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Cl); and Q^1 is
974	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-Cl); and Q^1 is
975	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3-Cl,4-F); and Q^1 is
976	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂); and Q^1 is
977	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-F); and Q^1 is
978	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q^1 is
979	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 4-F); and Q^1 is
980	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 5-F); and Q^1 is
981	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ ,3,4-di-F); and Q^1 is
982	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-F); and Q^1 is
983	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-F); and Q^1 is
984	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-F); and Q^1 is
985	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3,4,5-tri-F); and Q^1 is
986	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-F,4-Cl); and Q^1 is
987	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃); and Q^1 is
988	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-F); and Q^1 is
989	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-Cl); and Q^1 is
990	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,5-F); and Q^1 is
991	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-CF ₃ ,4,5-di-F); and Q^1 is
992	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me); and Q^1 is
993	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-Cl); and Q^1 is
994	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-F); and Q^1 is

995	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4,5-di-F); and Q^1 is
996	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ Me,5-F); and Q^1 is
997	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂); and Q^1 is
998	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-F); and Q^1 is
999	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4,5-di-F); and Q^1 is
1000	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-Cl); and Q^1 is
1001	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,5-F); and Q^1 is
1002	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-Me); and Q^1 is
1003	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-F); and Q^1 is
1004	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4-Cl); and Q^1 is
1005	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,5-F); and Q^1 is
1006	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-Me,4,5-di-F); and Q^1 is
1007	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl); and Q^1 is
1008	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4-F); and Q^1 is
1009	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3,4-di-Cl); and Q^1 is
1010	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,5-F); and Q^1 is
1011	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3-Cl,4,5-di-F); and Q^1 is
1012	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(3,5-di-Cl); and Q^1 is
1013	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(4-F); and Q^1 is
1014	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is Ph(4-Cl); and Q^1 is
1015	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-4-yl; and Q^1 is
1016	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-5-yl; and Q^1 is
1017	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q^1 is
1018	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
1019	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is
1020	Y^1 is O; Y^2 is O; R^2 is Me; R^4 is H; R^5 is H; Q^2 is 1,3-benzodioxol-5-yl; and Q^1 is
1021	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F); and Q^1 is
1022	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2,3-di-F); and Q^1 is
1023	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2,4-di-F); and Q^1 is
1024	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2,5-di-F); and Q^1 is
1025	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2,3,4-tri-F); and Q^1 is
1026	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2,3,5-tri-F); and Q^1 is
1027	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2,3,4,5-tetra-F); and Q^1 is
1028	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-Br); and Q^1 is
1029	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-F); and Q^1 is
1030	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-Br,4-F); and Q^1 is
1031	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-Me); and Q^1 is

1032	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-Me,4-F); and Q^1 is
1033	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-Me,4-Cl); and Q^1 is
1034	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-Cl); and Q^1 is
1035	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,4-Cl); and Q^1 is
1036	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3,4-di-Cl); and Q^1 is
1037	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,4-Br); and Q^1 is
1038	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-OMe); and Q^1 is
1039	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-F); and Q^1 is
1040	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-Cl); and Q^1 is
1041	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-CF ₂ H); and Q^1 is
1042	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-CF ₃); and Q^1 is
1043	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-CF ₃ ,4-F); and Q^1 is
1044	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-NO ₂); and Q^1 is
1045	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-NO ₂ ,4-F); and Q^1 is
1046	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me); and Q^1 is
1047	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me,4-F); and Q^1 is
1048	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₃); and Q^1 is
1049	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-F); and Q^1 is
1050	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Me); and Q^1 is
1051	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-F); and Q^1 is
1052	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Cl); and Q^1 is
1053	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is
1054	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
1055	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₂ H); and Q^1 is
1056	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
1057	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
1058	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
1059	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
1060	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is
1061	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is
1062	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me); and Q^1 is
1063	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2,3-di-Me); and Q^1 is
1064	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,3-F); and Q^1 is
1065	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
1066	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
1067	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is
1068	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is

1069	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
1070	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,4-F); and Q^1 is
1071	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,5-F); and Q^1 is
1072	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
1073	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
1074	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Et); and Q^1 is
1075	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Et,3-F); and Q^1 is
1076	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Et,3-Cl); and Q^1 is
1077	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Et,4-F); and Q^1 is
1078	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
1079	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
1080	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
1081	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
1082	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is
1083	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is
1084	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
1085	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
1086	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
1087	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
1088	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
1089	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-NO ₂); and Q^1 is
1090	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is
1091	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
1092	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
1093	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
1094	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₃); and Q^1 is
1095	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
1096	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
1097	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Cl); and Q^1 is
1098	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Cl,3-Me); and Q^1 is
1099	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
1100	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2,3-di-Cl); and Q^1 is
1101	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2,4-di-Cl); and Q^1 is
1102	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Cl,3-F); and Q^1 is
1103	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Cl,4-F); and Q^1 is
1104	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Cl,5-F); and Q^1 is
1105	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is

1106	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
1107	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
1108	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
1109	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
1110	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
1111	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
1112	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is
1113	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is
1114	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
1115	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Br); and Q^1 is
1116	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Br,3-F); and Q^1 is
1117	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Br,4-F); and Q^1 is
1118	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
1119	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-I); and Q^1 is
1120	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-I,3-F); and Q^1 is
1121	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-I,4-F); and Q^1 is
1122	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-I,3,4-di-F); and Q^1 is
1123	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CN); and Q^1 is
1124	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CN,3-Me); and Q^1 is
1125	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CN,3-F); and Q^1 is
1126	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CN,4-F); and Q^1 is
1127	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CN,3-Cl); and Q^1 is
1128	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CN,4-Cl); and Q^1 is
1129	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-CN,3,4-di-F); and Q^1 is
1130	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2-Pyridinyl; and Q^1 is
1131	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2-Pyridinyl,3-F; and Q^1 is
1132	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2-Pyridinyl,4-F; and Q^1 is
1133	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2-Pyridinyl,3,4-di-F; and Q^1 is
1134	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl; and Q^1 is
1135	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2-Pyridinyl,4-Cl; and Q^1 is
1136	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2-Pyridinyl,3-Cl,4-F; and Q^1 is
1137	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ Me); and Q^1 is
1138	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-F); and Q^1 is
1139	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Me); and Q^1 is
1140	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-F); and Q^1 is
1141	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 5-F); and Q^1 is
1142	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ Me,3,4-di-F); and Q^1 is

1143	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Cl); and Q^1 is
1144	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 4-Cl); and Q^1 is
1145	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ Me, 3-Cl, 4-F); and Q^1 is
1146	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂); and Q^1 is
1147	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-F); and Q^1 is
1148	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q^1 is
1149	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 4-F); and Q^1 is
1150	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 5-F); and Q^1 is
1151	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(2-SO ₂ NH ₂ , 3,4-di-F); and Q^1 is
1152	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-F); and Q^1 is
1153	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3,4-di-F); and Q^1 is
1154	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3,5-di-F); and Q^1 is
1155	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3,4,5-tri-F); and Q^1 is
1156	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-F, 4-Cl); and Q^1 is
1157	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-CF ₃); and Q^1 is
1158	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-CF ₃ , 4-F); and Q^1 is
1159	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-CF ₃ , 4-Cl); and Q^1 is
1160	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-CF ₃ , 5-F); and Q^1 is
1161	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-CF ₃ , 4,5-di-F); and Q^1 is
1162	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ Me); and Q^1 is
1163	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ Me, 4-Cl); and Q^1 is
1164	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ Me, 4-F); and Q^1 is
1165	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ Me, 4,5-di-F); and Q^1 is
1166	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ Me, 5-F); and Q^1 is
1167	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂); and Q^1 is
1168	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ , 4-F); and Q^1 is
1169	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ , 4,5-di-F); and Q^1 is
1170	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ , 4-Cl); and Q^1 is
1171	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ , 5-F); and Q^1 is
1172	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-Me); and Q^1 is
1173	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-Me, 4-F); and Q^1 is
1174	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-Me, 4-Cl); and Q^1 is
1175	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-Me, 5-F); and Q^1 is
1176	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-Me, 4,5-di-F); and Q^1 is
1177	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-Cl); and Q^1 is
1178	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-Cl, 4-F); and Q^1 is
1179	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3,4-di-Cl); and Q^1 is

1180	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-Cl,5-F); and Q^1 is
1181	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3-Cl,4,5-di-F); and Q^1 is
1182	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(3,5-di-Cl); and Q^1 is
1183	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(4-F); and Q^1 is
1184	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is Ph(4-Cl); and Q^1 is
1185	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-4-yl; and Q^1 is
1186	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-5-yl; and Q^1 is
1187	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q^1 is
1188	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
1189	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is
1190	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Br; R^5 is H; Q^2 is 1,3-benzodioxol-5-yl; and Q^1 is
1191	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F); and Q^1 is
1192	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2,3-di-F); and Q^1 is
1193	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2,4-di-F); and Q^1 is
1194	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2,5-di-F); and Q^1 is
1195	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2,3,4-tri-F); and Q^1 is
1196	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2,3,5-tri-F); and Q^1 is
1197	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2,3,4,5-tetra-F); and Q^1 is
1198	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-Br); and Q^1 is
1199	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-Cl,4-F); and Q^1 is
1200	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-Br,4-F); and Q^1 is
1201	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-Me); and Q^1 is
1202	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-Me,4-F); and Q^1 is
1203	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-Me,4-Cl); and Q^1 is
1204	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-Cl); and Q^1 is
1205	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,4-Cl); and Q^1 is
1206	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3,4-di-Cl); and Q^1 is
1207	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,4-Br); and Q^1 is
1208	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-OMe); and Q^1 is
1209	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-F); and Q^1 is
1210	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-OMe,4-Cl); and Q^1 is
1211	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-CF ₂ H); and Q^1 is
1212	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-CF ₃); and Q^1 is
1213	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-CF ₃ ,4-F); and Q^1 is
1214	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-NO ₂); and Q^1 is
1215	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-NO ₂ ,4-F); and Q^1 is
1216	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me); and Q^1 is

1217	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-F,3-SO ₂ Me,4-F); and Q^1 is
1218	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₃); and Q^1 is
1219	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-F); and Q^1 is
1220	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Me); and Q^1 is
1221	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-F); and Q^1 is
1222	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₃ ,3-Cl); and Q^1 is
1223	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is
1224	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
1225	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₂ H); and Q^1 is
1226	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
1227	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
1228	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
1229	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
1230	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is
1231	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is
1232	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me); and Q^1 is
1233	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2,3-di-Me); and Q^1 is
1234	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,3-F); and Q^1 is
1235	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
1236	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
1237	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is
1238	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is
1239	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
1240	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,4-F); and Q^1 is
1241	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,5-F); and Q^1 is
1242	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
1243	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
1244	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Et); and Q^1 is
1245	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Et,3-F); and Q^1 is
1246	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Et,3-Cl); and Q^1 is
1247	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Et,4-F); and Q^1 is
1248	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
1249	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
1250	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
1251	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
1252	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is
1253	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is

1254	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
1255	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
1256	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
1257	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
1258	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
1259	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-NO ₂); and Q^1 is
1260	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is
1261	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
1262	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
1263	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
1264	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₃); and Q^1 is
1265	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
1266	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
1267	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Cl); and Q^1 is
1268	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Cl,3-Me); and Q^1 is
1269	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
1270	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2,3-di-Cl); and Q^1 is
1271	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2,4-di-Cl); and Q^1 is
1272	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Cl,3-F); and Q^1 is
1273	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Cl,4-F); and Q^1 is
1274	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Cl,5-F); and Q^1 is
1275	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is
1276	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
1277	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
1278	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
1279	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
1280	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
1281	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
1282	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is
1283	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is
1284	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
1285	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Br); and Q^1 is
1286	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Br,3-F); and Q^1 is
1287	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Br,4-F); and Q^1 is
1288	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
1289	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-I); and Q^1 is
1290	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(2-I,3-F); and Q^1 is

1291	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-I,4-F); and Q ¹ is
1292	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-I,3,4-di-F); and Q ¹ is
1293	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-CN); and Q ¹ is
1294	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-CN,3-Me); and Q ¹ is
1295	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-CN,3-F); and Q ¹ is
1296	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-CN,4-F); and Q ¹ is
1297	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-CN,3-Cl); and Q ¹ is
1298	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-CN,4-Cl); and Q ¹ is
1299	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-CN,3,4-di-F); and Q ¹ is
1300	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is 2-Pyridinyl; and Q ¹ is
1301	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is 2-Pyridinyl,3-F; and Q ¹ is
1302	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is 2-Pyridinyl,4-F; and Q ¹ is
1303	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is 2-Pyridinyl,3,4-di-F; and Q ¹ is
1304	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is 2-Pyridinyl,3-Cl; and Q ¹ is
1305	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is 2-Pyridinyl,4-Cl; and Q ¹ is
1306	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is 2-Pyridinyl,3-Cl,4-F; and Q ¹ is
1307	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ Me); and Q ¹ is
1308	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ Me, 3-F); and Q ¹ is
1309	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ Me, 3-Me); and Q ¹ is
1310	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ Me, 4-F); and Q ¹ is
1311	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ Me, 5-F); and Q ¹ is
1312	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ Me,3,4-di-F); and Q ¹ is
1313	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ Me, 3-Cl); and Q ¹ is
1314	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ Me, 4-Cl); and Q ¹ is
1315	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ Me,3-Cl,4-F); and Q ¹ is
1316	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ NH ₂); and Q ¹ is
1317	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ NH ₂ , 3-F); and Q ¹ is
1318	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q ¹ is
1319	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ NH ₂ , 4-F); and Q ¹ is
1320	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ NH ₂ , 5-F); and Q ¹ is
1321	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(2-SO ₂ NH ₂ ,3,4-di-F); and Q ¹ is
1322	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(3-F); and Q ¹ is
1323	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(3,4-di-F); and Q ¹ is
1324	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(3,5-di-F); and Q ¹ is
1325	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(3,4,5-tri-F); and Q ¹ is
1326	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(3-F,4-Cl); and Q ¹ is
1327	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is Cl; R ⁵ is H; Q ² is Ph(3-CF ₃); and Q ¹ is

1328	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-F); and Q^1 is
1329	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-CF ₃ ,4-Cl); and Q^1 is
1330	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-CF ₃ ,5-F); and Q^1 is
1331	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-CF ₃ ,4,5-di-F); and Q^1 is
1332	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ Me); and Q^1 is
1333	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-Cl); and Q^1 is
1334	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4-F); and Q^1 is
1335	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ Me,4,5-di-F); and Q^1 is
1336	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ Me,5-F); and Q^1 is
1337	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂); and Q^1 is
1338	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-F); and Q^1 is
1339	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4,5-di-F); and Q^1 is
1340	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,4-Cl); and Q^1 is
1341	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-SO ₂ NH ₂ ,5-F); and Q^1 is
1342	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-Me); and Q^1 is
1343	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-Me,4-F); and Q^1 is
1344	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-Me,4-Cl); and Q^1 is
1345	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-Me,5-F); and Q^1 is
1346	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-Me,4,5-di-F); and Q^1 is
1347	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-Cl); and Q^1 is
1348	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-Cl,4-F); and Q^1 is
1349	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3,4-di-Cl); and Q^1 is
1350	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-Cl,5-F); and Q^1 is
1351	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3-Cl,4,5-di-F); and Q^1 is
1352	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(3,5-di-Cl); and Q^1 is
1353	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(4-F); and Q^1 is
1354	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is Ph(4-Cl); and Q^1 is
1355	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-4-yl; and Q^1 is
1356	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is 2,2-di-F-1,3-benzodioxol-5-yl; and Q^1 is
1357	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q^1 is
1358	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
1359	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is
1360	Y^1 is O; Y^2 is O; R^2 is H; R^4 is Cl; R^5 is H; Q^2 is 1,3-benzodioxol-5-yl; and Q^1 is
1361	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F); and Q^1 is
1362	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2,3-di-F); and Q^1 is
1363	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2,4-di-F); and Q^1 is
1364	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2,5-di-F); and Q^1 is

1365	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2,3,4-tri-F); and Q^1 is
1366	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2,3,5-tri-F); and Q^1 is
1367	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2,3,4,5-tetra-F); and Q^1 is
1368	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-Cl,4-Br); and Q^1 is
1369	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-Cl,4-F); and Q^1 is
1370	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-Br,4-F); and Q^1 is
1371	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-Me); and Q^1 is
1372	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-Me,4-F); and Q^1 is
1373	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-Me,4-Cl); and Q^1 is
1374	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-Cl); and Q^1 is
1375	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,4-Cl); and Q^1 is
1376	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3,4-di-Cl); and Q^1 is
1377	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,4-Br); and Q^1 is
1378	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-OMe); and Q^1 is
1379	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-OMe,4-F); and Q^1 is
1380	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-OMe,4-Cl); and Q^1 is
1381	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-CF ₂ H); and Q^1 is
1382	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-CF ₃); and Q^1 is
1383	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-CF ₃ ,4-F); and Q^1 is
1384	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-NO ₂); and Q^1 is
1385	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-NO ₂ ,4-F); and Q^1 is
1386	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-SO ₂ Me); and Q^1 is
1387	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-F,3-SO ₂ Me,4-F); and Q^1 is
1388	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₃); and Q^1 is
1389	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₃ ,3-F); and Q^1 is
1390	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₃ ,3-Me); and Q^1 is
1391	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₃ ,4-F); and Q^1 is
1392	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₃ ,3-Cl); and Q^1 is
1393	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is
1394	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
1395	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₂ H); and Q^1 is
1396	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
1397	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
1398	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
1399	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
1400	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is
1401	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is

1402	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me); and Q^1 is
1403	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2,3-di-Me); and Q^1 is
1404	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,3-F); and Q^1 is
1405	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
1406	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
1407	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is
1408	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is
1409	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
1410	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,4-F); and Q^1 is
1411	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,5-F); and Q^1 is
1412	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
1413	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
1414	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Et); and Q^1 is
1415	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Et,3-F); and Q^1 is
1416	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Et,3-Cl); and Q^1 is
1417	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Et,4-F); and Q^1 is
1418	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
1419	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
1420	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
1421	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
1422	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is
1423	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is
1424	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
1425	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
1426	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
1427	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
1428	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
1429	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-NO ₂); and Q^1 is
1430	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is
1431	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
1432	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
1433	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
1434	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₃); and Q^1 is
1435	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
1436	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
1437	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Cl); and Q^1 is
1438	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Cl,3-Me); and Q^1 is

1439	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
1440	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2,3-di-Cl); and Q^1 is
1441	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2,4-di-Cl); and Q^1 is
1442	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Cl,3-F); and Q^1 is
1443	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Cl,4-F); and Q^1 is
1444	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Cl,5-F); and Q^1 is
1445	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is
1446	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
1447	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
1448	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
1449	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
1450	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
1451	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
1452	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is
1453	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is
1454	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
1455	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Br); and Q^1 is
1456	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Br,3-F); and Q^1 is
1457	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Br,4-F); and Q^1 is
1458	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
1459	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-I); and Q^1 is
1460	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-I,3-F); and Q^1 is
1461	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-I,4-F); and Q^1 is
1462	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-I,3,4-di-F); and Q^1 is
1463	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CN); and Q^1 is
1464	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CN,3-Me); and Q^1 is
1465	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CN,3-F); and Q^1 is
1466	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CN,4-F); and Q^1 is
1467	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CN,3-Cl); and Q^1 is
1468	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CN,4-Cl); and Q^1 is
1469	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-CN,3,4-di-F); and Q^1 is
1470	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2-Pyridinyl; and Q^1 is
1471	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2-Pyridinyl,3-F; and Q^1 is
1472	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2-Pyridinyl,4-F; and Q^1 is
1473	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2-Pyridinyl,3,4-di-F; and Q^1 is
1474	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2-Pyridinyl,3-Cl; and Q^1 is
1475	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2-Pyridinyl,4-Cl; and Q^1 is

1476	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2-Pyridinyl,3-Cl,4-F; and Q^1 is
1477	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ Me); and Q^1 is
1478	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ Me, 3-F); and Q^1 is
1479	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ Me, 3-Me); and Q^1 is
1480	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ Me, 4-F); and Q^1 is
1481	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ Me, 5-F); and Q^1 is
1482	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ Me,3,4-di-F); and Q^1 is
1483	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ Me, 3-Cl); and Q^1 is
1484	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ Me, 4-Cl); and Q^1 is
1485	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ Me,3-Cl,4-F); and Q^1 is
1486	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ NH ₂); and Q^1 is
1487	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ NH ₂ , 3-F); and Q^1 is
1488	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q^1 is
1489	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ NH ₂ , 4-F); and Q^1 is
1490	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ NH ₂ , 5-F); and Q^1 is
1491	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(2-SO ₂ NH ₂ ,3,4-di-F); and Q^1 is
1492	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-F); and Q^1 is
1493	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3,4-di-F); and Q^1 is
1494	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3,5-di-F); and Q^1 is
1495	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3,4,5-tri-F); and Q^1 is
1496	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-F,4-Cl); and Q^1 is
1497	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-CF ₃); and Q^1 is
1498	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-CF ₃ ,4-F); and Q^1 is
1499	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-CF ₃ ,4-Cl); and Q^1 is
1500	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-CF ₃ ,5-F); and Q^1 is
1501	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-CF ₃ ,4,5-di-F); and Q^1 is
1502	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ Me); and Q^1 is
1503	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ Me,4-Cl); and Q^1 is
1504	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ Me,4-F); and Q^1 is
1505	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ Me,4,5-di-F); and Q^1 is
1506	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ Me,5-F); and Q^1 is
1507	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ NH ₂); and Q^1 is
1508	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ NH ₂ ,4-F); and Q^1 is
1509	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ NH ₂ ,4,5-di-F); and Q^1 is
1510	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ NH ₂ ,4-Cl); and Q^1 is
1511	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-SO ₂ NH ₂ ,5-F); and Q^1 is
1512	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-Me); and Q^1 is

1513	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-Me,4-F); and Q^1 is
1514	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-Me,4-Cl); and Q^1 is
1515	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-Me,5-F); and Q^1 is
1516	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-Me,4,5-di-F); and Q^1 is
1517	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-Cl); and Q^1 is
1518	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-Cl,4-F); and Q^1 is
1519	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3,4-di-Cl); and Q^1 is
1520	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-Cl,5-F); and Q^1 is
1521	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3-Cl,4,5-di-F); and Q^1 is
1522	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(3,5-di-Cl); and Q^1 is
1523	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(4-F); and Q^1 is
1524	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is Ph(4-Cl); and Q^1 is
1525	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2,2-di-F-1,3-benzodioxol-4-yl; and Q^1 is
1526	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2,2-di-F-1,3-benzodioxol-5-yl; and Q^1 is
1527	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q^1 is
1528	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
1529	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is
1530	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Br; Q^2 is 1,3-benzodioxol-5-yl; and Q^1 is
1531	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F); and Q^1 is
1532	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2,3-di-F); and Q^1 is
1533	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2,4-di-F); and Q^1 is
1534	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2,5-di-F); and Q^1 is
1535	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2,3,4-tri-F); and Q^1 is
1536	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2,3,5-tri-F); and Q^1 is
1537	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2,3,4,5-tetra-F); and Q^1 is
1538	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-Cl,4-Br); and Q^1 is
1539	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-Cl,4-F); and Q^1 is
1540	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-Br,4-F); and Q^1 is
1541	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-Me); and Q^1 is
1542	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-Me,4-F); and Q^1 is
1543	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-Me,4-Cl); and Q^1 is
1544	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-Cl); and Q^1 is
1545	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,4-Cl); and Q^1 is
1546	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3,4-di-Cl); and Q^1 is
1547	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,4-Br); and Q^1 is
1548	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-OMe); and Q^1 is
1549	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-OMe,4-F); and Q^1 is

1550	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-OMe,4-Cl); and Q^1 is
1551	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-CF ₂ H); and Q^1 is
1552	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-CF ₃); and Q^1 is
1553	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-CF ₃ ,4-F); and Q^1 is
1554	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-NO ₂); and Q^1 is
1555	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-NO ₂ ,4-F); and Q^1 is
1556	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-SO ₂ Me); and Q^1 is
1557	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-F,3-SO ₂ Me,4-F); and Q^1 is
1558	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₃); and Q^1 is
1559	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₃ ,3-F); and Q^1 is
1560	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₃ ,3-Me); and Q^1 is
1561	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₃ ,4-F); and Q^1 is
1562	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₃ ,3-Cl); and Q^1 is
1563	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₃ ,4-Cl); and Q^1 is
1564	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₃ ,3,4-di-F); and Q^1 is
1565	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₂ H); and Q^1 is
1566	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₂ H,3-F); and Q^1 is
1567	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₂ H,3-Me); and Q^1 is
1568	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₂ H,4-F); and Q^1 is
1569	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₂ H,3-Cl); and Q^1 is
1570	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₂ H,4-Cl); and Q^1 is
1571	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CF ₂ H,3,4-di-F); and Q^1 is
1572	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me); and Q^1 is
1573	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2,3-di-Me); and Q^1 is
1574	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,3-F); and Q^1 is
1575	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,3-Cl); and Q^1 is
1576	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,3-CF ₃); and Q^1 is
1577	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,3,4-di-Cl); and Q^1 is
1578	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,3-Cl,4-F); and Q^1 is
1579	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,4-Cl); and Q^1 is
1580	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,4-F); and Q^1 is
1581	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,5-F); and Q^1 is
1582	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,3,4-di-F); and Q^1 is
1583	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Me,3,5-di-F); and Q^1 is
1584	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Et); and Q^1 is
1585	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Et,3-F); and Q^1 is
1586	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Et,3-Cl); and Q^1 is

1587	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Et,4-F); and Q^1 is
1588	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Et,3,4-di-F); and Q^1 is
1589	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>i</i> -Pr); and Q^1 is
1590	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>i</i> -Pr,3-F); and Q^1 is
1591	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>i</i> -Pr,3-Cl); and Q^1 is
1592	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>i</i> -Pr,4-F); and Q^1 is
1593	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>i</i> -Pr,3,4-di-F); and Q^1 is
1594	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>c</i> -Pr); and Q^1 is
1595	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>c</i> -Pr,3-F); and Q^1 is
1596	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>c</i> -Pr,3-Cl); and Q^1 is
1597	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>c</i> -Pr,4-F); and Q^1 is
1598	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2- <i>c</i> -Pr,3,4-di-F); and Q^1 is
1599	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-NO ₂); and Q^1 is
1600	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-NO ₂ ,3-F); and Q^1 is
1601	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-NO ₂ ,3-Cl); and Q^1 is
1602	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-NO ₂ ,4-F); and Q^1 is
1603	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-NO ₂ ,3,4-di-F); and Q^1 is
1604	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₃); and Q^1 is
1605	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₃ ,3-F); and Q^1 is
1606	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₃ ,4-F); and Q^1 is
1607	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Cl); and Q^1 is
1608	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Cl,3-Me); and Q^1 is
1609	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Cl,3-Me,4-F); and Q^1 is
1610	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2,3-di-Cl); and Q^1 is
1611	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2,4-di-Cl); and Q^1 is
1612	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Cl,3-F); and Q^1 is
1613	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Cl,4-F); and Q^1 is
1614	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Cl,5-F); and Q^1 is
1615	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Cl,3,4-di-F); and Q^1 is
1616	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Cl,3,5-di-F); and Q^1 is
1617	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₂ H); and Q^1 is
1618	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₂ H,3-Me); and Q^1 is
1619	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₂ H,3-Cl); and Q^1 is
1620	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₂ H,3-F); and Q^1 is
1621	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₂ H,4-F); and Q^1 is
1622	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₂ CF ₂ H); and Q^1 is
1623	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₂ CF ₂ H,3-F); and Q^1 is


1624	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-OCF ₂ CF ₂ H,4-F); and Q^1 is
1625	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Br); and Q^1 is
1626	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Br,3-F); and Q^1 is
1627	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Br,4-F); and Q^1 is
1628	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-Br,3,4-di-F); and Q^1 is
1629	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-I); and Q^1 is
1630	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-I,3-F); and Q^1 is
1631	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-I,4-F); and Q^1 is
1632	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-I,3,4-di-F); and Q^1 is
1633	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CN); and Q^1 is
1634	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CN,3-Me); and Q^1 is
1635	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CN,3-F); and Q^1 is
1636	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CN,4-F); and Q^1 is
1637	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CN,3-Cl); and Q^1 is
1638	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CN,4-Cl); and Q^1 is
1639	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-CN,3,4-di-F); and Q^1 is
1640	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is 2-Pyridinyl; and Q^1 is
1641	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is 2-Pyridinyl,3-F; and Q^1 is
1642	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is 2-Pyridinyl,4-F; and Q^1 is
1643	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is 2-Pyridinyl,3,4-di-F; and Q^1 is
1644	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is 2-Pyridinyl,3-Cl; and Q^1 is
1645	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is 2-Pyridinyl,4-Cl; and Q^1 is
1646	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is 2-Pyridinyl,3-Cl,4-F; and Q^1 is
1647	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ Me); and Q^1 is
1648	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ Me, 3-F); and Q^1 is
1649	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ Me, 3-Me); and Q^1 is
1650	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ Me, 4-F); and Q^1 is
1651	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ Me, 5-F); and Q^1 is
1652	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ Me,3,4-di-F); and Q^1 is
1653	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ Me, 3-Cl); and Q^1 is
1654	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ Me, 4-Cl); and Q^1 is
1655	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ Me,3-Cl,4-F); and Q^1 is
1656	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ NH ₂); and Q^1 is
1657	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ NH ₂ , 3-F); and Q^1 is
1658	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ NH ₂ , 3-Cl); and Q^1 is
1659	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ NH ₂ , 4-F); and Q^1 is
1660	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is Ph(2-SO ₂ NH ₂ , 5-F); and Q^1 is

1661	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(2-SO ₂ NH ₂ ,3,4-di-F); and Q ¹ is
1662	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-F); and Q ¹ is
1663	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3,4-di-F); and Q ¹ is
1664	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3,5-di-F); and Q ¹ is
1665	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3,4,5-tri-F); and Q ¹ is
1666	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-F,4-Cl); and Q ¹ is
1667	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-CF ₃); and Q ¹ is
1668	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-CF ₃ ,4-F); and Q ¹ is
1669	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-CF ₃ ,4-Cl); and Q ¹ is
1670	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-CF ₃ ,5-F); and Q ¹ is
1671	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-CF ₃ ,4,5-di-F); and Q ¹ is
1672	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ Me); and Q ¹ is
1673	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ Me,4-Cl); and Q ¹ is
1674	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ Me,4-F); and Q ¹ is
1675	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ Me,4,5-di-F); and Q ¹ is
1676	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ Me,5-F); and Q ¹ is
1677	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ NH ₂); and Q ¹ is
1678	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ NH ₂ ,4-F); and Q ¹ is
1679	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ NH ₂ ,4,5-di-F); and Q ¹ is
1680	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ NH ₂ ,4-Cl); and Q ¹ is
1681	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-SO ₂ NH ₂ ,5-F); and Q ¹ is
1682	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-Me); and Q ¹ is
1683	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-Me,4-F); and Q ¹ is
1684	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-Me,4-Cl); and Q ¹ is
1685	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-Me,5-F); and Q ¹ is
1686	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-Me,4,5-di-F); and Q ¹ is
1687	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-Cl); and Q ¹ is
1688	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-Cl,4-F); and Q ¹ is
1689	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3,4-di-Cl); and Q ¹ is
1690	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-Cl,5-F); and Q ¹ is
1691	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3-Cl,4,5-di-F); and Q ¹ is
1692	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(3,5-di-Cl); and Q ¹ is
1693	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(4-F); and Q ¹ is
1694	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is Ph(4-Cl); and Q ¹ is
1695	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is 2,2-di-F-1,3-benzodioxol-4-yl; and Q ¹ is
1696	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is 2,2-di-F-1,3-benzodioxol-5-yl; and Q ¹ is
1697	Y ¹ is O; Y ² is O; R ² is H; R ⁴ is H; R ⁵ is Cl; Q ² is 2,2-di-Me-1,3-benzodioxol-4-yl; and Q ¹ is

1698	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is 2,2-di-Me-1,3-benzodioxol-5-yl; and Q^1 is
1699	Y^1 is O; Y^2 is O; R^2 is H; R^4 is H; R^5 is Cl; Q^2 is 1,3-benzodioxol-4-yl; and Q^1 is

Table 1700

Table 1700 is constructed the same way as Table 1 above, except the structure is replaced with the following:



5


Tables 1701 through 3399

This disclosure also includes Tables 1701 through 3399, each Table is constructed in the same fashion as Tables 2 through 1699 above, except that the structure is replaced with the structure in Table 1700 above.

Table 3400

10

Table 3400 is constructed the same way as Table 1 above, except the structure is replaced with the following:


Tables 3401 through 5099

15 This disclosure also includes Tables 3401 through 5099, each Table is constructed in the same fashion as Tables 2 through 1699 above, except that the structure is replaced with the structure in Table 3400 above.

142

Table 5100


Table 5100 is constructed the same way as Table 1 above, except the structure is replaced with the following:



5


Tables 5101 through 6799

This disclosure also includes Tables 5101 through 6799, each Table is constructed in the same fashion as Tables 2 through 1699 above, except that the structure is replaced with the structure in Table 5100 above.

Table I

10


The present disclosure also includes the intermediate compounds listed in Table I. Table I is constructed using the above Table I structure, combined with the individual values listed for Q¹ from Table 1.

Table II


15

The present disclosure also includes the intermediate compounds listed in Table II. Table II is constructed using the above Table II structure, combined with the individual values listed for Q¹ from Table 1.

143

Table III

The present disclosure also includes the intermediate compounds listed in Table III. Table III is constructed using the above Table III structure, combined with the individual values listed for Q¹ from Table 1.

Table IV

The present disclosure also includes the intermediate compounds listed in Table IV. Table IV is constructed using the above Table IV structure, combined with the individual values listed for Q¹ from Table 1.

Formulation/Utility

A compound of this invention will generally be used as a herbicidal active ingredient in a composition, i.e. formulation, with at least one additional component selected from the group consisting of surfactants, solid diluents and liquid diluents, which serves as a carrier. The formulation or composition ingredients are selected to be consistent with the physical properties of the active ingredient, mode of application and environmental factors such as soil type, moisture and temperature.

Useful formulations include both liquid and solid compositions. Liquid compositions include solutions (including emulsifiable concentrates), suspensions, emulsions (including microemulsions, oil-in-water emulsions, flowable concentrates and/or suspoemulsions) and the like, which optionally can be thickened into gels. The general types of aqueous liquid compositions are soluble concentrate, suspension concentrate, capsule suspension, concentrated emulsion, microemulsion, oil-in-water emulsion, flowable concentrate and suspo-emulsion. The general types of nonaqueous liquid compositions are emulsifiable concentrate, microemulsifiable concentrate, dispersible concentrate and oil dispersion.

The general types of solid compositions are dusts, powders, granules, pellets, prills, pastilles, tablets, filled films (including seed coatings) and the like, which can be water-dispersible (“wetable”) or water-soluble. Films and coatings formed from film-forming solutions or flowable suspensions are particularly useful for seed treatment. Active ingredient can be (micro)encapsulated and further formed into a suspension or solid formulation; alternatively the entire formulation of active ingredient can be encapsulated (or “overcoated”). Encapsulation can control or delay release of the active ingredient. An emulsifiable granule combines the advantages of both an emulsifiable concentrate formulation and a dry granular formulation. High-strength compositions are primarily used as intermediates for further formulation.

Sprayable formulations are typically extended in a suitable medium before spraying. Such liquid and solid formulations are formulated to be readily diluted in the spray medium, usually water, but occasionally another suitable medium like an aromatic or paraffinic hydrocarbon or vegetable oil. Spray volumes can range from about one to several thousand liters per hectare, but more typically are in the range from about ten to several hundred liters per hectare. Sprayable formulations can be tank mixed with water or another suitable medium for foliar treatment by aerial or ground application, or for application to the growing medium of the plant. Liquid and dry formulations can be metered directly into drip irrigation systems or metered into the furrow during planting.

The formulations will typically contain effective amounts of active ingredient, diluent and surfactant within the following approximate ranges which add up to 100 percent by weight.

	Weight Percent		
	<u>Active Ingredient</u>	<u>Diluent</u>	<u>Surfactant</u>
Water-Dispersible and Water-soluble Granules, Tablets and Powders	0.001–90	0–99.999	0–15
Oil Dispersions, Suspensions, Emulsions, Solutions (including Emulsifiable Concentrates)	1–50	40–99	0–50
Dusts	1–25	70–99	0–5
Granules and Pellets	0.001–99	5–99.999	0–15
High Strength Compositions	90–99	0–10	0–2

Solid diluents include, for example, clays such as bentonite, montmorillonite, attapulgite and kaolin, gypsum, cellulose, titanium dioxide, zinc oxide, starch, dextrin, sugars (e.g., lactose, sucrose), silica, talc, mica, diatomaceous earth, urea, calcium carbonate, sodium carbonate and bicarbonate, and sodium sulfate. Typical solid diluents are described

in Watkins et al., *Handbook of Insecticide Dust Diluents and Carriers*, 2nd Ed., Dorland Books, Caldwell, New Jersey.

Liquid diluents include, for example, water, *N,N*-dimethylalkanamides (e.g., *N,N*-dimethylformamide), limonene, dimethyl sulfoxide, *N*-alkylpyrrolidones (e.g., *N*-methylpyrrolidinone), alkyl phosphates (e.g., triethyl phosphate), ethylene glycol, triethylene glycol, propylene glycol, dipropylene glycol, polypropylene glycol, propylene carbonate, butylene carbonate, paraffins (e.g., white mineral oils, normal paraffins, isoparaffins), alkylbenzenes, alkylnaphthalenes, glycerine, glycerol triacetate, sorbitol, aromatic hydrocarbons, dearomatized aliphatics, alkylbenzenes, alkylnaphthalenes, ketones such as cyclohexanone, 2-heptanone, isophorone and 4-hydroxy-4-methyl-2-pentanone, acetates such as isoamyl acetate, hexyl acetate, heptyl acetate, octyl acetate, nonyl acetate, tridecyl acetate and isobornyl acetate, other esters such as alkylated lactate esters, dibasic esters, alkyl and aryl benzoates and γ -butyrolactone, and alcohols, which can be linear, branched, saturated or unsaturated, such as methanol, ethanol, *n*-propanol, isopropyl alcohol, *n*-butanol, isobutyl alcohol, *n*-hexanol, 2-ethylhexanol, *n*-octanol, decanol, isodecyl alcohol, isooctadecanol, cetyl alcohol, lauryl alcohol, tridecyl alcohol, oleyl alcohol, cyclohexanol, tetrahydrofurfuryl alcohol, diacetone alcohol, cresol and benzyl alcohol. Liquid diluents also include glycerol esters of saturated and unsaturated fatty acids (typically C₆–C₂₂), such as plant seed and fruit oils (e.g., oils of olive, castor, linseed, sesame, corn (maize), peanut, sunflower, grapeseed, safflower, cottonseed, soybean, rapeseed, coconut and palm kernel), animal-sourced fats (e.g., beef tallow, pork tallow, lard, cod liver oil, fish oil), and mixtures thereof. Liquid diluents also include alkylated fatty acids (e.g., methylated, ethylated, butylated) wherein the fatty acids may be obtained by hydrolysis of glycerol esters from plant and animal sources, and can be purified by distillation. Typical liquid diluents are described in Marsden, *Solvents Guide*, 2nd Ed., Interscience, New York, 1950.

The solid and liquid compositions of the present invention often include one or more surfactants. When added to a liquid, surfactants (also known as “surface-active agents”) generally modify, most often reduce, the surface tension of the liquid. Depending on the nature of the hydrophilic and lipophilic groups in a surfactant molecule, surfactants can be useful as wetting agents, dispersants, emulsifiers or defoaming agents.

Surfactants can be classified as nonionic, anionic or cationic. Nonionic surfactants useful for the present compositions include, but are not limited to: alcohol alkoxylates such as alcohol alkoxylates based on natural and synthetic alcohols (which may be branched or linear) and prepared from the alcohols and ethylene oxide, propylene oxide, butylene oxide or mixtures thereof; amine ethoxylates, alkanolamides and ethoxylated alkanolamides; alkoxylated triglycerides such as ethoxylated soybean, castor and rapeseed oils; alkylphenol alkoxylates such as octylphenol ethoxylates, nonylphenol ethoxylates, dinonyl phenol

ethoxylates and dodecyl phenol ethoxylates (prepared from the phenols and ethylene oxide, propylene oxide, butylene oxide or mixtures thereof); block polymers prepared from ethylene oxide or propylene oxide and reverse block polymers where the terminal blocks are prepared from propylene oxide; ethoxylated fatty acids; ethoxylated fatty esters and oils; 5 ethoxylated methyl esters; ethoxylated tristyrylphenol (including those prepared from ethylene oxide, propylene oxide, butylene oxide or mixtures thereof); fatty acid esters, glycerol esters, lanolin-based derivatives, polyethoxylate esters such as polyethoxylated sorbitan fatty acid esters, polyethoxylated sorbitol fatty acid esters and polyethoxylated glycerol fatty acid esters; other sorbitan derivatives such as sorbitan esters; polymeric 10 surfactants such as random copolymers, block copolymers, alkyd peg (polyethylene glycol) resins, graft or comb polymers and star polymers; polyethylene glycols (pegs); polyethylene glycol fatty acid esters; silicone-based surfactants; and sugar-derivatives such as sucrose esters, alkyl polyglycosides and alkyl polysaccharides.

Useful anionic surfactants include, but are not limited to: alkylaryl sulfonic acids and 15 their salts; carboxylated alcohol or alkylphenol ethoxylates; diphenyl sulfonate derivatives; lignin and lignin derivatives such as lignosulfonates; maleic or succinic acids or their anhydrides; olefin sulfonates; phosphate esters such as phosphate esters of alcohol alkoxyates, phosphate esters of alkylphenol alkoxyates and phosphate esters of styryl phenol ethoxylates; protein-based surfactants; sarcosine derivatives; styryl phenol ether 20 sulfate; sulfates and sulfonates of oils and fatty acids; sulfates and sulfonates of ethoxylated alkylphenols; sulfates of alcohols; sulfates of ethoxylated alcohols; sulfonates of amines and amides such as *N,N*-alkyltaurates; sulfonates of benzene, cumene, toluene, xylene, and dodecyl and tridecylbenzenes; sulfonates of condensed naphthalenes; sulfonates of naphthalene and alkyl naphthalene; sulfonates of fractionated petroleum; sulfosuccinamates; 25 and sulfosuccinates and their derivatives such as dialkyl sulfosuccinate salts.

Useful cationic surfactants include, but are not limited to: amides and ethoxylated amides; amines such as *N*-alkyl propanediamines, tripropylenetriamines and dipropylenetetramines, and ethoxylated amines, ethoxylated diamines and propoxylated amines (prepared from the amines and ethylene oxide, propylene oxide, butylene oxide or 30 mixtures thereof); amine salts such as amine acetates and diamine salts; quaternary ammonium salts such as quaternary salts, ethoxylated quaternary salts and diquaternary salts; and amine oxides such as alkyldimethylamine oxides and bis-(2-hydroxyethyl)-alkylamine oxides.

Also useful for the present compositions are mixtures of nonionic and anionic 35 surfactants or mixtures of nonionic and cationic surfactants. Nonionic, anionic and cationic surfactants and their recommended uses are disclosed in a variety of published references including *McCutcheon's Emulsifiers and Detergents*, annual American and International Editions published by McCutcheon's Division, The Manufacturing Confectioner Publishing

Co.; Sisely and Wood, *Encyclopedia of Surface Active Agents*, Chemical Publ. Co., Inc., New York, 1964; and A. S. Davidson and B. Milwidsky, *Synthetic Detergents*, Seventh Edition, John Wiley and Sons, New York, 1987.

Compositions of this invention may also contain formulation auxiliaries and additives, known to those skilled in the art as formulation aids (some of which may be considered to also function as solid diluents, liquid diluents or surfactants). Such formulation auxiliaries and additives may control: pH (buffers), foaming during processing (antifoams such as polyorganosiloxanes), sedimentation of active ingredients (suspending agents), viscosity (thixotropic thickeners), in-container microbial growth (antimicrobials), product freezing (antifreezes), color (dyes/pigment dispersions), wash-off (film formers or stickers), evaporation (evaporation retardants), and other formulation attributes. Film formers include, for example, polyvinyl acetates, polyvinyl acetate copolymers, polyvinylpyrrolidone-vinyl acetate copolymer, polyvinyl alcohols, polyvinyl alcohol copolymers and waxes. Examples of formulation auxiliaries and additives include those listed in *McCutcheon's Volume 2: Functional Materials*, annual International and North American editions published by McCutcheon's Division, The Manufacturing Confectioner Publishing Co.; and PCT Publication WO 03/024222.

The compound of Formula 1 and any other active ingredients are typically incorporated into the present compositions by dissolving the active ingredient in a solvent or by grinding in a liquid or dry diluent. Solutions, including emulsifiable concentrates, can be prepared by simply mixing the ingredients. If the solvent of a liquid composition intended for use as an emulsifiable concentrate is water-immiscible, an emulsifier is typically added to emulsify the active-containing solvent upon dilution with water. Active ingredient slurries, with particle diameters of up to 2,000 μm can be wet milled using media mills to obtain particles with average diameters below 3 μm . Aqueous slurries can be made into finished suspension concentrates (see, for example, U.S. 3,060,084) or further processed by spray drying to form water-dispersible granules. Dry formulations usually require dry milling processes, which produce average particle diameters in the 2 to 10 μm range. Dusts and powders can be prepared by blending and usually grinding (such as with a hammer mill or fluid-energy mill). Granules and pellets can be prepared by spraying the active material upon preformed granular carriers or by agglomeration techniques. See Browning, "Agglomeration", *Chemical Engineering*, December 4, 1967, pp 147-48, *Perry's Chemical Engineer's Handbook*, 4th Ed., McGraw-Hill, New York, 1963, pages 8-57 and following, and WO 91/13546. Pellets can be prepared as described in U.S. 4,172,714. Water-dispersible and water-soluble granules can be prepared as taught in U.S. 4,144,050, U.S. 3,920,442 and DE 3,246,493. Tablets can be prepared as taught in U.S. 5,180,587, U.S. 5,232,701 and U.S. 5,208,030. Films can be prepared as taught in GB 2,095,558 and U.S. 3,299,566.

For further information regarding the art of formulation, see T. S. Woods, "The Formulator's Toolbox – Product Forms for Modern Agriculture" in *Pesticide Chemistry and Bioscience, The Food–Environment Challenge*, T. Brooks and T. R. Roberts, Eds., Proceedings of the 9th International Congress on Pesticide Chemistry, The Royal Society of Chemistry, Cambridge, 1999, pp. 120–133. See also U.S. 3,235,361, Col. 6, line 16 through Col. 7, line 19 and Examples 10–41; U.S. 3,309,192, Col. 5, line 43 through Col. 7, line 62 and Examples 8, 12, 15, 39, 41, 52, 53, 58, 132, 138–140, 162–164, 166, 167 and 169–182; U.S. 2,891,855, Col. 3, line 66 through Col. 5, line 17 and Examples 1–4; Klingman, *Weed Control as a Science*, John Wiley and Sons, Inc., New York, 1961, pp 81–96; Hance et al., *Weed Control Handbook*, 8th Ed., Blackwell Scientific Publications, Oxford, 1989; and *Developments in formulation technology*, PJB Publications, Richmond, UK, 2000.

In the following Examples, all percentages are by weight and all formulations are prepared in conventional ways. Compound numbers refer to compounds in Index Tables A–C. Without further elaboration, it is believed that one skilled in the art using the preceding description can utilize the present invention to its fullest extent. The following Examples are, therefore, to be construed as merely illustrative, and not limiting of the disclosure in any way whatsoever. Percentages are by weight except where otherwise indicated.

Example A

High Strength Concentrate

Compound 17	98.5%
silica aerogel	0.5%
synthetic amorphous fine silica	1.0%

Example B

Wettable Powder

Compound 79	65.0%
dodecylphenol polyethylene glycol ether	2.0%
sodium ligninsulfonate	4.0%
sodium silicoaluminate	6.0%
montmorillonite (calcined)	23.0%

Example C

Granule

Compound 80	10.0%
attapulgite granules (low volatile matter, 0.71/0.30 mm; U.S.S. No. 25–50 sieves)	90.0%

Example DExtruded Pellet

Compound 5	25.0%
anhydrous sodium sulfate	10.0%
crude calcium ligninsulfonate	5.0%
sodium alkyl naphthalenesulfonate	1.0%
calcium/magnesium bentonite	59.0%

Example EEmulsifiable Concentrate

Compound 17	10.0%
polyoxyethylene sorbitol hexoleate	20.0%
C ₆ –C ₁₀ fatty acid methyl ester	70.0%

Example FMicroemulsion

Compound 79	5.0%
polyvinylpyrrolidone-vinyl acetate copolymer	30.0%
alkylpolyglycoside	30.0%
glyceryl monooleate	15.0%
water	20.0%

Example GSuspension Concentrate

Compound 80	35%
butyl polyoxyethylene/polypropylene block copolymer	4.0%
stearic acid/polyethylene glycol copolymer	1.0%
styrene acrylic polymer	1.0%
xanthan gum	0.1%
propylene glycol	5.0%
silicone based defoamer	0.1%
1,2-benzisothiazolin-3-one	0.1%
water	53.7%

Example HEmulsion in Water

Compound 5	10.0%
butyl polyoxyethylene/polypropylene block copolymer	4.0%
stearic acid/polyethylene glycol copolymer	1.0%
styrene acrylic polymer	1.0%

xanthan gum	0.1%
propylene glycol	5.0%
silicone based defoamer	0.1%
1,2-benzisothiazolin-3-one	0.1%
aromatic petroleum based hydrocarbon	20.0
water	58.7%

Example IOil Dispersion

Compound 17	25%
polyoxyethylene sorbitol hexaoleate	15%
organically modified bentonite clay	2.5%
fatty acid methyl ester	57.5%

Example JSuspoemulsion

Compound 79	10.0%
imidacloprid	5.0%
butyl polyoxyethylene/polypropylene block copolymer	4.0%
stearic acid/polyethylene glycol copolymer	1.0%
styrene acrylic polymer	1.0%
xanthan gum	0.1%
propylene glycol	5.0%
silicone based defoamer	0.1%
1,2-benzisothiazolin-3-one	0.1%
aromatic petroleum based hydrocarbon	20.0%
water	53.7%

Test results indicate that the compounds of the present invention are highly active preemergent and/or postemergent herbicides and/or plant growth regulants. The compounds of the invention generally show highest activity for early postemergence weed control (i.e. applied soon after weed seedlings emerge from the soil) and preemergence weed control (i.e. applied before weed seedlings emerge from the soil). Many of them have utility for broad-spectrum pre- and/or postemergence weed control in areas where complete control of all vegetation is desired such as around fuel storage tanks, industrial storage areas, parking lots, drive-in theaters, air fields, river banks, irrigation and other waterways, around billboards and highway and railroad structures. Many of the compounds of this invention, by virtue of selective metabolism in crops versus weeds, or by selective activity at the locus of physiological inhibition in crops and weeds, or by selective placement on or within the environment of a mixture of crops and weeds, are useful for the selective control of grass

and broadleaf weeds within a crop/weed mixture. One skilled in the art will recognize that the preferred combination of these selectivity factors within a compound or group of compounds can readily be determined by performing routine biological and/or biochemical assays. Compounds of this invention may show tolerance to important agronomic crops including, but is not limited to, alfalfa, barley, cotton, wheat, rape, sugar beets, corn (maize), sorghum, soybeans, rice, oats, peanuts, vegetables, tomato, potato, perennial plantation crops including coffee, cocoa, oil palm, rubber, sugarcane, citrus, grapes, fruit trees, nut trees, banana, plantain, pineapple, hops, tea and forests such as eucalyptus and conifers (e.g., loblolly pine), and turf species (e.g., Kentucky bluegrass, St. Augustine grass, Kentucky fescue and Bermuda grass). Compounds of this invention can be used in crops genetically transformed or bred to incorporate resistance to herbicides, express proteins toxic to invertebrate pests (such as *Bacillus thuringiensis* toxin), and/or express other useful traits. Those skilled in the art will appreciate that not all compounds are equally effective against all weeds. Alternatively, the subject compounds are useful to modify plant growth.

As the compounds of the invention have (both preemergent and postemergent herbicidal) activity, to control undesired vegetation by killing or injuring the vegetation or reducing its growth, the compounds can be usefully applied by a variety of methods involving contacting a herbicidally effective amount of a compound of the invention, or a composition comprising said compound and at least one of a surfactant, a solid diluent or a liquid diluent, to the foliage or other part of the undesired vegetation or to the environment of the undesired vegetation such as the soil or water in which the undesired vegetation is growing or which surrounds the seed or other propagule of the undesired vegetation.

A herbicidally effective amount of the compounds of this invention is determined by a number of factors. These factors include: formulation selected, method of application, amount and type of vegetation present, growing conditions, etc. In general, a herbicidally effective amount of compounds of this invention is about 0.005 to 20 kg/ha with a preferred range of about 0.01 to 1 kg/ha. One skilled in the art can easily determine the herbicidally effective amount necessary for the desired level of weed control.

Compounds of the invention are useful in treating all plants and plant parts. Plant varieties and cultivars can be obtained by conventional propagation and breeding methods or by genetic engineering methods. Genetically modified plants (transgenic plants) are those in which a heterologous gene (transgene) has been stably integrated into the plant's genome. A transgene that is defined by its particular location in the plant genome is called a transformation or transgenic event.

Genetically modified plant cultivars which can be treated according to the invention include those that are resistant against one or more biotic stresses (pests such as nematodes, insects, mites, fungi, etc.) or abiotic stresses (drought, cold temperature, soil salinity, etc.), or that contain other desirable characteristics. Plants can be genetically modified to exhibit

traits of, for example, herbicide tolerance, insect-resistance, modified oil profiles or drought tolerance. Useful genetically modified plants containing single gene transformation events or combinations of transformation events are listed in Table 3. Additional information for the genetic modifications listed in Table 3 can be obtained from publicly available databases maintained, for example, by the U.S. Department of Agriculture.

The following abbreviations, T1 through T37, are used in Table 3 for traits. A “-” means the entry is not available.

Trait	Description	Trait	Description	Trait	Description
T1	Glyphosate tolerance	T15	Cold tolerance	T27	High tryptophan
T2	High lauric acid oil	T16	Imidazolinone herb. tol.	T28	Erect leaves semidwarf
T3	Glufosinate tolerance	T17	Modified alpha-amylase	T29	Semidwarf
T4	Phytate breakdown	T18	Pollination control	T30	Low iron tolerance
T5	Oxynil tolerance	T19	2,4-D tolerance	T31	Modified oil/fatty acid
T6	Disease resistance	T20	Increased lysine	T32	HPPD tolerance
T7	Insect resistance	T21	Drought tolerance	T33	High oil
T9	Modified flower color	T22	Delayed ripening/senescence	T34	Aryloxyalkanoate tol.
T11	ALS Herbicide Tol.	T23	Modified product quality	T35	Mesotrione tolerance
T12	Dicamba Tolerance	T24	High cellulose	T36	Reduced nicotine
T13	Anti-allergy	T25	Modified starch/carbohydrate	T37	Modified product
T14	Salt tolerance	T26	Insect & disease resist.		

Table 3

Crop	Event Name	Event Code	Trait(s)	Gene(s)
Alfalfa	J101	MON-00101-8	T1	cp4 epsps (aroA:CP4)
Alfalfa	J163	MON-00163-7	T1	cp4 epsps (aroA:CP4)
Canola*	23-18-17 (Event 18)	CGN-89465-2	T2	te
Canola*	23-198 (Event 23)	CGN-89465-2	T2	te
Canola*	61061	DP-061061-7	T1	gat4621
Canola*	73496	DP-073496-4	T1	gat4621
Canola*	GT200 (RT200)	MON-89249-2	T1	cp4 epsps (aroA:CP4); goxv247
Canola*	GT73 (RT73)	MON-00073-7	T1	cp4 epsps (aroA:CP4); goxv247
Canola*	HCN10 (Topas 19/2)	-	T3	bar
Canola*	HCN28 (T45)	ACS-BN008-2	T3	pat (syn)
Canola*	HCN92 (Topas 19/2)	ACS-BN007-1	T3	bar
Canola*	MON88302	MON-88302-9	T1	cp4 epsps (aroA:CP4)
Canola*	MPS961	-	T4	phyA

Canola*	MPS962	-	T4	phyA
Canola*	MPS963	-	T4	phyA
Canola*	MPS964	-	T4	phyA
Canola*	MPS965	-	T4	phyA
Canola*	MS1 (B91-4)	ACS-BN004-7	T3	bar
Canola*	MS8	ACS-BN005-8	T3	bar
Canola*	OXY-235	ACS-BN011-5	T5	bxn
Canola*	PHY14	-	T3	bar
Canola*	PHY23	-	T3	bar
Canola*	PHY35	-	T3	bar
Canola*	PHY36	-	T3	bar
Canola*	RF1 (B93-101)	ACS-BN001-4	T3	bar
Canola*	RF2 (B94-2)	ACS-BN002-5	T3	bar
Canola*	RF3	ACS-BN003-6	T3	bar
Bean	EMBRAPA 5.1	EMB-PV051-1	T6	ac1 (sense and antisense)
Brinjal #	EE-1	-	T7	cry1Ac
Cotton	19-51a	DD-01951A-7	T11	S4-HrA
Cotton	281-24-236	DAS-24236-5	T3,T7	pat (syn); cry1F
Cotton	3006-210-23	DAS-21023-5	T3,T7	pat (syn); cry1Ac
Cotton	31707	-	T5,T7	bxn; cry1Ac
Cotton	31803	-	T5,T7	bxn; cry1Ac
Cotton	31807	-	T5,T7	bxn; cry1Ac
Cotton	31808	-	T5,T7	bxn; cry1Ac
Cotton	42317	-	T5,T7	bxn; cry1Ac
Cotton	BNLA-601	-	T7	cry1Ac
Cotton	BXN10211	BXN10211-9	T5	bxn; cry1Ac
Cotton	BXN10215	BXN10215-4	T5	bxn; cry1Ac
Cotton	BXN10222	BXN10222-2	T5	bxn; cry1Ac
Cotton	BXN10224	BXN10224-4	T5	bxn; cry1Ac
Cotton	COT102	SYN-IR102-7	T7	vip3A(a)
Cotton	COT67B	SYN-IR67B-1	T7	cry1Ab
Cotton	COT202	-	T7	vip3A
Cotton	Event 1	-	T7	cry1Ac
Cotton	GMF Cry1A	GTL-GMF311-7	T7	cry1Ab-Ac
Cotton	GHB119	BCS-GH005-8	T7	cry2Ae

Cotton	GHB614	BCS-GH002-5	T1	2mepsps
Cotton	GK12	-	T7	cry1Ab-Ac
Cotton	LLCotton25	ACS-GH001-3	T3	bar
Cotton	MLS 9124	-	T7	cry1C
Cotton	MON1076	MON-89924-2	T7	cry1Ac
Cotton	MON1445	MON-01445-2	T1	cp4 epsps (aroA:CP4)
Cotton	MON15985	MON-15985-7	T7	cry1Ac; cry2Ab2
Cotton	MON1698	MON-89383-1	T7	cp4 epsps (aroA:CP4)
Cotton	MON531	MON-00531-6	T7	cry1Ac
Cotton	MON757	MON-00757-7	T7	cry1Ac
Cotton	MON88913	MON-88913-8	T1	cp4 epsps (aroA:CP4)
Cotton	Nqwe Chi 6 Bt	-	T7	-
Cotton	SKG321	-	T7	cry1A; CpTI
Cotton	T303-3	BCS-GH003-6	T3,T7	cry1Ab; bar
Cotton	T304-40	BCS-GH004-7	T3,T7	cry1Ab; bar
Cotton	CE43-67B	-	T7	cry1Ab
Cotton	CE46-02A	-	T7	cry1Ab
Cotton	CE44-69D	-	T7	cry1Ab
Cotton	1143-14A	-	T7	cry1Ab
Cotton	1143-51B	-	T7	cry1Ab
Cotton	T342-142	-	T7	cry1Ab
Cotton	PV-GHGT07 (1445)	-	T1	cp4 epsps (aroA:CP4)
Cotton	EE-GH3	-	T1	mepsps
Cotton	EE-GH5	-	T7	cry1Ab
Cotton	MON88701	MON-88701-3	T3,T12	Modified dmo; bar
Cotton	OsCr11	-	T13	Modified Cry j
Flax	FP967	CDC-FL001-2	T11	als
Lentil	RH44	-	T16	als
Maize	3272	SYN-E3272-5	T17	amy797E
Maize	5307	SYN-05307-1	T7	ecry3.1Ab
Maize	59122	DAS-59122-7	T3,T7	cry34Ab1; cry35Ab1; pat
Maize	676	PH-000676-7	T3,T18	pat; dam
Maize	678	PH-000678-9	T3,T18	pat; dam
Maize	680	PH-000680-2	T3,T18	pat; dam
Maize	98140	DP-098140-6	T1,T11	gat4621; zm-hra
Maize	Bt10	-	T3,T7	cry1Ab; pat
Maize	Bt176 (176)	SYN-EV176-9	T3,T7	cry1Ab; bar
Maize	BVLA430101	-	T4	phyA2
Maize	CBH-351	ACS-ZM004-3	T3,T7	cry9C; bar
Maize	DAS40278-9	DAS40278-9	T19	aad-1
Maize	DBT418	DKB-89614-9	T3,T7	cry1Ac; pinII; bar

Maize	DLL25 (B16)	DKB-89790-5	T3	bar
Maize	GA21	MON-00021-9	T1	mepsps
Maize	GG25	-	T1	mepsps
Maize	GJ11	-	T1	mepsps
Maize	Fl117	-	T1	mepsps
Maize	GAT-ZM1	-	T3	pat
Maize	LY038	REN-00038-3	T20	cordapA
Maize	MIR162	SYN-IR162-4	T7	vip3Aa20
Maize	MIR604	SYN-IR604-5	T7	mcry3A
Maize	MON801 (MON80100)	MON801	T1,T7	cry1Ab; cp4 epsps (aroA:CP4); goxv247
Maize	MON802	MON-80200-7	T1,T7	cry1Ab; cp4 epsps (aroA:CP4); goxv247
Maize	MON809	PH-MON-809- 2	T1,T7	cry1Ab; cp4 epsps (aroA:CP4); goxv247
Maize	MON810	MON-00810-6	T1,T7	cry1Ab; cp4 epsps (aroA:CP4); goxv247
Maize	MON832	-	T1	cp4 epsps (aroA:CP4); goxv247
Maize	MON863	MON-00863-5	T7	cry3Bb1
Maize	MON87427	MON-87427-7	T1	cp4 epsps (aroA:CP4)
Maize	MON87460	MON-87460-4	T21	cspB
Maize	MON88017	MON-88017-3	T1,T7	cry3Bb1; cp4 epsps (aroA:CP4)
Maize	MON89034	MON-89034-3	T7	cry2Ab2; cry1A.105
Maize	MS3	ACS-ZM001-9	T3,T18	bar; barnase
Maize	MS6	ACS-ZM005-4	T3,T18	bar; barnase
Maize	NK603	MON-00603-6	T1	cp4 epsps (aroA:CP4)
Maize	T14	ACS-ZM002-1	T3	pat (syn)
Maize	T25	ACS-ZM003-2	T3	pat (syn)
Maize	TC1507	DAS-01507-1	T3,T7	cry1Fa2; pat
Maize	TC6275	DAS-06275-8	T3,T7	mocry1F; bar
Maize	VIP1034	-	T3,T7	vip3A; pat
Maize	43A47	DP-043A47-3	T3,T7	cry1F; cry34Ab1; cry35Ab1; pat
Maize	40416	DP-040416-8	T3,T7	cry1F; cry34Ab1; cry35Ab1; pat
Maize	32316	DP-032316-8	T3,T7	cry1F; cry34Ab1; cry35Ab1; pat
Maize	4114	DP-004114-3	T3,T7	cry1F; cry34Ab1; cry35Ab1; pat
Melon	Melon A	-	T22	sam-k
Melon	Melon B	-	T22	sam-k
Papaya	55-1	CUH-CP551-8	T6	prsv cp
Papaya	63-1	CUH-CP631-7	T6	prsv cp
Papaya	Huanong No. 1	-	T6	prsv rep
Papaya	X17-2	UFL-X17CP-6	T6	prsv cp
Plum	C-5	ARS-PLMC5-	T6	ppv cp

		6		
Canola**	ZSR500	-	T1	cp4 epsps (aroA:CP4); goxv247
Canola**	ZSR502	-	T1	cp4 epsps (aroA:CP4); goxv247
Canola**	ZSR503	-	T1	cp4 epsps (aroA:CP4); goxv247
Rice	7Crp#242-95-7	-	T13	7crp
Rice	7Crp#10	-	T13	7crp
Rice	GM Shanyou 63	-	T7	cry1Ab; cry1Ac
Rice	Huahui-1/TT51-1	-	T7	cry1Ab; cry1Ac
Rice	LLRICE06	ACS-OS001-4	T3	bar
Rice	LLRICE601	BCS-OS003-7	T3	bar
Rice	LLRICE62	ACS-OS002-5	T3	bar
Rice	Tarom molaii + cry1Ab	-	T7	cry1Ab (truncated)
Rice	GAT-OS2	-	T3	bar
Rice	GAT-OS3	-	T3	bar
Rice	PE-7	-	T7	Cry1Ac
Rice	7Crp#10	-	T13	7crp
Rice	KPD627-8	-	T27	OASA1D
Rice	KPD722-4	-	T27	OASA1D
Rice	KA317	-	T27	OASA1D
Rice	HW5	-	T27	OASA1D
Rice	HW1	-	T27	OASA1D
Rice	B-4-1-18	-	T28	Δ OsBRI1
Rice	G-3-3-22	-	T29	OSGA2ox1
Rice	AD77	-	T6	DEF
Rice	AD51	-	T6	DEF
Rice	AD48	-	T6	DEF
Rice	AD41	-	T6	DEF
Rice	13pNasNa800725atAprt1	-	T30	HvNAS1; HvNAAT-A; APRT
Rice	13pAprt1	-	T30	APRT
Rice	gHvNAS1-gHvNAAT-1	-	T30	HvNAS1; HvNAAT-A; HvNAAT-B
Rice	gHvIDS3-1	-	T30	HvIDS3
Rice	gHvNAAT1	-	T30	HvNAAT-A; HvNAAT-B
Rice	gHvNAS1-1	-	T30	HvNAS1
Rice	NIA-OS006-4	-	T6	WRKY45
Rice	NIA-OS005-3	-	T6	WRKY45
Rice	NIA-OS004-2	-	T6	WRKY45
Rice	NIA-OS003-1	-	T6	WRKY45
Rice	NIA-OS002-9	-	T6	WRKY45
Rice	NIA-OS001-8	-	T6	WRKY45
Rice	OsCr11	-	T13	Modified Cry j

Rice	17053	-	T1	cp4 epsps (aroA:CP4)
Rice	17314	-	T1	cp4 epsps (aroA:CP4)
Rose	WKS82 / 130-4-1	IFD-52401-4	T9	5AT; bp40 (f3'5'h)
Rose	WKS92 / 130-9-1	IFD-52901-9	T9	5AT; bp40 (f3'5'h)
Soybean	260-05 (G94-1, G94-19, G168)	-	T9	gm-fad2-1 (silencing locus)
Soybean	A2704-12	ACS-GM005-3	T3	pat
Soybean	A2704-21	ACS-GM004-2	T3	pat
Soybean	A5547-127	ACS-GM006-4	T3	pat
Soybean	A5547-35	ACS-GM008-6	T3	pat
Soybean	CV127	BPS-CV127-9	T16	csr1-2
Soybean	DAS68416-4	DAS68416-4	T3	pat
Soybean	DP305423	DP-305423-1	T11,T31	gm-fad2-1 (silencing locus); gm-hra
Soybean	DP356043	DP-356043-5	T1,T31	gm-fad2-1 (silencing locus); gat4601
Soybean	FG72	MST-FG072-3	T32,T1	2mepsps; hppdPF W336
Soybean	GTS 40-3-2 (40-3-2)	MON-04032-6	T1	cp4 epsps (aroA:CP4)
Soybean	GU262	ACS-GM003-1	T3	pat
Soybean	MON87701	MON-87701-2	T7	cry1Ac
Soybean	MON87705	MON-87705-6	T1,T31	fatb1-A (sense & antisense); fad2-1A (sense & antisense); cp4 epsps (aroA:CP4)
Soybean	MON87708	MON-87708-9	T1,T12	dmo; cp4 epsps (aroA:CP4)
Soybean	MON87769	MON-87769-7	T1,T31	Pj.D6D; Nc.Fad3; cp4 epsps (aroA:CP4)
Soybean	MON89788	MON-89788-1	T1	cp4 epsps (aroA:CP4)
Soybean	W62	ACS-GM002-9	T3	bar
Soybean	W98	ACS-GM001-8	T3	bar
Soybean	MON87754	MON-87754-1	T33	dgat2A
Soybean	DAS21606	DAS-21606	T34,T3	Modified aad-12; pat
Soybean	DAS44406	DAS-44406-6	T1,T3,T34	Modified aad-12; 2mepsps; pat
Soybean	SYHT04R	SYN-0004R-8	T35	Modified avhppd
Soybean	9582.814.19.1	-	T3,T7	cry1Ac, cry1F, PAT
Squash	CZW3	SEM-ØCZW3-2	T6	cmv cp, zymv cp, wmv cp
Squash	ZW20	SEM-ØZW20-7	T6	zymv cp, wmv cp

Sugar Beet	GTSB77 (T9100152)	SY-GTSB77-8	T1	cp4 epsps (aroA:CP4); goxv247
Sugar Beet	H7-1	KM-000H71-4	T1	cp4 epsps (aroA:CP4)
Sugar Beet	T120-7	ACS-BV001-3	T3	pat
Sugar Beet	T227-1	-	T1	cp4 epsps (aroA:CP4)
Sugarcane	NXI-1T	-	T21	EcbetA
Sunflower	X81359	-	T16	als
Pepper	PK-SP01	-	T6	cmv cp
Tobacco	C/F/93/08-02	-	T5	bxn
Tobacco	Vector 21-41	-	T36	NtQPT1 (antisense)
Sunflower	X81359	-	T16	als
Wheat	MON71800	MON-71800-3	T1	cp4 epsps (aroA:CP4)

* Argentine (*Brassica napus*), ** Polish (*B. rapa*), # Eggplant

Treatment of genetically modified plants with compounds of the invention may result in super-additive or synergistic effects. For example, reduction in application rates, broadening of the activity spectrum, increased tolerance to biotic/abiotic stresses or enhanced storage stability may be greater than expected from just simple additive effects of the application of compounds of the invention on genetically modified plants.

Compounds of this invention can also be mixed with one or more other biologically active compounds or agents including herbicides, herbicide safeners, fungicides, insecticides, nematocides, bactericides, acaricides, growth regulators such as insect molting inhibitors and rooting stimulants, chemosterilants, semiochemicals, repellents, attractants, pheromones, feeding stimulants, plant nutrients, other biologically active compounds or entomopathogenic bacteria, virus or fungi to form a multi-component pesticide giving an even broader spectrum of agricultural protection. Mixtures of the compounds of the invention with other herbicides can broaden the spectrum of activity against additional weed species, and suppress the proliferation of any resistant biotypes. Thus the present invention also pertains to a composition comprising a compound of Formula 1 (in a herbicidally effective amount) and at least one additional biologically active compound or agent (in a biologically effective amount) and can further comprise at least one of a surfactant, a solid diluent or a liquid diluent. The other biologically active compounds or agents can be formulated in compositions comprising at least one of a surfactant, solid or liquid diluent. For mixtures of the present invention, one or more other biologically active compounds or agents can be formulated together with a compound of Formula 1, to form a premix, or one or more other biologically active compounds or agents can be formulated separately from the compound of Formula 1, and the formulations combined together before application (e.g., in a spray tank) or, alternatively, applied in succession.

A mixture of one or more of the following herbicides with a compound of this invention may be particularly useful for weed control: acetochlor, acifluorfen and its sodium

salt, aclonifen, acrolein (2-propenal), alachlor, alloxydim, ametryn, amicarbazone, amidosulfuron, aminocyclopyrachlor and its esters (e.g., methyl, ethyl) and salts (e.g., sodium, potassium), aminopyralid, amitrole, ammonium sulfamate, anilofos, asulam, atrazine, azimsulfuron, beflubutamid, benazolin, benazolin-ethyl, bencarbazone, benfluralin,

5 benfuresate, bensulfuron-methyl, bensulide, bentazone, benzobicyclon, benzofenap, bicyclopyrone, bifenox, bilanafos, bispyribac and its sodium salt, bromacil, bromobutide, bromofenoxim, bromoxynil, bromoxynil octanoate, butachlor, butafenacil, butamifos, butralin, butoxydim, butylate, cafenstrole, carbetamide, carfentrazone-ethyl, catechin, chlomethoxyfen, chloramben, chlorbromuron, chlorflurenol-methyl, chloridazon,

10 chlorimuron-ethyl, chlorotoluron, chlorpropham, chlorsulfuron, chlorthal-dimethyl, chlorthiamid, cinidon-ethyl, cinmethylin, cinosulfuron, clacyfos, clefoxydim, clethodim, cyclopyrimorate, clodinafop-propargyl, clomazone, clomeprop, clopyralid, clopyralid-olamine, cloransulam-methyl, cumyluron, cyanazine, cycloate, cyclopyrimorate, cyclosulfamuron, cycloxydim, cyhalofop-butyl, 2,4-D and its butotyl, butyl, isooctyl and

15 isopropyl esters and its dimethylammonium, diolamine and trolamine salts, daimuron, dalapon, dalapon-sodium, dazomet, 2,4-DB and its dimethylammonium, potassium and sodium salts, desmedipham, desmetryn, dicamba and its diglycolammonium, dimethylammonium, potassium and sodium salts, dichlobenil, dichlorprop, diclofop-methyl, diclosulam, difenzoquat metilsulfate, diflufenican, diflufenzopyr, dimefuron, dimepiperate,

20 dimethachlor, dimethametryn, dimethenamid, dimethenamid-P, dimethipin, dimethylarsinic acid and its sodium salt, dinitramine, dinoterb, diphenamid, diquat dibromide, dithiopyr, diuron, DNOC, endothal, EPTC, esprocarb, ethalfluralin, ethametsulfuron-methyl, ethiozin, ethofumesate, ethoxyfen, ethoxysulfuron, etobenzanid, fenoxaprop-ethyl, fenoxaprop-P-ethyl, fenoxasulfone, fenquinotrine, fentrazamide, fenuron, fenuron-TCA,

25 flamprop-methyl, flamprop-M-isopropyl, flamprop-M-methyl, flazasulfuron, florasulam, fluazifop-butyl, fluazifop-P-butyl, fluazolate, flucarbazone, flucetosulfuron, fluchloralin, flufenacet, flufenpyr, flufenpyr-ethyl, flumetsulam, flumiclorac-pentyl, flumioxazin, fluometuron, fluoroglycofen-ethyl, flupoxam, flupyrsulfuron-methyl and its sodium salt, flurenol, flurenol-butyl, fluridone, flurochloridone, fluroxypyr, flurtamone,

30 fluthiacet-methyl, fomesafen, foramsulfuron, fosamine-ammonium, glufosinate, glufosinate-ammonium, glufosinate-P, glyphosate and its salts such as ammonium, isopropylammonium, potassium, sodium (including sesquisodium) and trimesium (alternatively named sulfosate), halauxifen, halauxifen-methyl, halosulfuron-methyl, haloxyfop-ethyl, haloxyfop-methyl, hexazinone, imazamethabenz-methyl, imazamox,

35 imazapic, imazapyr, imazaquin, imazaquin-ammonium, imazethapyr, imazethapyr-ammonium, imazosulfuron, indanofan, indaziflam, iofensulfuron, iodosulfuron-methyl, ioxynil, ioxynil octanoate, ioxynil-sodium, ipfencarbazone, isoproturon, isouron, isoxaben, isoxaflutole, isoxachlortole, lactofen, lenacil, linuron, maleic hydrazide, MCPA

and its salts (e.g., MCPA-dimethylammonium, MCPA-potassium and MCPA-sodium, esters (e.g., MCPA-2-ethylhexyl, MCPA-butotyl) and thioesters (e.g., MCPA-thioethyl), MCPB and its salts (e.g., MCPB-sodium) and esters (e.g., MCPB-ethyl), mecoprop, mecoprop-P, mefenacet, mefluidide, mesosulfuron-methyl, mesotrione, metam-sodium, metamifop, 5 metamitron, metazachlor, metazosulfuron, methabenzthiazuron, methylarsonic acid and its calcium, monoammonium, monosodium and disodium salts, methyldymron, metobenzuron, metobromuron, metolachlor, S-metolachlor, metosulam, metoxuron, metribuzin, metsulfuron-methyl, molinate, monolinuron, naproanilide, napropamide, napropamide-M, naptalam, neburon, nicosulfuron, norflurazon, orbencarb, orthosulfamuron, oryzalin, 10 oxadiargyl, oxadiazon, oxasulfuron, oxaziclomefone, oxyfluorfen, paraquat dichloride, pebulate, pelargonic acid, pendimethalin, penoxsulam, pentanochlor, pentoxazone, perfluidone, pethoxamid, pethoxyamid, phenmedipham, picloram, picloram-potassium, picolinafen, pinoxaden, piperophos, pretilachlor, primisulfuron-methyl, prodiamine, profoxydim, prometon, prometryn, propachlor, propanil, propaquizafop, propazine, 15 propham, propisochlor, propoxycarbazone, propyrisulfuron, propyzamide, prosulfocarb, prosulfuron, pyraclozil, pyraflufen-ethyl, pyrasulfotole, pyrazogyl, pyrazolynate, pyrazoxyfen, pyrazosulfuron-ethyl, pyribenzoxim, pyributicarb, pyridate, pyriftalid, pyriminobac-methyl, pyrimisulfan, pyriothiobac, pyriothiobac-sodium, pyroxasulfone, pyroxsulam, quinclorac, quinmerac, quinoclamine, quizalofop-ethyl, quizalofop-P-ethyl, 20 quizalofop-P-tefuryl, rimsulfuron, saflufenacil, sethoxydim, siduron, simazine, simetryn, sulcotrione, sulfentrazone, sulfometuron-methyl, sulfosulfuron, 2,3,6-TBA, TCA, TCA-sodium, tebutam, tebuthiuron, tefuryltrione, tembotrione, tepraloxydim, terbacil, terbumeton, terbuthylazine, terbutryn, thenylchlor, thiazopyr, thiencarbazone, thifensulfuron-methyl, thiobencarb, tiafenacil, tiocarbazil, topramezone, tralkoxydim, 25 tri-allate, triafamone, triasulfuron, triaziflam, tribenuron-methyl, triclopyr, triclopyr-butotyl, triclopyr-triethylammonium, tridiphane, trietazine, trifloxysulfuron, trifluralin, triflusulfuron-methyl, tritosulfuron, vernolate, 3-(2-chloro-3,6-difluorophenyl)-4-hydroxy-1-methyl-1,5-naphthyridin-2(1*H*)-one, 5-chloro-3-[(2-hydroxy-6-oxo-1-cyclohexen-1-yl)carbonyl]-1-(4-methoxyphenyl)-2(1*H*)-quinoxalinone, 2-chloro-*N*-(1-methyl-1*H*-tetrazol-5-yl)-6-(trifluoromethyl)-3-pyridinecarboxamide, 7-(3,5-dichloro-4-pyridinyl)-5-(2,2-difluoroethyl)-8-hydroxypyrido[2,3-*b*]pyrazin-6(5*H*)-one, 4-(2,6-diethyl-4-methylphenyl)-5-hydroxy-2,6-dimethyl-3(2*H*)-pyridazinone, 5-[[2,6-difluorophenyl)methoxy]methyl]-4,5-dihydro-5-methyl-3-(3-methyl-2-thienyl)isoxazole (previously methioxolin), 3-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propyn-1-yl)-2*H*-1,4-benzoxazin-6-yl]dihydro-1,5-dimethyl-6-thioxo- 35 1,3,5-triazine-2,4(1*H*,3*H*)-dione, 4-(4-fluorophenyl)-6-[(2-hydroxy-6-oxo-1-cyclohexen-1-yl)carbonyl]-2-methyl-1,2,4-triazine-3,5(2*H*,4*H*)-dione, methyl 4-amino-3-chloro-6-(4-chloro-2-fluoro-3-methoxyphenyl)-5-fluoro-2-pyridinecarboxylate, 2-methyl-3-(methylsulfonyl)-*N*-(1-methyl-1*H*-tetrazol-5-yl)-4-(trifluoromethyl)benzamide, and 2-

5 methyl-*N*-(4-methyl-1,2,5-oxadiazol-3-yl)-3-(methylsulfinyl)-4-(trifluoromethyl)benzamide. Other herbicides also include bioherbicides such as *Alternaria destruens* Simmons, *Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc., *Drechslera monoceras* (MTB-951), *Myrothecium verrucaria* (Albertini & Schweinitz) Ditmar: Fries, *Phytophthora palmivora* (Butl.) Butl. and *Puccinia thlaspeos* Schub.

10 Compounds of this invention can also be used in combination with plant growth regulators such as aviglycine, *N*-(phenylmethyl)-1*H*-purin-6-amine, epocholeone, gibberellic acid, gibberellin A₄ and A₇, harpin protein, mepiquat chloride, prohexadione calcium, prohydrojasmon, sodium nitrophenolate and trinexapac-methyl, and plant growth modifying organisms such as *Bacillus cereus* strain BP01.

15 General references for agricultural protectants (i.e. herbicides, herbicide safeners, insecticides, fungicides, nematocides, acaricides and biological agents) include *The Pesticide Manual, 13th Edition*, C. D. S. Tomlin, Ed., British Crop Protection Council, Farnham, Surrey, U.K., 2003 and *The BioPesticide Manual, 2nd Edition*, L. G. Copping, Ed., British Crop Protection Council, Farnham, Surrey, U.K., 2001.

20 For embodiments where one or more of these various mixing partners are used, the weight ratio of these various mixing partners (in total) to the compound of Formula 1 is typically between about 1:3000 and about 3000:1. Of note are weight ratios between about 1:300 and about 300:1 (for example ratios between about 1:30 and about 30:1). One skilled in the art can easily determine through simple experimentation the biologically effective amounts of active ingredients necessary for the desired spectrum of biological activity. It will be evident that including these additional components may expand the spectrum of weeds controlled beyond the spectrum controlled by the compound of Formula 1 alone.

25 In certain instances, combinations of a compound of this invention with other biologically active (particularly herbicidal) compounds or agents (i.e. active ingredients) can result in a greater-than-additive (i.e. synergistic) effect on weeds and/or a less-than-additive effect (i.e. safening) on crops or other desirable plants. Reducing the quantity of active ingredients released in the environment while ensuring effective pest control is always desirable. Ability to use greater amounts of active ingredients to provide more effective weed control without excessive crop injury is also desirable. When synergism of herbicidal active ingredients occurs on weeds at application rates giving agronomically satisfactory levels of weed control, such combinations can be advantageous for reducing crop production cost and decreasing environmental load. When safening of herbicidal active ingredients occurs on crops, such combinations can be advantageous for increasing crop protection by reducing weed competition.

35 Of note is a combination of a compound of the invention with at least one other herbicidal active ingredient. Of particular note is such a combination where the other herbicidal active ingredient has different site of action from the compound of the invention.

In certain instances, a combination with at least one other herbicidal active ingredient having a similar spectrum of control but a different site of action will be particularly advantageous for resistance management. Thus, a composition of the present invention can further comprise (in a herbicidally effective amount) at least one additional herbicidal active ingredient having a similar spectrum of control but a different site of action.

Compounds of this invention can also be used in combination with herbicide safeners such as allidochlor, benoxacor, cloquintocet-mexyl, cumyluron, cyometrinil, cyprosulfonamide, daimuron, dichlormid, dicyclonon, dietholate, dimepiperate, fenchlorazole-ethyl, fenclorim, flurazole, fluxofenim, furilazole, isoxadifen-ethyl, mefenpyr-diethyl, mephenate, methoxyphenone naphthalic anhydride (1,8-naphthalic anhydride), oxabetrinil, *N*-(aminocarbonyl)-2-methylbenzenesulfonamide, *N*-(aminocarbonyl)-2-fluorobenzenesulfonamide, 1-bromo-4-[(chloromethyl)sulfonyl]benzene (BCS), 4-(dichloroacetyl)-1-oxa-4-azospiro[4.5]decane (MON 4660), 2-(dichloromethyl)-2-methyl-1,3-dioxolane (MG 191), ethyl 1,6-dihydro-1-(2-methoxyphenyl)-6-oxo-2-phenyl-5-pyrimidinecarboxylate, 2-hydroxy-*N,N*-dimethyl-6-(trifluoromethyl)pyridine-3-carboxamide, and 3-oxo-1-cyclohexen-1-yl 1-(3,4-dimethylphenyl)-1,6-dihydro-6-oxo-2-phenyl-5-pyrimidinecarboxylate to increase safety to certain crops. Antidotally effective amounts of the herbicide safeners can be applied at the same time as the compounds of this invention, or applied as seed treatments. Therefore an aspect of the present invention relates to a herbicidal mixture comprising a compound of this invention and an antidotally effective amount of a herbicide safener. Seed treatment is particularly useful for selective weed control, because it physically restricts antidoting to the crop plants. Therefore a particularly useful embodiment of the present invention is a method for selectively controlling the growth of undesired vegetation in a crop comprising contacting the locus of the crop with a herbicidally effective amount of a compound of this invention wherein seed from which the crop is grown is treated with an antidotally effective amount of safener. Antidotally effective amounts of safeners can be easily determined by one skilled in the art through simple experimentation.

Of note is a composition comprising a compound of the invention (in a herbicidally effective amount), at least one additional active ingredient selected from the group consisting of other herbicides and herbicide safeners (in an effective amount), and at least one component selected from the group consisting of surfactants, solid diluents and liquid diluents.

Preferred for better control of undesired vegetation (e.g., lower use rate such as from synergism, broader spectrum of weeds controlled, or enhanced crop safety) or for preventing the development of resistant weeds are mixtures of a compound of this invention with another herbicide. Table A1 lists particular combinations of Component (a) (i.e. a specific compound of the present invention) with another herbicide as Component (b) illustrative of

the mixtures, compositions and methods of the present invention. Compound 17 in the Component (a) column is identified in Index Table A. The second column of Table A1 lists the specific Component (b) compound (e.g., “2,4-D” in the first line). The third, fourth and fifth columns of Table A1 lists ranges of weight ratios for rates at which the Component (a) compound is typically applied to a field-grown crop relative to Component (b) (i.e. (a):(b)). Thus, for example, the first line of Table A1 specifically discloses the combination of Component (a) (i.e. Compound 17 in Index Table A) with 2,4-D is typically applied in a weight ratio between 1:192 – 6:1. The remaining lines of Table A1 are to be construed similarly.

TABLE A1

Component (a) (Compound #)	Component (b)	Typical Weight Ratio	More Typical Weight Ratio	Most Typical Weight Ratio
17	2,4-D	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Acetochlor	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Acifluorfen	1:96 – 12:1	1:32 – 4:1	1:12 – 1:2
17	Aclonifen	1:857 – 2:1	1:285 – 1:3	1:107 – 1:12
17	Alachlor	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Ametryn	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Amicarbazone	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Amidosulfuron	1:6 – 168:1	1:2 – 56:1	1:1 – 11:1
17	Aminocyclopyrachlor	1:48 – 24:1	1:16 – 8:1	1:6 – 2:1
17	Aminopyralid	1:20 – 56:1	1:6 – 19:1	1:2 – 4:1
17	Amitrole	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Anilofos	1:96 – 12:1	1:32 – 4:1	1:12 – 1:2
17	Asulam	1:960 – 2:1	1:320 – 1:3	1:120 – 1:14
17	Atrazine	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Azimsulfuron	1:6 – 168:1	1:2 – 56:1	1:1 – 11:1
17	Beflubutamid	1:342 – 4:1	1:114 – 2:1	1:42 – 1:5
17	Benfuresate	1:617 – 2:1	1:205 – 1:2	1:77 – 1:9
17	Bensulfuron-methyl	1:25 – 45:1	1:8 – 15:1	1:3 – 3:1
17	Bentazone	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Benzobicyclon	1:85 – 14:1	1:28 – 5:1	1:10 – 1:2
17	Benzofenap	1:257 – 5:1	1:85 – 2:1	1:32 – 1:4
17	Bicyclopyrone	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Bifenox	1:257 – 5:1	1:85 – 2:1	1:32 – 1:4
17	Bispyribac-sodium	1:10 – 112:1	1:3 – 38:1	1:1 – 7:1
17	Bromacil	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6

Component (a) (Compound #)	Component (b)	Typical Weight Ratio	More Typical Weight Ratio	Most Typical Weight Ratio
17	Bromobutide	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Bromoxynil	1:96 – 12:1	1:32 – 4:1	1:12 – 1:2
17	Butachlor	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Butafenacil	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Butylate	1:1542 – 1:2	1:514 – 1:5	1:192 – 1:22
17	Cafenstrole	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Carfentrazone-ethyl	1:128 – 9:1	1:42 – 3:1	1:16 – 1:2
17	Chlorimuron-ethyl	1:8 – 135:1	1:2 – 45:1	1:1 – 9:1
17	Chlorotoluron	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Chlorsulfuron	1:6 – 168:1	1:2 – 56:1	1:1 – 11:1
17	Cinosulfuron	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Cinidon-ethyl	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Cinmethylin	1:34 – 34:1	1:11 – 12:1	1:4 – 3:1
17	Clacyfos	1:34 – 34:1	1:11 – 12:1	1:4 – 3:1
17	Clethodim	1:48 – 24:1	1:16 – 8:1	1:6 – 2:1
17	Clodinafop-propargyl	1:20 – 56:1	1:6 – 19:1	1:2 – 4:1
17	Clomazone	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Clomeprop	1:171 – 7:1	1:57 – 3:1	1:21 – 1:3
17	Clopyralid	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Cloransulam-methyl	1:12 – 96:1	1:4 – 32:1	1:1 – 6:1
17	Cumyluron	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Cyanazine	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Cyclopyrimorate	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Cyclosulfamuron	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Cycloxydim	1:96 – 12:1	1:32 – 4:1	1:12 – 1:2
17	Cyhalofop	1:25 – 45:1	1:8 – 15:1	1:3 – 3:1
17	Daimuron	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Desmedipham	1:322 – 4:1	1:107 – 2:1	1:40 – 1:5
17	Dicamba	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Dichlobenil	1:1371 – 1:2	1:457 – 1:4	1:171 – 1:20
17	Dichlorprop	1:925 – 2:1	1:308 – 1:3	1:115 – 1:13
17	Diclofop-methyl	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Diclosulam	1:10 – 112:1	1:3 – 38:1	1:1 – 7:1
17	Difenzoquat	1:288 – 4:1	1:96 – 2:1	1:36 – 1:4
17	Diflufenican	1:857 – 2:1	1:285 – 1:3	1:107 – 1:12

Component (a) (Compound #)	Component (b)	Typical Weight Ratio	More Typical Weight Ratio	Most Typical Weight Ratio
17	Diflufenzopyr	1:12 – 96:1	1:4 – 32:1	1:1 – 6:1
17	Dimethachlor	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Dimethametryn	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Dimethenamid-P	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Dithiopyr	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Diuron	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	EPTC	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Esprocarb	1:1371 – 1:2	1:457 – 1:4	1:171 – 1:20
17	Ethalfluralin	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Ethametsulfuron-methyl	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Ethoxyfen	1:8 – 135:1	1:2 – 45:1	1:1 – 9:1
17	Ethoxysulfuron	1:20 – 56:1	1:6 – 19:1	1:2 – 4:1
17	Etobenzanid	1:257 – 5:1	1:85 – 2:1	1:32 – 1:4
17	Fenoxaprop-ethyl	1:120 – 10:1	1:40 – 4:1	1:15 – 1:2
17	Fenoxasulfone	1:85 – 14:1	1:28 – 5:1	1:10 – 1:2
17	Fenquinotriene	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Fentrazamide	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Flazasulfuron	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Florasulam	1:2 – 420:1	1:1 – 140:1	2:1 – 27:1
17	Fluazifop-butyl	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Flucarbazone	1:8 – 135:1	1:2 – 45:1	1:1 – 9:1
17	Flucetosulfuron	1:8 – 135:1	1:2 – 45:1	1:1 – 9:1
17	Flufenacet	1:257 – 5:1	1:85 – 2:1	1:32 – 1:4
17	Flumetsulam	1:24 – 48:1	1:8 – 16:1	1:3 – 3:1
17	Flumiclorac-pentyl	1:10 – 112:1	1:3 – 38:1	1:1 – 7:1
17	Flumioxazin	1:25 – 45:1	1:8 – 15:1	1:3 – 3:1
17	Fluometuron	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Flupyr-sulfuron-methyl	1:3 – 336:1	1:1 – 112:1	2:1 – 21:1
17	Fluridone	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Fluroxypyr	1:96 – 12:1	1:32 – 4:1	1:12 – 1:2
17	Flurtamone	1:857 – 2:1	1:285 – 1:3	1:107 – 1:12
17	Fluthiacet-methyl	1:48 – 42:1	1:16 – 14:1	1:3 – 3:1
17	Fomesafen	1:96 – 12:1	1:32 – 4:1	1:12 – 1:2
17	Foramsulfuron	1:13 – 84:1	1:4 – 28:1	1:1 – 6:1
17	Glufosinate	1:288 – 4:1	1:96 – 2:1	1:36 – 1:4

Component (a) (Compound #)	Component (b)	Typical Weight Ratio	More Typical Weight Ratio	Most Typical Weight Ratio
17	Glyphosate	1:288 – 4:1	1:96 – 2:1	1:36 – 1:4
17	Halauxifen	1:20 – 56:1	1:6 – 19:1	1:2 – 4:1
17	Halauxifen-methyl	1:20 – 56:1	1:6 – 19:1	1:2 – 4:1
17	Halosulfuron-methyl	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Haloxypop-methyl	1:34 – 34:1	1:11 – 12:1	1:4 – 3:1
17	Hexazinone	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Imazamox	1:13 – 84:1	1:4 – 28:1	1:1 – 6:1
17	Imazapic	1:20 – 56:1	1:6 – 19:1	1:2 – 4:1
17	Imazapyr	1:85 – 14:1	1:28 – 5:1	1:10 – 1:2
17	Imazaquin	1:34 – 34:1	1:11 – 12:1	1:4 – 3:1
17	Imazethabenz-methyl	1:171 – 7:1	1:57 – 3:1	1:21 – 1:3
17	Imazethapyr	1:24 – 48:1	1:8 – 16:1	1:3 – 3:1
17	Imazosulfuron	1:27 – 42:1	1:9 – 14:1	1:3 – 3:1
17	Indanofan	1:342 – 4:1	1:114 – 2:1	1:42 – 1:5
17	Indaziflam	1:25 – 45:1	1:8 – 15:1	1:3 – 3:1
17	Iodosulfuron-methyl	1:3 – 336:1	1:1 – 112:1	2:1 – 21:1
17	Ioxynil	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Ipfencarbazone	1:85 – 14:1	1:28 – 5:1	1:10 – 1:2
17	Isoproturon	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Isoxaben	1:288 – 4:1	1:96 – 2:1	1:36 – 1:4
17	Isoxaflutole	1:60 – 20:1	1:20 – 7:1	1:7 – 2:1
17	Lactofen	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Lenacil	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Linuron	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	MCPA	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	MCPB	1:288 – 4:1	1:96 – 2:1	1:36 – 1:4
17	Mecoprop	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Mefenacet	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Mefluidide	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Mesosulfuron-methyl	1:5 – 224:1	1:1 – 75:1	1:1 – 14:1
17	Mesotrione	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Metamifop	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Metazachlor	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Metazosulfuron	1:25 – 45:1	1:8 – 15:1	1:3 – 3:1
17	Methabenzthiazuron	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11

Component (a) (Compound #)	Component (b)	Typical Weight Ratio	More Typical Weight Ratio	Most Typical Weight Ratio
17	Metolachlor	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Metosulam	1:8 – 135:1	1:2 – 45:1	1:1 – 9:1
17	Metribuzin	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Metsulfuron-methyl	1:2 – 560:1	1:1 – 187:1	3:1 – 35:1
17	Molinate	1:1028 – 2:1	1:342 – 1:3	1:128 – 1:15
17	Napropamide	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Napropamide-M	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Naptalam	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Nicosulfuron	1:12 – 96:1	1:4 – 32:1	1:1 – 6:1
17	Norflurazon	1:1152 – 1:1	1:384 – 1:3	1:144 – 1:16
17	Orbencarb	1:1371 – 1:2	1:457 – 1:4	1:171 – 1:20
17	Orthosulfamuron	1:20 – 56:1	1:6 – 19:1	1:2 – 4:1
17	Oryzalin	1:514 – 3:1	1:171 – 1:2	1:64 – 1:8
17	Oxadiargyl	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Oxadiazon	1:548 – 3:1	1:182 – 1:2	1:68 – 1:8
17	Oxasulfuron	1:27 – 42:1	1:9 – 14:1	1:3 – 3:1
17	Oxaziclonofone	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Oxyfluorfen	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Paraquat	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Pendimethalin	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Penoxsulam	1:10 – 112:1	1:3 – 38:1	1:1 – 7:1
17	Pentoxamid	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Pentoxazone	1:102 – 12:1	1:34 – 4:1	1:12 – 1:2
17	Phenmedipham	1:102 – 12:1	1:34 – 4:1	1:12 – 1:2
17	Picloram	1:96 – 12:1	1:32 – 4:1	1:12 – 1:2
17	Picolinafen	1:34 – 34:1	1:11 – 12:1	1:4 – 3:1
17	Pinoxaden	1:25 – 45:1	1:8 – 15:1	1:3 – 3:1
17	Pretilachlor	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Primisulfuron-methyl	1:8 – 135:1	1:2 – 45:1	1:1 – 9:1
17	Prodiamine	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Profoxydim	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Prometryn	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Propachlor	1:1152 – 1:1	1:384 – 1:3	1:144 – 1:16
17	Propanil	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Propaquizafop	1:48 – 24:1	1:16 – 8:1	1:6 – 2:1

Component (a) (Compound #)	Component (b)	Typical Weight Ratio	More Typical Weight Ratio	Most Typical Weight Ratio
17	Propoxycarbazone	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Propyrisulfuron	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Propyzamide	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Prosulfocarb	1:1200 – 1:2	1:400 – 1:4	1:150 – 1:17
17	Prosulfuron	1:6 – 168:1	1:2 – 56:1	1:1 – 11:1
17	Pyraclonil	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Pyraflufen-ethyl	1:5 – 224:1	1:1 – 75:1	1:1 – 14:1
17	Pyrasulfotole	1:13 – 84:1	1:4 – 28:1	1:1 – 6:1
17	Pyrazolynate	1:857 – 2:1	1:285 – 1:3	1:107 – 1:12
17	Pyrazosulfuron-ethyl	1:10 – 112:1	1:3 – 38:1	1:1 – 7:1
17	Pyrazoxyfen	1:5 – 224:1	1:1 – 75:1	1:1 – 14:1
17	Pyribenzoxim	1:10 – 112:1	1:3 – 38:1	1:1 – 7:1
17	Pyributicarb	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Pyridate	1:288 – 4:1	1:96 – 2:1	1:36 – 1:4
17	Pyriftalid	1:10 – 112:1	1:3 – 38:1	1:1 – 7:1
17	Pyriminobac-methyl	1:20 – 56:1	1:6 – 19:1	1:2 – 4:1
17	Pyrimisulfan	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Pyriothiobac	1:24 – 48:1	1:8 – 16:1	1:3 – 3:1
17	Pyroxasulfone	1:85 – 14:1	1:28 – 5:1	1:10 – 1:2
17	Pyroxulam	1:5 – 224:1	1:1 – 75:1	1:1 – 14:1
17	Quinclorac	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Quizalofop-ethyl	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Rimsulfuron	1:13 – 84:1	1:4 – 28:1	1:1 – 6:1
17	Saflufenacil	1:25 – 45:1	1:8 – 15:1	1:3 – 3:1
17	Sethoxydim	1:96 – 12:1	1:32 – 4:1	1:12 – 1:2
17	Simazine	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Sulcotrione	1:120 – 10:1	1:40 – 4:1	1:15 – 1:2
17	Sulfentrazone	1:147 – 8:1	1:49 – 3:1	1:18 – 1:3
17	Sulfometuron-methyl	1:34 – 34:1	1:11 – 12:1	1:4 – 3:1
17	Sulfosulfuron	1:8 – 135:1	1:2 – 45:1	1:1 – 9:1
17	Tebuthiuron	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Tefuryltrione	1:42 – 27:1	1:14 – 9:1	1:5 – 2:1
17	Tembotrione	1:31 – 37:1	1:10 – 13:1	1:3 – 3:1
17	Tepaloxymid	1:25 – 45:1	1:8 – 15:1	1:3 – 3:1
17	Terbacil	1:288 – 4:1	1:96 – 2:1	1:36 – 1:4

Component (a) (Compound #)	Component (b)	Typical Weight Ratio	More Typical Weight Ratio	Most Typical Weight Ratio
17	Terbutylazine	1:857 – 2:1	1:285 – 1:3	1:107 – 1:12
17	Terbutryn	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Thenylchlor	1:85 – 14:1	1:28 – 5:1	1:10 – 1:2
17	Thiazopyr	1:384 – 3:1	1:128 – 1:1	1:48 – 1:6
17	Thiencarbazone	1:3 – 336:1	1:1 – 112:1	2:1 – 21:1
17	Thifensulfuron-methyl	1:5 – 224:1	1:1 – 75:1	1:1 – 14:1
17	Tiafenacil	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Thiobencarb	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Topramezone	1:6 – 168:1	1:2 – 56:1	1:1 – 11:1
17	Tralkoxydim	1:68 – 17:1	1:22 – 6:1	1:8 – 2:1
17	Triallate	1:768 – 2:1	1:256 – 1:2	1:96 – 1:11
17	Triasulfuron	1:5 – 224:1	1:1 – 75:1	1:1 – 14:1
17	Triaziflam	1:171 – 7:1	1:57 – 3:1	1:21 – 1:3
17	Tribenuron-methyl	1:3 – 336:1	1:1 – 112:1	2:1 – 21:1
17	Triclopyr	1:192 – 6:1	1:64 – 2:1	1:24 – 1:3
17	Trifloxysulfuron	1:2 – 420:1	1:1 – 140:1	2:1 – 27:1
17	Trifluralin	1:288 – 4:1	1:96 – 2:1	1:36 – 1:4
17	Triflusulfuron-methyl	1:17 – 68:1	1:5 – 23:1	1:2 – 5:1
17	Tritosulfuron	1:13 – 84:1	1:4 – 28:1	1:1 – 6:1


Table A2 is constructed the same as Table A1 above except that entries below the “Component (a)” column heading are replaced with the respective Component (a) Column Entry shown below. Compound 79 in the Component (a) column is identified in Index Table A. Thus, for example, in Table A2 the entries below the “Component (a)” column heading all recite “Compound 79” (i.e. Compound 79 identified in Index Table A), and the first line below the column headings in Table A2 specifically discloses a mixture of Compound 79 with 2,4-D. Tables A3 and A4 are constructed similarly.

Table Number	Component (a) Column Entries	Table Number	Component (a) Column Entries
A2	Compound 79	A9	Compound 103
A3	Compound 80	A10	Compound 156
A4	Compound 5	A11	Compound 202
A5	Compound 3	A12	Compound 204
A6	Compound 5	A13	Compound 206
A7	Compound 80	A14	Compound 232
A8	Compound 101	A15	Compound 263

Table Number	Component (a) Column Entries	Table Number	Component (a) Column Entries
A16	Compound 271	A20	Compound 319
A17	Compound 304	A21	Compound 323
A18	Compound 306	A22	Compound 351
A19	Compound 315		

Preferred for better control of undesired vegetation (e.g., lower use rate such as from synergism, broader spectrum of weeds controlled, or enhanced crop safety) or for preventing the development of resistant weeds are mixtures of a compound of this invention with a herbicide selected from the group consisting of chlorimuron-ethyl, nicosulfuron, mesotrione, thifensulfuron-methyl, flupyrsulfuron-methyl, tribenuron, pyroxasulfone, pinoxaden, tembotrione, pyroxsulam, metolachlor and *S*-metolachlor.

The following Tests demonstrate the control efficacy of compounds of this invention on specific pathogens. The pathogen control protection afforded by the compounds is not limited, however, to these species. See Index Tables A–C for compound descriptions. The following abbreviations are used in the Index Tables which follow: Me is methyl, Ph is phenyl, OMe is methoxy, -CN is cyano, -NO₂ is nitro, t-Boc is tertiary-butoxycarbonyl, and TMS is trimethylsilyl. The abbreviation “Ex.” stands for “Example” and is followed by a number indicating in which example the compound is prepared. Mass spectra are reported as the molecular weight of the highest isotopic abundance parent ion (M+1) formed by addition of H⁺ (molecular weight of 1) to the molecule, or (M–1) formed by the loss of H⁺ (molecular weight of 1) from the molecule, observed by using liquid chromatography coupled to a mass spectrometer (LCMS) using either atmospheric pressure chemical ionization (AP⁺) or electrospray ionization (ESI⁺).

INDEX TABLE A ⁽¹⁾

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M–1	M+1
1	Ph(3-F)	Ph(2-F)	317		
2	Ph(3-F)	Ph(2-CF ₃)	367		
3	Ph(3-CF ₃)	Ph(2-F)	367		
4	Ph(3-CF ₃)	Ph(2-CF ₃)	417		
5	Ph(3,4-di-F)	Ph(2-F)			335

171

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
6	Ph(3,4-di-F)	Ph(2-CF ₃)			385
12	Ph(3,4-di-F)	Ph(3-F)			335
13	Ph(3,4-di-F)	Ph(3-CF ₃)			385
14	Ph(3,4-di-Cl)	Ph(2-F)		367	
15	Ph(3,4-di-Cl)	Ph(2-CN)			376
16	Ph(4-F)	Ph(2-F)			317
17	Ph(3,4-di-F)	Ph(2,3-di-F)	198–200		
18	Ph(3,4-di-F)	Ph(3-Cl)	165–167		
19	Ph(3,4-di-F)	Ph(2-Me)	158–160		
20	Ph(3,4-di-F)	Ph(2-NO ₂)	173–175		
21	Ph(3,4-di-F)	Ph(2-SO ₂ Me)	203–205		
22	Ph(3,4-di-F)	4-pyridinyl(2-F)	210–212		
23	Ph(3,4-di-F)	Ph(2,4-di-F)	188–190		
25	Ph(3,4-di-Cl)	Ph(2,3-di-F)	171–173		
26	Ph(3,4-di-Cl)	Ph(2-CF ₃)	170–172		
27	Ph(3,4-di-Cl)	Ph(3-F)	174–176		
28	3-thienyl	Ph(2-CF ₃)	146–148		
29	3-thienyl	Ph(2-F)	**		
30	Ph(3,4-di-F)	Ph	184–186		
31	Ph(3,4-di-F)	1 <i>H</i> -pyrazol-3-yl(1-Me)	181–183		
32	Ph(3,4-di-Cl)	Ph(2-OCF ₃)		432	
33	Ph(3,4,5-tri-F)	Ph(2-CF ₃)	160–162		
34	Ph(3,4,5-tri-F)	Ph(2-F)	196–198		
35	Ph(3,4,5-tri-F)	Ph(2-Me)	170–172		
36	Ph(3-OMe)	Ph(2-F)			329
38	Ph(3-Me)	Ph(2-F)			313
39	Ph(3,4-di-Cl)	Ph(2-NO ₂)	178–180		
40	Ph(3,4-di-Cl)	Ph(2-Me)	194–196		
41	pyridin-3-yl(6-Cl)	Ph(2-F)	200–204		
42	pyridin-3-yl(6-Cl)	Ph(2-CF ₃)			
43	Ph(3,4-di-Cl)	Ph(2-SO ₂ Me)	219–221		
45	Ph(3,4-di-F)	2-pyridinyl		316	318
46	Ph(3,4-di-F)	3-pyridinyl(2-OMe)		346	348

172

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
47	Ph(3,4-di-F)	2-pyridinyl(1-oxido)			334
48	Ph(3,4,5-tri-F)	Ph(2,3-di-F)			371
49	Ph(3,4,5-tri-F)	Ph(3-NO ₂)			380
50	Ph(2,4,5-tri-F)	Ph(2,3-di-F)			371
51	Ph(2,4,5-tri-F)	Ph(2-F)			353
52	Ph(3-F,4-Cl)	Ph(2,3-di-F)			369
53	Ph(3-F,4-Cl)	Ph(2-F)			351
54	Ph(3,4-di-F)	Ph(2-OCF ₃)		399	401
55	Ph(3,4-di-F)	Ph(2-Br)		393	395
56	Ph(3,4-di-F)	Ph(3-Me)		329	331
57	Ph(3,4-di-F)	1,3-benzodioxol-4-yl(2,2-di-F)		395	397
58	Ph(3,4-di-F)	2-pyridinyl(6-OMe)		346	348
59	Ph(3-Cl,4-F)	Ph(2,3-di-F)			369
60	Ph(3-Cl,4-F)	Ph(2-F)			351
62	1,3-benzodioxol-5-yl(2,2-di-F)	Ph(2,3-di-F)			397
63	1,3-benzodioxol-5-yl(2,2-di-F)	Ph(2-F)			379
64	Ph(3-Br)	Ph(2,3-di-F)			395
65	Ph	Ph(2,3-di-F)			317
66	Ph(3-Br)	Ph(2-F)			377
67	Ph(3,4-di-F)	Ph(2-CF ₃ ,3-F)		401	403
68	Ph(3-OCF ₃)	Ph(2,3-di-F)			401
69	Ph(3-OCF ₃)	Ph(2-F)			383
70	Ph(3-NH- <i>t</i> -Boc)	Ph(2,3-di-F)			432
72	Ph(3-CN)	Ph(2-F)			324
73	Ph(3-CN)	Ph(2,3-di-F)			342
74 (Ex. 1)	Ph(3-Cl,4-F)	Ph(2-CF ₃)			401
75	1,3-benzodioxol-5-yl(2,2-di-F)	Ph(2-CF ₃)			429
76	Ph(3-CF ₃ ,4-F)	Ph(2-F)			385
77	Ph(3-CF ₃ ,4-F)	Ph(2,3-di-F)			403
78	Ph(3-CF ₃ ,4-F)	Ph(2-CF ₃)			435

173

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
79	Ph(4-CF ₃)	Ph(2-F)			367
80	Ph(4-CF ₃)	Ph(2,3-di-F)			385
81	Ph	Ph(2-F)	158-159		
82	Ph	Ph(2-CF ₃)	159-160		
83	Ph	Ph(2-Cl)	154-155		
84	Ph	Ph(2-F,4-Br)	184-186		
85	Ph(2-F)	Ph(2-F)	**		
86	Ph	Ph(2-CN)	**		
87	Ph(4-Cl)	Ph(2-F)	189-192		
88	Ph(2-Cl)	Ph(2-F)	163-165		
89	Ph(3-Cl)	Ph(2-F)	164-166		
90	Ph(3,5-di-Cl)	Ph(2-F)	199-203		
91	Ph(2,4-di-Cl)	Ph(2-F)	192-194		
96	Ph(3,4-F)	2-pyridin-6-one			334
97	Ph(3,4-F)	3-pyridin-2-one			334
98	Ph(3,4-F)	3-pyridinyl(2-CF ₃)	170-173		
99	Ph(3,4-F)	Ph(2-Cl)	155-158		
100	Ph(3,4-F)	Ph(3-Cl,2-Me)	198-201		
101	Ph(3,4-F)	Ph(2,3-di-F)	170-172		
102(3 <i>S</i> ,4 <i>R</i>)	Ph(3,4-F)	Ph(2-F)	180-182		
103(3 <i>R</i> ,4 <i>S</i>)	Ph(3,4-F)	Ph(2-F)	179-181		
104	Ph(3,4-F)	Ph(3-Cl,2-F)	196-198		
105	Ph(3,4-F)	3-pyridinyl(2-F)	171-174		
106	Ph(3,4-F)	Ph(3-F,2-Me)	200-202		
107	Ph(3,4-F)	Ph(2,3-di-F)	171-173		
108	Ph(3,4-F)	Ph(2-Cl,3-F)	219-223		
109	Ph(3-CF ₃)	Ph(2-Me)	163-165		
110	Ph(3-CF ₃)	2-pyridinyl	175-177		
111	Ph(3-CF ₃)	1,3,4-thiadiazol-2-yl			357.3
112	Ph(3-CF ₃)	1,3,4-thiadiazol-2-yl(5-CF ₃)			425.3
113	Ph(3-CF ₃)	1,3-thiazol-2-yl(5-Cl)			390.3
114	Ph(3-CF ₃)	oxazol-2-yl(4-CF ₃)			408.4
115	2-naphthyl	Ph(2-F)			349

174

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
116	2-naphthyl	Ph(2,3-di-F)			367
117	2-naphthyl	Ph(2-CF ₃)			399
118	Ph(4-F)	Ph(2-OCHF ₂)		363.3	
119	Ph(4-F)	Ph(2,3-di-F)			335.3
120	Ph(4-F)	Ph(2,3,4-tri-F)			353.5
121	Ph(3-OCF ₂ CHF ₂)	Ph(2-F)			415
122	Ph(3-OCF ₂ CHF ₂)	Ph(2,4-di-F)			433
123	Ph(3-OCF ₂ CHF ₂)	Ph(2,3-di-F)			433
124	Ph(3-OCF ₂ CHF ₂)	Ph(2,3,4-tri-F)			451
125	Ph(3-OCF ₂ CHF ₂)	Ph(2-Cl)			431
126	Ph(OCH ₂ CF ₃)	Ph(2-F)			397
127	Ph(OCH ₂ CF ₃)	Ph(2,4-di-F)			415
128	Ph(OCH ₂ CF ₃)	Ph(2,3-di-F)			415
129	Ph(OCH ₂ CF ₃)	Ph(2,3,4-tri-F)			433
130	Ph(OCH ₂ CF ₃)	Ph(2-Cl)			413
131	Ph(3-OMe,4-F)	Ph(2,4-di-F)			365
132	Ph(3-OMe,4-F)	Ph(2,3,4-tri-F)			383
133	Ph(3-OMe,4-F)	Ph(2-Cl)			363
134	Ph(3-SO ₂ Me)	Ph(2-F)			377
135	Ph(3-SO ₂ Me)	Ph(2,4-di-F)			395
136	Ph(3-SO ₂ Me)	Ph(2,3-di-F)			395
137	Ph(3-SO ₂ Me)	Ph(2,3,4-tri-F)			413
138	Ph(3-SO ₂ Me)	Ph(2-Cl)			393
139	Ph(4-F,3-Me)	Ph(2-F)			331
140	Ph(4-F,3-Me)	Ph(2,4-di-F)			349
141	Ph(4-F,3-Me)	Ph(2,3-di-F)			349
142	Ph(4-F,3-Me)	Ph(2,3,4-tri-F)			367
143	Ph(4-F,3-Me)	Ph(2-Cl)			347
144	Ph(3-F,4-Me)	Ph(2-F)			331
145	Ph(3-F,4-Me)	Ph(2,4-di-F)			349
146	Ph(3-F,4-Me)	Ph(2,3-di-F)			349
147	Ph(3-F,4-Me)	Ph(2,3,4-tri-F)			367
148	Ph(3-F,4-Me)	Ph(2-Cl)			347

175

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
149	Ph(4-Me)	Ph(2-F)			313
150	Ph(4-Me)	Ph(2,4-di-F)			331
151	Ph(4-Me)	Ph(2,3-di-F)			331
152	Ph(4-Me)	Ph(2-Cl)			329
153	Ph(4-Me)	Ph(3-F)			313
154	Ph(3-CF ₃)	Ph(2-Cl)			397.5
155	Ph(3,5-di-F)	Ph(2-F)			335
156	Ph(3,5-di-F)	Ph(2,4-di-F)			353
157	Ph(3,5-di-F)	Ph(2,3-di-F)			353
158	Ph(3,5-di-F)	Ph(2,3,4-tri-F)			371
159	Ph(3,5-di-F)	Ph(2-Cl)			351
160	Ph(3-CF ₃)	Ph(2-SO ₂ Me)			427
161	1,3-benzodioxol-5-yl(2,2-di-F)	Ph(2-F)			379
162	1,3-benzodioxol-5-yl(2,2-di-F)	Ph(2,3,4-tri-F)			415
163	Ph(3-CHF ₂)	Ph(2-F)			349
164	Ph(3-CHF ₂)	Ph(2,3-di-F)			367
165	Ph(3-CHF ₂)	Ph(2,3,4-tri-F)			385
166	Ph(3- <i>c</i> -Pr)	Ph(2-F)			339
167	Ph(3- <i>c</i> -Pr)	Ph(2,3-di-F)			357
168	Ph(3- <i>c</i> -Pr)	Ph(2,3,4-tri-F)			375
169	Ph(3-Et)	Ph(2-F)			327
170	Ph(3-Et)	Ph(2,3-di-F)			345
171	Ph(3-Et)	Ph(2,3,4-tri-F)			363
172	Ph(4-OCF ₂ CHF ₂)	Ph(2,3-di-F)			433
173	Ph(4-OCF ₂ CHF ₂)	Ph(2,4-di-F)			433
174	Ph(4-OCF ₂ CHF ₂)	Ph(2,3,4-di-F)			451
176	Ph(4-Cl)	Ph(2,3-di-F)			351
177	Ph(4-Cl)	Ph(2,4-di-F)			351
178	Ph(4-Cl)	Ph(2-F)			333
179	Ph(4-Cl)	Ph(3-F)			333
180	Ph(4-Cl)	Ph(2-Cl)			350

176

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
183	Ph(3-CF ₃)	Ph(2-F,5-Me)			381
184	Ph(3-CF ₃)	Ph(2-F,3-Me)			381
185	Ph(3-CF ₃)	Ph(4-F,3-Me)			381
186	Ph(3-CF ₃)	Ph(5-CF ₃ ,4-Me)			431
187	Ph(3-CF ₃)	Ph(4-OMe,2-F)			397
188	Ph(3-CF ₃)	Ph(4-OMe,3-F)			397
189	Ph(3-CF ₃)	Ph(2-Cl)			383
190	Ph(3-CF ₃)	Ph(2-Br)			428.9
191	1 <i>H</i> -pyrazol-3-yl(1-Me)	Ph(2-CF ₃)	141-143		
192	1 <i>H</i> -pyrazol-3-yl(1-Me)	Ph(2,3-di-F)	188-190		
193	Ph(3,4-di-F)	Ph(4-F)	162-164		
194	Ph(3-OMe,4-F)	Ph(2-F)			347
195	Ph(3-OMe,4-F)	Ph(2,3-di-F)			365
196	Ph(3-OMe,4-F)	Ph(2-CF ₃)			397
197	Ph(4-OMe,3-F)	Ph(2-F)			347
198	Ph(4-OMe,3-F)	Ph(2,3-di-F)			365
199	Ph(4-OMe,3-F)	Ph(2-CF ₃)			397
200	Ph(3- <i>t</i> -Bu)	Ph(2,3-di-F)			373
201	Ph(3- <i>t</i> -Bu)	Ph(2-CF ₃)			405
202	Ph(4-CF ₃)	Ph(2,3-di-F)			385.5
203(3 <i>S</i> ,4 <i>R</i>)	Ph(3-CF ₃)	Ph(2-F)	138-140		
204(3 <i>R</i> ,4 <i>S</i>)	Ph(3-CF ₃)	Ph(2-F)	135-137		
205(3 <i>S</i> ,4 <i>R</i>)	Ph(3-CF ₃)	Ph(2,3-di-F)	121-123		
206(3 <i>R</i> ,4 <i>S</i>)	Ph(3-CF ₃)	Ph(2,3-di-F)	120-122		
207	Ph(3-CF ₃)	Ph(2,4-di-F)	164-166		
208	Ph(3-CF ₃)	Ph(3-F)	123-125		
209	Ph(3-CF ₃ ,4-OCH ₃)	Ph(2-F)			397
210	Ph(3-CHF ₂)	Ph(2-F)			349
211	Ph(3-CHF ₂)	Ph(2,3-di-F)			367
212	Ph(3-CHF ₂)	Ph(2-CF ₃)			399
213	Ph(3-SF ₅)	Ph(2-F)			425
214	Ph(3-SF ₅)	Ph(2,3-di-F)			443
215	Ph(3-SF ₅)	Ph(2-CF ₃)			475

177

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
216	naphthalen-1-yl	Ph(2-F)			349
217	Ph(4-Cl)	Ph(2-F)			333
218	Ph(4-Cl)	Ph(2,3-di-F)			351
219	Ph(4-Cl)	Ph(2-CF ₃)			383
220	Ph(4-Cl)	Ph(2-Cl)			349
221	Ph(4-Cl)	Ph(2,3-di-Cl)			383
222	Ph(3-OCHF ₂)	Ph(2-CF ₃)			415.1
223	Ph(3-OCHF ₂)	Ph(2-F)			365.1
224	Ph(3-OCHF ₂)	Ph(2,3-di-F)			383.1
225	Ph(4-OCHF ₂)	Ph(2-Br)			427
226	Ph(4-OCHF ₂)	Ph(2-Cl)			381
227	Ph(4-OCHF ₂)	Ph(2-Me)			361.1
228	Ph(3-OCHF ₂)	Ph(2-Br)			427
229	Ph(3-OCHF ₂)	Ph(2-Cl)			381.1
230	Ph(3-OCHF ₂)	Ph(2-Me)			361.1
231(3 <i>R</i> ,4 <i>S</i>)	Ph(4-CF ₃)	Ph(2-F)			367.5
232	Ph(4-CF ₃)	Ph(2,3,4-tri-F)			403.5
233	Ph(4-CF ₃)	Ph(2-Cl)			383.5
234	Ph(3-CF ₃ ,4-OMe)	Ph(2,3-di-F)			415
235	Ph(4-Ph(2-F))	Ph(2,3-di-F)	131.6-136.5		
236	Ph(4-Ph(2-CF ₃))	Ph(2,3-di-F)	177.9-191.1		
237	Ph(3-Ph(2-CF ₃))	Ph(2-CF ₃)	57.1-66.2		
238	Ph(3-Ph(2-F))	Ph(2-CF ₃)	152.7-157.5		
239	Ph(4-F)	Ph(2-F)			317.4
240	Ph(3-CF ₃ ,4-OMe)	Ph(2-CF ₃)			447
241	Ph(3-CF ₃)	Ph(2,3-di-F)			385
242	Ph(3-CF ₃)	Ph(2-CF ₃ ,3-F)			436
244	Ph(3,4-di-F)	2-pyridinyl(6-F)			337.3
245	Ph(3,4-di-F)	2-pyridinyl(6-CF ₃)			386.4
246	Ph(4-CF ₃ ,3-F)	Ph(2-F)			385
247	Ph(4-CF ₃ ,3-F)	Ph(2,3-di-F)			403
248	Ph(4-CF ₃ ,3-F)	Ph(2-CF ₃)			435

178

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
249	Ph(4-CF ₃ ,3-Cl)	Ph(2-F)			401
250	Ph(4-CF ₃ ,3-Cl)	Ph(2,3-di-F)			419
251	Ph(4-CF ₃ ,3-Cl)	Ph(2-CF ₃)			451
252	1 <i>H</i> -imidazol-2-yl(1-Me)	Ph(2,3-di-F)	170-174		
253	1 <i>H</i> -pyrazol-4-yl(1-Me)	Ph(2,3-di-F)	165-168		
254	1 <i>H</i> -pyrazol-4-yl(1-Me)	Ph(2-F)	189-193		
255	1 <i>H</i> -imidazol-2-yl(1-Me)	Ph(2-F)	167-170		
256	Ph(4-OCF ₃)	Ph(2-F)			383
257	Ph(4-OCF ₃)	Ph(2,3-di-F)			401
258	Ph(4-OCF ₃)	Ph(2-CF ₃)			433
259	Ph(4-CF ₃ ,2-F)	Ph(2-F)			385
260	Ph(4-CF ₃ ,2-F)	Ph(2,3-di-F)			403
261	Ph(4-CF ₃ ,2-F)	Ph(2-CF ₃)			435
262	3-pyridinyl(6-CF ₃)	Ph(2-F)			368
263	3-pyridinyl(6-CF ₃)	Ph(2,3-di-F)			386
264	3-pyridinyl(6-CF ₃)	Ph(2-CF ₃)			418
267	Ph(3-CF ₃ ,4-Cl)	Ph(2-F)			401
268	Ph(3-CF ₃ ,4-Cl)	Ph(2,3-di-F)			419
269	Ph(3-CF ₃ ,4-Cl)	Ph(2-CF ₃)			451
272	Ph(3,4-di-Cl)	Ph(2,4-di-F)			385
273	Ph(3,4-di-Cl)	Ph(2-Cl)			383
275	Ph(3-Cl)	Ph(2,3-di-F)			351.4
278	Ph(3,5-di-F)	Ph(2,4-di-F)			353
279	Ph(3,5-di-F)	Ph(2,3-di-F)			353
280	Ph(3,5-di-F)	Ph(2-Cl)			351
281	2-benzofuranyl	Ph(2-F)			339
282	2-benzofuranyl	Ph(2,3-di-F)			357
283	2-benzofuranyl	Ph(2-CF ₃)			389
284	2-furanyl(5-Cl)	Ph(2-F)			323
285	2-furanyl(5-Cl)	Ph(2,3-di-F)			341
286	Ph(3,4-di-Cl)	Ph(2,3,4-tri-F)			403
287	Ph(3-SMe)	Ph(2-F)			345
288	Ph(3-SMe)	Ph(2,4-di-F)			363

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
289	Ph(3-SMe)	Ph(2,3-di-F)			363
290	Ph(3-SMe)	Ph(2,3,4-tri-F)			381
291	Ph(3-SMe)	Ph(2-Cl)			361
292	2-thienyl(5-Cl)	Ph(2-F)			339
293	2-thienyl(5-Cl)	Ph(2-CF ₃)			389
294	2-thienyl(5-Cl)	Ph(2,3-di-F)			357
295	2-benzothiophenyl	Ph(2-F)			355
296	2-benzothiophenyl	Ph(2,3-di-F)			373
297	2-benzothiophenyl	Ph(2-CF ₃)			405
298	1H-pyrazol-4-yl(1-CH ₂ CF ₃)	Ph(2-F)			371
299	1H-pyrazol-4-yl(1-CH ₂ CF ₃)	Ph(2,3-di-F)			389
300	1H-pyrazol-4-yl(1-CH ₂ CF ₃)	Ph(2-CF ₃)			421
307	Ph(3-Br)	Ph(2-F)			378
308	Ph(3-Br)	Ph(2,4-di-F)		394	
309	Ph(3-Br)	Ph(2,3-di-F)			396
310	Ph(3-Br)	Ph(2,3,4-tri-F)		412	
311	Ph(3-Br)	Ph(2-Cl)			394
312	Ph(3-CF ₃)	Ph(2-Cl)			383
313	Ph(3-CF ₃)	Ph(3-CF ₃)			417
314	Ph(3-CF ₃)	Ph(2,5-di-F)			385
315	Ph(3-CF ₃)	Ph(2,3,4-tri-F)			403
316	Ph(3-CF ₃)	Ph(3-Cl,2-F)			401
317	Ph(3-CF ₃)	Ph(3-Me)			363
318	Ph(3- <i>i</i> -Pr)	Ph(2-F)			341
319	Ph(3- <i>i</i> -Pr)	Ph(2,3-di-F)			359
320	Ph(3- <i>i</i> -Pr)	Ph(2-CF ₃)			391
321	Ph(4-SCF ₃)	Ph(2-F)			399
322	Ph(4-SCF ₃)	Ph(2,3,4-tri-F)			435
323	Ph(3-OCHF ₂)	Ph(2-F)			365
324	Ph(3-OCHF ₂)	Ph(2,3-di-F)			383

180

Cmpd. No.	Q ¹	Q ²	m.p. (°C)	M-1	M+1
325	Ph(3-OCHF ₂)	Ph(2,3,4-tri-F)			401
326	Ph(3-(1 <i>H</i> -pyrazol-1-yl)(3-CF ₃)))	Ph(2,3-di-F)	190.8-193.9		
327	Ph(3-I)	Ph(2,3-di-F)	152.7-160.9		
328	Ph(3-I)	Ph(2-CF ₃)	106.8-110.4		
329	Ph(3-(1 <i>H</i> -pyrazol-1-yl)(3-CF ₃)))	Ph(2-CF ₃)	174.8-179.8		
330	Ph(3-OPh)	Ph(2-F)			391
331	Ph(3-OPh)	Ph(2,4-di-F)			409
332	Ph(3-OPh)	Ph(2,3-di-F)			409
333	Ph(3-OPh)	Ph(2,3,4-tri-F)			427
334	Ph(3-OPh)	Ph(2-Cl)			407
337	Ph(3-(1 <i>H</i> -pyrazol-1-yl))	Ph(2,3-di-F)			383.5
338	Ph(3-(1 <i>H</i> -pyrazol-1-yl))	Ph(2-CF ₃)			415.5
339	Ph(3,4-di-Br)	Ph(2-F)			457
340	Ph(3,4-di-Br)	Ph(2,4-di-F)			475
341	Ph(3,4-di-Br)	Ph(2,3-di-F)			475
342	Ph(3,4-di-Br)	Ph(2,3,4-tri-F)			493
343	Ph(3,4-di-Br)	Ph(2-Cl)			473
344	Ph(3-CF ₃)	Ph(3-Cl,2-F)	155-156		
345	Ph(3-CF ₃)	Ph(2,3,4-tri-F)	156-158		
346	Ph(3,4-di-F)	Ph(2,3,4-tri-F)	205-207		
347	Ph(3- <i>t</i> -Bu)	Ph(2-F)			355
348	Ph(4-OCHF ₂)	Ph(2-CF ₃)	143-144		
349	Ph(4-OCHF ₂)	Ph(2-F)	161-162		
350	Ph(4-OCHF ₂)	Ph(2,3-di-F)	167-168		


(1) Substituents in the 3 and 4 positions of the pyrrolidinone ring, i.e. C(O)N(Q²)(R⁶) and Q¹, respectively, are predominately in the *trans* configuration. In some instances the presence of minor amounts of the *cis* isomer can be detected by NMR.

* See synthesis example for ¹H NMR data.

** See Index Table D for ¹H NMR data.


181

INDEX TABLE B



Cmpd. No.	R ²	R ³	Q ¹	Q ²	M+1
7 (Diastereomer Mixture A)	Me	H	Ph(3,4-di-F)	Ph(2-F)	349
8 (Diastereomer Mixture B)	Me	H	Ph(3,4-di-F)	Ph(2-F)	349
9 (Diastereomer Mixture A)	Me	H	Ph(3,4-di-F)	Ph(2-CF ₃)	399
10 (Diastereomer Mixture B)	Me	H	Ph(3,4-di-F)	Ph(2-CF ₃)	399
11	Me	Me	Ph(3,4-di-F)	Ph(2-F)	363

INDEX TABLE C



5

Cmpd. No.	R ¹	Q ¹	R ⁴	R ⁵	R ⁶	Q ²	Y ¹	m.p. (°C)	M-1	M+1
24	H	Ph(3,4-di-F)	H	H	Me	Ph(2-F)	O	171-172		
37	t-Boc	Ph(3-Me)	H	H	H	Ph(2-F)	O	70.2-73.4		
44 (Ex. 3)	OH	Ph(3,4-di-F)	H	H	H	Ph(2-F)	O		351	
61	H	Ph(3-Cl,4-F)	H	Me	H	Ph(2,3-di-F)	O			383
71	H	Ph(3,4-di-F)	H	H	OH	Ph	O		331	
92 (Ex. 2)	H	Ph	H	Br	H	Ph(2-F)	O	*		
93 (Ex. 2)	H	Ph	Br	H	H	Ph(2-F)	O	*		
94	H	Ph	H	Br	H	Ph(2-F,4-Br)	O	**		
95 (Ex. 4)	H	Ph(3,4-di-F)	H	H	H	Ph(2-F)	NH	*		
175	H	Ph(3,4-F)	H	H	OMe	Ph(2-F,5-NO ₂)	O	170-175		
181	n-Pr	Ph(4-CF ₃)	H	H	H	Ph(2-F)	O			409.5
182	n-Pr	Ph(4-CF ₃)	H	H	H	Ph(2,3-di-F)	O			427.5
243	H	Ph(3,4-di-F)	H	H	OMe	Ph(2-NO ₂)	O	155-159		
265	H	Ph(3,4-di-F)	H	H	propargyl	Ph(2-NO ₂)	O	226-230		
266	H	Ph(3,4-di-F)	H	H	allyl	Ph(2-NO ₂)	O	206-210		

Cmpd. No.	R ¹	Q ¹	R ⁴	R ⁵	R ⁶	Q ²	Y ¹	m.p. (°C)	M-1	M+1
270	Me	Ph(4-F)	H	H	H	Ph(2-F)	O			331
271	Me	Ph(4-F)	H	H	H	Ph(2,3-di-F)	O			349
274	H	Ph(3-CF ₃)	H	H	H	Ph(2-F)	S			383
276	<i>i</i> -Pr	Ph(4-F)	H	H	H	Ph(2,3-di-F)	O			377.5
277	Me	Ph(3-CF ₃)	H	H	H	Ph(2-F)	O			381.5
301	H	Ph	CH ₃	H	H	Ph(2-F)	O			313.1
302	Me	Ph(3,4-di-F)	H	H	H	Ph(2-F)	O			349.3
303	Me	Ph(3,4-di-F)	H	H	H	Ph(2,3-di-F)	O			367.3
304	Me	Ph(4-CF ₃)	H	H	H	Ph(2-F)	O			381.5
305	Me	Ph(3-CF ₃)	H	H	H	Ph(2,3-di-F)	O			399.5
306	Me	Ph(4-CF ₃)	H	H	H	Ph(2,3-di-F)	O			399.5
335	Et	Ph(4-CF ₃)	H	H	H	Ph(2-F)	O			395
336	Et	Ph(4-CF ₃)	H	H	H	Ph(2,3-di-F)	O			413
351(3 <i>R</i> ,4 <i>S</i>)	Me	Ph(3-CF ₃)	H	H	H	Ph(2-F)	O	*		

* See synthesis example for ¹H NMR data.

** See Index Table D for ¹H NMR data.

INDEX TABLE D

Cmpd. No.	¹ H NMR Data (CDCl ₃ solution unless indicated otherwise) ^a
29	δ 9.65 (br s, 1H), 8.28 (m, 1H), 7.37 (m, 1H), 7.25 (m, 1H), 7.10 (m, 4H), 6.18 (br s, 1H), 4.36 (m, 1H), 3.84 (m, 1H), 3.53 (m, 2H).
85	δ 9.80 (br s, 1H), 8.25 (t, 1H), 7.40 (t, 1H), 7.25 (m, 1H), 7.15 (m, 1H), 7.05 (m, 4H), 6.35 (br s, 1H), 4.10 (q, 1H), 3.80 (m, 2H), 3.50 (t, 1H).
86	δ 10.3 (br s, 1H), 8.20 (br s, 1H), 7.80 (d, 1H), 7.70 (d, 1H), 7.65 (t, 1H), 7.40–7.20 (m, 6H), 4.00 (q, 1H), 3.85 (d, 1H), 3.70 (t, 1H), 3.30 (t, 1H)
94	δ 9.55 (br s, 1H), 8.25 (t, 1H), 7.48 (d, 2H), 7.38 (m, 3H), 7.11 (m, 3H), 6.85 (br s, 1H), 4.45 (m, 1H), 3.77 (m, 1H), 3.65 (m, 1H).

^a ¹H NMR data are in ppm downfield from tetramethylsilane. Couplings are designated by (s)-singlet, (d)-doublet, (t)-triplet, (m)-multiplet, (br s)-broad singlet.

BIOLOGICAL EXAMPLES OF THE INVENTION

TEST A

Seeds of plant species selected from barnyardgrass (*Echinochloa crus-galli*), kochia (*Kochia scoparia*), ragweed (common ragweed, *Ambrosia elatior*), ryegrass, Italian (Italian ryegrass, *Lolium multiflorum*), crabgrass, large (large crabgrass *Digitaria sanguinalis*), giant foxtail (*Setaria faberii*), morningglory (*Ipomoea* spp.), pigweed (*Amaranthus retroflexus*), velvetleaf (*Abutilon theophrasti*), wheat (*Triticum aestivum*), and corn (*Zea mays*) were planted into a blend of loam soil and sand and treated preemergence with a directed soil

spray using test chemicals formulated in a non-phytotoxic solvent mixture which included a surfactant.

At the same time, plants selected from these crop and weed species and also blackgrass (*Alopecurus myosuroides*), and galium (catchweed bedstraw, *Galium aparine*) were planted in pots containing the same blend of loam soil and sand and treated with postemergence applications of test chemicals formulated in the same manner. Plants ranged in height from 2 to 10 cm and were in the one- to two-leaf stage for the postemergence treatment. Treated plants and untreated controls were maintained in a greenhouse for approximately 10 days, after which time all treated plants were compared to untreated controls and visually evaluated for injury. Plant response ratings, summarized in Table A, are based on a 0 to 100 scale where 0 is no effect and 100 is complete control. A dash (–) response means no test result.

[illegible][illegible]

185

Velvetleaf	0	0	0	0	0	10	0	0	0	0	0	20	0	90
Wheat	0	0	50	50	0	0	0	0	0	0	0	20	0	0

Table A

Compounds

500 g ai/ha	15	16	28	29	32	36	37	38	41	42	45	46	47	48
-------------	----	----	----	----	----	----	----	----	----	----	----	----	----	----

5	Postemergence														
	Barnyardgrass	0	90	0	0	0	80	50	30	50	40	80	0	0	90
	Blackgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	0	30	0	0	0	0	0	0	0	0	-	-	-	50
	Crabgrass, Large	0	90	40	0	30	20	20	50	60	70	80	60	0	80
10	Foxtail, Giant	0	90	0	0	40	20	20	20	0	20	70	40	0	80
	Galium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	0	10	0	0	0	0	0	0	0	0	50	0	20	20
15	Pigweed	0	0	0	0	0	0	0	0	30	0	0	0	0	0
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	0	0	0	0	0	0	0	30	50	0	0	0	20
	Wheat	0	50	0	0	0	0	0	0	0	0	0	0	0	40

Table A

Compounds

500 g ai/ha	49	50	51	52	53	54	55	56	57	58	59	60	61	62
-------------	----	----	----	----	----	----	----	----	----	----	----	----	----	----

	Postemergence														
25	Barnyardgrass	20	80	20	80	80	0	90	50	80	0	90	90	20	80
	Blackgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	0	0	0	30	0	0	0	0	0	0	30	60	0	70
	Crabgrass, Large	70	80	80	80	80	80	80	80	70	80	90	90	70	90
	Foxtail, Giant	40	80	30	80	80	70	80	60	60	70	80	80	30	80
	Galium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	Pigweed	0	0	0	40	0	0	0	0	0	0	40	0	0	70
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Wheat	0	0	0	30	0	0	0	0	0	0	60	50	0	60

35 Table A

Compounds

500 g ai/ha	63	64	65	66	67	68	69	70	72	73	74	75	76	77
-------------	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Postemergence

5	Barnyardgrass	80	80	70	80	60	80	80	60	60	80	80	70	90	80
	Blackgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	50	40	20	80	0	90	90	0	0	0	50	0	70	70
	Crabgrass, Large	90	80	90	80	90	90	90	70	70	80	90	80	90	80
	Foxtail, Giant	90	80	90	80	90	80	80	80	50	80	90	80	80	80
	Galium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	0	0	20	0	0	0	0	0	10	20	0	0	40	30
	Pigweed	0	30	0	0	20	60	30	20	0	0	0	0	60	50
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	30	30	0	0	20	30	20	0	30	50	20	60	40
	Wheat	30	40	20	30	0	20	40	40	0	0	60	30	60	60
	Table A	Compounds													
15	500 g ai/ha	78	79	80	81	82	83	84	85	86	87	88	89	90	91
	Postemergence														
	Barnyardgrass	70	90	80	80	50	60	0	20	20	80	40	80	70	20
	Blackgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	50	70	60	0	0	0	0	0	0	0	0	30	30	0
	Crabgrass, Large	80	90	90	80	70	70	20	50	60	80	60	80	70	50
	Foxtail, Giant	80	80	80	70	70	50	0	0	10	80	0	80	70	20
	Galium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	0	10	0	0	10	0	0	0	0	10	0	10	0	0
25	Pigweed	50	70	70	0	0	0	0	0	0	20	0	20	20	0
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	60	60	60	0	20	0	0	0	0	0	0	0	0	0
	Wheat	50	50	50	0	10	0	0	0	0	20	0	20	0	0
	Table A	Compounds													
30	500 g ai/ha	92	93	94	95	97	101	102	103	107	109	110	111	112	113
	Postemergence														
	Barnyardgrass	70	60	0	90	0	90	0	90	80	90	90	0	0	0
	Blackgrass	-	-	-	-	-	-	-	-	-	80	70	0	0	0
	Corn	0	0	0	0	0	50	0	20	0	80	20	0	0	0
	Crabgrass, Large	70	80	0	90	0	80	0	90	70	-	-	-	-	-
	Foxtail, Giant	10	60	0	80	0	90	0	90	70	90	90	0	0	0
	Table A	Compounds													
	500 g ai/ha	92	93	94	95	97	101	102	103	107	109	110	111	112	113
	Postemergence														
35	Barnyardgrass	70	60	0	90	0	90	0	90	80	90	90	0	0	0
	Blackgrass	-	-	-	-	-	-	-	-	-	80	70	0	0	0
	Corn	0	0	0	0	0	50	0	20	0	80	20	0	0	0
	Crabgrass, Large	70	80	0	90	0	80	0	90	70	-	-	-	-	-
	Foxtail, Giant	10	60	0	80	0	90	0	90	70	90	90	0	0	0

187

	Galium	-	-	-	-	-	-	-	-	-	60	40	0	0	0
	Kochia	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Morningglory	0	0	0	0	0	60	0	0	40	-	-	-	-	-
	Pigweed	0	0	0	0	0	70	0	20	30	0	0	0	0	0
5	Ragweed	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	30	40	0	0	0
	Velvetleaf	0	0	0	0	0	70	0	0	20	-	-	-	-	-
	Wheat	0	0	0	0	0	60	0	20	0	60	20	0	0	0
	Table A	Compounds													
10	500 g ai/ha	114	115	116	117	118	119	120	121	122	123	124	125	126	127
	Postemergence														
	Barnyardgrass	60	50	40	30	60	90	90	80	80	80	70	70	80	70
	Blackgrass	30	-	-	-	0	50	50	70	70	70	70	50	30	40
	Corn	20	0	20	20	0	70	80	70	60	80	50	0	0	20
15	Crabgrass, Large	-	50	30	60	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	70	10	20	50	80	90	90	90	80	90	90	80	80	80
	Galium	20	-	-	-	60	50	60	70	80	70	80	60	30	60
	Kochia	20	-	-	-	50	50	70	60	70	70	80	60	0	60
	Morningglory	-	0	0	0	-	-	-	-	-	-	-	-	-	-
20	Pigweed	0	0	0	0	0	30	50	0	80	90	70	20	0	0
	Ragweed	0	-	-	-	0	30	50	30	70	70	70	0	0	0
	Ryegrass, Italian	60	-	-	-	0	40	50	50	40	50	50	0	0	0
	Velvetleaf	-	0	0	0	-	-	-	-	-	-	-	-	-	-
	Wheat	20	0	0	0	0	70	60	60	60	60	50	0	0	0
25	Table A	Compounds													
	500 g ai/ha	128	129	130	131	132	133	139	140	141	142	143	144	145	146
	Postemergence														
	Barnyardgrass	60	70	70	60	80	80	90	80	90	90	90	90	90	90
	Blackgrass	50	50	0	0	0	0	20	20	50	30	0	30	30	70
30	Corn	20	30	0	0	0	0	0	0	50	0	0	20	0	50
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	80	80	70	50	70	50	30	50	50	50	30	70	70	70
	Galium	0	60	0	0	0	0	30	30	50	40	40	70	50	70
	Kochia	0	0	0	0	10	0	0	0	20	0	0	0	20	70
35	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	50	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ragweed	0	0	0	0	0	0	0	0	40	0	0	0	20	60

188

Ryegrass, Italian	0	50	0	0	0	0	0	0	40	20	0	40	0	60
Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wheat	40	40	0	0	0	0	0	0	30	20	0	0	0	70

Table A

Compounds

5	500 g ai/ha	147	148	149	150	151	152	153	154	156	157	160	161	162	163
	Postemergence														
	Barnyardgrass	90	90	80	80	90	80	80	80	80	80	80	90	90	90
	Blackgrass	60	0	40	10	70	50	30	70	20	30	70	50	50	60
	Corn	50	0	70	30	50	0	0	70	30	80	70	60	60	40
10	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	70	30	70	70	70	60	60	80	80	80	90	90	90	80
	Galium	60	40	60	60	70	70	60	60	30	40	70	60	70	60
	Kochia	60	0	60	60	80	60	60	50	20	30	80	60	70	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Pigweed	10	0	0	20	60	20	50	30	20	30	80	60	70	20
	Ragweed	50	0	40	20	70	50	10	0	30	40	60	30	40	20
	Ryegrass, Italian	50	0	50	0	50	50	0	50	30	30	10	50	50	30
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	40	0	20	0	60	0	0	50	40	70	50	40	50	60

20 Table A

Compounds

	500 g ai/ha	164	165	166	167	168	169	170	171	172	174	175	181	182	183
	Postemergence														
	Barnyardgrass	90	90	80	90	90	90	90	90	20	20	0	0	0	0
	Blackgrass	70	70	60	60	60	60	60	60	0	0	0	50	0	0
25	Corn	80	80	80	70	70	50	70	70	0	0	0	0	0	0
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	90	90	90	90	90	90	80	30	30	0	0	10	0
	Galium	60	50	60	60	70	50	60	70	0	0	0	0	0	0
	Kochia	70	70	70	50	60	40	50	30	0	0	0	70	0	0
30	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	60	50	50	0	40	0	30	40	0	0	0	50	0	0
	Ragweed	50	50	0	50	20	0	50	30	0	0	0	0	0	0
	Ryegrass, Italian	50	50	50	40	50	40	60	30	0	0	0	0	0	0
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Wheat	80	70	50	50	40	50	60	50	0	0	0	0	0	0

Table A

Compounds

500 g ai/ha	184	185	186	188	189	190	194	195	196	197	198	199	200	201
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

[illegible]

190

	Foxtail, Giant	10	90	90	80	80	30	90	90	80	70	80	80	90	90
	Galium	0	50	60	60	30	0	60	60	70	30	20	0	40	70
	Kochia	0	70	60	10	40	0	40	70	90	0	50	40	30	60
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Pigweed	0	0	40	0	0	0	20	60	80	0	0	0	0	0
	Ragweed	0	30	50	0	0	0	40	30	60	0	0	0	20	60
	Ryegrass, Italian	0	30	30	0	20	0	30	40	60	0	20	20	20	40
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	0	30	50	0	20	0	30	50	60	20	0	0	20	0
10	Table A	Compounds													
	500 g ai/ha	230	231	232	233	234	235	236	239	240	241	242	244	245	246
	Postemergence														
	Barnyardgrass	90	90	90	90	90	20	0	90	90	90	80	90	50	70
	Blackgrass	50	60	50	60	30	20	0	20	0	-	-	-	-	-
15	Corn	40	40	80	20	60	20	0	0	20	80	70	20	0	30
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	80	80	80	30	60
	Foxtail, Giant	90	90	90	90	80	50	0	90	80	90	80	80	30	80
	Galium	50	50	60	50	50	70	0	30	0	-	-	-	-	-
	Kochia	40	90	90	80	30	20	0	20	0	-	-	-	-	-
20	Morningglory	-	-	-	-	-	-	-	-	-	30	30	0	0	0
	Pigweed	0	40	90	20	0	50	0	0	0	20	20	40	40	0
	Ragweed	30	50	50	50	0	0	0	0	0	-	-	-	-	-
	Ryegrass, Italian	20	40	50	40	30	0	0	20	0	-	-	-	-	-
	Velvetleaf	-	-	-	-	-	-	-	-	-	20	20	30	40	0
25	Wheat	20	30	50	20	40	0	0	20	20	70	20	20	40	30
	Table A	Compounds													
	500 g ai/ha	247	248	249	250	251	256	257	258	259	260	261	262	263	264
	Postemergence														
	Barnyardgrass	80	50	50	50	30	20	80	80	70	80	50	70	80	80
30	Blackgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	20	20	0	0	0	0	20	20	0	0	0	0	60	0
	Crabgrass, Large	70	70	40	40	30	90	90	90	90	90	80	80	90	90
	Foxtail, Giant	80	50	40	50	20	70	90	80	70	90	60	70	90	80
	Galium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	0	0	0	0	0	0	0	0	0	50	0	0	60	0
	Pigweed	0	0	0	0	20	0	0	0	0	70	40	0	70	60

Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Velvetleaf	0	0	0	0	0	0	0	0	0	-	30	-	-	30
Wheat	30	0	0	0	0	20	30	30	0	0	0	0	60	0

5	Table A	Compounds													
	500 g ai/ha	267	268	269	270	271	272	273	275	276	277	278	279	280	281
10	Postemergence														
	Barnyardgrass	80	70	70	90	90	80	30	90	0	90	90	90	90	70
	Blackgrass	-	-	-	20	60	30	0	60	0	50	60	70	0	0
	Corn	70	40	20	30	60	10	0	90	0	90	0	70	0	0
	Crabgrass, Large	90	80	80	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	80	90	80	90	90	80	70	90	0	90	80	90	80	0
	Galium	-	-	-	50	70	50	50	70	0	70	50	50	0	0
	Kochia	-	-	-	30	80	60	0	80	0	30	0	40	0	0
15	Morningglory	60	0	0	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	60	80	60	0	20	20	0	40	0	30	10	0	0	0
	Ragweed	-	-	-	0	60	0	0	30	0	30	0	0	0	0
	Ryegrass, Italian	-	-	-	20	40	0	0	50	0	40	0	0	0	0
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Wheat	0	0	0	20	80	0	0	70	0	70	0	60	0	0

25	Table A	Compounds													
	500 g ai/ha	282	283	284	285	286	287	288	289	290	291	292	293	294	295
30	Postemergence														
	Barnyardgrass	90	60	50	70	60	80	80	70	80	60	70	70	90	50
	Blackgrass	20	0	0	0	0	0	0	0	0	0	0	10	30	0
	Corn	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	30	10	10	0	70	0	30	60	60	50	60	70	80	0
	Galium	40	0	60	0	0	0	0	0	0	0	20	60	30	10
	Kochia	0	0	0	0	20	0	20	0	0	0	0	0	50	0
35	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	0	0	0	0	10	0	0	0	0	0
	Ragweed	0	0	0	0	0	0	0	0	0	0	0	0	20	0
	Ryegrass, Italian	0	0	0	0	20	0	0	0	0	0	0	0	20	0
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	0	0	0	0	0	0	0	0	0	0	0	0	20	0

Table A Compounds

500 g ai/ha		296	297	298	299	300	301	302	303	304	305	306	307	308	309
Postemergence															
5	Barnyardgrass	20	0	0	70	0	0	90	90	90	90	80	90	70	90
	Blackgrass	0	10	0	0	0	0	60	70	70	70	60	70	70	70
	Corn	0	0	0	0	0	0	40	70	70	70	70	60	10	80
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	0	0	0	50	0	0	80	80	80	80	80	80	80	90
10	Galium	0	0	0	0	0	0	60	70	60	70	70	0	0	70
	Kochia	0	0	0	0	0	0	60	80	80	70	70	0	0	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	0	0	10	60	60	70	80	0	0	0
	Ragweed	0	0	0	0	0	0	0	40	20	0	40	0	0	0
15	Ryegrass, Italian	0	0	0	0	0	0	60	60	50	70	60	0	0	30
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	0	0	0	0	0	0	50	60	60	70	60	30	20	60

Table A

Compounds

500 g ai/ha		310	311	312	313	314	315	316	317	318	319	320	321	322	323
Postemergence															
20	Barnyardgrass	90	80	90	80	80	90	90	90	90	90	90	50	60	90
	Blackgrass	50	30	50	0	0	50	40	20	40	50	20	0	0	60
	Corn	50	0	80	0	0	80	80	20	50	80	0	0	20	90
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	70	90	70	80	90	90	90	70	90	70	50	60	90
25	Galium	20	0	50	0	0	50	40	0	40	50	0	0	0	60
	Kochia	30	0	40	0	0	70	40	0	30	50	20	0	0	90
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	30	0	0	50	20	0	20	20	0	0	0	30
	Ragweed	30	0	40	0	0	40	30	0	30	40	30	0	0	20
30	Ryegrass, Italian	30	0	40	0	0	50	30	0	40	50	30	0	0	30
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	50	0	70	0	0	70	40	20	30	50	0	0	0	80

Table A

Compounds

500 g ai/ha		324	325	326	327	328	329	330	331	332	333	334	335	336	337
Postemergence															
35	Barnyardgrass	90	90	20	80	80	0	60	70	50	60	0	60	60	50
	Blackgrass	70	50	0	40	40	0	0	30	0	30	0	20	0	0
	Corn	90	80	0	30	0	0	0	0	0	20	0	0	0	0

500 g ai/ha 338 339 340 341 342 343 344 345 346 347 348 349 350

	Postemergence													
15	Barnyardgrass	30	60	50	50	60	30	90	90	90	50	50	90	90
	Blackgrass	0	0	20	0	0	0	0	60	50	0	30	40	50
	Corn	0	0	0	30	40	0	0	90	40	0	0	20	40
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Foxtail, Giant	60	60	90	70	50	60	90	90	90	20	90	90	90
	Galium	0	0	30	30	20	0	0	70	50	0	40	50	70
	Kochia	0	0	30	70	70	20	0	70	0	0	40	60	80
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Pigweed	0	0	20	50	50	0	0	70	20	0	20	20	70
	Ragweed	0	0	0	20	0	0	0	30	20	0	0	20	30
	Ryegrass, Italian	0	0	20	20	0	0	0	70	30	0	0	0	30
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	0	0	0	20	20	0	0	70	40	0	20	30	50

125 g ai/ha	1	2	3	4	5	6	7	8	9	10	11	12	13	14
-------------	---	---	---	---	---	---	---	---	---	----	----	----	----	----

[illegible]

Table A		Compounds													
125 g ai/ha		63	64	65	66	67	68	69	70	72	73	74	75	76	77
Postemergence															
5	Barnyardgrass	60	60	20	80	40	70	70	20	20	70	60	40	80	70
	Blackgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	0	30	0	20	0	20	20	0	0	0	0	0	40	50
	Crabgrass, Large	80	80	90	80	50	90	70	20	30	50	80	60	90	80
	Foxtail, Giant	70	70	50	70	80	80	80	20	10	30	80	70	80	80
10	Galium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	0	0	0	0	0	0	0	0	0	0	0	0	20	0
	Pigweed	0	0	0	0	0	40	20	0	0	-	0	0	50	40
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	0	0	0	0	20	20	0	0	0	30	10	20	20
	Wheat	0	0	0	0	0	0	0	0	0	0	0	0	50	50

Table A		Compounds													
125 g ai/ha		78	79	80	81	82	83	84	85	86	87	88	89	90	91
Postemergence															
20	Barnyardgrass	50	80	80	30	0	-	0	0	0	50	0	60	30	0
	Blackgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	20	20	30	0	0	0	0	0	0	0	0	0	0	0
	Crabgrass, Large	70	80	80	50	50	20	0	0	0	60	0	60	50	30
	Foxtail, Giant	80	80	80	20	0	0	0	0	0	50	0	60	40	0
25	Galium	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Pigweed	50	70	60	0	0	0	0	0	0	0	0	0	0	0
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	20	10	10	0	0	0	0	0	0	0	0	0	0	0
	Wheat	40	30	40	0	0	0	0	0	0	0	0	0	0	0

Table A		Compounds													
125 g ai/ha		92	93	94	95	97	101	102	103	107	109	110	111	112	113
Postemergence															
35	Barnyardgrass	20	10	0	80	0	80	0	90	50	90	50	0	0	0
	Blackgrass	-	-	-	-	-	-	-	-	-	50	0	0	0	0

5	Corn	0	0	0	0	0	0	0	20	0	50	0	0	0	0
	Crabgrass, Large	20	50	0	80	0	80	0	90	60	-	-	-	-	-
	Foxtail, Giant	0	10	0	70	0	80	0	90	10	90	80	0	0	0
	Galium	-	-	-	-	-	-	-	-	-	30	20	0	0	0
	Kochia	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Morningglory	0	0	0	0	0	30	0	0	0	-	-	-	-	-
	Pigweed	0	0	0	0	0	20	0	20	0	0	0	0	0	0
	Ragweed	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	20	20	0	0	0
10	Velvetleaf	0	0	0	0	0	50	0	0	0	-	-	-	-	-
	Wheat	0	0	0	0	0	50	0	0	0	20	0	0	0	0

	Table A	Compounds														
	125 g ai/ha	114	115	116	117	118	119	120	121	122	123	124	125	126	127	
15	Postemergence															
	Barnyardgrass	20	10	-	0	0	90	80	70	70	70	60	60	60	60	
	Blackgrass	20	-	-	-	0	30	40	60	50	60	40	20	0	30	
	Corn	0	0	0	0	0	30	20	50	40	50	0	0	0	0	
	Crabgrass, Large	-	0	20	30	-	-	-	-	-	-	-	-	-	-	
20	Foxtail, Giant	40	0	0	20	50	90	80	80	80	80	80	70	70	70	
	Galium	0	-	-	-	50	30	50	60	70	60	70	0	0	20	
	Kochia	0	-	-	-	10	40	60	50	70	60	70	20	0	20	
	Morningglory	-	0	0	0	-	-	-	-	-	-	-	-	-	-	
	Pigweed	0	0	0	0	0	30	20	0	60	80	60	0	0	0	
25	Ragweed	0	-	-	-	0	20	30	0	30	50	40	0	0	0	
	Ryegrass, Italian	0	-	-	-	0	20	30	40	0	40	30	0	0	0	
	Velvetleaf	-	0	0	0	-	-	-	-	-	-	-	-	-	-	
	Wheat	0	0	0	0	0	20	20	50	50	50	30	0	0	0	

[illegible]

[illegible]

198

Wheat	40	30	20	0	0	0	0	0	0	0	0	0	0	0
-------	----	----	----	---	---	---	---	---	---	---	---	---	---	---

Table A

Compounds

125 g ai/ha	184	185	186	188	189	190	194	195	196	197	198	199	200	201
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Postemergence

5	Barnyardgrass	70	40	0	0	90	70	50	80	30	30	50	50	70	0
	Blackgrass	0	0	0	0	-	-	-	-	-	-	-	-	0	0
	Corn	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Crabgrass, Large	-	-	-	-	60	70	60	80	70	50	50	60	-	-
	Foxtail, Giant	70	20	0	0	70	70	10	30	20	0	10	0	20	0
10	Galium	0	0	0	0	-	-	-	-	-	-	-	-	0	0
	Kochia	0	0	0	0	-	-	-	-	-	-	-	-	0	0
	Morningglory	-	-	-	-	0	0	0	0	0	0	0	0	-	-
	Pigweed	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ragweed	0	0	0	0	-	-	-	-	-	-	-	-	0	0
15	Ryegrass, Italian	0	0	0	0	-	-	-	-	-	-	-	-	0	0
	Velvetleaf	-	-	-	-	0	0	0	0	0	0	0	0	-	-
	Wheat	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table A

Compounds

125 g ai/ha	202	203	204	205	206	207	208	209	210	211	212	213	214	215
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

20	Postemergence														
	Barnyardgrass	80	40	90	40	90	80	50	60	80	90	60	60	60	50
	Blackgrass	50	0	70	0	70	70	20	0	30	50	40	50	40	30
	Corn	80	0	60	0	60	50	0	0	0	30	0	0	30	0
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Foxtail, Giant	90	50	90	70	90	90	90	40	50	70	60	80	80	80
	Galium	60	0	50	30	70	0	0	0	30	60	50	0	40	40
	Kochia	80	0	20	0	70	0	0	0	20	40	0	0	0	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	70	0	0	0	50	0	0	0	0	0	0	0	0	50
30	Ragweed	30	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ryegrass, Italian	30	0	30	0	50	0	0	0	0	30	0	40	10	0
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	40	0	60	0	70	0	0	0	0	30	0	0	0	0

Table A

Compounds

125 g ai/ha	216	217	218	219	220	221	222	223	224	225	226	227	228	229
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Postemergence

35	Barnyardgrass	0	70	60	40	40	0	70	80	80	30	30	20	60	70
----	---------------	---	----	----	----	----	---	----	----	----	----	----	----	----	----

200

[illegible]

201

Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wheat	0	0	0	0	0	0	0	0	0	0	0	0	20	0

Table A

Compounds

125 g ai/ha 296 297 298 299 300 301 302 303 304 305 306 307 308 309

5	Postemergence														
	Barnyardgrass	0	0	0	30	0	0	90	80	80	80	80	70	70	80
	Blackgrass	0	0	0	0	0	0	40	60	50	60	50	30	50	60
	Corn	0	0	0	0	0	0	0	50	30	70	50	0	0	30
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Foxtail, Giant	0	0	0	0	0	0	80	80	80	80	80	70	70	80
	Galium	0	0	0	0	0	0	60	60	20	50	60	0	0	60
	Kochia	0	0	0	0	0	0	10	50	10	30	30	0	0	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	0	0	0	40	40	60	70	0	0	0
15	Ragweed	0	0	0	0	0	0	0	20	0	0	20	0	0	0
	Ryegrass, Italian	0	0	0	0	0	0	0	40	50	60	50	0	0	10
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	0	0	0	0	0	0	0	50	40	60	50	0	0	40

Table A

Compounds

125 g ai/ha 310 311 312 313 314 315 316 317 318 319 320 321 322 323

	Postemergence														
25	Barnyardgrass	90	60	80	20	30	90	80	80	90	90	50	0	0	90
	Blackgrass	30	0	40	0	0	40	30	0	30	40	0	0	0	40
	Corn	20	0	60	0	0	70	60	0	20	40	0	0	0	70
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	60	80	40	60	90	90	80	40	50	30	0	0	90
	Galium	20	0	30	0	0	40	20	0	30	30	0	0	0	40
	Kochia	30	0	20	0	0	50	30	0	20	30	20	0	0	40
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Pigweed	0	0	20	0	0	30	0	0	20	0	0	0	0	20
	Ragweed	20	0	20	0	0	20	20	0	0	20	0	0	0	0
	Ryegrass, Italian	30	0	20	0	0	20	20	0	20	30	0	0	0	30
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	30	0	40	0	0	60	20	0	20	20	0	0	0	40

35 Table A

Compounds

125 g ai/ha 324 325 326 327 328 329 330 331 332 333 334 335 336 337

Postemergence

202

[illegible]

203

5	Morningglory	30	0	0	0	40	0	0	0	0	0	0	0	-	-
	Pigweed	50	0	0	0	40	-	-	0	0	0	0	0	0	0
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	40	0	0	30	50	0	40	60	0	0	0	0	0	0
	Wheat	70	0	0	0	20	0	0	0	0	0	0	0	0	50
Table A		Compounds													
1000 g ai/ha		34	35	39	40	43	44	71	96	98	99	100	104	105	106
Preemergence															
10	Barnyardgrass	90	90	70	90	20	40	50	0	50	90	90	80	90	90
	Corn	30	20	0	30	0	0	0	0	20	20	20	20	0	30
	Crabgrass, Large	90	90	90	90	90	90	80	0	90	90	90	90	90	90
	Foxtail, Giant	90	90	80	90	80	70	60	0	90	90	90	90	90	90
15	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	-	0	0	0	0	0	-	0	0	0	0	0	0	0
	Pigweed	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	Wheat	60	0	0	20	0	0	0	0	0	20	20	20	0	50
	Table A		Compounds												
1000 g ai/ha		108	191	192	193	237	238	243	252	253	254	255	265	266	274
Preemergence															
25	Barnyardgrass	90	0	0	80	60	50	80	20	0	0	60	0	0	90
	Corn	0	0	0	0	-	-	0	0	0	0	0	0	0	-
	Crabgrass, Large	90	0	0	100	-	-	90	40	0	70	90	0	0	-
	Foxtail, Giant	90	0	0	90	80	90	90	20	0	40	70	0	0	90
	Kochia	-	-	-	-	0	0	-	-	-	-	-	-	-	40
	Morningglory	0	0	0	0	-	-	0	0	0	0	0	0	0	-
30	Pigweed	0	0	0	0	0	0	0	-	0	0	0	0	0	0
	Ragweed	-	-	-	-	0	0	-	-	-	-	-	-	-	20
	Ryegrass, Italian	-	-	-	-	0	0	-	-	-	-	-	-	-	40
	Velvetleaf	0	0	0	0	-	-	0	0	0	0	0	0	0	-
	Wheat	0	0	0	0	-	-	0	0	0	0	0	0	0	-
	Table A		Compounds												
500 g ai/ha		1	2	3	4	5	6	7	8	9	10	11	12	13	14
Preemergence															

[illegible]

205

Velvetleaf	0	0	0	20	0	0	0	0	0	0	0	0	0	0
Wheat	0	0	0	0	20	20	0	0	0	0	0	0	0	0

Table A

Compounds

500 g ai/ha	63	64	65	66	67	68	69	70	72	73	74	75	76	77
-------------	----	----	----	----	----	----	----	----	----	----	----	----	----	----

5	Preemergence														
	Barnyardgrass	80	90	90	90	70	90	90	90	50	80	90	70	80	90
	Corn	0	20	0	20	0	0	0	0	0	0	0	0	40	30
	Crabgrass, Large	90	90	90	90	90	90	90	90	90	90	90	90	90	90
	Foxtail, Giant	90	90	90	90	90	90	90	90	80	90	90	90	90	90
10	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	0	0	0	0	0	0	0	0	0	0	0	0	50	60
	Pigweed	0	0	0	0	0	30	20	0	0	0	50	0	50	70
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Velvetleaf	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Wheat	0	0	0	20	0	20	20	20	0	0	0	30	0	30

Table A

Compounds

500 g ai/ha	78	79	80	81	82	83	84	85	86	87	88	89	90	91
-------------	----	----	----	----	----	----	----	----	----	----	----	----	----	----

	Preemergence														
20	Barnyardgrass	90	90	80	80	50	50	0	30	40	80	50	80	70	20
	Corn	0	0	0	0	0	0	0	0	20	0	0	0	0	0
	Crabgrass, Large	90	90	90	90	90	90	50	80	80	90	80	90	80	60
	Foxtail, Giant	90	90	90	90	70	70	0	50	60	90	30	90	70	40
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Morningglory	0	0	0	20	0	0	0	0	0	0	0	0	0	0
	Pigweed	60	80	80	0	0	0	0	0	0	0	30	0	0	0
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	30	30	30	0	0	0	0	0	0	0	0	0	0	0
30	Wheat	0	20	20	20	0	0	0	0	0	10	0	10	0	0

Table A

Compounds

500 g ai/ha	92	93	94	95	97	101	102	103	107	109	110	111	112	113
-------------	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----

	Preemergence														
35	Barnyardgrass	90	90	0	90	0	90	0	90	70	90	90	0	0	0
	Corn	0	0	0	0	0	0	0	0	0	-	-	-	-	-
	Crabgrass, Large	90	90	50	90	0	100	0	100	90	-	-	-	-	-
	Foxtail, Giant	90	90	0	90	0	90	0	90	80	90	90	0	0	0

206

	Kochia	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Morningglory	0	0	0	0	0	50	0	0	0	-	-	-	-	-
	Pigweed	0	0	-	0	0	70	0	20	20	0	0	0	0	0
	Ragweed	-	-	-	-	-	-	-	-	-	0	0	0	0	0
5	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	50	0	0	0	0
	Velvetleaf	0	0	-	0	0	40	0	0	0	-	-	-	-	-
	Wheat	0	0	0	0	0	70	0	0	0	-	-	-	-	-

Table A

Compounds

	500 g ai/ha	114	115	116	117	118	119	120	121	122	123	124	125	126	127
10	Preemergence														
	Barnyardgrass	50	50	50	20	70	90	90	90	90	90	80	90	90	90
	Corn	-	0	0	0	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	80	80	80	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	70	20	30	70	90	90	90	90	90	90	90	90	90	90
15	Kochia	0	-	-	-	0	60	80	70	70	90	70	70	10	60
	Morningglory	-	0	0	0	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	0	40	40	70	80	80	80	0	0	0
	Ragweed	0	-	-	-	0	80	80	70	60	80	50	0	0	0
	Ryegrass, Italian	30	-	-	-	0	60	50	0	0	60	40	20	0	0
20	Velvetleaf	-	0	0	0	-	-	-	-	-	-	-	-	-	-
	Wheat	-	0	0	0	-	-	-	-	-	-	-	-	-	-

Table A

Compounds

	500 g ai/ha	128	129	130	131	132	133	139	140	141	142	143	144	145	146
	Preemergence														
25	Barnyardgrass	80	80	70	60	90	30	90	90	90	90	90	90	90	90
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	90	90	60	80	90	90	90	90	90	90	80	90	90
	Kochia	60	70	0	0	0	0	30	0	20	0	30	0	0	30
30	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	0	0	20	0	0	0	0	0	0	0
	Ragweed	-	0	0	0	0	0	0	0	0	0	0	0	0	30
	Ryegrass, Italian	0	60	0	0	0	0	0	0	20	0	0	20	0	40
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table A

Compounds

	500 g ai/ha	147	148	149	150	151	152	153	154	156	157	160	161	162	163
--	-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

[illegible][illegible][illegible]

208

Ryegrass, Italian	0	20	0	0	-	-	-	-	-	-	-	-	0	0
Velvetleaf	-	-	-	-	0	0	0	0	0	0	0	0	-	-
Wheat	-	-	-	-	20	30	0	0	0	0	0	0	-	-

Table A

Compounds

5	500 g ai/ha	202	203	204	205	206	207	208	209	210	211	212	213	214	215
	Preemergence														
	Barnyardgrass	90	60	90	80	90	90	90	60	90	90	90	80	80	80
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Foxtail, Giant	90	80	90	90	90	90	90	90	90	90	90	90	90	90
	Kochia	80	0	80	50	80	30	20	20	30	70	20	0	80	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	70	0	50	20	80	20	0	20	50	70	0	0	70	50
	Ragweed	90	0	80	30	70	20	0	0	30	80	50	0	0	0
15	Ryegrass, Italian	60	0	50	20	80	40	20	20	50	40	30	40	0	10
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table A

Compounds

	500 g ai/ha	216	217	218	219	220	221	222	223	224	225	226	227	228	229
20	Preemergence														
	Barnyardgrass	60	90	90	60	80	0	90	90	90	30	90	50	80	90
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	50	90	90	90	90	80	90	90	90	90	90	90	90	90
25	Kochia	0	70	70	70	40	0	50	80	90	30	30	20	20	70
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	40	70	0	20	0	30	50	80	0	30	20	0	0
	Ragweed	0	50	50	0	0	0	20	50	90	0	0	0	20	-
	Ryegrass, Italian	0	60	60	0	30	0	50	60	70	40	20	30	40	20
30	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table A

Compounds

	500 g ai/ha	230	231	232	233	234	235	236	239	240	241	242	244	245	246
	Preemergence														
35	Barnyardgrass	90	90	90	90	90	60	0	90	50	90	90	90	20	90
	Corn	-	-	-	-	-	-	-	-	-	50	20	0	0	0
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	90	90	100	80	90

209

	Foxtail, Giant	90	90	90	90	90	80	0	90	90	90	90	90	70	90
	Kochia	30	90	80	80	50	0	0	70	0	-	-	-	-	-
	Morningglory	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Pigweed	20	70	60	30	20	0	0	0	0	30	20	50	30	0
5	Ragweed	20	90	90	50	20	0	30	90	0	-	-	-	-	-
	Ryegrass, Italian	30	60	80	60	30	0	50	0	0	-	-	-	-	-
	Velvetleaf	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Wheat	-	-	-	-	-	-	-	-	-	30	30	0	0	-

Table A

Compounds

10	500 g ai/ha	247	248	249	250	251	256	257	258	259	260	261	262	263	264
	Preemergence														
	Barnyardgrass	90	80	80	80	80	20	80	90	80	80	0	90	90	90
	Corn	0	0	0	0	0	0	0	0	0	10	0	0	70	0
	Crabgrass, Large	90	90	90	90	90	90	90	90	90	90	90	90	100	100
15	Foxtail, Giant	90	90	90	80	80	60	90	90	90	90	70	90	100	90
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Morningglory	0	0	0	0	0	0	0	0	0	50	0	0	0	0
	Pigweed	0	0	0	0	30	0	0	0	0	80	0	70	100	80
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	0	0	0	0	0	0	0	0	40	0	0	50	0
	Wheat	0	0	0	0	0	0	0	0	0	0	0	0	60	0

Table A

Compounds

	500 g ai/ha	267	268	269	270	271	272	273	275	276	277	278	279	280	281
25	Preemergence														
	Barnyardgrass	80	80	80	90	90	90	80	90	0	90	90	90	80	70
	Corn	0	80	0	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	90	90	90	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	80	80	90	90	90	90	90	0	90	90	90	90	70
30	Kochia	-	-	-	80	80	20	70	80	0	60	0	80	0	0
	Morningglory	0	60	0	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	50	60	70	20	80	30	0	30	0	30	0	40	0	0
	Ragweed	-	-	-	20	80	0	0	40	0	20	0	0	0	0
	Ryegrass, Italian	-	-	-	0	30	0	0	60	0	30	0	60	0	0
35	Velvetleaf	0	0	0	-	-	-	-	-	-	-	-	-	-	-
	Wheat	0	0	0	-	-	-	-	-	-	-	-	-	-	-

Table A

Compounds

	500 g ai/ha	282	283	284	285	286	287	288	289	290	291	292	293	294	295
	Preemergence														
	Barnyardgrass	90	0	60	0	60	80	70	80	80	60	80	70	90	70
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	70	0	70	10	80	80	90	90	80	80	60	90	90	20
	Kochia	50	0	30	0	40	0	50	0	0	20	80	0	90	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	40	0	30	0	0	0	0	0	0	0	20	0
10	Ragweed	0	0	0	0	0	0	0	0	0	0	0	-	0	0
	Ryegrass, Italian	0	0	0	0	20	0	20	0	0	30	0	0	30	0
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Table A	Compounds													
15	500 g ai/ha	296	297	298	299	300	301	302	303	304	305	306	307	308	309
	Preemergence														
	Barnyardgrass	0	50	0	70	0	0	90	90	90	90	90	90	80	80
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Foxtail, Giant	0	70	0	80	0	0	90	90	90	90	90	90	90	90
	Kochia	0	0	0	0	0	0	70	80	70	70	80	0	0	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	0	0	60	50	80	40	90	0	0	0
	Ragweed	0	0	0	0	0	0	30	-	-	50	80	0	0	-
25	Ryegrass, Italian	0	0	0	0	0	0	60	40	0	90	80	0	0	20
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Table A	Compounds													
	500 g ai/ha	310	311	312	313	314	315	316	317	318	319	320	321	322	323
30	Preemergence														
	Barnyardgrass	90	80	90	80	80	90	90	90	90	90	80	30	40	90
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	90	90	80	90	90	90	90	90	90	90	50	70	90
35	Kochia	70	0	70	0	0	60	30	0	70	80	20	0	0	80
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	40	0	20	0	0	30	20	0	20	20	0	0	0	30

[illegible][illegible][illegible][illegible]

[illegible]

Table A		Compounds													
125 g ai/ha		63	64	65	66	67	68	69	70	72	73	74	75	76	77
Preemergence															
5	Barnyardgrass	50	80	40	80	30	80	80	20	0	50	60	50	80	80
	Corn	0	20	0	20	0	0	0	0	0	0	0	0	0	0
	Crabgrass, Large	90	80	90	80	90	90	90	80	80	80	90	90	90	90
	Foxtail, Giant	70	80	80	80	80	90	90	70	60	80	90	80	90	90
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Morningglory	0	0	0	0	0	0	0	0	0	0	0	0	0	20
	Pigweed	0	0	0	0	0	0	0	0	0	0	0	0	0	40
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Wheat		0	0	0	0	0	0	0	0	0	0	0	0	0	0
Table A		Compounds													
125 g ai/ha		78	79	80	81	82	83	84	85	86	87	88	89	90	91
Preemergence															
20	Barnyardgrass	80	80	80	40	0	0	0	0	0	20	0	60	30	0
	Corn	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Crabgrass, Large	90	90	90	80	80	70	0	30	60	80	40	80	70	40
	Foxtail, Giant	90	90	90	30	20	0	0	0	20	60	0	80	60	0
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Morningglory	0	0	0	0	-	0	0	0	0	0	0	0	0	0
	Pigweed	10	80	60	0	0	0	0	0	0	0	0	0	0	0
	Ragweed	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Wheat		0	0	0	0	0	0	0	0	0	0	0	0	0	0
Table A		Compounds													
125 g ai/ha		92	93	94	95	97	101	102	103	107	109	110	111	112	113
Preemergence															
30	Barnyardgrass	60	50	0	60	0	90	0	80	20	80	70	0	0	0
	Corn	0	0	0	0	0	0	0	0	0	-	-	-	-	-
	Crabgrass, Large	80	90	0	90	0	90	0	90	80	-	-	-	-	-
	Foxtail, Giant	0	80	0	80	0	90	0	90	70	90	60	0	0	0
	Kochia	-	-	-	-	-	-	-	-	-	0	0	0	0	0
35	Morningglory	0	0	0	0	0	0	0	0	0	-	-	-	-	-

214

5	Pigweed	0	0	0	0	0	10	0	0	0	0	0	0	0	0
	Ragweed	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Ryegrass, Italian	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Velvetleaf	0	0	0	0	0	30	0	0	0	-	-	-	-	-
	Wheat	0	0	0	0	0	60	0	0	0	-	-	-	-	-
10	Table A	Compounds													
	125 g ai/ha	114	115	116	117	118	119	120	121	122	123	124	125	126	127
	Preemergence														
	Barnyardgrass	20	0	0	0	50	90	90	80	80	80	70	80	70	70
	Corn	-	0	0	0	-	-	-	-	-	-	-	-	-	-
15	Crabgrass, Large	-	70	70	60	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	20	20	0	20	90	90	90	90	90	90	80	80	90	90
	Kochia	0	-	-	-	0	40	60	60	60	80	60	30	0	40
	Morningglory	-	0	0	0	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	0	30	30	50	50	70	70	0	0	0
20	Ragweed	0	-	-	-	0	70	60	70	0	70	40	0	0	0
	Ryegrass, Italian	0	-	-	-	0	20	30	0	0	40	0	0	0	0
	Velvetleaf	-	0	0	0	-	-	-	-	-	-	-	-	-	-
	Wheat	-	0	0	0	-	-	-	-	-	-	-	-	-	-
	Table A	Compounds													
25	125 g ai/ha	128	129	130	131	132	133	139	140	141	142	143	144	145	146
	Preemergence														
	Barnyardgrass	60	80	60	50	70	20	70	80	90	90	60	90	80	90
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Foxtail, Giant	80	80	80	50	70	30	50	50	50	70	30	60	70	80
	Kochia	10	50	0	0	0	0	0	0	0	0	30	0	0	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Ragweed	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Table A	Compounds													
	125 g ai/ha	147	148	149	150	151	152	153	154	156	157	160	161	162	163
	Preemergence														
	Barnyardgrass	90	30	90	80	90	90	80	80	90	90	80	90	90	80

[illegible][illegible]

216

Wheat	-	-	-	-	0	0	0	0	0	0	0	0	0	-	-
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Table A

Compounds

125 g ai/ha	202	203	204	205	206	207	208	209	210	211	212	213	214	215
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Preemergence

5	Barnyardgrass	90	20	90	30	90	90	40	30	60	80	60	50	70	60
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	30	90	60	90	90	80	50	80	80	70	80	80	80
	Kochia	70	0	0	20	70	20	0	0	0	40	0	0	0	0
10	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	60	0	0	0	30	0	0	0	0	20	0	0	0	0
	Ragweed	50	0	0	0	60	0	0	0	0	30	0	0	0	0
	Ryegrass, Italian	60	0	20	0	40	20	0	0	0	0	0	0	0	0
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table A

Compounds

125 g ai/ha	216	217	218	219	220	221	222	223	224	225	226	227	228	229
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Preemergence

20	Barnyardgrass	20	70	80	30	30	0	70	90	90	20	50	20	50	70
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	40	90	90	90	80	60	90	90	90	80	70	80	80	90
	Kochia	0	30	30	10	0	0	0	30	80	0	0	20	0	0
25	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	20	30	0	0	0	0	20	80	0	0	0	0	0
	Ragweed	0	0	0	0	0	0	0	30	90	0	0	0	0	0
	Ryegrass, Italian	0	40	40	0	0	0	20	30	60	0	0	0	30	10
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-

30 Table A

Compounds

125 g ai/ha	230	231	232	233	234	235	236	239	240	241	242	244	245	246
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Preemergence

35	Barnyardgrass	30	90	90	80	60	0	0	50	20	80	60	40	20	80
	Corn	-	-	-	-	-	-	-	-	-	20	0	0	0	0
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	90	90	90	60	90
	Foxtail, Giant	90	90	90	90	70	40	0	80	70	90	90	90	60	80
	Kochia	0	70	70	50	20	0	0	0	0	-	-	-	-	-

5	Morningglory	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Pigweed	0	70	50	30	0	0	0	0	0	0	0	30	0	0
	Ragweed	0	70	30	40	0	0	0	0	0	-	-	-	-	-
	Ryegrass, Italian	0	40	40	30	30	0	0	0	0	-	-	-	-	-
	Velvetleaf	-	-	-	-	-	-	-	-	-	0	0	0	0	0
	Wheat	-	-	-	-	-	-	-	-	-	20	20	0	0	0

[illegible][illegible][illegible]

218

	Barnyardgrass	60	0	0	0	60	50	30	50	60	20	70	20	70	0
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	20	0	40	0	80	50	30	60	60	20	50	80	70	0
5	Kochia	0	0	0	0	30	0	30	0	0	20	30	0	40	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	20	0	0	-	0	0	0	0	0	0
	Ragweed	0	0	0	0	0	0	0	0	0	0	0	-	0	0
	Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table A

Compounds

	125 g ai/ha	296	297	298	299	300	301	302	303	304	305	306	307	308	309
	Preemergence														
15	Barnyardgrass	0	0	0	10	0	0	90	90	90	80	90	80	70	80
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	0	30	0	50	0	0	90	90	90	90	90	80	80	90
	Kochia	0	0	0	0	0	0	50	70	-	70	70	0	0	0
20	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	0	0	0	10	20	70	0	80	0	0	0
	Ragweed	0	0	0	0	0	0	0	0	0	30	-	0	0	0
	Ryegrass, Italian	0	0	0	0	0	0	0	30	0	70	40	0	0	0
	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table A

Compounds

	125 g ai/ha	310	311	312	313	314	315	316	317	318	319	320	321	322	323
	Preemergence														
	Barnyardgrass	90	70	80	50	20	90	80	90	90	90	20	0	0	90
30	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	80	90	30	30	90	90	90	90	90	30	0	0	90
	Kochia	30	0	20	0	0	40	0	0	20	60	0	0	0	50
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Pigweed	40	0	0	0	0	30	20	0	0	0	0	0	0	20
	Ragweed	0	0	0	0	0	20	20	0	20	30	0	0	0	20
	Ryegrass, Italian	30	0	20	0	0	40	20	0	20	30	20	0	0	20

Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table A		Compounds													
125 g ai/ha		324	325	326	327	328	329	330	331	332	333	334	335	336	337
5	Preemergence														
	Barnyardgrass	90	90	0	70	40	0	60	20	70	50	0	0	50	0
	Corn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	90	50	80	80	0	50	50	80	80	0	70	80	0
10	Kochia	70	70	40	30	0	0	20	0	0	0	0	40	0	0
	Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	30	30	0	0	0	0	0	0	0	0	0	0	0	0
	Ragweed	30	30	0	20	0	0	0	0	0	0	0	0	0	0
	Ryegrass, Italian	30	30	0	40	0	0	30	0	0	0	0	0	0	0
15	Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table A		Compounds													
125 g ai/ha	338	339	340	341	342	343	344	345	346	347	348	349	350		
Preemergence															
Barnyardgrass	0	60	60	50	50	20	50	80	80	50	30	70	90		
Corn	-	-	-	-	-	-	-	-	-	-	-	-	-		
Crabgrass, Large	-	-	-	-	-	-	-	-	-	-	-	-	-		
Foxtail, Giant	30	70	80	80	70	60	80	90	90	20	90	80	90		
Kochia	0	0	0	0	0	0	0	10	0	0	0	50	80		
Morningglory	-	-	-	-	-	-	-	-	-	-	-	-	-		
Pigweed	0	0	0	0	0	0	0	0	20	0	20	0	50		
Ragweed	0	0	0	0	0	0	0	0	0	0	-	0	30		
Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0	0	0	0		
Velvetleaf	-	-	-	-	-	-	-	-	-	-	-	-	-		
Wheat	-	-	-	-	-	-	-	-	-	-	-	-	-		

TEST B

Plant species in the flooded paddy test selected from rice (*Oryza sativa*), sedge, umbrella (small-flower umbrella sedge, *Cyperus difformis*), ducksalad (*Heteranthera limosa*), and barnyardgrass (*Echinochloa crus-galli*) were grown to the 2-leaf stage for testing. At time of treatment, test pots were flooded to 3 cm above the soil surface, treated by application of test compounds directly to the paddy water, and then maintained at that

water depth for the duration of the test. Treated plants and controls were maintained in a greenhouse for 13 to 15 days, after which time all species were compared to controls and visually evaluated. Plant response ratings, summarized in Table B, are based on a scale of 0 to 100 where 0 is no effect and 100 is complete control. A dash (–) response means no test result.

Table B	Compounds														
1000 g ai/ha	98	99	100	104	105	106	108	109	110	115	116	117	193	194	
Flood															
Barnyardgrass	0	80	25	70	25	60	50	0	0	20	20	40	0	65	
Ducksalad	90	95	75	95	90	90	95	95	95	90	80	90	60	80	
Rice	0	10	0	0	10	15	0	0	0	0	15	0	20	20	
Sedge, Umbrella	0	0	0	0	0	0	0	80	50	0	0	0	20	0	

[illegible]

Table B	Compounds														
1000 g ai/ha	240	241	242	244	245	246	247	248	249	250	251	259	260	261	
Flood															
Barnyardgrass	70	75	55	30	20	60	85	55	55	0	45	20	0	0	
Ducksalad	85	100	100	100	90	95	95	95	85	80	90	90	95	90	
Rice	0	10	0	0	0	20	0	0	15	0	0	10	0	0	
Sedge, Umbrella	0	20	0	0	0	20	0	0	40	0	0	10	0	0	

[illegible][illegible]

221

Barnyardgrass	85	20	80	80	70	65	60	40	30	60	40	60	60	40
Ducksalad	100	100	100	100	100	100	100	100	85	80	40	95	100	40
Rice	0	0	10	20	35	15	0	0	0	0	20	20	15	20
Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	30	0	0	0

5	Table B	Compounds													
	500 g ai/ha	131	132	133	139	140	141	142	143	144	146	147	148	149	150
	Flood														
	Barnyardgrass	40	40	30	60	70	50	75	35	65	80	70	40	70	80
	Ducksalad	70	85	60	100	100	100	100	100	100	100	100	100	100	100
10	Rice	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Sedge, Umbrella	30	0	0	0	0	0	0	0	0	0	0	0	0	0

15	Table B	Compounds													
	500 g ai/ha	151	152	153	154	160	161	162	163	164	165	166	167	168	169
	Flood														
	Barnyardgrass	90	60	60	70	60	65	75	90	80	75	75	75	65	80
	Ducksalad	100	100	100	90	100	100	100	100	100	100	100	100	100	100
	Rice	0	15	10	0	10	10	0	15	20	10	0	10	0	0
	Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0

	Table B	Compounds													
20	500 g ai/ha	170	171	175	181	182	202	216	217	218	219	220	221	222	223
	Flood														
	Barnyardgrass	85	70	0	0	0	65	0	40	70	40	0	0	60	75
	Ducksalad	100	100	30	0	30	100	0	100	100	100	100	0	100	100
	Rice	15	0	0	0	0	15	0	0	0	0	0	0	0	0
25	Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0

30	Table B	Compounds													
	500 g ai/ha	224	225	226	227	228	229	230	231	232	233	239	272	273	274
	Flood														
	Barnyardgrass	70	0	0	0	0	50	60	0	85	60	50	20	0	0
	Ducksalad	100	90	100	90	90	100	75	0	100	100	100	100	70	35
	Rice	0	0	0	0	0	0	0	0	20	0	0	0	0	0
	Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0

35	Table B	Compounds													
	500 g ai/ha	275	276	277	278	279	280	281	282	283	284	285	286	287	288
	Flood														
	Barnyardgrass	85	0	90	60	75	65	20	30	20	0	20	15	30	20

222

Ducksalad	100	30	100	100	100	100	75	95	85	80	100	75	75	65
Rice	0	0	0	0	10	0	0	0	0	10	0	10	0	0
Sedge, Umbrella	30	0	0	0	0	0	0	30	0	0	0	0	0	0

Table B

Compounds

5	500 g ai/ha	289	290	291	292	293	294	295	296	297	298	299	300	301	302
	Flood														
	Barnyardgrass	30	40	0	50	35	20	30	30	0	0	30	0	0	80
	Ducksalad	90	75	0	100	95	98	40	60	0	0	50	0	0	98
	Rice	20	0	20	0	0	0	0	0	0	0	0	0	0	0
10	Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table B

Compounds

	500 g ai/ha	303	304	305	306	307	308	309	310	311	312	313	314	315	316
	Flood														
	Barnyardgrass	80	80	75	75	65	70	65	60	50	75	60	25	70	60
15	Ducksalad	100	100	100	100	98	90	100	100	98	100	0	40	100	100
	Rice	30	35	15	50	0	0	0	0	0	20	0	15	15	0
	Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table B

Compounds

	500 g ai/ha	317	318	319	320	321	322	323	324	325	326	327	328	329	330
20	Flood														
	Barnyardgrass	75	75	70	45	20	0	80	80	70	0	0	0	0	0
	Ducksalad	80	100	100	100	40	100	100	100	100	0	60	35	0	100
	Rice	0	15	0	0	15	0	20	30	20	0	0	0	0	0
	Sedge, Umbrella	0	0	0	0	0	0	0	0	40	0	0	0	0	0

25 Table B

Compounds

	500 g ai/ha	331	332	333	334	335	336	337	338	339	340	341	342	343	348
	Flood														
	Barnyardgrass	40	40	0	30	0	50	0	0	40	0	0	0	0	40
	Ducksalad	65	75	20	40	65	60	0	0	65	50	0	0	0	100
30	Rice	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table B

Compounds

	500 g ai/ha	349	350
	Flood		
35	Barnyardgrass	40	60
	Ducksalad	90	100

Rice	0	0
Sedge, Umbrella	0	0

Table B	Compounds														
250 g ai/ha	30	31	32	33	34	35	36	37	38	39	40	41	42	43	
Flood															
Barnyardgrass	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ducksalad	0	0	50	100	95	80	60	0	0	0	0	70	60	0	
Rice	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Sedge, Umbrella	0	0	0	0	0	0	40	20	0	0	0	20	0	0	

10	Table B	Compounds													
	250 g ai/ha	45	46	47	48	49	50	51	52	53	54	55	56	57	58
	Flood														
	Barnyardgrass	0	0	0	40	0	0	20	55	0	0	50	0	0	0
	Ducksalad	80	0	0	100	70	90	80	90	100	70	75	0	0	0
15	Rice	20	0	0	20	0	0	15	25	0	20	50	0	0	0
	Sedge, Umbrella	40	0	0	60	40	55	45	85	20	0	70	0	0	0

Table B		Compounds													
250 g ai/ha		59	60	61	62	63	64	65	66	67	68	69	70	72	73
20	Flood														
	Barnyardgrass	40	30	0	20	20	0	0	0	0	40	40	40	0	0
	Ducksalad	75	90	0	75	60	80	80	75	70	90	85	85	60	60
	Rice	20	0	0	0	0	15	0	0	0	25	30	35	0	0
	Sedge, Umbrella	60	60	30	80	0	40	40	50	50	70	65	70	0	0

Table B		Compounds													
25	250 g ai/ha	74	75	76	77	78	79	80	81	82	83	84	87	89	95
	Flood														
	Barnyardgrass	0	0	0	20	0	0	30	20	0	30	0	60	60	0
	Ducksalad	90	0	90	100	85	90	75	70	70	50	0	80	70	90
	Rice	0	0	0	10	0	0	0	-	-	0	0	0	20	0
30	Sedge, Umbrella	0	0	0	0	0	0	0	0	80	0	0	0	0	0

35	Table B	Compounds													
	250 g ai/ha	97	194	195	196	197	198	199	235	241	242	243	256	257	258
	Flood														
	Barnyardgrass	50	0	30	0	0	0	20	0	55	40	0	0	0	0
	Ducksalad	70	45	35	0	0	70	90	0	100	90	0	60	70	60
	Rice	50	0	0	0	0	0	0	0	0	20	0	0	15	0

Sedge, Umbrella	75	0	0	0	0	0	0	0	0	0	0	0	50	0	40
-----------------	----	---	---	---	---	---	---	---	---	---	---	---	----	---	----

TEST C

Seeds of plant species selected from blackgrass (*Alopecurus myosuroides*), ryegrass, Italian (Italian ryegrass, *Lolium multiflorum*), wheat (winter wheat, *Triticum aestivum*), galium (catchweed bedstraw, *Galium aparine*), corn (*Zea mays*), crabgrass, large (large crabgrass, *Digitaria sanguinalis*), foxtail, giant (giant foxtail, *Setaria faberii*), johnsongrass (*Sorghum halepense*), lambsquarters (*Chenopodium album*), morningglory (*Ipomoea coccinea*), nutsedge, yellow (yellow nutsedge, *Cyperus esculentus*), pigweed (*Amaranthus retroflexus*), ragweed (common ragweed, *Ambrosia elatior*), soybean (*Glycine max*), barnyardgrass (*Echinochloa crus-galli*), oilseed rape (*Brassica napus*), waterhemp (common waterhemp, *Amaranthus rudis*), kochia (*Kochia scoparia*), oat, wild (wild oat, *Avena fatua*), surinam grass (*Brachiaria decumbens*), foxtail, green (green foxtail, *Setaria viridis*), goosegrass (*Eleusine indica*), brome grass, downy (downy brome grass, *Bromus tectorum*), nightshade (eastern black nightshade, *Solanum ptycanthum*), cocklebur (common cocklebur, *Xanthium strumarium*), cupgrass, woolly (woolly cupgrass, *Eriochloa villosa*), bermudagrass (*Cynodon dactylon*), sunflower, (common oilseed sunflower, *Helianthus annuus*), Russian thistle (*Salsola kali*) and velvetleaf (*Abutilon theophrasti*) were planted into a blend of loam soil and sand and treated preemergence with test chemicals formulated in a non-phytotoxic solvent mixture which included a surfactant.

At the same time, plants selected from these crop and weed species and also barley (winter barley, *Hordeum vulgare*), windgrass (*Apera spica-venti*), chickweed (common chickweed, *Stellaria media*), deadnettle (henbit deadnettle, *Lamium amplexicaule*), and canarygrass (littleseed canarygrass, *Phalaris minor*) were planted in pots containing Redi-Earth® planting medium (Scotts Company, 14111 Scottslawn Road, Marysville, Ohio 43041) comprising sphagnum peat moss, vermiculite, wetting agent and starter nutrients and treated with postemergence applications of test chemicals formulated in the same manner. Plants ranged in height from 2 to 18 cm (1- to 4-leaf stage) for postemergence treatments. Treated plants and controls were maintained in a greenhouse for 13 to 15 days, after which time all species were compared to controls and visually evaluated. Plant response ratings, summarized in Table C, are based on a scale of 0 to 100 where 0 is no effect and 100 is complete control. A dash (–) response means no test result.

Plant species in the flooded paddy test consisted of rice (*Oryza sativa*), sedge, umbrella (small-flower umbrella sedge, *Cyperus difformis*), ducksalad (*Heteranthera limosa*), and barnyardgrass (*Echinochloa crus-galli*) grown to the 2-leaf stage for testing. At time of treatment, test pots were flooded to 3 cm above the soil surface, treated by application of test compounds directly to the paddy water, and then maintained at that water depth for the duration of the test. Treated plants and controls were maintained in a greenhouse for 13 to

Windgrass		0	5	0	20	-	-	-	20	-	-	-	-	-	-
Table C		Compounds													
250 g ai/ha		202	204	206	207	223	224	232	244	275	278	279	302	303	305
Postemergence															
5	Barley	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Barnyardgrass	85	90	80	65	60	75	75	5	85	75	85	90	70	80
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	10	50	60	0	0	0	0	0	40	0	0	5	0	10
	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Canarygrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Chickweed	85	65	85	90	80	85	85	65	85	0	5	70	-	-
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	35	40	50	5	5	10	0	0	55	0	0	0	15	45
	Crabgrass, Large	75	80	80	65	80	75	75	40	85	75	80	85	90	80
15	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Deadnettle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	85	90	85	75	35	35	70	5	90	75	90	80	90	90
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	80	60	75	50	70	85	80	65	80	20	30	45	-	-
20	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	25	0	35	0	0	25	25	5	25	0	0	10	5	20
	Kochia	80	40	70	30	60	70	75	50	85	5	35	60	-	-
	Lambsquarters	85	30	20	15	60	60	85	35	75	20	45	70	80	65
	Morningglory	10	35	45	20	35	35	60	5	20	0	25	25	0	20
25	Nutsedge, Yellow	0	0	0	0	0	0	5	5	20	15	0	20	0	0
	Oat, Wild	10	5	50	0	0	15	30	0	5	0	0	0	0	30
	Oilseed Rape	50	45	55	30	10	5	40	10	45	0	0	0	30	0
	Pigweed	85	10	30	20	60	65	85	10	35	15	20	30	25	65
	Ragweed	85	0	5	15	35	80	75	0	70	0	35	55	55	45
30	Ryegrass, Italian	35	15	35	0	0	5	40	0	25	0	0	0	5	45
	Soybean	10	5	5	5	30	5	20	5	10	15	10	65	0	0
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	55	10	15	0	20	35	60	5	50	20	10	20	35	65
	Waterhemp	85	5	30	10	10	30	80	5	20	5	15	25	25	40
35	Wheat	5	0	45	0	0	5	5	0	0	0	0	0	0	5
	Windgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table C Compounds

[illegible]

228

	Barley	0	0	0	0	0	20	-	-	-	0	-	-	-	-
	Barnyardgrass	-	-	-	-	-	-	85	35	35	-	65	35	0	0
	Bermudagrass	0	0	10	0	0	0	-	-	-	0	-	-	-	-
	Blackgrass	0	0	0	0	0	0	0	0	0	0	10	0	0	0
5	Bromegrass, Downy	0	0	0	0	0	5	-	-	-	0	-	-	-	-
	Canarygrass	0	0	0	0	0	0	-	-	-	0	-	-	-	-
	Chickweed	0	5	30	0	45	30	65	90	90	0	70	5	5	0
	Cocklebur	0	5	10	5	5	0	-	-	-	0	-	-	-	-
	Corn	0	0	5	5	5	0	0	0	5	0	0	0	0	0
10	Crabgrass, Large	45	40	75	40	55	75	70	65	65	3	80	75	25	40
	Cupgrass, Woolly	0	0	5	0	5	5	-	-	-	0	-	-	-	-
	Deadnettle	0	0	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	0	5	40	5	0	30	20	15	45	0	75	45	45	50
	Foxtail, Green	0	60	65	0	30	45	-	-	-	20	-	-	-	-
15	Galium	0	0	-	-	-	-	50	60	65	-	30	40	50	30
	Goosegrass	0	15	10	25	20	0	-	-	-	0	-	-	-	-
	Johnsongrass	0	0	0	0	0	5	0	0	5	0	0	0	0	0
	Kochia	0	5	20	0	40	45	50	55	65	0	50	35	30	0
	Lambsquarters	0	10	10	10	40	20	40	85	60	0	35	40	0	0
20	Morningglory	0	5	10	10	10	10	40	5	5	0	25	10	10	5
	Nutsedge, Yellow	0	10	0	0	10	5	0	0	0	0	0	0	0	0
	Oat, Wild	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Oilseed Rape	-	-	-	-	-	-	0	0	20	-	50	0	0	5
	Pigweed	0	0	40	20	50	20	10	35	60	0	15	5	5	5
25	Ragweed	0	5	35	0	50	35	40	20	30	0	5	10	0	0
	Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Soybean	0	5	10	15	5	5	5	10	5	3	5	0	5	5
	Surinam Grass	45	55	25	5	-	0	-	-	-	0	-	-	-	-
	Velvetleaf	0	5	35	25	20	5	0	0	-	0	10	0	5	0
30	Waterhemp	-	-	-	-	-	-	5	10	45	-	20	5	10	0
	Wheat	0	0	5	0	0	5	0	0	0	0	0	0	0	0
	Windgrass	0	0	0	0	20	0	-	-	-	20	-	-	-	-
Table C		Compounds													
125 g ai/ha		119	120	202	204	206	207	223	224	232	244	275	277	278	279
35	Postemergence														
	Barley	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Barnyardgrass	65	40	65	80	80	35	45	50	70	5	75	80	55	85

5	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	0	0	5	0	40	0	0	0	0	0	5	0	0	0
	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Canarygrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Chickweed	-	-	85	55	85	60	50	70	85	20	85	40	0	30
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	0	0	10	0	30	0	0	10	0	0	0	10	0	0
	Crabgrass, Large	80	70	60	70	70	40	55	55	60	5	65	70	65	70
10	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Deadnettle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	85	75	70	90	50	65	30	60	15	5	35	85	40	90
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Galium	-	-	80	60	75	0	45	60	80	55	75	75	5	30
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	0	0	25	0	0	0	0	15	20	0	0	10	0	0
	Kochia	-	-	80	40	30	0	30	50	70	40	85	60	0	85
	Lambsquarters	75	60	80	75	10	35	35	70	85	10	75	40	20	45
	Morningglory	5	0	70	15	35	5	0	35	25	5	20	40	45	30
20	Nutsedge, Yellow	0	0	0	0	0	0	0	0	5	5	0	0	0	0
	Oat, Wild	0	0	30	0	45	0	0	5	0	0	0	5	0	0
	Oilseed Rape	0	0	50	0	50	10	0	20	65	5	35	0	5	0
	Pigweed	15	40	85	10	50	10	10	60	85	5	30	30	15	30
25	Ragweed	45	40	80	0	25	0	35	45	85	0	70	40	10	35
	Ryegrass, Italian	0	0	5	0	10	0	0	5	0	0	5	35	0	0
	Soybean	0	0	5	0	5	5	0	5	10	5	0	0	40	0
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	15	5	30	0	15	0	0	25	30	5	10	15	10	10
	Waterhemp	0	15	75	0	35	0	10	30	80	5	0	5	5	15
30	Wheat	0	0	0	0	30	0	0	5	5	0	0	0	0	0
	Windgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Table C		Compounds													
125 g ai/ha		302	303	304	305	306	309	310	312	315	316	317	323	324	325
Postemergence															
35	Barley	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Barnyardgrass	40	70	40	70	85	55	50	70	70	60	25	35	55	70
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	0	0	0	30	5	5	5	0	30	0	0	0	0	0

5	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Canarygrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Chickweed	5	-	-	-	-	65	90	-	-	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	0	0	5	40	0	0	60	10	10	0	0	5	55	10
	Crabgrass, Large	70	65	80	75	75	60	70	80	70	60	45	70	70	65
	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Deadnettle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Foxtail, Giant	80	85	45	85	60	40	30	75	85	85	0	35	75	65
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	10	-	-	-	-	55	50	-	-	-	-	-	-	-
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Johnsongrass	0	0	0	20	0	0	0	25	0	0	0	0	0	0
	Kochia	0	-	-	-	-	75	90	-	-	-	-	-	-	-
	Lambsquarters	60	65	70	50	90	65	65	95	65	40	25	65	70	70
	Morningglory	50	0	45	75	65	25	10	10	35	10	0	5	10	35
	Nutsedge, Yellow	0	0	0	0	-	30	0	0	0	0	0	0	0	0
	Oat, Wild	0	0	0	0	0	0	0	0	0	5	0	0	0	5
	Oilseed Rape	40	0	0	0	40	40	0	0	0	0	0	0	0	50
	Pigweed	20	10	55	65	85	50	60	25	65	60	5	25	65	50
20	Ragweed	20	40	35	40	80	35	20	45	65	35	25	15	25	25
	Ryegrass, Italian	0	0	0	0	5	0	0	35	15	0	0	0	0	0
	Soybean	0	0	10	0	5	15	0	0	0	0	0	0	0	0
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	25	15	40	50	5	0	0	30	45	0	0	50	20
	Waterhemp	20	0	80	35	80	10	10	20	60	10	20	0	20	25
	Wheat	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Windgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table C Compound

125 g ai/ha

346

Postemergence

Barley

-

Barnyardgrass

30

Bermudagrass

-

Blackgrass

0

Bromegrass, Downy

-

Canarygrass

-

Table C

Compound

125 g ai/ha

346

Postemergence

Johnsongrass

0

Kochia

45

Lambsquarters

5

Morningglory

15

Nutsedge, Yellow

0

Oat, Wild

0

Chickweed	40	Oilseed Rape	0
Cocklebur	-	Pigweed	20
Corn	0	Ragweed	0
Crabgrass, Large	60	Ryegrass, Italian	0
Cupgrass, Woolly	-	Soybean	0
Deadnettle	-	Surinam Grass	-
Foxtail, Giant	40	Velvetleaf	5
Foxtail, Green	-	Waterhemp	15
Galium	40	Wheat	0
Goosegrass	-	Windgrass	-

Table C

Compounds

62 g ai/ha	17	34	48	50	52	60	76	79	80	81	101	103	106	109
Postemergence														
5 Barley	0	0	0	0	0	0	-	-	-	0	-	-	-	-
Barnyardgrass	-	-	-	-	-	-	35	0	20	-	35	10	0	0
Bermudagrass	0	0	0	0	0	0	-	-	-	0	-	-	-	-
Blackgrass	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bromegrass, Downy	0	0	0	0	0	0	-	-	-	0	-	-	-	-
Canarygrass	0	0	0	0	0	0	-	-	-	0	-	-	-	-
10 Chickweed	0	0	30	0	25	10	40	80	85	0	60	5	0	0
Cocklebur	0	5	10	5	5	0	-	-	-	0	-	-	-	-
Corn	0	0	5	0	0	0	0	0	5	0	0	0	0	0
Crabgrass, Large	0	30	65	25	55	50	50	5	40	0	50	15	10	10
Cupgrass, Woolly	0	0	5	0	5	0	-	-	-	0	-	-	-	-
15 Deadnettle	0	0	-	-	-	-	-	-	-	-	-	-	-	-
Foxtail, Giant	0	5	20	5	0	15	5	15	0	0	20	0	35	15
Foxtail, Green	0	60	0	0	10	35	-	-	-	5	-	-	-	-
Galium	0	0	-	-	-	-	50	60	55	-	50	0	0	0
Goosegrass	0	15	10	25	0	0	-	-	-	0	-	-	-	-
20 Johnsongrass	0	0	0	0	0	5	0	0	5	0	0	0	0	0
Kochia	0	5	10	0	35	10	50	55	55	0	30	30	40	0
Lambsquarters	0	0	-	10	10	20	40	50	55	0	25	0	25	0
Morningglory	0	5	10	0	10	10	10	0	5	0	15	0	5	0
Nutsedge, Yellow	0	5	0	0	10	0	0	0	0	0	0	0	0	0
25 Oat, Wild	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Oilseed Rape	-	-	-	-	-	-	0	0	0	-	10	0	0	0
Pigweed	0	0	30	10	40	20	10	35	40	0	10	0	0	5

[illegible]

[illegible]

Velvetleaf	10	0	0	15	40	10	5	0	0	25	0	0	20	55
Waterhemp	20	20	35	65	10	65	5	10	45	60	10	0	0	10
Wheat	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Windgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table C	Compounds					Table C	Compounds				
62 g ai/ha	325	346				62 g ai/ha	325	346			
Postemergence						Postemergence					
Barley	-	-				Johnsongrass	0	0			
Barnyardgrass	25	0				Kochia	-	50			
Bermudagrass	-	-				Lambsquarters	45	5			
Blackgrass	0	0				Morningglory	5	5			
Bromegrass, Downy	-	-				Nutsedge, Yellow	0	0			
Canarygrass	-	-				Oat, Wild	0	0			
Chickweed	-	65				Oilseed Rape	0	0			
Cocklebur	-	-				Pigweed	55	5			
Corn	0	0				Ragweed	10	0			
Crabgrass, Large	65	25				Ryegrass, Italian	0	0			
Cupgrass, Woolly	-	-				Soybean	0	5			
Deadnettle	-	-				Surinam Grass	-	-			
Foxtail, Giant	35	0				Velvetleaf	15	0			
Foxtail, Green	-	-				Waterhemp	0	0			
Galium	-	25				Wheat	0	0			
Goosegrass	-	-				Windgrass	-	-			

5	Table C	Compounds													
	31 g ai/ha	17	34	48	50	52	60	76	79	80	81	101	103	106	109
	Postemergence														
	Barley	0	0	0	0	0	0	-	-	-	0	-	-	-	-
	Barnyardgrass	-	-	-	-	-	-	0	0	0	-	0	0	0	0
10	Bermudagrass	0	0	0	0	0	0	-	-	-	0	-	-	-	-
	Blackgrass	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Bromegrass, Downy	0	0	0	0	0	0	-	-	-	0	-	-	-	-
	Canarygrass	0	0	0	0	0	0	-	-	-	0	-	-	-	-
	Chickweed	0	0	0	0	-	0	40	60	70	0	35	0	0	0
15	Cocklebur	0	0	5	5	5	0	-	-	-	0	-	-	-	-
	Corn	0	0	5	0	0	0	0	0	0	0	0	0	0	0
	Crabgrass, Large	0	0	40	10	50	20	0	5	5	0	25	0	10	10
	Cupgrass, Woolly	0	0	0	0	0	0	-	-	-	0	-	-	-	-

5	Deadnettle	0	0	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	0	0	5	0	0	0	0	15	0	0	0	0	50	60
	Foxtail, Green	0	0	0	0	0	20	-	-	-	5	-	-	-	-
	Galium	0	0	-	-	-	-	30	30	5	-	50	0	0	0
	Goosegrass	0	10	10	25	0	0	-	-	-	0	-	-	-	-
	Johnsongrass	0	0	0	0	0	5	0	0	5	0	0	0	0	0
	Kochia	0	5	10	0	30	0	40	5	30	0	45	30	0	0
	Lambsquarters	0	0	10	5	-	5	40	25	55	0	10	0	0	0
10	Morningglory	0	0	10	0	5	5	10	0	0	0	15	20	0	20
	Nutsedge, Yellow	0	5	0	0	10	0	0	0	0	0	0	0	0	0
	Oat, Wild	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Oilseed Rape	-	-	-	-	-	-	0	0	0	-	5	0	0	0
15	Pigweed	0	0	25	10	25	-	5	35	40	0	0	0	0	5
	Ragweed	0	5	5	0	10	10	25	20	30	0	0	0	25	0
	Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Soybean	0	0	10	10	0	0	0	0	0	0	0	0	0	0
	Surinam Grass	0	0	5	5	0	0	-	-	-	0	-	-	-	-
	Velvetleaf	0	5	0	0	10	0	0	0	15	0	0	0	0	0
	Waterhemp	-	-	-	-	-	-	0	10	30	-	0	0	0	0
20	Wheat	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Windgrass	0	0	0	0	0	0	-	-	-	0	-	-	-	-

Table C

Compounds

	31 g ai/ha	119	120	202	204	206	207	223	224	232	244	271	275	277	278
25	Postemergence														
	Barley	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Barnyardgrass	25	0	25	5	25	0	0	0	5	0	0	30	15	0
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Canarygrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Chickweed	-	-	80	0	85	30	40	70	70	45	5	50	40	0
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	Crabgrass, Large	55	55	30	0	45	10	0	0	25	5	5	15	15	0
	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Deadnettle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	10	25	5	0	0	20	0	0	0	0	0	10	10	10

236

5	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	-	-	80	10	60	0	5	5	75	30	30	50	45	0
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	0	0	0	0	0	0	0	0	0	0	10	0	0	0
	Kochia	-	-	70	10	50	0	0	0	60	0	0	70	0	0
	Lambsquarters	5	55	70	35	50	0	0	5	80	10	50	10	30	0
	Morningglory	0	0	5	5	20	5	0	5	15	0	10	10	30	0
	Nutsedge, Yellow	0	0	0	0	0	10	0	0	0	0	0	0	10	0
10	Oat, Wild	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Oilseed Rape	0	0	0	0	0	0	0	0	0	0	0	5	0	0
	Pigweed	10	5	80	20	30	0	5	40	80	5	10	5	10	0
	Ragweed	20	20	70	0	5	0	0	20	75	0	25	20	40	0
15	Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Soybean	5	0	0	0	5	0	10	0	0	5	15	0	0	50
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	25	10	0	0	0	0	0	5	5	5	5	0	0
	Waterhemp	0	0	60	0	0	0	0	25	75	5	0	0	5	0
	Wheat	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Windgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Table C	Compounds													
	31 g ai/ha	279	302	303	304	305	306	309	310	312	315	316	317	323	324
	Postemergence														
	Barley	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Barnyardgrass	15	0	10	0	20	0	0	5	40	25	10	0	0	0
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Canarygrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Chickweed	5	0	-	-	-	-	30	20	-	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Crabgrass, Large	25	0	0	10	40	10	0	0	25	55	0	0	0	25
35	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Deadnettle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	0	0	-	0	0	5	10	0	55	0	5	0	0	0
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	0	10	-	-	-	-	30	35	-	-	-	-	-	-

	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	0	0	0	0	0	0	0	0	0	0	0	0	0
	Kochia	0	0	-	-	-	-	5	40	-	-	-	-	-
	Lambsquarters	0	10	35	35	60	60	10	25	65	60	55	0	10
5	Morningglory	5	10	10	50	25	0	60	10	0	25	55	0	0
	Nutsedge, Yellow	0	0	0	0	0	0	0	0	0	0	0	0	0
	Oat, Wild	0	0	0	0	0	0	0	0	0	0	0	0	0
	Oilseed Rape	0	0	0	0	0	0	35	0	0	0	0	0	0
	Pigweed	30	15	0	35	55	75	30	35	10	25	15	5	0
10	Ragweed	15	10	0	0	0	60	0	10	40	0	45	0	0
	Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0	0	0	0
	Soybean	40	0	0	0	10	0	0	10	0	0	0	0	0
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	0	35	5	10	0	5	35	30	10	0	0	0
15	Waterhemp	5	10	0	50	10	65	0	5	0	50	10	0	0
	Wheat	0	0	0	0	0	0	0	0	0	0	0	0	0
	Windgrass	-	-	-	-	-	-	-	-	-	-	-	-	-

Table C	Compounds	Table C	Compounds
31 g ai/ha	325 346	16 g ai/ha	48 271 277 304
Postemergence		Postemergence	
Barley	- -	Barley	0 - - -
Barnyardgrass	10 0	Barnyardgrass	- 0 5 0
Bermudagrass	- -	Bermudagrass	0 - - -
Blackgrass	0 0	Blackgrass	0 0 0 0
Bromegrass, Downy	- -	Bromegrass, Downy	0 - - -
Canarygrass	- -	Canarygrass	0 - - -
Chickweed	- 40	Chickweed	0 5 0 -
Cocklebur	- -	Cocklebur	0 - - -
Corn	0 0	Corn	0 0 0 0
Crabgrass, Large	55 0	Crabgrass, Large	20 0 5 10
Cupgrass, Woolly	- -	Cupgrass, Woolly	0 - - -
Deadnettle	- -	Foxtail, Giant	0 0 0 0
Foxtail, Giant	0 20	Foxtail, Green	0 - - -
Foxtail, Green	- -	Galium	- 5 40 -
Galium	- 30	Goosegrass	10 - - -
Goosegrass	- -	Johnsongrass	0 10 0 0
Johnsongrass	0 100	Kochia	0 0 0 -

238

Kochia	-	45	Lambsquarters	-	45	25	65
Lambsquarters	20	45	Morningglory	10	0	15	20
Morningglory	5	0	Nutsedge, Yellow	0	0	0	0
Nutsedge, Yellow	0	0	Oat, Wild	0	0	0	0
Oat, Wild	0	0	Oilseed Rape	-	0	0	0
Oilseed Rape	0	0	Pigweed	10	5	5	25
Pigweed	40	5	Ragweed	0	15	10	0
Ragweed	10	0	Ryegrass, Italian	0	0	0	0
Ryegrass, Italian	0	0	Soybean	5	45	0	0
Soybean	0	0	Surinam Grass	0	-	-	-
Surinam Grass	-	-	Velvetleaf	0	0	0	0
Velvetleaf	0	0	Waterhemp	-	0	5	40
Waterhemp	0	0	Wheat	0	0	0	0
Wheat	0	0	Windgrass	0	-	-	-
Windgrass	-	-					

Table C Compound

8 g ai/ha

271

Postemergence

Barnyardgrass

0

Blackgrass

0

Chickweed

0

Corn

0

Crabgrass, Large

0

Foxtail, Giant

0

Galium

0

Johnsongrass

10

Kochia

0

Lambsquarters

10

Morningglory

0

Table C

Compound

8 g ai/ha

271

Postemergence

Nutsedge, Yellow

0

Oat, Wild

0

Oilseed Rape

0

Pigweed

5

Ragweed

0

Ryegrass, Italian

0

Soybean

5

Velvetleaf

0

Waterhemp

0

Wheat

0

Table C

Compounds

250 g ai/ha

5

14

16

17

33

34

35

52

53

59

62

64

66

68

Preemergence

Barnyardgrass

-

-

-

-

-

-

-

-

-

-

-

-

-

-

Bermudagrass

45

95

95

90

98

45

75

65

50

50

60

55

0

85

Blackgrass

30

0

-

95

5

45

50

0

0

60

80

30

20

80

Bromegrass, Downy

0

0

35

65

55

30

40

0

0

20

0

50

5

0

	Cocklebur	0	0	0	5	10	0	0	-	5	-	5	-	-	-
	Corn	0	0	10	70	30	10	5	10	20	45	55	60	20	50
	Crabgrass, Large	100	100	100	100	100	100	100	95	90	100	98	95	98	95
	Cupgrass, Woolly	95	80	95	95	90	95	90	85	80	80	85	90	85	90
5	Foxtail, Giant	100	95	95	100	98	98	98	85	85	90	85	98	95	95
	Foxtail, Green	95	95	90	98	100	100	98	90	90	98	90	98	98	95
	Galium	40	85	-	90	90	60	30	90	70	85	90	0	0	90
	Goosegrass	80	55	80	95	85	45	25	80	40	80	80	50	10	85
	Johnsongrass	0	40	25	75	15	20	45	15	10	5	40	75	40	75
10	Kochia	0	0	0	80	0	0	10	20	20	40	25	35	10	35
	Lambsquarters	95	-	-	100	25	80	20	75	65	35	85	35	0	75
	Morningglory	0	0	0	0	0	5	20	0	0	25	20	30	40	15
	Nightshade	98	0	0	40	15	0	0	40	70	30	70	5	0	55
	Nutsedge, Yellow	0	0	45	0	40	0	0	25	20	35	20	40	10	10
15	Oat, Wild	20	0	15	80	90	85	75	10	0	80	50	70	5	30
	Oilseed Rape	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pigweed	0	0	0	60	20	40	5	70	25	55	95	30	0	85
	Ragweed	0	0	0	50	20	15	0	10	15	35	45	30	25	0
	Russian Thistle	-	0	0	-	-	95	-	-	-	0	85	0	0	-
20	Ryegrass, Italian	0	10	-	70	30	45	30	5	0	0	50	0	0	5
	Soybean	0	0	0	0	5	5	0	15	20	20	35	40	20	15
	Sunflower	0	0	0	50	10	0	10	20	20	40	60	25	5	15
	Surinam Grass	95	95	100	95	95	100	100	80	75	80	85	80	75	85
	Velvetleaf	0	0	0	10	10	0	20	5	10	25	30	25	25	25
25	Waterhemp	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	60	10	45	85	40	80	65	25	0	0	10	15	25	50
	Table C	Compounds													
	250 g ai/ha	69	76	77	78	79	80	81	101	103	109	119	120	202	204
	Preemergence														
30	Barnyardgrass	-	98	95	95	98	95	-	95	95	98	98	98	95	95
	Bermudagrass	55	-	-	-	-	-	0	-	-	-	-	-	-	-
	Blackgrass	35	80	95	85	85	90	0	90	0	95	85	70	90	90
	Bromegrass, Downy	0	-	-	-	-	-	0	-	-	-	-	-	-	-
	Cocklebur	0	-	-	-	-	-	0	-	-	-	-	-	-	-
35	Corn	30	65	70	60	30	65	0	65	10	75	45	65	85	75
	Crabgrass, Large	95	100	98	98	100	100	95	100	100	100	100	100	98	95
	Cupgrass, Woolly	90	-	-	-	-	-	82	-	-	-	-	-	-	-

[illegible]

241

	Johnsongrass	85	60	65	40	55	85	60	70	45	90	5	5	0	0
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	100	70	100	85	90	95	100	90	90	100	90	80	100	80
	Morningglory	10	0	0	20	20	30	20	20	20	30	5	20	10	10
5	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nutsedge, Yellow	0	0	10	0	0	0	0	100	0	0	0	0	0	0
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Oilseed Rape	90	80	90	70	5	85	90	85	85	85	30	80	70	90
	Pigweed	85	0	70	85	30	85	90	95	70	70	100	90	5	95
10	Ragweed	98	5	100	85	25	100	85	90	85	70	40	98	75	100
	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	20	0	50	50	15	15	15	40	40	55	10	50	0	35
	Soybean	0	0	0	20	15	5	5	5	0	0	10	0	0	0
	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	60	0	35	40	35	40	60	75	45	40	0	25	0	5
	Waterhemp	100	75	90	90	25	80	95	95	95	60	90	85	50	100
	Wheat	70	45	45	10	35	45	80	5	0	80	30	0	0	50
	Table C	Compounds													
20	250 g ai/ha	274	275	278	279	280	302	303	305	306	307	309	310	312	315
	Preemergence														
	Barnyardgrass	90	98	100	98	95	100	98	98	95	95	95	95	95	95
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	90	80	0	85	0	85	90	90	90	5	45	45	75	85
25	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	45	75	5	65	5	50	45	80	75	40	70	55	70	85
	Crabgrass, Large	100	100	100	100	100	100	100	95	98	100	98	95	95	98
	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Foxtail, Giant	95	100	100	98	95	100	100	95	100	95	95	90	95	98
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	-	85	5	85	85	85	85	90	90	85	85	70	80	90
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	30	85	0	80	10	65	80	90	85	45	80	75	85	90
35	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	0	98	0	90	10	65	80	75	80	85	50	80	60	80
	Morningglory	0	50	0	10	30	0	45	65	35	0	10	5	55	45

	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nutsedge, Yellow	0	100	5	55	100	10	25	100	10	0	0	0	20	
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Oilseed Rape	30	90	5	60	0	10	85	90	75	5	70	85	30	80
5	Pigweed	0	40	0	75	20	0	80	85	90	35	40	20	55	85
	Ragweed	0	85	0	65	60	10	80	75	80	35	65	35	10	80
	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	30	60	0	60	5	40	75	80	70	10	10	25	30	50
	Soybean	0	15	10	10	0	0	20	0	0	0	0	0	0	0
10	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	20	30	0	30	10	0	55	55	65	0	15	35	40	50
	Waterhemp	0	60	0	80	35	55	75	80	90	0	40	25	80	85
	Wheat	40	90	0	30	0	30	90	90	85	15	0	10	65	90
15	Table C	Compounds													
	250 g ai/ha	316	317	318	319	323	324	325	345	346	350				
	Preemergence														
	Barnyardgrass	90	95	95	98	98	98	95	95	98	90				
	Bermudagrass	-	-	-	-	-	-	-	-	-	-				
20	Blackgrass	60	50	45	80	85	95	85	90	85	55				
	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-				
	Cocklebur	-	-	-	-	-	-	-	-	-	-				
	Corn	75	30	60	65	75	85	85	85	5	40				
	Crabgrass, Large	98	98	100	98	100	98	100	98	100	90				
25	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-				
	Foxtail, Giant	95	95	90	95	98	95	95	98	98	90				
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-				
	Galium	90	0	100	85	85	85	80	85	90	90				
	Goosegrass	-	-	-	-	-	-	-	-	-	-				
30	Johnsongrass	85	30	60	75	60	85	75	90	60	30				
	Kochia	-	-	-	-	-	-	-	-	-	-				
	Lambsquarters	65	10	60	75	95	85	80	85	100	90				
	Morningglory	35	0	40	40	30	55	40	35	0	100				
	Nightshade	-	-	-	-	-	-	-	-	-	-				
35	Nutsedge, Yellow	70	70	0	30	75	35	0	0	0	0				
	Oat, Wild	-	-	-	-	-	-	-	-	-	-				
	Oilseed Rape	60	0	5	65	85	90	90	85	60	85				

243

5	Pigweed	65	0	50	40	65	85	85	60	70	90				
	Ragweed	35	0	20	85	80	85	85	70	70	80				
	Russian Thistle	-	-	-	-	-	-	-	-	-	-				
	Ryegrass, Italian	0	10	50	50	70	60	50	55	70	35				
	Soybean	0	10	0	0	0	0	0	0	10	0				
	Sunflower	-	-	-	-	-	-	-	-	-	-				
	Surinam Grass	-	-	-	-	-	-	-	-	-	-				
	Velvetleaf	30	5	35	65	45	50	65	40	25	5				
	Waterhemp	45	30	70	40	75	90	85	45	40	90				
10	Wheat	45	35	5	35	80	85	70	80	40	15				
Table C															
125 g ai/ha		5	14	16	17	33	34	35	48	52	53	59	60	62	64
Preemergence															
15	Barnyardgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Bermudagrass	20	95	90	85	70	0	0	0	40	50	40	0	50	25
	Blackgrass	0	0	10	80	0	10	5	50	0	0	30	40	80	5
	Bromegrass, Downy	0	0	30	45	0	10	5	0	0	0	0	0	0	0
	Cocklebur	0	-	0	5	10	0	0	5	0	5	-	0	0	-
20	Corn	0	0	5	30	20	0	5	20	10	20	10	20	30	55
	Crabgrass, Large	100	98	100	100	100	100	100	95	90	90	90	95	95	95
	Cupgrass, Woolly	90	0	95	90	90	95	85	85	75	80	80	75	80	85
	Foxtail, Giant	100	90	90	100	98	98	98	95	80	65	85	90	85	90
	Foxtail, Green	90	90	80	98	100	98	98	90	90	90	90	90	90	90
25	Galium	-	70	-	70	60	5	5	60	90	0	30	5	85	0
	Goosegrass	0	0	0	85	40	10	5	15	60	30	35	0	70	25
	Johnsongrass	0	0	0	65	0	10	0	20	10	0	0	20	30	75
	Kochia	0	0	0	60	0	0	5	10	15	0	10	0	15	20
	Lambsquarters	95	-	-	60	25	80	0	65	70	40	0	10	70	30
30	Morningglory	0	0	0	-	0	5	10	15	0	0	15	10	15	20
	Nightshade	45	-	0	40	0	0	0	0	0	40	25	0	-	0
	Nutsedge, Yellow	0	0	0	0	-	0	0	20	25	-	0	15	20	20
	Oat, Wild	0	0	15	0	20	60	0	10	0	0	0	5	50	10
	Oilseed Rape	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Pigweed	0	0	0	50	0	0	0	0	55	25	-	20	70	30
	Ragweed	0	0	0	30	0	0	0	10	0	10	0	25	45	30
	Russian Thistle	-	0	0	-	-	0	-	-	-	-	0	60	85	0
	Ryegrass, Italian	0	0	-	35	0	20	5	0	0	0	0	0	30	0

244

	Soybean	0	0	0	0	0	5	0	15	15	15	20	25	35	40
	Sunflower	0	0	0	20	-	0	10	0	0	20	15	0	25	0
	Surinam Grass	95	95	98	90	95	100	100	85	45	75	60	70	80	65
	Velvetleaf	0	0	0	0	10	0	20	0	5	0	0	0	25	10
5	Waterhemp	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	5	10	0	0	35	35	10	45	10	0	0	0	0	15
	Table C	Compounds													
	125 g ai/ha	66	68	69	76	77	78	79	80	81	101	103	109	119	120
	Preemergence														
10	Barnyardgrass	-	-	-	95	95	85	95	95	-	95	95	95	95	95
	Bermudagrass	0	85	50	-	-	-	-	-	0	-	-	-	-	-
	Blackgrass	0	60	30	80	85	75	85	85	0	70	30	90	80	50
	Bromegrass, Downy	0	0	0	-	-	-	-	-	0	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	0	-	-	-	-	-
15	Corn	10	25	25	40	55	40	10	0	0	5	0	60	15	20
	Crabgrass, Large	98	95	95	100	98	98	100	98	90	98	100	100	100	100
	Cupgrass, Woolly	80	85	85	-	-	-	-	-	67	-	-	-	-	-
	Foxtail, Giant	85	90	85	95	95	95	95	98	37	98	95	98	98	98
	Foxtail, Green	90	95	95	-	-	-	-	-	80	-	-	-	-	-
20	Galium	0	90	5	-	80	60	85	90	0	90	40	50	85	50
	Goosegrass	10	80	40	-	-	-	-	-	0	-	-	-	-	-
	Johnsongrass	-	40	0	45	75	15	10	30	0	55	15	40	30	25
	Kochia	10	0	0	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	0	65	65	0	85	85	90	90	0	90	55	5	85	85
25	Morningglory	35	15	25	40	0	0	0	20	0	30	0	5	35	35
	Nightshade	0	55	0	-	-	-	-	-	0	-	-	-	-	-
	Nutsedge, Yellow	0	10	0	20	0	0	0	0	0	0	0	0	0	0
	Oat, Wild	0	0	5	-	-	-	-	-	0	-	-	-	-	-
	Oilseed Rape	-	-	-	30	60	10	70	90	-	80	0	5	80	70
30	Pigweed	0	85	25	0	60	40	50	90	0	55	0	0	75	65
	Ragweed	25	0	0	-	-	-	-	-	0	5	40	0	75	55
	Russian Thistle	0	-	-	-	-	-	-	-	0	-	-	-	-	-
	Ryegrass, Italian	0	0	0	40	40	40	30	40	0	30	0	20	30	10
	Soybean	20	10	0	0	0	0	0	0	0	0	0	55	0	0
35	Sunflower	0	10	10	-	-	-	-	-	0	-	-	-	-	-
	Surinam Grass	75	75	85	-	-	-	-	-	77	-	-	-	-	-
	Velvetleaf	25	10	30	25	30	20	20	35	0	5	0	0	40	35

245

Waterhemp	-	-	-	50	70	85	80	90	-	50	65	0	70	75
Wheat	5	30	5	70	80	60	60	80	0	50	0	50	60	30

Table C

Compounds

125 g ai/ha	189	202	204	206	207	211	218	223	224	231	232	233	241	246
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

5	Preemergence														
	Barnyardgrass	90	95	95	95	85	85	95	90	90	95	95	85	95	75
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	55	90	90	90	85	85	50	85	70	85	70	60	80	5
	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	40	75	55	65	55	0	0	0	85	70	70	10	80	5
	Crabgrass, Large	98	98	100	95	95	95	100	95	90	100	90	90	98	95
	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	95	95	95	95	90	90	90	90	95	98	90	90	95	95
15	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	80	90	90	70	85	85	85	90	85	90	90	90	85	90
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	15	70	75	85	30	30	15	35	75	45	60	20	85	0
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Lambsquarters	5	90	75	100	60	100	75	85	95	85	90	95	10	80
	Morningglory	0	25	20	0	0	0	25	10	5	0	15	20	10	10
	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nutsedge, Yellow	0	0	0	0	0	0	0	0	0	0	0	0	0	100
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Oilseed Rape	20	85	0	75	0	90	20	0	70	85	50	80	70	0
	Pigweed	0	90	0	100	0	0	75	20	60	85	85	60	25	75
	Ragweed	0	85	100	70	0	85	50	10	100	80	85	40	30	0
	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	45	30	50	45	0	40	0	10	0	15	20	30	30	10
30	Soybean	0	0	5	0	0	5	40	5	0	0	0	5	0	0
	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	50	0	40	0	30	15	25	45	35	65	45	5	0
	Waterhemp	0	100	80	100	85	100	90	0	70	100	90	85	45	90
35	Wheat	0	55	80	70	5	30	0	10	0	20	0	0	90	10

Table C

Compounds

125 g ai/ha	247	262	263	274	275	277	278	279	280	302	303	304	305	306
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Preemergence															
5	Barnyardgrass	90	90	95	85	95	98	95	95	85	100	95	95	95	90
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	60	0	40	75	70	90	0	30	0	60	80	70	70	60
	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Corn	60	10	0	10	75	90	0	5	0	0	35	65	75	80
	Crabgrass, Large	98	100	100	98	100	100	98	98	95	100	98	98	90	95
	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	98	95	98	90	98	98	95	98	90	100	98	95	95	95
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Galium	90	60	85	80	30	100	0	85	0	85	85	85	90	90
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	10	0	0	0	75	85	0	70	10	45	65	35	90	80
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	70	80	70	-	85	80	0	65	10	60	65	80	70	75
20	Morningglory	5	10	20	0	0	45	0	10	0	0	15	40	40	35
	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nutsedge, Yellow	20	0	100	0	35	20	5	0	0	0	0	0	0	0
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Oilseed Rape	30	35	60	5	90	80	0	30	0	0	80	55	80	75
25	Pigweed	85	0	98	0	10	40	0	0	20	25	65	85	80	85
	Ragweed	70	10	80	0	60	40	0	10	0	5	75	80	35	75
	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	40	0	0	5	50	40	0	30	0	5	70	40	50	55
	Soybean	0	0	100	5	0	5	10	0	0	0	0	0	0	0
30	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	30	0	20	20	25	35	0	0	0	0	50	50	55	60
	Waterhemp	100	60	90	-	15	55	0	55	75	65	65	85	80	85
	Wheat	5	0	15	0	50	80	0	30	0	15	80	85	90	90
Table C		Compounds													
125 g ai/ha		307	309	310	312	315	316	317	318	319	323	324	325	345	346
Preemergence															
35	Barnyardgrass	85	90	90	90	90	90	95	95	95	98	95	95	95	95
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	10	50	50	70	65	30	50	30	30	45	70	70	90	75

	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	40	65	55	55	80	65	25	10	60	10	75	70	65	0
	Crabgrass, Large	95	95	95	95	95	95	95	98	95	98	98	95	95	98
5	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	85	90	90	90	95	90	90	75	95	95	95	98	95	98
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	100	75	0	5	80	0	0	40	80	85	85	50	90	90
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Johnsongrass	0	60	45	80	85	75	0	45	65	45	80	75	85	20
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	10	30	55	50	70	65	0	50	65	75	80	80	85	100
	Morningglory	0	10	5	40	35	25	0	30	45	0	35	30	0	30
	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Nutsedge, Yellow	0	0	0	0	20	0	20	0	0	25	0	0	0	0
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Oilseed Rape	0	50	40	15	85	20	0	5	60	70	85	85	85	50
	Pigweed	40	0	20	45	75	45	0	20	40	55	80	75	65	60
	Ragweed	0	25	5	50	50	10	0	0	40	40	75	80	15	35
20	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	5	0	20	35	50	10	0	0	20	0	35	50	10	5
	Soybean	0	0	0	0	0	0	0	0	0	0	0	0	5	0
	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Velvetleaf	0	0	5	20	40	10	0	25	45	40	40	55	25	10
	Waterhemp	0	30	25	65	85	35	10	10	35	60	80	80	40	10
	Wheat	5	0	0	60	90	40	0	5	10	40	65	65	70	0

Table C Compound

125 g ai/ha 350

Preemergence

Barnyardgrass 90

Bermudagrass -

Blackgrass 50

Bromegrass, Downy -

Cocklebur -

Corn 5

Crabgrass, Large 90

Table C Compound

125 g ai/ha 350

Preemergence

Morningglory 100

Nightshade -

Nutsedge, Yellow 0

Oat, Wild -

Oilseed Rape 80

Pigweed 80

Ragweed 5

Cupgrass, Woolly	-	Russian Thistle	-
Foxtail, Giant	90	Ryegrass, Italian	5
Foxtail, Green	-	Soybean	0
Galium	90	Sunflower	-
Goosegrass	-	Surinam Grass	-
Johnsongrass	0	Velvetleaf	0
Kochia	-	Waterhemp	90
Lambsquarters	90	Wheat	0

Table C

Compounds

62 g ai/ha	5	14	16	17	33	34	35	48	52	53	59	60	62	64
Preemergence														
Barnyardgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Bermudagrass	0	90	0	45	0	0	0	0	40	40	20	0	30	0
Blackgrass	0	0	5	50	0	0	0	20	0	0	0	10	45	5
Bromegrass, Downy	0	0	5	30	0	0	0	0	0	0	0	0	0	0
Cocklebur	0	0	0	5	-	0	0	0	0	-	0	0	-	0
Corn	0	0	0	0	10	0	0	20	10	20	10	10	20	0
10 Crabgrass, Large	100	98	95	98	98	98	98	90	90	85	85	95	90	90
Cupgrass, Woolly	85	0	95	85	85	85	80	70	70	65	70	75	75	70
Foxtail, Giant	100	85	70	95	95	95	90	85	80	65	85	85	80	80
Foxtail, Green	90	90	35	95	98	98	98	90	90	90	90	90	90	85
Galium	5	0	0	70	0	0	0	30	0	0	5	0	0	0
15 Goosegrass	0	0	0	50	5	5	0	10	20	10	25	0	25	20
Johnsongrass	0	0	0	5	0	10	0	10	0	0	0	20	10	40
Kochia	0	0	0	50	0	0	0	10	10	0	0	0	0	0
Lambsquarters	95	-	-	60	0	40	0	65	40	0	0	-	65	10
Morningglory	0	0	0	0	0	0	10	0	0	0	0	10	10	20
20 Nightshade	45	0	0	20	0	0	0	0	0	0	-	0	15	0
Nutsedge, Yellow	0	0	0	0	10	0	0	0	25	20	0	0	10	20
Oat, Wild	0	0	5	0	0	0	0	0	0	0	0	0	40	10
Oilseed Rape	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pigweed	0	0	0	0	0	0	0	0	20	25	35	10	40	0
25 Ragweed	0	0	0	0	0	0	0	10	0	10	0	10	15	0
Russian Thistle	0	0	0	-	-	0	0	-	-	-	0	50	30	0
Ryegrass, Italian	0	0	0	5	0	0	5	0	0	0	0	0	0	0
Soybean	0	0	0	0	-	0	0	10	10	15	15	25	30	35
Sunflower	0	0	0	10	10	0	0	0	0	15	5	0	20	0

	Surinam Grass	85	80	95	90	80	95	90	75	35	25	35	70	60	50
	Velvetleaf	0	0	0	0	10	0	20	0	5	0	0	0	20	10
	Waterhemp	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	0	10	0	0	0	0	0	20	0	0	0	0	0	5
5	Table C	Compounds													
	62 g ai/ha	66	68	69	76	77	78	79	80	81	101	103	109	119	120
	Preemergence														
	Barnyardgrass	-	-	-	85	95	75	95	95	-	95	90	85	90	90
	Bermudagrass	0	50	35	-	-	-	-	-	0	-	-	-	-	-
10	Blackgrass	0	60	5	50	85	75	65	80	0	50	0	60	70	50
	Bromegrass, Downy	0	0	0	-	-	-	-	-	0	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	0	-	-	-	-	-
	Corn	0	25	15	10	20	0	0	0	0	0	0	5	0	0
	Crabgrass, Large	95	90	90	98	95	98	98	98	75	98	98	100	98	100
15	Cupgrass, Woolly	75	75	85	-	-	-	-	-	32	-	-	-	-	-
	Foxtail, Giant	75	90	85	95	90	95	90	95	17	95	95	95	90	95
	Foxtail, Green	80	90	90	-	-	-	-	-	67	-	-	-	-	-
	Galium	0	5	0	-	5	50	5	90	0	40	80	100	80	95
	Goosegrass	5	75	40	-	-	-	-	-	0	-	-	-	-	-
20	Johnsongrass	-	35	0	45	55	0	0	0	0	15	10	10	0	0
	Kochia	0	0	0	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	0	55	35	0	85	40	90	85	0	85	0	0	60	70
	Morningglory	25	0	-	0	0	0	0	0	0	0	0	0	0	0
	Nightshade	0	50	0	-	-	-	-	-	0	-	-	-	-	-
25	Nutsedge, Yellow	0	10	-	0	0	0	0	0	0	0	0	5	0	0
	Oat, Wild	0	-	0	-	-	-	-	-	0	-	-	-	-	-
	Oilseed Rape	-	-	-	0	30	10	5	85	-	35	0	0	5	0
	Pigweed	0	75	25	0	60	40	40	90	0	0	0	0	60	45
	Ragweed	20	0	0	-	-	-	-	-	0	0	0	0	35	20
30	Russian Thistle	0	-	-	-	-	-	-	-	0	-	-	-	-	-
	Ryegrass, Italian	0	0	0	25	40	40	5	40	0	15	0	40	15	5
	Soybean	20	0	0	0	0	0	0	0	0	0	10	0	20	0
	Sunflower	0	0	10	-	-	-	-	-	0	-	-	-	-	-
	Surinam Grass	0	75	75	-	-	-	-	-	53	-	-	-	-	-
35	Velvetleaf	20	10	30	0	25	15	0	30	0	0	0	0	15	20
	Waterhemp	-	-	-	50	40	75	40	80	-	70	0	50	65	60
	Wheat	0	5	0	45	55	30	40	5	0	20	0	10	5	35

Table C

Compounds

62 g ai/ha 189 202 204 206 207 211 218 223 224 231 232 233 241 246

Preemergence

5	Barnyardgrass	90	90	90	90	85	65	90	85	85	90	85	75	95	75
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	50	80	90	90	80	20	10	35	65	85	70	45	70	0
	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Corn	0	85	25	60	0	25	0	0	0	5	35	0	65	0
	Crabgrass, Large	95	95	90	90	90	95	90	90	90	95	90	90	95	95
	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	90	90	90	90	70	90	85	90	90	90	90	95	90
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Galium	0	90	90	70	0	5	0	0	40	85	85	80	80	90
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	0	60	40	65	0	0	10	0	35	10	20	0	80	20
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	0	90	100	100	0	85	40	70	65	85	85	85	0	65
20	Morningglory	0	25	0	0	0	0	0	0	25	0	15	0	0	5
	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nutsedge, Yellow	0	0	0	0	0	0	0	0	10	0	0	0	0	100
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Oilseed Rape	0	80	0	70	0	35	60	0	5	55	30	40	0	30
25	Pigweed	0	85	0	100	0	0	50	5	25	70	85	50	0	75
	Ragweed	0	85	30	10	0	10	35	0	40	100	85	40	25	0
	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	30	30	0	40	0	35	0	0	0	10	0	0	20	0
	Soybean	10	25	-	0	0	0	5	5	100	0	0	0	0	0
30	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	30	0	50	0	10	0	0	5	25	40	25	0	0
	Waterhemp	5	95	75	100	0	75	75	0	5	85	90	80	40	98
	Wheat	0	30	70	40	0	0	0	5	0	15	0	0	45	0

Table C

Compounds

35 62 g ai/ha 247 262 263 271 274 275 277 278 279 280 302 303 304 305

Preemergence

Barnyardgrass 85 70 90 95 65 95 98 90 95 65 85 95 90 95

[illegible]

252

	Corn	60	0	0	0	60	80	75	0	0	30	0	70	60	35
	Crabgrass, Large	95	95	90	90	95	95	95	95	98	98	98	95	95	98
	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	95	85	90	85	90	90	90	90	70	85	95	90	95	90
5	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	60	0	0	0	0	80	0	0	0	70	0	60	20	90
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	55	0	10	0	50	85	75	0	0	55	0	65	35	75
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Lambsquarters	65	0	0	5	0	40	20	0	55	65	50	70	70	75
	Morningglory	35	0	0	0	35	25	0	0	40	40	0	0	30	0
	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nutsedge, Yellow	0	0	0	0	35	0	0	0	0	0	25	0	0	0
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Oilseed Rape	70	0	0	5	0	30	0	0	0	5	10	70	65	55
	Pigweed	85	0	0	5	40	60	25	0	20	25	35	75	65	30
	Ragweed	75	0	10	0	0	20	0	0	0	15	10	60	60	40
	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	40	0	0	0	30	50	0	0	0	10	10	10	40	45
20	Soybean	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	60	0	0	0	15	30	10	0	10	20	15	35	35	0
	Waterhemp	85	0	0	0	45	75	35	0	30	35	50	70	75	5
25	Wheat	50	0	0	0	30	50	5	0	0	0	30	25	40	10

Table C Compounds

62 g ai/ha 346 350

Preemergence

Barnyardgrass 70 90

Bermudagrass - -

Blackgrass 60 0

Bromegrass, Downy - -

Cocklebur - -

Corn 0 0

Crabgrass, Large 95 90

Cupgrass, Woolly - -

Foxtail, Giant 90 90

Table C Compounds

62 g ai/ha 346 350

Preemergence

Morningglory 0 100

Nightshade - -

Nutsedge, Yellow 0 0

Oat, Wild - -

Oilseed Rape 0 70

Pigweed 55 10

Ragweed 35 0

Russian Thistle - -

Ryegrass, Italian 10 0

Foxtail, Green	-	-	Soybean	0	0
Galium	20	85	Sunflower	-	-
Goosegrass	-	-	Surinam Grass	-	-
Johnsongrass	0	0	Velvetleaf	0	0
Kochia	-	-	Waterhemp	25	50
Lambsquarters	35	90	Wheat	0	0

Table C

Compounds

31 g ai/ha	5	14	16	17	33	34	35	48	52	53	59	60	62	64
Preemergence														
Barnyardgrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Bermudagrass	0	75	0	0	0	0	0	0	0	40	20	0	0	0
Blackgrass	0	0	0	5	0	0	0	0	0	0	0	0	0	0
Bromegrass, Downy	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cocklebur	0	0	0	0	0	0	0	0	0	-	-	-	0	-
Corn	0	0	0	0	0	0	0	0	10	10	0	0	20	0
10 Crabgrass, Large	100	90	95	95	95	95	95	85	80	80	85	85	85	85
Cupgrass, Woolly	80	0	55	80	60	50	55	70	40	35	40	55	65	30
Foxtail, Giant	95	85	0	90	75	90	80	80	55	40	50	70	65	50
Foxtail, Green	85	25	5	95	95	98	90	80	80	30	85	90	75	70
Galium	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15 Goosegrass	0	0	0	0	5	0	0	0	10	0	15	0	10	20
Johnsongrass	0	0	0	0	0	10	0	0	0	0	0	0	0	-
Kochia	0	0	0	0	0	0	0	0	10	0	0	0	0	0
Lambsquarters	95	-	0	60	0	0	0	0	0	0	-	0	40	0
Morningglory	0	0	0	0	0	0	5	0	0	0	0	0	0	15
20 Nightshade	0	0	0	20	0	0	0	0	0	0	0	0	-	0
Nutsedge, Yellow	0	0	0	0	0	0	0	0	25	15	0	0	10	0
Oat, Wild	0	0	0	0	0	0	0	0	0	0	0	0	20	0
Oilseed Rape	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pigweed	0	0	0	0	0	0	0	0	20	25	35	0	40	0
25 Ragweed	0	0	0	0	0	0	0	0	0	0	0	10	15	0
Russian Thistle	-	0	0	-	-	0	0	-	-	-	0	0	0	0
Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Soybean	0	0	0	0	0	0	0	10	-	15	15	10	20	35
Sunflower	0	0	0	0	0	0	0	0	0	0	5	0	10	0
30 Surinam Grass	65	55	80	85	80	95	85	75	10	20	0	10	0	20
Velvetleaf	0	0	0	0	0	0	0	0	5	0	0	0	10	10

254

	Waterhemp	-	-	-	-	-	-	-	-	-	-	-	-	-
	Wheat	0	5	0	0	0	0	0	0	0	0	0	0	0
	Table C	Compounds												
	31 g ai/ha	66	68	69	76	77	78	79	80	81	101	103	109	119 120
5	Preemergence													
	Barnyardgrass	-	-	-	80	90	60	40	85	-	90	50	70	80 85
	Bermudagrass	0	30	35	-	-	-	-	-	0	-	-	-	-
	Blackgrass	0	0	0	50	85	30	0	30	0	0	0	0	35
	Bromegrass, Downy	0	0	0	-	-	-	-	-	0	-	-	-	-
10	Cocklebur	0	15	0	-	-	-	-	-	0	-	-	-	-
	Corn	0	15	15	0	0	0	0	0	0	0	0	0	0
	Crabgrass, Large	90	90	90	98	95	95	95	95	50	95	95	98	98 98
	Cupgrass, Woolly	10	75	75	-	-	-	-	-	0	-	-	-	-
	Foxtail, Giant	20	85	75	90	90	85	80	90	0	95	85	90	90 90
15	Foxtail, Green	50	90	90	-	-	-	-	-	20	-	-	-	-
	Galium	0	0	0	5	-	50	0	5	0	0	0	60	80 5
	Goosegrass	5	55	20	-	-	-	-	-	0	-	-	-	-
	Johnsongrass	30	0	0	20	20	0	0	0	0	0	0	0	0
	Kochia	0	0	0	-	-	-	-	-	-	-	-	-	-
20	Lambsquarters	0	55	35	-	75	-	90	40	0	30	0	0	25 35
	Morningglory	15	0	20	0	0	0	0	0	0	0	0	0	0
	Nightshade	0	10	0	-	-	-	-	-	0	-	-	-	-
	Nutsedge, Yellow	0	10	0	0	0	0	0	0	0	0	0	0	0
	Oat, Wild	0	-	-	-	-	-	-	-	0	-	-	-	-
25	Oilseed Rape	-	-	-	0	0	0	0	5	-	0	0	0	0
	Pigweed	0	45	15	-	0	0	10	75	0	0	0	30	30 50
	Ragweed	10	0	0	-	-	-	-	-	0	15	40	0	60 0
	Russian Thistle	0	-	-	-	-	-	-	-	0	-	-	-	-
	Ryegrass, Italian	0	0	0	0	40	0	0	0	0	30	0	0	0 10
30	Soybean	15	0	0	0	0	0	0	0	0	0	10	100	0 0
	Sunflower	0	0	10	-	-	-	-	-	0	-	-	-	-
	Surinam Grass	0	40	60	-	-	-	-	-	0	-	-	-	-
	Velvetleaf	10	10	30	0	0	15	0	0	0	15	0	0	0 0
	Waterhemp	-	-	-	50	40	50	25	15	-	50	0	0	20 0
35	Wheat	0	0	0	35	0	10	10	0	0	0	0	0	5 10
	Table C	Compounds												
	31 g ai/ha	189	202	204	206	207	211	218	223	224	231	232	233	241 246

Preemergence															
5	Barnyardgrass	85	90	80	90	75	30	80	65	75	85	85	80	90	20
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	10	70	90	85	0	0	0	35	0	50	60	30	50	0
	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Corn	0	20	45	30	0	0	0	0	10	0	0	0	85	0
	Crabgrass, Large	95	90	90	90	90	100	90	85	90	90	85	90	95	95
	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	80	90	90	90	85	0	85	70	80	90	85	85	90	85
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Galium	0	85	-	20	0	-	0	0	0	0	85	0	20	10
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	0	10	10	25	0	0	0	0	0	0	0	0	85	0
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	0	80	100	75	0	100	10	70	55	40	75	85	0	65
20	Morningglory	0	15	0	0	0	0	0	0	5	0	0	0	0	5
	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nutsedge, Yellow	0	0	0	0	0	0	0	100	0	0	0	0	0	85
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Oilseed Rape	0	25	0	5	0	0	0	0	0	0	30	0	0	0
25	Pigweed	0	85	0	70	0	-	5	20	0	35	85	50	0	30
	Ragweed	0	65	30	80	0	0	40	0	10	80	65	10	0	0
	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	0	0	0	30	0	0	0	0	0	0	0	0	20	0
	Soybean	5	0	5	0	0	0	0	0	0	0	0	0	0	0
30	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	0	10	0	0	0	0	0	0	0	10	25	15	0	0
	Waterhemp	0	85	100	70	0	85	30	90	75	75	85	95	25	100
	Wheat	0	0	0	35	0	0	0	0	0	0	0	0	0	0

Table C

Compounds

31 g ai/ha		247	262	263	271	274	275	277	278	279	280	302	303	304	305
Preemergence															
35	Barnyardgrass	15	45	75	90	55	80	95	65	80	55	90	90	85	90
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	0	0	0	0	0	45	70	0	0	0	0	0	35	60

	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	5	0	0	0	0	0	25	0	0	0	0	10	0	65
	Crabgrass, Large	95	95	100	95	85	90	98	90	95	85	95	95	95	95
5	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	95	20	65	90	80	90	98	80	90	70	90	90	90	95
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	90	0	70	-	0	0	100	0	0	0	0	90	85	80
	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Johnsongrass	0	0	5	0	0	10	40	0	0	0	0	0	0	80
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	0	100	50	0	-	70	20	0	0	0	0	55	65	60
	Morningglory	0	0	0	0	0	0	0	0	0	10	0	0	5	0
	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Nutsedge, Yellow	0	75	0	0	0	45	0	0	0	0	0	0	0	0
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Oilseed Rape	5	0	40	0	0	0	0	0	0	0	0	0	50	20
	Pigweed	0	0	70	0	0	0	10	5	0	10	0	35	55	10
	Ragweed	100	0	0	0	-	5	0	0	0	0	35	5	60	0
20	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	0	0	0	0	0	15	40	0	0	0	0	30	30	15
	Soybean	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Velvetleaf	0	0	5	0	0	0	0	0	0	0	0	10	20	25
	Waterhemp	70	0	75	0	0	0	35	0	0	0	30	40	75	40
	Wheat	0	0	0	0	0	5	60	0	0	0	0	0	40	45
Table C		Compounds													
31 g ai/ha		306	307	309	310	312	315	316	317	318	319	323	324	325	345
30	Preemergence														
	Barnyardgrass	90	40	60	50	85	90	85	90	80	90	80	90	85	80
	Bermudagrass	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Blackgrass	0	0	0	0	40	60	0	0	0	40	0	100	5	50
	Bromegrass, Downy	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Cocklebur	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Corn	40	0	0	0	10	50	15	0	0	0	0	25	10	40
	Crabgrass, Large	90	90	90	90	90	90	90	95	95	95	95	95	95	95

	Cupgrass, Woolly	-	-	-	-	-	-	-	-	-	-	-	-	-
	Foxtail, Giant	90	65	90	80	90	90	85	80	10	70	90	90	85
	Foxtail, Green	-	-	-	-	-	-	-	-	-	-	-	-	-
	Galium	90	0	0	0	90	90	0	0	0	95	0	0	20
5	Goosegrass	-	-	-	-	-	-	-	-	-	-	-	-	-
	Johnsongrass	35	0	10	0	30	75	50	0	0	40	0	40	35
	Kochia	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lambsquarters	55	0	0	0	0	40	0	0	10	60	40	50	100
	Morningglory	0	0	0	0	0	20	0	25	30	55	0	0	25
10	Nightshade	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nutsedge, Yellow	0	0	0	0	0	0	0	0	0	0	20	0	0
	Oat, Wild	-	-	-	-	-	-	-	-	-	-	-	-	-
	Oilseed Rape	50	0	0	0	0	5	0	0	0	0	0	0	50
	Pigweed	80	0	0	0	25	45	25	0	0	30	35	55	30
15	Ragweed	50	50	10	0	0	0	0	0	0	0	0	60	10
	Russian Thistle	-	-	-	-	-	-	-	-	-	-	-	-	-
	Ryegrass, Italian	15	0	0	0	10	40	0	0	10	0	0	0	0
	Soybean	0	0	0	0	0	0	0	0	0	0	0	0	0
	Sunflower	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Surinam Grass	-	-	-	-	-	-	-	-	-	-	-	-	-
	Velvetleaf	25	0	0	5	10	30	0	0	0	30	15	0	0
	Waterhemp	85	0	0	0	10	65	0	0	0	35	50	55	0
	Wheat	5	0	0	0	30	50	0	0	0	0	5	0	0

Table C	Compounds	Table C	Compounds
31 g ai/ha	346 350	16 g ai/ha	48 189 271 277 304
Preemergence		Preemergence	
Barnyardgrass	50 75	Barnyardgrass	- 45 75 95 85
Bermudagrass	- -	Bermudagrass	0 - - - -
Blackgrass	20 0	Blackgrass	0 0 - 40 30
Bromegrass, Downy	- -	Bromegrass, Downy	0 - - - -
Cocklebur	- -	Cocklebur	0 - - - -
Corn	0 0	Corn	0 0 0 0 0
Crabgrass, Large	95 90	Crabgrass, Large	75 90 90 95 90
Cupgrass, Woolly	- -	Cupgrass, Woolly	25 - - - -
Foxtail, Giant	90 85	Foxtail, Giant	40 85 75 95 90
Foxtail, Green	- -	Foxtail, Green	70 - - - -
Galium	10 30	Galium	0 0 - 0 100

Goosegrass	-	-	Goosegrass	0	-	-	-	-
Johnsongrass	0	0	Johnsongrass	0	0	0	0	0
Kochia	-	-	Kochia	0	-	-	-	-
Lambsquarters	35	-	Lambsquarters	0	0	0	0	30
Morningglory	0	100	Morningglory	0	0	0	0	0
Nightshade	-	-	Nightshade	0	-	-	-	-
Nutsedge, Yellow	0	0	Nutsedge, Yellow	0	0	0	0	0
Oat, Wild	-	-	Oat, Wild	0	-	-	-	-
Oilseed Rape	0	5	Oilseed Rape	-	0	0	0	30
Pigweed	40	0	Pigweed	0	0	0	0	40
Ragweed	50	0	Ragweed	0	0	0	0	25
Russian Thistle	-	-	Ryegrass, Italian	0	0	0	30	10
Ryegrass, Italian	0	0	Soybean	10	0	0	0	0
Soybean	0	0	Sunflower	0	-	-	-	-
Sunflower	-	-	Surinam Grass	10	-	-	-	-
Surinam Grass	-	-	Velvetleaf	0	0	0	0	0
Velvetleaf	0	0	Waterhemp	-	0	0	0	70
Waterhemp	75	0	Wheat	0	0	0	40	5
Wheat	0	0						

Table C Compound

8 g ai/ha

271

Preemergence

Barnyardgrass

0

Blackgrass

0

Corn

0

Crabgrass, Large

50

Foxtail, Giant

55

Johnsongrass

0

Lambsquarters

0

Morningglory

0

Table C Compounds

2000 g ai/ha

77 247

Flood

5

Barnyardgrass

70 80

Ducksalad

100 100

Rice

60 15

Table C

Compound

8 g ai/ha

271

Preemergence

Nutsedge, Yellow

0

Oilseed Rape

0

Ragweed

0

Ryegrass, Italian

0

Soybean

0

Velvetleaf

0

Waterhemp

0

Wheat

0

Sedge, Umbrella 40 0

Table C

Compounds

1000 g ai/ha 77 87 89 101 102 103 107 111 112 113 114 189 190 200

Flood

5 Barnyardgrass 40 40 75 75 0 85 20 0 0 0 0 75 65 55
 Ducksalad 100 100 100 100 0 100 70 40 0 70 80 100 100 100
 Rice 20 30 0 10 0 10 0 0 0 0 0 0 15 0
 Sedge, Umbrella 20 0 0 0 0 0 0 0 0 0 0 0 0 0

Table C

Compounds

10 1000 g ai/ha 203 204 205 206 207 208 210 211 212 247 270 271 344 346

Flood

Barnyardgrass 40 80 45 85 75 65 75 80 65 70 80 80 55 70
 Ducksalad 50 100 65 100 80 100 100 100 100 100 100 100 85 100
 Rice 0 10 0 15 15 15 0 15 0 0 0 0 0 0
 15 Sedge, Umbrella 0 0 0 0 0 0 0 30 0 0 0 0 0 0

Table C

Compounds

500 g ai/ha 77 87 89 101 102 103 107 111 112 113 114 120 189 190

Flood

Barnyardgrass 30 25 40 60 0 60 0 0 0 0 0 75 50 50
 20 Ducksalad 100 100 100 100 0 95 60 30 0 50 70 100 95 85
 Rice 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 Sedge, Umbrella 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Table C

Compounds

500 g ai/ha 200 203 204 205 206 207 208 210 211 212 247 270 271 275

25 Flood

Barnyardgrass 40 0 75 30 75 70 45 70 55 40 35 60 75 70
 Ducksalad 100 20 100 50 100 100 45 100 75 75 85 100 100 100
 Rice 0 0 0 0 15 15 0 0 15 0 0 0 0 10
 Sedge, Umbrella 0 0 0 0 0 0 0 0 0 0 0 0 0 0

30 Table C Compounds

500 g ai/ha 277 344 346

Flood

Barnyardgrass 70 40 65

Ducksalad 95 65 100

35 Rice 0 0 0

Sedge, Umbrella 0 0 0

	250 g ai/ha	1	2	3	4	5	7	8	10	11	12	14	15	16	17
Flood	Barnyardgrass	0	0	55	40	55	0	0	0	0	65	0	0	15	25
Ducksalad	Rice	0	0	90	85	80	0	0	0	0	85	0	0	100	100
Rice	Sedge, Umbrella	0	0	50	0	0	0	0	0	0	0	20	0	0	40
Table C	Compounds	18	19	20	21	23	25	26	27	28	29	52	77	80	87
250 g ai/ha	Flood	18	19	20	21	23	25	26	27	28	29	52	77	80	87
Table C	Compounds	0	0	0	0	0	0	0	0	0	0	0	0	0	0
250 g ai/ha	Flood	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Table C	Compounds	89	92	93	101	102	103	107	111	112	113	114	119	120	189
250 g ai/ha	Flood	89	92	93	101	102	103	107	111	112	113	114	119	120	189
Table C	Compounds	20	10	40	55	0	40	0	0	0	0	0	75	60	30
250 g ai/ha	Flood	20	10	40	55	0	40	0	0	0	0	0	75	60	30
Table C	Compounds	85	70	85	95	0	90	30	0	0	30	30	100	100	80
250 g ai/ha	Flood	85	70	85	95	0	90	30	0	0	30	30	100	100	80
Table C	Compounds	0	20	30	0	0	0	0	0	0	0	0	20	0	0
250 g ai/ha	Flood	0	20	30	0	0	0	0	0	0	0	0	20	0	0
Table C	Compounds	0	0	0	0	0	0	0	0	0	0	75	0	0	0
250 g ai/ha	Flood	0	0	0	0	0	0	0	0	0	0	75	0	0	0
Table C	Compounds	0	0	0	0	0	0	0	0	0	0	0	0	0	0
250 g ai/ha	Flood	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Table C	Compounds	247	263	270	271	275	277	303	312	317	318	323	324	344	346
250 g ai/ha	Flood	247	263	270	271	275	277	303	312	317	318	323	324	344	346
Table C	Compounds	25	80	30	45	60	70	70	60	30	70	65	70	35	45
250 g ai/ha	Flood	25	80	30	45	60	70	70	60	30	70	65	70	35	45
Table C	Compounds	75	100	85	100	100	85	100	95	0	100	100	100	60	100
250 g ai/ha	Flood	75	100	85	100	100	85	100	95	0	100	100	100	60	100
Table C	Compounds	0	15	0	0	10	0	0	0	0	15	30	0	0	0
250 g ai/ha	Flood	0	15	0	0	10	0	0	0	0	15	30	0	0	0
Table C	Compounds	0	0	0	0	0	0	0	0	0	0	0	0	0	0
250 g ai/ha	Flood	0	0	0	0	0	0	0	0	0	0	0	0	0	0

261

	125 g ai/ha	1	2	3	4	5	7	8	10	11	12	16	17	18	19
	Flood														
	Barnyardgrass	0	0	40	30	20	0	0	0	0	0	0	20	0	0
	Ducksalad	0	0	85	80	70	0	0	0	0	0	85	100	0	0
5	Rice	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Table C	Compounds													
	125 g ai/ha	20	21	28	29	52	80	87	89	92	93	101	102	103	107
	Flood														
10	Barnyardgrass	0	0	0	0	0	0	0	20	10	0	20	0	10	0
	Ducksalad	0	50	40	0	75	100	75	70	20	0	90	0	85	0
	Rice	0	0	0	0	10	0	0	0	20	20	0	0	0	0
	Sedge, Umbrella	0	0	0	0	50	55	0	0	0	0	0	0	0	0
	Table C	Compounds													
15	125 g ai/ha	111	112	113	114	119	120	189	190	200	203	204	205	206	207
	Flood														
	Barnyardgrass	0	0	0	0	60	50	10	10	15	0	50	0	35	40
	Ducksalad	0	0	20	20	100	100	75	50	70	0	50	0	90	60
	Rice	0	0	0	0	10	0	0	0	0	0	0	0	0	15
20	Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Table C	Compounds													
	125 g ai/ha	208	210	211	212	223	224	232	263	270	271	275	277	303	312
	Flood														
	Barnyardgrass	0	0	0	0	0	40	40	45	10	40	45	65	60	30
25	Ducksalad	0	0	60	0	65	80	75	100	75	70	100	80	70	65
	Rice	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Table C	Compounds													
	125 g ai/ha	317	318	323	324	344	346								
30	Flood														
	Barnyardgrass	30	60	50	60	0	30								
	Ducksalad	0	100	90	95	50	95								
	Rice	0	10	0	0	0	0								
	Sedge, Umbrella	0	0	0	0	0	0								
35	Table C	Compounds													
	62 g ai/ha	1	2	3	4	5	7	8	10	11	12	14	15	16	17

262

Flood

Barnyardgrass	0	0	20	0	0	0	0	0	0	0	0	0	0	0
Ducksalad	0	0	60	30	30	0	0	0	0	0	40	0	40	80
Rice	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5 Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table C

Compounds

62 g ai/ha	18	19	20	21	23	25	26	27	28	29	52	80	92	93
------------	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Flood

10 Barnyardgrass	0	0	0	0	0	0	0	0	0	0	0	0	10	0
Ducksalad	0	0	0	0	30	0	0	0	30	0	40	70	20	0
Rice	0	0	0	0	0	0	0	0	0	0	10	0	10	20
Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	40	35	0	0

Table C

Compounds

62 g ai/ha	119	120	223	224	232	263	275	277	303	312	317	318	323	324
------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

15 Flood

Barnyardgrass	50	40	0	20	30	35	35	50	20	0	0	30	45	0
Ducksalad	100	100	50	40	75	90	85	65	60	60	0	60	75	70
Rice	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0

20 Table C

Compounds

31 g ai/ha	1	2	3	4	7	8	10	11	12	16	17	18	19	20
------------	---	---	---	---	---	---	----	----	----	----	----	----	----	----

Flood

25 Barnyardgrass	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ducksalad	0	0	40	20	0	0	0	0	0	0	40	0	0	0
Rice	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sedge, Umbrella	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table C

Compounds

31 g ai/ha	21	28	29	52	80	92	93	119	223	224	232	263	303	312
------------	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----

Flood

30 Barnyardgrass	0	0	0	0	0	10	0	30	0	0	0	20	0	0
Ducksalad	0	20	0	40	70	0	0	100	30	0	50	70	50	50
Rice	0	0	0	10	0	10	10	0	0	0	0	0	0	0
Sedge, Umbrella	0	0	0	0	35	0	0	0	0	0	0	0	0	0

Table C

Compounds

35 31 g ai/ha	317	318	323	324
---------------	-----	-----	-----	-----

Flood

Barnyardgrass	0	20	25	0
Ducksalad	0	50	50	40
Rice	0	0	0	0
Sedge, Umbrella	0	0	0	0

5

TEST D

Seeds of plant species selected from bluegrass (annual bluegrass, *Poa annua*), blackgrass (*Alopecurus myosuroides*), canarygrass (littleseed canarygrass, *Phalaris minor*), chickweed (common chickweed, *Stellaria media*), galium (catchweed bedstraw, *Galium aparine*), brome grass, downy (downy brome grass, *Bromus tectorum*), field poppy (*Papaver rhoeas*), field violet (*Viola arvensis*), foxtail, green (green foxtail, *Setaria viridis*), deadnettle (henbit deadnettle, *Lamium amplexicaule*), ryegrass, Italian (Italian ryegrass, *Lolium multiflorum*), kochia (*Kochia scoparia*), lambsquarters (*Chenopodium album*), oilseed rape (*Brassica napus*), pigweed (*Amaranthus retroflexus*), chamomile (scentless chamomile, *Matricaria inodora*), Russian thistle (*Salsola kali*), speedwell (bird's-eye speedwell, *Veronica persica*), barley, spring (spring barley, *Hordeum vulgare*), wheat, spring (spring wheat, *Triticum aestivum*), buckwheat, wild (wild buckwheat, *Polygonum convolvulus*), mustard, wild (wild mustard, *Sinapis arvensis*), oat, wild (wild oat, *Avena fatua*), radish, wild (wild radish, *Raphanus raphanistrum*), windgrass (*Apera spica-venti*), barley, winter (winter barley, *Hordeum vulgare*), and wheat, winter (winter wheat, *Triticum aestivum*) were planted into a silt loam soil and treated preemergence with test chemicals formulated in a non-phytotoxic solvent mixture which included a surfactant.

At the same time, these species were planted in pots containing Redi-Earth® planting medium (Scotts Company, 14111 Scottslawn Road, Marysville, Ohio 43041) comprising sphagnum peat moss, vermiculite, wetting agent and starter nutrients and treated with postemergence applications of the test chemicals formulated in the same manner. Plants ranged in height from 2 to 18 cm (1- to 4-leaf stage). Treated plants and controls were maintained in a controlled growth environment for 7 to 21 days after which time all species were compared to controls and visually evaluated. Plant response ratings, summarized in Table D, are based on a scale of 0 to 100 where 0 is no effect and 100 is complete control. A dash (–) response means no test result.

Table D		Compounds								
250 g ai/ha		6	12	17	33	34	52	80	202	231
Postemergence										
Barley, Spring		0	5	0	0	0	0	0	5	0
Barley, Winter		0	0	0	0	0	0	0	0	0
Blackgrass		10	20	0	0	0	0	5	40	20

35

	Bluegrass	0	10	0	0	0	0	10	15	10
	Bromegrass, Downy	0	5	0	0	0	0	20	15	25
	Buckwheat, Wild	10	10	20	10	0	0	0	10	0
	Canarygrass	0	30	0	0	0	0	0	0	0
5	Chamomile	0	0	0	0	0	20	50	60	50
	Chickweed	30	30	30	10	20	25	85	80	80
	Deadnettle	10	20	10	10	0	25	40	70	70
	Field Poppy	30	80	0	0	20	0	50	100	50
	Field Violet	25	40	10	0	20	0	25	30	25
10	Foxtail, Green	20	25	0	0	0	0	65	70	70
	Galium	0	25	30	0	0	35	60	70	55
	Kochia	10	35	40	10	25	35	75	75	65
	Lambsquarters	30	25	40	20	20	30	35	75	75
	Mustard, Wild	0	-	30	0	20	25	85	85	75
15	Oat, Wild	5	20	0	0	0	0	10	15	10
	Oilseed Rape	20	25	40	30	20	25	60	55	40
	Pigweed	20	50	50	10	10	40	75	80	45
	Radish, Wild	10	25	15	0	0	-	60	70	70
	Russian Thistle	100	80	40	0	0	0	35	35	35
20	Ryegrass, Italian	0	15	0	0	0	0	0	15	0
	Speedwell	15	25	0	10	30	70	65	90	75
	Wheat, Spring	5	0	0	0	0	0	0	5	0
	Wheat, Winter	0	0	0	0	0	0	5	0	0
	Windgrass	0	5	0	0	0	0	25	45	15
25	Table D	Compounds								
	125 g ai/ha	6	12	17	33	34	50	52	80	202 231
	Postemergence									
	Barley, Spring	0	5	0	0	0	0	0	0	0
	Barley, Winter	0	0	0	0	0	0	0	0	0
30	Blackgrass	5	15	0	0	0	0	0	5	10 10
	Bluegrass	0	10	0	0	0	0	0	15	10 10
	Bromegrass, Downy	0	0	0	0	0	0	0	20	5 25
	Buckwheat, Wild	0	10	10	0	0	10	0	0	0 0
	Canarygrass	0	15	0	0	0	0	0	0	0 0
35	Chamomile	0	0	0	0	0	0	20	35	65 50
	Chickweed	10	20	25	10	10	15	15	85	80 80
	Deadnettle	10	15	10	0	0	0	20	70	60 35

265

	Field Poppy	20	60	0	0	0	0	0	20	100	0
	Field Violet	20	35	0	0	0	0	0	15	30	10
	Foxtail, Green	0	20	0	0	0	0	0	65	70	70
	Galium	0	20	10	0	0	0	25	55	70	55
5	Kochia	5	20	20	0	10	0	25	70	75	60
	Lambsquarters	20	10	20	0	0	20	30	40	70	70
	Mustard, Wild	0	100	30	0	10	40	20	85	80	65
	Oat, Wild	0	15	0	0	0	0	0	5	10	10
	Oilseed Rape	15	20	20	20	0	5	10	45	60	20
10	Pigweed	20	30	50	10	0	10	30	70	75	35
	Radish, Wild	0	25	15	0	0	0	-	35	75	75
	Russian Thistle	0	30	20	0	0	5	0	25	30	35
	Ryegrass, Italian	0	10	0	0	0	0	0	0	10	0
	Speedwell	0	10	0	0	0	-	40	70	85	75
15	Wheat, Spring	5	0	0	0	0	0	0	0	0	0
	Wheat, Winter	0	0	0	0	0	0	0	10	0	0
	Windgrass	0	0	0	0	0	0	0	10	35	0
Table D		Compounds									
	62 g ai/ha	6	12	17	33	34	50	52	80	202	231
20	Postemergence										
	Barley, Spring	0	5	0	0	0	0	0	0	0	0
	Barley, Winter	0	0	0	0	0	0	0	0	0	0
	Blackgrass	5	10	0	0	0	0	0	5	5	10
	Bluegrass	0	0	0	0	0	0	0	10	10	10
25	Bromegrass, Downy	0	0	0	0	0	0	0	15	0	20
	Buckwheat, Wild	0	10	0	0	0	10	0	10	0	0
	Canarygrass	0	15	0	0	0	0	0	0	0	0
	Chamomile	0	0	0	0	0	0	0	30	60	25
	Chickweed	0	0	0	0	0	20	10	45	75	80
30	Deadnettle	0	10	0	0	0	0	0	60	35	70
	Field Poppy	20	50	0	0	0	0	0	55	75	20
	Field Violet	20	30	0	0	0	0	0	20	30	20
	Foxtail, Green	0	10	0	0	0	0	0	45	65	65
	Galium	0	15	0	0	0	0	0	45	70	45
35	Kochia	5	20	20	0	0	15	20	75	70	60
	Lambsquarters	20	10	0	0	0	5	0	45	60	50
	Mustard, Wild	-	40	10	0	0	-	20	80	80	65

266

	Oat, Wild	0	10	0	0	0	0	0	10	10	10
	Oilseed Rape	10	10	10	10	0	5	0	50	70	10
	Pigweed	10	25	40	0	0	0	0	70	75	35
	Radish, Wild	0	20	0	0	0	0	-	70	70	70
5	Russian Thistle	0	20	0	0	0	10	0	30	30	35
	Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0
	Speedwell	0	10	0	0	0	-	25	70	75	70
	Wheat, Spring	5	0	0	0	0	0	0	0	0	0
	Wheat, Winter	0	0	0	0	0	0	0	0	0	0
10	Windgrass	0	0	0	0	0	0	0	10	10	5
Table D		Compounds									
	31 g ai/ha	6	12	17	33	34	50	52	80	202	231
	Postemergence										
	Barley, Spring	0	0	0	0	0	0	0	0	0	0
15	Barley, Winter	0	0	0	0	0	0	0	0	0	0
	Blackgrass	0	10	0	0	0	0	0	5	0	0
	Bluegrass	0	0	0	0	0	0	0	5	0	5
	Bromegrass, Downy	0	0	0	0	0	0	0	15	0	15
	Buckwheat, Wild	0	0	0	0	0	10	0	0	0	0
20	Canarygrass	0	0	0	0	0	0	0	0	0	0
	Chamomile	0	0	0	0	0	0	0	20	5	20
	Chickweed	0	0	0	0	0	15	0	35	75	25
	Deadnettle	0	0	0	0	0	0	0	70	5	35
	Field Poppy	0	0	0	0	0	0	0	25	0	0
25	Field Violet	0	0	0	0	0	0	0	15	40	20
	Foxtail, Green	0	0	0	0	0	0	0	45	60	10
	Galium	0	0	0	0	0	0	0	20	60	40
	Kochia	5	5	0	0	-	15	0	65	70	55
	Lambsquarters	10	0	0	0	0	5	0	45	65	55
30	Mustard, Wild	0	10	0	0	0	60	10	70	85	35
	Oat, Wild	0	0	0	0	0	0	0	10	5	5
	Oilseed Rape	10	10	0	0	0	5	0	30	60	15
	Pigweed	10	10	0	0	0	0	0	40	75	20
	Radish, Wild	0	0	0	0	0	0	-	50	50	30
35	Russian Thistle	0	0	0	0	0	0	0	20	30	20
	Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0
	Speedwell	0	0	0	0	0	-	20	60	60	60

Wheat, Spring	0	0	0	0	0	0	0	0	0	0
Wheat, Winter	0	0	0	0	0	0	0	0	0	0
Windgrass	0	0	0	0	0	0	0	0	0	0

Table D Compounds

5	16 g ai/ha	6	12	17	33	34	50	52
	Postemergence							
	Barley, Spring	0	0	0	0	0	0	0
	Barley, Winter	0	0	0	0	0	0	0
	Blackgrass	0	5	0	0	0	0	0
10	Bluegrass	0	0	0	0	0	0	0
	Bromegrass, Downy	0	0	0	0	0	0	0
	Buckwheat, Wild	0	0	0	0	0	10	0
	Canarygrass	0	0	0	0	0	0	0
	Chamomile	0	0	0	0	0	0	0
15	Chickweed	0	0	0	0	0	10	0
	Deadnettle	0	0	0	0	0	0	0
	Field Poppy	0	0	0	0	0	0	0
	Field Violet	0	0	0	0	0	0	0
	Foxtail, Green	0	0	0	0	0	0	0
20	Galium	0	0	0	0	0	0	0
	Kochia	0	5	0	0	0	10	0
	Lambsquarters	0	0	0	0	0	5	0
	Mustard, Wild	0	0	0	0	0	40	0
	Oat, Wild	0	0	0	0	0	0	0
25	Oilseed Rape	10	10	0	0	0	5	0
	Pigweed	0	0	0	0	0	5	0
	Radish, Wild	0	0	0	0	0	0	-
	Russian Thistle	0	0	0	0	0	5	0
	Ryegrass, Italian	0	0	0	0	0	0	0
30	Speedwell	0	0	0	0	0	0	20
	Wheat, Spring	0	0	0	0	0	0	0
	Wheat, Winter	0	0	0	0	0	0	0
	Windgrass	0	0	0	0	0	0	0

Table D Compounds

35	250 g ai/ha	6	12	52	77	80	202	204	206	207	231	241
	Preemergence											
	Barley, Spring	10	0	5	25	30	30	45	55	25	35	35

	Barley, Winter	20	0	25	55	25	25	35	65	45	20	65
	Blackgrass	0	0	0	65	25	75	65	90	75	55	75
	Bluegrass	0	40	20	55	45	70	35	70	30	25	70
	Bromegrass, Downy	10	10	0	25	10	20	45	70	15	15	60
5	Buckwheat, Wild	0	100	10	55	15	15	25	55	35	10	80
	Canarygrass	20	40	0	85	20	75	75	85	75	35	75
	Chamomile	90	20	80	-	85	100	-	-	85	100	-
	Chickweed	-	0	-	100	100	95	100	95	100	90	100
	Deadnettle	40	50	30	75	70	85	35	75	20	85	45
10	Field Poppy	100	0	80	100	100	100	95	95	100	95	100
	Field Violet	0	0	-	55	25	15	25	25	35	0	30
	Foxtail, Green	10	0	60	85	80	95	100	98	90	98	90
	Galium	100	10	20	85	75	85	25	80	20	40	80
	Kochia	50	0	40	85	75	85	70	80	60	85	70
15	Lambsquarters	0	30	20	90	90	85	90	90	90	90	90
	Mustard, Wild	20	70	10	45	70	75	20	75	30	15	25
	Oat, Wild	0	0	0	45	20	40	40	55	20	30	55
	Oilseed Rape	20	20	10	5	30	75	0	5	0	55	10
	Pigweed	0	0	15	80	45	90	35	50	5	80	80
20	Radish, Wild	-	-	-	30	70	80	0	30	15	0	0
	Russian Thistle	30	0	30	-	-	40	-	-	-	30	-
	Ryegrass, Italian	0	0	0	35	15	10	60	75	15	0	50
	Speedwell	50	100	100	100	100	100	70	90	30	100	85
	Wheat, Spring	0	0	0	25	20	35	30	65	10	20	40
25	Wheat, Winter	0	0	10	55	10	25	20	30	20	25	25
	Windgrass	100	0	60	95	90	90	95	90	65	85	98
Table D		Compounds										
	125 g ai/ha	6	12	50	52	77	80	202	204	206	207	231 241
	Preemergence											
30	Barley, Spring	0	0	0	0	25	15	25	20	40	20	5 20
	Barley, Winter	0	0	0	0	45	15	20	25	40	25	0 30
	Blackgrass	0	0	0	0	40	20	65	40	85	20	15 50
	Bluegrass	0	20	0	0	45	20	65	15	35	15	15 45
	Bromegrass, Downy	0	0	0	0	10	5	0	35	55	15	0 15
35	Buckwheat, Wild	0	0	-	10	55	5	10	25	50	25	0 20
	Canarygrass	20	20	0	0	65	10	60	10	85	0	20 65
	Chamomile	70	0	5	75	-	80	75	-	-	85	80 -

	Chickweed	-	0	0	-	100	100	90	100	70	70	95	95
	Deadnettle	40	0	100	0	60	65	80	25	40	20	60	35
	Field Poppy	0	0	65	-	95	100	90	80	90	80	100	95
	Field Violet	0	0	0	-	20	20	10	25	35	35	10	20
5	Foxtail, Green	0	0	40	0	70	75	98	98	98	75	95	90
	Galium	100	0	0	0	85	65	80	10	50	45	35	35
	Kochia	40	0	0	20	80	70	85	15	70	10	80	80
	Lambsquarters	0	30	0	20	90	90	85	65	85	65	90	90
	Mustard, Wild	10	20	80	0	25	65	20	20	0	25	0	15
10	Oat, Wild	0	0	0	0	20	10	35	60	40	5	25	20
	Oilseed Rape	10	10	0	10	5	10	45	0	0	0	45	5
	Pigweed	0	0	5	10	80	20	90	35	40	0	60	85
	Radish, Wild	-	-	-	-	25	30	0	0	30	15	0	0
	Russian Thistle	10	0	0	20	-	-	35	-	-	-	15	-
15	Ryegrass, Italian	0	0	0	0	25	5	5	45	55	5	0	20
	Speedwell	30	0	0	100	35	85	90	10	65	25	100	70
	Wheat, Spring	0	0	0	0	20	10	25	25	45	10	0	25
	Wheat, Winter	0	0	0	0	25	10	25	15	25	10	15	10
	Windgrass	100	0	0	40	90	75	90	85	90	20	75	95
20	Table D	Compounds											
	62 g ai/ha	6	12	50	52	77	80	202	204	206	207	231	241
	Preemergence												
	Barley, Spring	0	0	0	0	5	10	25	15	35	5	5	10
	Barley, Winter	0	0	0	0	0	5	20	20	30	10	0	10
25	Blackgrass	0	0	0	0	25	10	35	10	70	5	0	55
	Bluegrass	0	0	0	0	5	10	25	0	30	15	0	15
	Bromegrass, Downy	0	0	0	0	0	5	0	20	25	15	0	15
	Buckwheat, Wild	0	0	0	0	75	0	10	25	65	15	0	15
	Canarygrass	10	0	0	0	45	0	10	10	75	5	15	45
30	Chamomile	30	0	0	75	-	80	65	-	-	80	75	-
	Chickweed	-	0	0	-	90	100	80	100	100	60	85	80
	Deadnettle	0	0	100	0	65	0	65	25	35	0	75	30
	Field Poppy	0	0	0	50	90	100	85	85	90	75	80	95
	Field Violet	0	0	0	-	20	20	0	15	35	15	0	15
35	Foxtail, Green	0	0	50	0	80	65	90	98	95	60	80	90
	Galium	50	0	0	0	55	45	70	10	40	60	40	25
	Kochia	30	0	10	20	75	35	85	45	60	10	20	30

270

	Lambsquarters	0	0	0	0	85	80	85	30	80	30	80	90
	Mustard, Wild	0	0	0	0	20	25	0	20	0	25	10	15
	Oat, Wild	0	0	0	0	15	5	20	25	35	0	20	15
	Oilseed Rape	0	10	0	0	5	10	35	0	0	0	0	0
5	Pigweed	0	0	25	10	70	10	80	5	20	0	50	15
	Radish, Wild	-	-	0	-	10	30	0	0	25	10	0	0
	Russian Thistle	0	0	0	0	-	-	20	-	-	-	5	-
	Ryegrass, Italian	0	0	0	0	15	5	5	15	30	5	0	20
	Speedwell	10	0	0	90	25	85	90	10	25	20	80	35
10	Wheat, Spring	0	0	0	0	10	10	5	0	25	10	5	0
	Wheat, Winter	0	0	0	0	0	5	10	15	0	15	10	5
	Windgrass	0	0	5	0	85	20	85	65	75	20	70	90
Table D		Compounds											
	31 g ai/ha	6	12	50	52	77	80	202	204	206	207	231	241
15	Preemergence												
	Barley, Spring	0	0	0	0	5	0	0	0	5	0	0	0
	Barley, Winter	0	0	0	0	0	0	20	0	15	5	0	10
	Blackgrass	0	0	0	0	10	5	30	5	30	0	0	20
	Bluegrass	0	0	0	0	0	0	10	0	0	0	5	15
20	Bromegrass, Downy	0	0	0	0	0	0	0	0	10	0	0	0
	Buckwheat, Wild	0	0	0	0	0	0	0	20	45	0	0	15
	Canarygrass	0	0	0	0	25	0	5	0	55	0	0	20
	Chamomile	0	0	0	20	-	80	60	-	-	75	75	-
	Chickweed	-	-	0	-	75	85	45	100	30	60	75	90
25	Deadnettle	0	0	50	0	15	0	40	25	20	0	35	35
	Field Poppy	0	0	50	50	75	90	85	75	80	55	80	90
	Field Violet	0	0	0	-	15	0	0	10	15	10	0	15
	Foxtail, Green	0	0	0	0	15	20	90	90	85	15	45	35
	Galium	0	0	0	0	35	0	75	0	10	55	20	20
30	Kochia	0	0	10	20	35	15	85	20	45	10	0	20
	Lambsquarters	0	0	0	0	85	85	80	35	50	0	45	85
	Mustard, Wild	0	0	-	0	0	0	0	0	0	10	0	10
	Oat, Wild	0	0	0	0	10	0	5	0	25	0	20	15
	Oilseed Rape	0	0	0	0	5	0	0	0	0	0	0	0
35	Pigweed	0	0	10	10	25	5	75	0	5	0	50	15
	Radish, Wild	-	-	-	-	0	15	0	0	25	15	0	0
	Russian Thistle	0	0	0	0	-	-	15	-	-	-	0	-

	Ryegrass, Italian	0	0	0	0	15	0	0	5	35	0	0	15
	Speedwell	10	0	0	90	20	10	90	0	0	20	75	10
	Wheat, Spring	0	0	0	0	10	0	0	0	10	5	0	0
	Wheat, Winter	0	0	0	0	0	5	5	5	0	0	5	0
5	Windgrass	0	0	0	0	45	5	65	50	75	5	55	65

Table D	Compounds	Table D	Compounds
16 g ai/ha	6 12 50 52	16 g ai/ha	6 12 50 52
Preemergence		Preemergence	
Barley, Spring	0 0 0 0	Galium	0 0 0 0
Barley, Winter	0 0 0 0	Kochia	0 0 5 0
Blackgrass	0 0 0 0	Lambsquarters	0 0 0 0
Bluegrass	0 0 0 0	Mustard, Wild	0 0 50 0
Bromegrass, Downy	0 0 0 0	Oat, Wild	0 0 0 0
Buckwheat, Wild	0 0 0 0	Oilseed Rape	0 0 0 0
Canarygrass	0 0 0 0	Pigweed	0 0 10 0
Chamomile	0 0 0 20	Russian Thistle	0 0 0 0
Chickweed	- - 0 -	Ryegrass, Italian	0 0 0 0
Deadnettle	0 0 50 0	Speedwell	0 0 0 40
Field Poppy	- 0 0 30	Wheat, Spring	0 0 0 0
Field Violet	0 0 0 -	Wheat, Winter	0 0 0 0
Foxtail, Green	0 0 0 0	Windgrass	0 0 0 0

TEST E

- Seeds of plant species selected from corn (*Zea mays*), soybean (*Glycine max*), velvetleaf (*Abutilon theophrasti*), lambsquarters (*Chenopodium album*), wild poinsettia (*Euphorbia heterophylla*), pigweed, palmer (palmer pigweed, *Amaranthus palmeri*), waterhemp (common waterhemp, *Amaranthus rudis*), surinam grass (*Brachiaria decumbens*), crabgrass, large (large crabgrass, *Digitaria sanguinalis*), crabgrass, Brazil (Brazilian crabgrass, *Digitaria horizontalis*), panicum, fall (fall panicum, *Panicum dichotomiflorum*), foxtail, giant (giant foxtail, *Setaria faberii*), foxtail, green (green foxtail, *Setaria viridis*), goosegrass (*Eleusine indica*), johnsongrass (*Sorghum halepense*), ragweed (common ragweed, *Ambrosia elatior*), barnyardgrass (*Echinochloa crus-galli*), sandbur (southern sandbur, *Cenchrus echinatus*), arrowleaf sida (*Sida rhombifolia*), ryegrass, Italian (Italian ryegrass, *Lolium multiflorum*), dayflower, VA (Virginia dayflower, *Commelina virginica*), field bindweed (*Convolvulus arvensis*), morningglory (*Ipomoea coccinea*), nightshade (eastern black nightshade, *Solanum ptycanthum*), kochia (*Kochia scoparia*), nutsedge, yellow (yellow nutsedge, *Cyperus esculentus*), cocklebur (common cocklebur,

Xanthium strumarium), smartweed (ladythumb smartweed, *Polygonum Persicaria*) and beggarticks (hairy beggarticks, *Bidens pilosa*), were planted into a silt loam soil and treated preemergence with test chemicals formulated in a non-phytotoxic solvent mixture which included a surfactant. Treated plants and controls were maintained in a greenhouse for 21 days, after which time all species were compared to controls and visually evaluated. Plant response ratings, summarized in Table E, are based on a scale of 0 to 100 where 0 is no effect and 100 is complete control. A dash (–) response means no test result.

Table E		Compounds										
250 g ai/ha		14	16	17	66	80	103	202	204	206	232	350
10	Preemergence											
	Arrowleaf Sida	0	0	0	0	10	65	80	0	50	90	50
	Barnyardgrass	75	70	98	50	80	90	98	98	98	95	98
	Beggarticks	0	0	–	0	60	15	80	0	0	60	20
	Cocklebur	0	0	–	–	0	–	–	–	0	–	–
15	Corn	0	0	0	0	30	0	60	40	70	0	0
	Crabgrass, Brazil	95	98	98	98	95	98	98	98	98	98	98
	Crabgrass, Large	90	98	95	98	95	98	98	98	100	98	98
	Dayflower, VA	0	–	0	0	0	0	40	30	20	10	40
	Field Bindweed	0	0	0	0	0	35	70	30	50	40	60
20	Foxtail, Giant	90	95	98	–	90	98	98	98	98	98	80
	Foxtail, Green	70	95	95	60	90	98	98	98	98	98	85
	Goosegrass	0	0	35	0	80	0	98	0	90	95	25
	Johnsongrass	0	0	0	0	30	20	25	40	90	25	0
	Kochia	0	0	50	0	90	0	98	40	80	98	90
25	Lambsquarters	70	0	0	0	90	98	98	65	98	98	95
	Morningglory	0	0	–	0	40	10	30	30	0	35	0
	Nightshade	70	0	0	0	70	0	80	100	10	–	80
	Nutsedge, Yellow	0	0	15	0	0	15	0	0	75	0	15
	Panicum, Fall	40	–	0	0	0	0	85	75	98	60	0
30	Pigweed, Palmer	0	0	0	–	90	25	80	0	0	65	35
	Poinsettia, Wild	25	0	20	20	0	0	65	20	25	40	30
	Ragweed	0	0	0	20	20	0	90	0	75	95	65
	Ryegrass, Italian	0	30	0	0	60	0	50	30	65	40	35
	Sandbur	30	95	95	35	70	95	80	80	98	90	85
35	Smartweed	–	–	–	–	40	–	–	–	–	–	–
	Soybean	0	0	0	0	40	0	0	–	0	0	0
	Surinam Grass	60	60	75	35	70	95	95	95	98	98	65

[illegible]

[illegible]

275

	Crabgrass, Brazil	65	25	65	85	-	70	80	95	80	95	0
	Crabgrass, Large	-	20	20	10	90	65	98	95	98	95	50
	Dayflower, VA	0	-	0	0	0	0	0	0	0	0	0
	Field Bindweed	0	0	0	0	0	0	60	0	20	0	40
5	Foxtail, Giant	0	0	35	0	65	60	35	50	90	35	0
	Foxtail, Green	0	0	25	0	60	20	10	40	80	80	20
	Goosegrass	0	0	0	0	30	0	35	0	0	35	0
	Johnsongrass	0	0	0	0	0	0	0	0	30	0	0
	Kochia	0	0	0	0	60	0	95	0	0	90	0
10	Lambsquarters	0	0	0	0	80	0	0	98	35	95	80
	Morningglory	0	0	-	0	0	0	0	0	0	0	0
	Nightshade	0	0	-	0	-	0	0	0	0	25	0
	Nutsedge, Yellow	0	0	0	0	0	0	0	0	15	0	0
	Panicum, Fall	0	0	0	0	0	0	0	0	75	35	0
15	Pigweed, Palmer	0	0	0	-	0	0	0	0	0	0	0
	Poinsettia, Wild	0	0	0	0	0	0	0	0	0	0	0
	Ragweed	0	-	0	0	0	0	20	0	0	35	0
	Ryegrass, Italian	0	0	0	0	0	0	0	0	0	0	0
	Sandbur	0	0	0	0	30	10	35	20	65	35	15
20	Smartweed	-	-	-	-	0	-	-	-	-	-	-
	Soybean	0	0	0	0	0	0	0	0	0	0	0
	Surinam Grass	0	0	0	0	40	20	20	35	50	40	0
	Velvetleaf	0	0	0	0	0	0	0	0	0	0	0
	Waterhemp	0	0	0	0	20	0	50	0	50	35	0

Table E	Compounds					Table E	Compounds				
16 g ai/ha	14	16	17	66	80	16 g ai/ha	14	16	17	66	80
Preemergence						Preemergence					
Arrowleaf Sida	0	0	0	0	0	Morningglory	0	0	-	0	0
Barnyardgrass	0	0	0	0	0	Nightshade	0	0	0	0	50
Beggarticks	0	0	-	0	0	Nutsedge, Yellow	0	0	0	0	0
Cocklebur	-	0	0	0	0	Panicum, Fall	0	0	0	0	0
Corn	0	0	0	0	0	Pigweed, Palmer	0	0	0	-	0
Crabgrass, Brazil	0	25	40	85	-	Poinsettia, Wild	0	0	0	0	0
Crabgrass, Large	0	10	15	0	50	Ragweed	0	-	0	0	0
Dayflower, VA	0	0	0	0	0	Ryegrass, Italian	0	0	0	0	0
Field Bindweed	0	0	0	0	0	Sandbur	0	0	0	0	20
Foxtail, Giant	0	0	0	0	0	Smartweed	-	-	-	-	0

Foxtail, Green	0	0	0	0	50	Soybean	0	0	0	0	0
Goosegrass	0	0	0	0	10	Surinam Grass	0	0	0	0	30
Johnsongrass	0	0	0	0	0	Velvetleaf	0	0	0	0	0
Kochia	0	-	0	0	-	Waterhemp	0	0	0	0	0
Lambsquarters	0	0	0	0	50						

TEST F

Three plastic pots (ca. 16-cm diameter) per rate were partially filled with sterilized Tama silt loam soil comprising a 35:50:15 ratio of sand, silt and clay and 2.6% organic matter. Separate plantings for each of the three pots were as follows. Seeds from the U.S. of monochoria (*Monochoria vaginalis*), sedge, umbrella (small-flower umbrella sedge, *Cyperus difformis*), bulrush, hardstem (hardstem bulrush, *Scirpus juncooides*), and redstem (purple redstem, *Ammannia coccinea*), were planted into one 16-cm pot for each rate. Seeds from the U.S. of flatsedge, rice (rice flatsedge, *Cyperus iria*), sprangletop, Brdd. (bearded sprangletop, *Leptochloa fascicularis*), one stand of 9 or 10 water seeded rice seedlings (Rice, W.S. Jap, *Oryza sativa* cv. 'Japonica – M202' or Rice, W.S. Ind, 'Indica'), and two stands of 3 or 4 seedlings of rice, transplanted (transplanted rice, *Oryza sativa* cv. 'Japonica – M202') were planted into one 16-cm pot for each rate. Seeds from the U.S. of barnyardgrass (*Echinochloa crus-galli*), waterplantain (common waterplantain, *Alisma plantago-aquatica*), and watergrass, late (late watergrass, *Echinochloa oryzicola*) were planted into one 16-cm pot for each rate. Plantings were sequential so that crop and weed species were at the 2.0 to 2.5-leaf stage at time of treatment.

Potted plants were grown in a greenhouse with day/night temperature settings of 30/27 °C, and supplemental balanced lighting was provided to maintain a 16-h photoperiod. Test pots were maintained in the greenhouse until test completion.

At time of treatment, test pots were flooded to 3 cm above the soil surface, treated by application of test compounds directly to the paddy water, and then maintained at that water depth for the duration of the test. Effects of treatments on rice and weeds were visually evaluated by comparison to untreated controls after 21 d. Plant response ratings, summarized in Table F, are based on a scale of 0 to 100 where 0 is no effect and 100 is complete control. A dash (–) response means no test result.

Table F	Compounds				Table F	Compounds			
2000 g ai/ha	5	17	247		1000 g ai/ha	5	17	103	247
Flood					Flood				
Barnyardgrass	90	100	75		Barnyardgrass	90	95	100	70
Bulrush, Hardstem	-	40	-		Bulrush, Hardstem	-	0	-	-
Flatsedge, Rice	0	40	35		Flatsedge, Rice	0	35	-	0

Monochoria	75	95	75	Monochoria	75	95	100	75
Redstem	45	40	55	Redstem	45	35	-	50
Rice, Transplanted	0	10	15	Rice, Transplanted	0	10	0	10
Rice, W.S. Jap	-	85	-	Rice, W.S. Ind	-	-	15	-
Sedge, Umbrella	0	20	0	Rice, W.S. Jap	-	60	-	-
Sprangletop, Brdd.	90	100	98	Sedge, Umbrella	0	0	-	0
Watergrass, Late	100	95	90	Sprangletop, Brdd.	85	85	100	98
Waterplantain	90	-	90	Watergrass, Late	100	90	100	85
				Waterplantain	85	-	-	90

Table F

Compounds

500 g ai/ha	3	5	17	99	101	103	204	206	207	210	247	271	303
Flood													
Barnyardgrass	90	75	90	80	90	100	100	100	100	100	70	100	100
5 Bulrush, Hardstem	30	-	0	-	-	-	-	-	-	-	-	-	80
Flatsedge, Rice	20	0	20	-	-	-	-	-	-	-	0	-	0
Monochoria	100	75	95	95	100	100	100	100	100	100	75	100	100
Redstem	20	40	0	-	-	-	-	-	-	-	0	-	30
Rice, Transplanted	0	0	10	0	0	0	0	40	0	0	0	15	30
10 Rice, W.S. Ind	-	-	-	0	60	0	20	65	10	0	-	60	70
Rice, W.S. Jap	10	-	15	-	-	-	-	-	-	-	-	-	-
Sedge, Umbrella	0	0	0	-	-	-	-	-	-	-	0	-	0
Sprangletop, Brdd.	85	85	85	85	95	100	100	100	100	100	98	95	90
Watergrass, Late	85	75	90	50	85	98	98	100	90	90	70	100	100
15 Waterplantain	-	80	-	-	-	-	-	-	-	-	90	-	-

Table F

Compounds

250 g ai/ha	3	5	17	99	101	103	204	206	207	210	247	271	303
Flood													
Barnyardgrass	90	65	90	50	85	100	100	100	100	100	65	100	100
20 Bulrush, Hardstem	0	-	0	-	-	-	-	-	-	-	-	-	70
Flatsedge, Rice	0	0	20	-	-	-	-	-	-	-	0	-	0
Monochoria	90	75	90	85	100	100	100	100	100	85	70	100	100
Redstem	0	0	0	-	-	-	-	-	-	-	0	-	0
Rice, Transplanted	0	0	10	0	0	0	0	10	0	0	0	0	15
25 Rice, W.S. Ind	-	-	-	0	35	0	10	45	0	0	-	30	40
Rice, W.S. Jap	0	-	15	-	-	-	-	-	-	-	-	-	-
Sedge, Umbrella	0	0	0	-	-	-	-	-	-	-	0	-	0
Sprangletop, Brdd.	80	85	85	75	95	100	100	100	100	100	95	80	85

Watergrass, Late	80	70	85	40	85	98	98	100	85	75	65	100	100
Waterplantain	-	70	-	-	-	-	-	-	-	-	85	-	-

Table F

Compounds

125 g ai/ha	5	17	99	101	103	204	206	207	210	247	271	303
-------------	---	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----

5

Flood

Barnyardgrass	55	90	25	85	60	100	100	60	75	60	75	100
---------------	----	----	----	----	----	-----	-----	----	----	----	----	-----

Bulrush, Hardstem	-	0	-	-	-	-	-	-	-	-	-	0
-------------------	---	---	---	---	---	---	---	---	---	---	---	---

Flatsedge, Rice	0	20	-	-	-	-	-	-	-	0	-	0
-----------------	---	----	---	---	---	---	---	---	---	---	---	---

Monochoria	75	90	50	100	100	95	90	65	65	70	100	100
------------	----	----	----	-----	-----	----	----	----	----	----	-----	-----

10

Redstem	0	0	-	-	-	-	-	-	-	0	-	0
---------	---	---	---	---	---	---	---	---	---	---	---	---

Rice, Transplanted	0	10	0	0	0	0	0	0	0	0	0	0
--------------------	---	----	---	---	---	---	---	---	---	---	---	---

Rice, W.S. Ind	-	-	0	20	0	0	25	0	0	-	15	25
----------------	---	---	---	----	---	---	----	---	---	---	----	----

Rice, W.S. Jap	-	0	-	-	-	-	-	-	-	-	-	-
----------------	---	---	---	---	---	---	---	---	---	---	---	---

Sedge, Umbrella	0	0	-	-	-	-	-	-	-	0	-	0
-----------------	---	---	---	---	---	---	---	---	---	---	---	---

15

Sprangletop, Brdd.	85	85	0	85	80	98	95	100	100	90	30	80
--------------------	----	----	---	----	----	----	----	-----	-----	----	----	----

Watergrass, Late	55	80	30	75	60	70	100	65	55	65	75	95
------------------	----	----	----	----	----	----	-----	----	----	----	----	----

Waterplantain	55	-	-	-	-	-	-	-	-	80	-	-
---------------	----	---	---	---	---	---	---	---	---	----	---	---

Table F

Compounds

64 g ai/ha	101	103	206	271
------------	-----	-----	-----	-----

Flood

Barnyardgrass	60	60	90	55
---------------	----	----	----	----

Monochoria	75	85	80	85
------------	----	----	----	----

Rice, Transplanted	0	0	0	0
--------------------	---	---	---	---

Rice, W.S. Ind	0	0	15	0
----------------	---	---	----	---

Sprangletop, Brdd.	75	80	90	20
--------------------	----	----	----	----

Watergrass, Late	65	40	90	45
------------------	----	----	----	----

Table F

Compound

62 g ai/ha	303
------------	-----

Flood

Barnyardgrass	100
---------------	-----

Bulrush, Hardstem	0
-------------------	---

Flatsedge, Rice	0
-----------------	---

Monochoria	100
------------	-----

Redstem	0
---------	---

Rice, Transplanted	0
--------------------	---

Rice, Water Seeded	0
--------------------	---

Sedge, Umbrella	0
-----------------	---

Sprangletop, Brdd.	70
--------------------	----

Watergrass, Late	95
------------------	----

TEST G

20 Seeds of small-flower umbrella sedge (CYPDI, *Cyperus difformis*) and ducksalad (HETLI, *Heteranthera limosa*) were sown on the soil surface in two separate quadrants of 11-cm (4-inch) tubs filled with steam pasteurized Tama soil. Simultaneously, plantings of barnyardgrass (ECHCG, *Echinochloa crus-galli*) and transplanted japonica rice (ORYSA, *Oryza sativa*) were established in separate "plug" flats. Plants were grown in a greenhouse using supplemental lighting to maintain a photoperiod of approximately 16 h; daytime and

nighttime temperatures were approximately 27-30 °C and 24-27 °C, respectively. After 8 d, barnyardgrass plants were transplanted to one of the remaining quadrants of the tub, and the water level was adjusted to a final depth of 3-cm. Herbicide application timing was targeted at the 2.0 to 2.5 leaf stage and the plants were treated with test chemicals formulated in a non-phytotoxic solvent. Treated plants and controls were maintained in a greenhouse for 14 d, after which time all species were compared to controls and visually evaluated. Plant response ratings are summarized in Tables G1 through G12, and are based on a scale of 0 to 100 where 0 is no effect and 100 is complete control. A dash (–) response means no test result.

Colby's Equation was used to determine the herbicidal effects expected from the mixtures. Colby's Equation (Colby, S. R. "Calculating Synergistic and Antagonistic Responses of Herbicide Combinations," *Weeds*, 15(1), pp 20–22 (1967)) calculates the expected additive effect of herbicidal mixtures and for two active ingredients is of the form:

$$P_{a+b} = P_a + P_b - (P_a P_b / 100)$$

where

P_{a+b} is the percentage effect of the mixture expected from additive contribution of the individual components:

P_a is the observed percentage effect of the first active ingredient at the same use rate as in the mixture, and

P_b is the observed percentage effect of the second active ingredient at the same use rate as in the mixture.

In the following Tables, rates are shown in grams of active ingredient per hectare (g a.i./ha); "Obsd." is the observed effect. "Exp." is the expected effect calculated from Colby's Equation.

Table G1 – Observed and Expected Results from Compound 204 Alone and in Combination with Fentrazamide

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 204	Fentrazamide	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	65	–	0	–
500	–	0	–	100	–	90	–	0	–
–	100	90	–	85	–	50	–	0	–
–	200	100	–	100	–	95	–	15	–
125	100	95	90	100	100	80	83	0	0
125	200	95	90	100	100	95	95	0	0
500	100	100	100	100	100	95	98	0	15
500	200	100	100	100	100	95	100	0	15

Table G2 – Observed and Expected Results from Compound 103 Alone and in Combination with Fentrazamide

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 103	Fentrazamide	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	60	–	0	–
500	–	0	–	100	–	80	–	15	–
–	100	100	–	100	–	85	–	0	–
–	200	100	–	100	–	85	–	0	–
125	100	70	100	100	100	50	94	0	0
125	200	100	100	100	100	75	97	0	15
500	100	100	100	100	100	80	94	10	0
500	200	100	100	100	100	80	97	10	15

Table G3 – Observed and Expected Results from Compound 204 Alone and in Combination with Tefuryltrione

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 204	Tefuryltrione	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	65	–	0	–
500	–	0	–	100	–	90	–	0	–
–	100	100	–	100	–	40	–	0	–
125	100	100	100	100	100	95	79	0	0
500	100	100	100	100	100	95	94	0	0

Table G4 – Observed and Expected Results from Compound 103 Alone and in Combination with Tefuryltrione

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 103	Tefuryltrione	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	60	–	0	–
500	–	0	–	100	–	80	–	15	–
–	100	90	–	90	–	0	–	0	–
125	100	98	90	100	100	55	60	0	0
500	100	98	90	100	100	90	80	0	15

Table G5 – Observed and Expected Results from Compound 204 Alone and in Combination with Triafamone

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 204	Triafamone	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	65	–	0	–
500	–	0	–	100	–	90	–	0	–
–	20	0	–	0	–	90	–	0	–
125	20	0	0	98	100	85	97	0	0
500	20	45	0	100	100	90	99	0	0

Table G6 – Observed and Expected Results from Compound 103 Alone and in Combination with Triafamone

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 103	Triafamone	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	60	–	0	–
500	–	0	–	100	–	80	–	15	–
–	20	0	–	0	–	85	–	0	–
125	20	0	0	100	100	85	94	0	0
500	20	0	0	100	100	90	97	0	15

Table G7 – Observed and Expected Results from Compound 204 Alone and in Combination with Pyrimisulfan

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 204	Pyrimisulfan	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	65	–	0	–
500	–	0	–	100	–	90	–	0	–
–	20	98	–	100	–	75	–	25	–
125	20	100	98	100	100	85	91	25	25
500	20	100	98	100	100	95	98	25	25

Table G8 – Observed and Expected Results from Compound 103 Alone and in Combination with Pyrimisulfan

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 103	Pyrimisulfan	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	60	–	0	–
500	–	0	–	100	–	80	–	15	–
–	20	100	–	100	–	80	–	20	–
125	20	100	100	100	100	85	92	20	20
500	20	100	100	100	100	85	96	0	32

Table G9 – Observed and Expected Results from Compound 204 Alone and in Combination with Mefenecet

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 204	Mefenecet	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	65	–	0	–
500	–	0	–	100	–	90	–	0	–
–	300	100	–	100	–	30	–	0	–
125	300	100	98	100	100	60	76	0	0
500	300	100	98	100	100	90	93	0	0

Table G10 – Observed and Expected Results from Compound 103 Alone and in Combination with Mefenecet

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 103	Mefenecet	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	60	–	0	–
500	–	0	–	100	–	80	–	15	–
–	300	100	–	100	–	65	–	10	–
125	300	100	98	100	100	70	86	10	10
500	300	100	98	100	100	80	93	20	24

Table G11 – Observed and Expected Results from Compound 204 Alone and in Combination with Bensulfuron-methyl

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 204	Bensulfuron-methyl	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	65	–	0	–
500	–	0	–	100	–	90	–	0	–
–	20	100	–	100	–	65	–	10	–
125	20	100	100	100	100	70	88	0	10
500	20	100	100	100	100	90	97	0	10

Table G12 – Observed and Expected Results from Compound 103 Alone and in Combination with Bensulfuron-methyl

Application Rate (g a.i./ha)		CYPDI		HETLI		ECHCG		ORYSA	
Cmpd. 103	Bensulfuron-methyl	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
125	–	0	–	100	–	60	–	0	–
500	–	0	–	100	–	80	–	15	–
–	20	98	–	100	–	65	–	0	–
125	20	98	98	100	100	65	86	0	0
500	20	100	98	100	100	85	93	10	15

TEST H

This test evaluated the effect of mixtures of compound 80 with several commercial herbicides on four plant species. Seeds of plant species selected from corn (ZEAMD, *Zea mays*), soybean (GLXMA, *Glycine max*), waterhemp (common waterhemp, AMATA, *Amaranthus rudis*), and giant foxtail (SETFA, *Setaria faberii*) were planted into a silt loam soil and treated preemergence with test chemicals formulated in a non-phytotoxic solvent mixture which included a surfactant and applied using a volume of 281 L/ha. Each treatment was replicated three times. Treated plants and controls were maintained in a greenhouse using supplemental lighting to maintain a photoperiod of about 16 h; daytime and nighttime temperatures were about 24–30 °C and 19–21 °C, respectively. Nutrients were applied using a balanced fertilizer applied through the watering system. At 21 d after treatment, all species were compared to controls and visually evaluated. Plant response ratings were calculated as the means of the three replicates, are summarized in Tables H1 through H5, and are based on a scale of 0 to 100 where 0 is no effect and 100 is complete control. A dash (–) response means no test result. The Expected (Exp.) results were calculated using Colby's Equation as described for Test G above.

Table H1 – Observed and Expected Results from Compound 80 Alone and in Combination with Chlorimuron-ethyl

Application Rate (g a.i./ha)		ZEAMD		GLXMA		AMATA		SETFA	
Cmpd 80	Chlorimuron-ethyl	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
62	–	17	–	12	–	0	–	52	–
125	–	13	–	0	–	33	–	78	–
–	1	22	–	0	–	47	–	0	–
–	31	73	–	22	–	89	–	47	–
62	1	22	35	18	12	73	47	25	52
125	1	15	32	5	0	73	64	67	78
62	31	96	78	35	31	69	89	58	75
125	31	75	77	0	22	94	93	78	88

Table H2 – Observed and Expected Results from Compound 80 Alone and in Combination with S-metolachlor

Application Rate (g a.i./ha)		ZEAMD		GLXMA		AMATA		SETFA	
Cmpd 80	S-metolachlor	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
62	–	17	–	12	–	0	–	52	–
125	–	13	–	0	–	33	–	78	–
–	31	13	–	18	–	0	–	73	–
–	125	20	–	15	–	85	–	99	–
62	31	10	28	8	28	33	0	93	87
125	31	30	24	25	18	75	33	96	94
62	125	25	34	28	25	85	85	98	100
125	125	37	30	12	15	98	90	93	100

Table H3 – Observed and Expected Results from Compound 80 Alone and in Combination with Saflufenacil

Application Rate (g a.i./ha)		ZEAMD		GLXMA		AMATA		SETFA	
Cmpd 80	Saflufenacil	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
62	–	17	–	12	–	0	–	52	–
125	–	13	–	0	–	33	–	78	–
–	1	20	–	0	–	0	–	0	–
–	31	0	–	13	–	83	–	23	–
62	1	22	34	40	12	38	0	57	52
125	1	15	30	15	0	33	33	80	78
62	31	30	17	25	23	73	83	40	63
125	31	25	13	0	13	97	89	80	83

Table H4 – Observed and Expected Results from Compound 80 Alone and in Combination with Atrazine

Application Rate (g a.i./ha)		ZEAMD		GLXMA		AMATA		SETFA	
Cmpd 80	Atrazine	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
62	–	17	–	12	–	0	–	52	–
125	–	13	–	0	–	33	–	78	–
–	62	0	–	13	–	33	–	0	–
–	125	0	–	48	–	90	–	8	–
62	62	18	17	20	23	83	33	63	52
125	62	10	13	0	13	87	55	78	78
62	125	20	17	5	54	100	90	58	56
125	125	23	13	30	48	98	93	70	80


5 Table H5 – Observed and Expected Results from Compound 80 Alone and in Combination with Mesotrione

Application Rate (g a.i./ha)		ZEAMD		GLXMA		AMATA		SETFA	
Cmpd 80	Mesotrione	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.	Obsd.	Exp.
62	–	17	–	12	–	0	–	52	–
125	–	13	–	0	–	33	–	78	–
–	16	12	–	25	–	96	–	0	–
62	16	20	27	28	34	93	96	25	52
125	16	32	23	83	25	93	97	48	78

CLAIMS

What is claimed is:

1. A compound selected from Formula 1, *N*-oxides and salts thereof:



5 wherein

10 Q^1 is a phenyl ring or a naphthalenyl ring system, each ring or ring system optionally substituted with up to 5 substituents independently selected from R^7 ; or a 5- to 6-membered heterocyclic ring or an 8- to 10-membered heteroaromatic bicyclic ring system, each ring or ring system containing ring members selected from carbon atoms and 1 to 4 heteroatoms independently selected from up to 2 O, up to 2 S and up to 4 N atoms, wherein up to 3 carbon ring members are independently selected from C(=O) and C(=S), and the sulfur atom ring members are independently selected from $S(=O)_u(=NR^8)_v$, each ring or ring system optionally substituted with up to 5 substituents independently selected from R^7 on carbon atom ring members and selected from R^9 on nitrogen atom ring members;

20 Q^2 is a phenyl ring or a naphthalenyl ring system, each ring or ring system optionally substituted with up to 5 substituents independently selected from R^{10} ; or a 5- to 6-membered fully unsaturated heterocyclic ring or an 8- to 10-membered heteroaromatic bicyclic ring system, each ring or ring system containing ring members selected from carbon atoms and 1 to 4 heteroatoms independently selected from up to 2 O, up to 2 S and up to 4 N atoms, wherein up to 3 carbon ring members are independently selected from C(=O) and C(=S), and the sulfur atom ring members are independently selected from $S(=O)_u(=NR^8)_v$, each ring or ring system optionally substituted with up to 5 substituents independently selected from R^{10} on carbon atom ring members and selected from R^{11} on nitrogen atom ring members;

25 Y^1 and Y^2 are each independently O, S or NR^{12} ;

30 R^1 is H, hydroxy, amino, C_1 – C_6 alkyl, C_1 – C_6 haloalkyl, C_2 – C_6 alkenyl, C_3 – C_6 alkynyl, C_4 – C_8 cycloalkylalkyl, C_2 – C_8 alkoxyalkyl, C_2 – C_8 haloalkoxyalkyl, C_2 – C_8 alkylthioalkyl, C_2 – C_8 alkylsulfinylalkyl, C_2 – C_8 alkylsulfonylalkyl, C_2 –

C₈ alkylcarbonyl, C₂–C₈ haloalkylcarbonyl, C₄–C₁₀ cycloalkylcarbonyl, C₂–C₈ alkoxy carbonyl, C₂–C₈ haloalkoxy carbonyl, C₄–C₁₀ cycloalkoxy carbonyl, C₂–C₈ alkylaminocarbonyl, C₃–C₁₀ dialkylaminocarbonyl, C₄–C₁₀ cycloalkylaminocarbonyl, C₁–C₆ alkoxy, C₁–C₆ alkylthio, C₁–C₆ haloalkylthio, C₃–C₈ cycloalkylthio, C₁–C₆ alkylsulfinyl, C₁–C₆ haloalkylsulfinyl, C₃–C₈ cycloalkylsulfinyl, C₁–C₆ alkylsulfonyl, C₁–C₆ haloalkylsulfonyl, C₃–C₈ cycloalkylsulfonyl, C₁–C₆ alkylaminosulfonyl, C₂–C₈ dialkylaminosulfonyl, C₃–C₁₀ trialkylsilyl or G¹;

R² and R³ are each independently H, halogen or C₁–C₄ alkyl; or

R² and R³ are taken together with the carbon atom to which they are bonded to form a C₃–C₇ cycloalkyl ring;

R⁴ and R⁵ are each independently H, halogen or C₁–C₄ alkyl;

R⁶ is H, hydroxy, amino, C₁–C₆ alkyl, C₁–C₆ haloalkyl, C₂–C₆ alkenyl, C₃–C₆ alkynyl, C₂–C₈ alkoxyalkyl, C₂–C₈ haloalkoxyalkyl, C₂–C₈ alkylthioalkyl, C₂–C₈ alkylsulfinylalkyl, C₂–C₈ alkylsulfonylalkyl, C₂–C₈ alkylcarbonyl, C₂–C₈ haloalkylcarbonyl, C₄–C₁₀ cycloalkylcarbonyl, C₂–C₈ alkoxy carbonyl, C₂–C₈ haloalkoxy carbonyl, C₄–C₁₀ cycloalkoxy carbonyl, C₂–C₈ alkylaminocarbonyl, C₃–C₁₀ dialkylaminocarbonyl, C₄–C₁₀ cycloalkylaminocarbonyl, C₁–C₆ alkoxy, C₁–C₆ alkylthio, C₁–C₆ haloalkylthio, C₃–C₈ cycloalkylthio, C₁–C₆ alkylsulfinyl, C₁–C₆ haloalkylsulfinyl, C₃–C₈ cycloalkylsulfinyl, C₁–C₆ alkylsulfonyl, C₁–C₆ haloalkylsulfonyl, C₃–C₈ cycloalkylsulfonyl, C₁–C₆ alkylaminosulfonyl, C₂–C₈ dialkylaminosulfonyl, C₃–C₁₀ trialkylsilyl or G¹;

each R⁷ and R¹⁰ is independently halogen, cyano, nitro, C₁–C₈ alkyl, C₁–C₈ haloalkyl,

C₁–C₈ nitroalkyl, C₂–C₈ alkenyl, C₂–C₈ haloalkenyl, C₂–C₈ nitroalkenyl, C₂–C₈ alkynyl, C₂–C₈ haloalkynyl, C₄–C₁₀ cycloalkylalkyl, C₄–C₁₀

halocycloalkylalkyl, C₅–C₁₂ alkylcycloalkylalkyl, C₅–C₁₂ cycloalkylalkenyl, C₅–C₁₂ cycloalkylalkynyl, C₃–C₈ cycloalkyl, C₃–C₈ halocycloalkyl, C₄–C₁₀ alkylcycloalkyl, C₆–C₁₂ cycloalkylcycloalkyl, C₃–C₈ cycloalkenyl, C₃–C₈ halocycloalkenyl, C₂–C₈ alkoxyalkyl, C₂–C₈ haloalkoxyalkyl, C₃–C₈

haloalkoxyalkoxy, C₃–C₈ alkoxyalkoxy, C₄–C₁₀ cycloalkoxyalkyl, C₃–C₁₀ alkoxyalkoxyalkyl, C₂–C₈ alkylthioalkyl, C₂–C₈ alkylsulfinylalkyl, C₂–C₈ alkylsulfonylalkyl, C₂–C₈ alkylaminoalkyl, C₂–C₈ haloalkylaminoalkyl, C₄–C₁₀ cycloalkylaminoalkyl, C₃–C₁₀ dialkylaminoalkyl, -CHO, C₂–C₈ alkylcarbonyl, C₂–C₈ haloalkylcarbonyl, C₄–C₁₀ cycloalkylcarbonyl, -C(=O)OH, C₂–C₈

alkoxycarbonyl, C₂–C₈ haloalkoxycarbonyl, C₄–C₁₀ cycloalkoxycarbonyl, C₅–C₁₂ cycloalkylalkoxycarbonyl, -C(=O)NH₂, C₂–C₈ alkylaminocarbonyl, C₄–C₁₀ cycloalkylaminocarbonyl, C₃–C₁₀ dialkylaminocarbonyl, C₁–C₈ alkoxy, C₁–C₈ haloalkoxy, C₂–C₈ alkoxyalkoxy, C₂–C₈ alkenyloxy, C₂–C₈ haloalkenyloxy,

- C₃-C₈ alkynyloxy, C₃-C₈ haloalkynyloxy, C₃-C₈ cycloalkoxy, C₃-C₈
 halocycloalkoxy, C₄-C₁₀ cycloalkylalkoxy, C₃-C₁₀ alkylcarbonylalkoxy, C₂-C₈
 alkylcarbonyloxy, C₂-C₈ haloalkylcarbonyloxy, C₄-C₁₀ cycloalkylcarbonyloxy,
 C₁-C₈ alkylsulfonyloxy, C₁-C₈ haloalkylsulfonyloxy, C₁-C₈ alkylthio, C₁-C₈
 haloalkylthio, C₃-C₈ cycloalkylthio, C₁-C₈ alkylsulfinyl, C₁-C₈
 haloalkylsulfinyl, C₁-C₈ alkylsulfonyl, C₁-C₈ haloalkylsulfonyl, C₃-C₈
 cycloalkylsulfonyl, formylamino, C₂-C₈ alkylcarbonylamino, C₂-C₈
 haloalkylcarbonylamino, C₂-C₈ alkoxycarbonylamino, C₁-C₆
 alkylsulfonylamino, C₁-C₆ haloalkylsulfonylamino, -SF₅, -SCN, SO₂NH₂,
 C₃-C₁₂ trialkylsilyl, C₄-C₁₂ trialkylsilylalkyl, C₄-C₁₂ trialkylsilylalkoxy or G²;
 each R⁸ is independently H, cyano, C₂-C₃ alkylcarbonyl or C₂-C₃ haloalkylcarbonyl;
 each R⁹ and R¹¹ is independently cyano, C₁-C₃ alkyl, C₂-C₃ alkenyl, C₂-C₃ alkynyl,
 C₃-C₆ cycloalkyl, C₂-C₃ alkoxyalkyl, C₁-C₃ alkoxy, C₂-C₃ alkylcarbonyl, C₂-
 C₃ alkoxycarbonyl, C₂-C₃ alkylaminoalkyl or C₃-C₄ dialkylaminoalkyl;
 each R¹² is independently H, cyano, C₁-C₄ alkyl, C₁-C₄ haloalkyl, -(C=O)CH₃
 or -(C=O)CF₃;
 each G¹ is independently phenyl, phenylmethyl, pyridinylmethyl, phenylcarbonyl,
 phenoxy, phenylethynyl, phenylsulfonyl or a 5- or 6-membered heteroaromatic
 ring, each optionally substituted on ring members with up to 5 substituents
 independently selected from R¹³;
 each G² is independently phenyl, phenylmethyl, pyridinylmethyl, phenylcarbonyl,
 phenoxy, phenylethynyl, phenylsulfonyl or a 5- or 6-membered heteroaromatic
 ring, each optionally substituted on ring members with up to 5 substituents
 independently selected from R¹⁴;
 each R¹³ and R¹⁴ is independently halogen, cyano, hydroxy, amino, nitro, -CHO,
 -C(=O)OH, -C(=O)NH₂, -SO₂NH₂, C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₂-C₆
 alkenyl, C₂-C₆ alkynyl, C₂-C₈ alkylcarbonyl, C₂-C₈ haloalkylcarbonyl, C₂-C₈
 alkoxycarbonyl, C₄-C₁₀ cycloalkoxycarbonyl, C₅-C₁₂
 cycloalkylalkoxycarbonyl, C₂-C₈ alkylaminocarbonyl, C₃-C₁₀
 dialkylaminocarbonyl, C₁-C₆ alkoxy, C₁-C₆ haloalkoxy, C₂-C₈
 alkylcarbonyloxy, C₁-C₆ alkylthio, C₁-C₆ haloalkylthio, C₁-C₆ alkylsulfinyl,
 C₁-C₆ haloalkylsulfinyl, C₁-C₆ alkylsulfonyl, C₁-C₆ haloalkylsulfonyl, C₁-C₆
 alkylaminosulfonyl, C₂-C₈ dialkylaminosulfonyl, C₃-C₁₀ trialkylsilyl, C₁-C₆
 alkylamino, C₂-C₈ dialkylamino, C₂-C₈ alkylcarbonylamino, C₁-C₆
 alkylsulfonylamino, phenyl, pyridinyl or thienyl; and
 each u and v are independently 0, 1 or 2 in each instance of S(=O)_u(=NR⁸)_v, provided
 that the sum of u and v is 0, 1 or 2;
 provided that

- (a) the compound of Formula 1 is other than *N*-1*H*-benzotriazol-1-yl-2-oxo-4-phenyl-3-pyrrolidinecarboxamide;
- (b) when Q¹ comprises a 3-furanyl or 3-pyridinyl ring directly bonded to the remainder of Formula 1, then said ring is substituted with at least one substituent selected from R⁷;
- (c) when Q¹ is an unsubstituted phenyl ring, and Q² comprises a phenyl ring directly bonded to the remainder of Formula 1, then said Q² ring is substituted with R¹⁰ other than optionally substituted phenoxy or F at a 2-position, cyano or -CF₃ at the 4-position and R⁵ is H or halogen;
- (d) when Q¹ is unsubstituted phenyl, and Q² comprises a pyridinyl ring directly bonded to the remainder of Formula 1, then said pyridinyl ring is substituted with at least one substituent selected from R¹⁰;
- (e) when Q¹ is a phenyl ring substituted with 4-phenyl or 4-phenoxy, said Q¹ ring is further substituted with and R⁷ substituent;
- (f) when Q¹ comprises a phenyl ring directly bonded to the remainder of Formula 1 and said ring is substituted with R⁷ at both ortho positions (relative to the bond to the remainder of Formula 1), then said ring is also independently substituted with R⁷ on at least one additional position;
- (g) when Q¹ is other than unsubstituted 1-naphthalenyl, then Q² is other than 2,3-difluorophenyl or 2-CF₃-phenyl;
- (h) Q² is other than optionally substituted 1*H*-pyrazol-5-yl; and
- (i) when Q² comprises a 1*H*-pyrazol-3-yl ring directly bonded to the remainder of Formula 1, said ring is substituted at the 1-position with R⁹.

2. The compound of Claim 1 wherein

each R⁷ and R¹⁰ is independently halogen, cyano, nitro, C₁-C₄ alkyl, C₁-C₄ haloalkyl, C₂-C₄ alkenyl, C₂-C₄ haloalkenyl, C₂-C₄ alkynyl, C₂-C₄ haloalkynyl, C₁-C₄ nitroalkyl, C₂-C₄ nitroalkenyl, C₂-C₄ alkoxyalkyl, C₂-C₄ haloalkoxyalkyl, C₃-C₄ cycloalkyl, C₃-C₄ halocycloalkyl, cyclopropylmethyl, methylcyclopropyl, C₁-C₄ alkoxy, C₁-C₄ haloalkoxy, C₂-C₄ alkenyloxy, C₂-C₄ haloalkenyloxy, C₃-C₄ alkynyloxy, C₃-C₄ haloalkynyloxy, C₃-C₄ cycloalkoxy, C₁-C₄ alkylthio, C₁-C₄ haloalkylthio, C₁-C₄ alkylsulfinyl, C₁-C₄ haloalkylsulfinyl, C₁-C₄ alkylsulfonyl, C₁-C₄ haloalkylsulfonyl, hydroxy, formyl, C₂-C₄ alkylcarbonyl, C₂-C₄ alkylcarbonyloxy, C₁-C₄ alkylsulfonyloxy, C₁-C₄ haloalkylsulfonyloxy, amino, C₁-C₄ alkylamino, C₂-C₄ dialkylamino, formylamino, C₂-C₄ alkylcarbonylamino, -SF₅, -SCN, C₃-C₄ trialkylsilyl, trimethylsilylmethyl or trimethylsilylmethoxy; and

each R⁹ and R¹¹ is independently H or C₁–C₂ alkyl.

3. The compound of Claim 2 wherein

Y¹ and Y² are each O;

R¹, R², R³, R⁴, R⁵ and R⁶ are each H; and

5 R¹ is H, C₁–C₆ alkyl, C₁–C₆ haloalkyl or C₄–C₈ cycloalkylalkyl.

4. The compound of Claim 3 wherein

Q¹ is a phenyl ring substituted with 1 to 3 substituents independently selected from R⁷;

10 Q² is a phenyl ring substituted with 1 to 3 substituents independently selected from R¹⁰ and

R¹ is H, C₁–C₆ alkyl or C₁–C₆ haloalkyl

5. The compound of Claim 4 wherein

each R⁷ is independently halogen, cyano, C₁–C₂ alkyl, C₁–C₃ haloalkyl or C₁–C₃ alkylsulfonyl;

15 each R¹⁰ is independently halogen, cyano, nitro, C₁–C₂ alkyl, C₁–C₃ haloalkyl or C₁–C₃ alkylsulfonyl; and

R¹ is H, Me, Et or CHF₂.

6. The compound of Claim 5 wherein

20 Q¹ is a phenyl ring substituted with 1 substituent selected from R⁷ at the para position or substituted with 2 substituents independently selected from R⁷ wherein one substituent is at the para position and the other substituent is at a meta position;

25 Q² is a phenyl ring substituted with 1 substituent selected from R¹⁰ at an ortho position or substituted with 2 substituents independently selected from R¹⁰ wherein one substituent is at an ortho position and the other substituent is at the adjacent meta position; and

R¹ is H, Me or Et.

7. The compound of Claim 6 wherein

each R⁷ is independently F or CF₃;

30 each R¹⁰ is F; and

R¹ is H or CH₃.

8. The compound of Claim 1 selected from the group consisting of

N-(2,3-difluorophenyl)-4-(3,4-difluorophenyl)-2-oxo-3-pyrrolidinecarboxamide;

N-(2-fluorophenyl)-2-oxo-4-[4-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide;

35 *N*-(2,3-difluorophenyl)-2-oxo-4-[4-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide;

N-(3,4-difluorophenyl)-*N*-(2-fluorophenyl)-2-oxo-3-pyrrolidinecarboxamide and

(3*R*,4*S*)-N-(2-fluorophenyl)-2-oxo-4-[3-(trifluoromethyl)phenyl]-3-pyrrolidinecarboxamide.

9. A herbicidal composition comprising a compound of Claim 1 and at least one component selected from the group consisting of surfactants, solid diluents and liquid
5 diluents.

10. The herbicidal composition of Claim 9 further comprising at least one additional active ingredient selected from the group consisting of other herbicides and herbicide safeners.

11. A method for controlling the growth of undesired vegetation comprising
10 contacting the vegetation or its environment with a herbicidally effective amount of a compound of Claim 1.