




Figure 1




Figure 2




Figure 4




Figure 6




Figure 3




Figure 5




Figure 7

REINFORCING BAR SIZE	THREADS PER INCH		BAR Ø/2	COLD-FORGING DIE				THREADS PER INCH	THREADS PER INCH	THREADS PER INCH	THREADS PER INCH
	Size	Pitch		Diameter (D)	Diameter (D1)	Diameter (D2)	Diameter (D3)				
H13	M16	2.0	+/-42.00mm	+/-13.80mm	14.80mm	15.80mm	16.80mm	17.80mm	18.80mm	19.80mm	20.80mm
H16	M20	2.5	+/-45.10mm	+/-17.80mm	18.80mm	19.80mm	20.80mm	21.80mm	22.80mm	23.80mm	24.80mm
H20	M24	3.0	+/-48.70mm	+/-21.50mm	22.50mm	23.50mm	24.50mm	25.50mm	26.50mm	27.50mm	28.50mm
H25	M30	3.5	+/-53.30mm	+/-27.10mm	28.10mm	29.10mm	30.10mm	31.10mm	32.10mm	33.10mm	34.10mm
H28	M33	3.5	+/-55.30mm	+/-29.30mm	30.30mm	31.30mm	32.30mm	33.30mm	34.30mm	35.30mm	36.30mm
H32	M36	4.0	+/-58.10mm	+/-31.00mm	32.00mm	33.00mm	34.00mm	35.00mm	36.00mm	37.00mm	38.00mm
H40	M45	4.5	+/-68.80mm	+/-42.90mm	43.90mm	44.90mm	45.90mm	46.90mm	47.90mm	48.90mm	49.90mm
H50	M56	5.5	+/-87.00mm	+/-52.40mm	53.40mm	54.40mm	55.40mm	56.40mm	57.40mm	58.40mm	59.40mm

Figure 8

