

1/63




FIG. 1




FIG. 2A




FIG. 2B




FIG. 2D

FIG. 2C




FIG. 3A






FIG. 3B



6/63








FIG. 4C



8/63

MC-38




FIG. 6A

Survival




FIG. 6B




FIG. 7A




FIG. 7B




FIG. 7C.1




FIG. 7C.2




FIG. 7C.3




FIG. 7C.4




FIG. 7C.5

13/63

FIG. 8A





FIG. 8B



14/63




FIG. 8C

15/63

FIG. 9A

MC-38





FIG. 9B

MC-38






FIG. 9C.1




FIG. 9C.2

17/63




FIG. 9C.3




FIG. 9C.4




FIG. 10A.1

FIG. 10A.2

FIG. 10A.3

18/63




FIG. 10A.4

FIG. 10A.5

19/63




FIG. 10B

FIG. 10C.1




FIG. 10C.2




FIG. 10C.3




FIG. 10C.4




FIG. 10C.5









FIG. 10C.6



22/63

FIG. 10C.7








FIG. 10G




FIG. 10I




FIG. 10H

FIG. 10J




FIG. 10K








FIG. 10L








FIG. 10R




FIG. 10Q










FIG. 10P







31/63




FIG. 13A




FIG. 13B

32/63




FIG. 13C




FIG. 14A




FIG. 14B




FIG. 14C




FIG. 15A




FIG. 15B

36/63




FIG. 15C




FIG. 15D

37/63




FIG. 16A




FIG. 16B

38/63




FIG. 17

39/63

MC-38




FIG. 18A

40/63

Isotype-IL2 Mutein 3 (0.5mpk) + Anti-PD1 (0.33mpk)




FIG. 18B.1

Isotype-IL2 Mutein 3 (1.5mpk) + Anti-PD1 (1.0mpk)




FIG. 18B.2

41/63

Anti-PD1-IL2 Mutein 3 (0.5mpk) + Isotype (0.33mpk)




FIG. 18B.3

Anti-PD1-IL2 Mutein 3 (1.5mpk) + Isotype (1.0mpk)








FIG. 18B.4








FIG. 18E.1




FIG. 18E.2




FIG. 19




FIG. 20A

FIG. 20B




FIG. 20D

FIG. 20C




FIG. 21B

FIG. 21A

49/63




FIG. 22A.1





FIG. 22A.2



50/63




FIG. 23A




FIG. 23B

51/63




FIG. 24




FIG. 25A




FIG. 25B

FIG. 25C

53/63




FIG. 26A




FIG. 26B




FIG. 27A




FIG. 27B

55/63



















FIG. 28A.1














FIG. 28B.1




FIG. 28B.2





FIG. 28B.3




FIG. 28B.4

62/63




FIG. 28C




FIG. 29