


Figure 1

RECTIFIED SHEET (RULE 91) ISA/EP




Figure 2

RECTIFIED SHEET (RULE 91) ISA/EP




Figure 3

RECTIFIED SHEET (RULE 91) ISA/EP




Figure 4

RECTIFIED SHEET (RULE 91) ISA/EP




Figure 5




Figure 6

RECTIFIED SHEET (RULE 91) ISA/EP




Figure 7




Figure 8a Figure 8b

Figure 8

RECTIFIED SHEET (RULE 91) ISA/EP




Figure 9

RECTIFIED SHEET (RULE 91) ISA/EP




Figure 10

RECTIFIED SHEET (RULE 91) ISA/EP




Figure 11

RECTIFIED SHEET (RULE 91) ISA/EP

Test formula	**Fasted/Fed**	**C_{max} (ng/ml)**	**t_{max} (h)**	**AUC_{last} (ng*h/ml)**	**F_{rel} (%)**
Viagra tablet, oral	Fed	1.75	245	1170	
Nanostructured Sildenafil, buccal	Fed	1.83	145	732	62

Figure 12 (Table 1)

	Sample 1	Sample 2	Sample 3
SD Flow rate (mL/min)	1	1	2
CP Flow rate (mL/min)	2	1	1
Particle size by DLS (nm)	286	143	74

Figure 13 (Table 2)

	Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6
SD Flow rate (mL/min)	1	2	2	3	4	5
SDBS Flow rate (mL/min)	2	1	1	1	1	1
Particle size by DLS (nm)	568	741	769	328	263	341

Figure 14 (Table 3)

RECTIFIED SHEET (RULE 91) ISA/EP