
What is claimed is:

1. A compound according to Formula (I)



(I)

or a pharmaceutically acceptable salt thereof, wherein

R^1 is halogen or hydrogen;

R^2 is halogen or hydrogen;

R^3 is

optionally substituted C_{1-3} alkyl, said alkyl is optionally substituted with one 4 to 6 membered heterocycloalkyl,

optionally substituted 5 to 6 membered heteroaryl, said heteroaryl is optionally substituted with one C_{1-3} alkyl,

optionally substituted 4 to 6 membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one -OH,

optionally substituted 4 to 6 membered cycloalkyl, said cycloalkyl is optionally substituted with one -OH, or

$-OR^4$;

R^4 is

optionally substituted C_{1-5} alkyl, said alkyl is optionally substituted with one or two R^6,

optionally substituted 3 to 9 membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one or two R^6, or

optionally substituted 4 to 6 membered cycloalkyl, said cycloalkyl is optionally substituted with one, two, or three R^6;

R^5 is halogen or hydrogen;

each R^6 is independently

halogen,

-OH,

$-OCH_3$,

$-C(CH_3)_2OH$,

$-CH_2OH$,

cyano,


optionally substituted C_1-C_4 alkyl, said alkyl is optionally substituted with -OH,

optionally substituted 4 to 7 membered heterocycloalkyl, said heterocycloalkyl is optionally substituted with one or two substituents independently selected from the group consisting of halogen, -OH, $-OCH_3$, and C_{1-3} alkyl, or

optionally substituted 5 to 6 membered heteroaryl, said heteroaryl is optionally substituted with one C_{1-3} alkyl; and

R^7 is 5-membered heteroaryl.


2. The compound according to claim 1 of Formula (Ia)



(Ia)





or a pharmaceutically acceptable salt or stereoisomer thereof.


3. The compound according to claim 1 of Formula (Ib)




(Ib)

or a pharmaceutically acceptable salt or stereoisomer thereof.


4. The compound according to any one of claims 1-3, wherein R^1 is selected from the group consisting of H, chloro, and fluoro.
5. The compound according to any one of claims 1-4, wherein R^1 is fluoro.
6. The compound according to any one of claims 1-5, wherein R^2 is H or fluoro.
7. The compound according to any one of claims 1-6, wherein R^5 is H or fluoro.
8. The compound according to any one of claims 1-3, wherein R^1, R^2, and R^5 are H.
9. The compound according to any one of claims 1-3, wherein R^2 and R^5 are H.
10. The compound according to any one of claims 1-9, wherein R^3 is selected from the group consisting of: , , and .
11. The compound according to any one of claims 1-9, wherein R^3 is $-OR^4$.
12. The compound according to any one of claims 1-11, wherein R^4 is selected from the group consisting of CH_3, $-CH_2CH_2C(CH_3)_2OH$, $-CH_2CH_2C(CH_3)_2OCH_3$, $-CH_2CH_2OCH_3$, and $-CH_2C(CH_3)_2OH$.
13. The compound according to any one of claims 1-11, wherein R^4 is selected from the group consisting of: , 



14. The compound according to any one of claims 1-11, wherein R^4 is C_1-C_5 alkyl and R^6 is independently cyano, -OH, -OCH_3,



15. The compound according to any one of claims 1-14, wherein R^7 is selected from the group consisting of:



16. A compound selected from the group consisting of:

(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

ethyl 5-((S)-7-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octan-2-yl)-1,3,4-oxadiazole-2-carboxylate;

(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-3-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2,2-dimethylpropanenitrile;

(S)-7-(4-(2-(((S)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((S)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((S)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(3-methoxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-((1,3-dioxan-5-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-4-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylbutan-2-ol;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4,5-difluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-4-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-5-fluorophenoxy)-2-methylbutan-2-ol;

(S)-1-(2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylpropan-2-ol;
(S)-7-(4-(5-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(pyrimidin-5-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(oxazol-2-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-(5-methyl-1,3,4-oxadiazol-2-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((3-methyloxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((R)-oxetan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane trifluoroacetate;
(S)-7-(4-(5-fluoro-2-(((S)-oxetan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane trifluoroacetate;
(S)-7-(4-(5-fluoro-2-(((R)-oxetan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane trifluoroacetate;
(S)-7-(4-(5-fluoro-2-(((S)-oxetan-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane trifluoroacetate;
(S)-7-(4-(5-fluoro-2-((5-methyl-1,3,4-thiadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((5-methyl-1,3,4-oxadiazol-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((3-methylisoxazol-5-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-(pyrimidin-2-ylmethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((3-fluorooxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((3-methyloxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-2-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-(((R)-5,5-dimethyltetrahydrofuran-3-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-(((S)-5,5-dimethyltetrahydrofuran-3-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-(((R)-5,5-dimethyltetrahydrofuran-3-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-(((S)-5,5-dimethyltetrahydrofuran-3-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-((3-ethyloxetan-3-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((S)-tetrahydro-2H-pyran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((R)-tetrahydro-2H-pyran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((S)-tetrahydro-2H-pyran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((R)-tetrahydro-2H-pyran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-((5-ethyl-1,3,4-thiadiazol-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-3-((2-(1-(2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)methyl)oxetan-3-ol;
2-((1S,3r)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)propan-2-ol;
2-((1R,3s)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)propan-2-ol;
2-((1S,3r)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)propan-2-ol;
2-((1R,3s)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)propan-2-ol;
(S)-7-(4-(5-fluoro-2-((S)-1-(tetrahydro-2H-pyran-4-yl)ethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((R)-1-(tetrahydro-2H-pyran-4-yl)ethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((S)-1-(tetrahydro-2H-pyran-4-yl)ethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((R)-1-(tetrahydro-2H-pyran-4-yl)ethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(7S)-7-(4-(2-((3-oxabicyclo[3.1.0]hexan-6-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-3,5-difluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(3,5-difluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(3,5-difluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(3,5-difluoro-2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(3,5-difluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4,5-difluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4,5-difluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
((1S,3r)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)methanol;
((1R,3s)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)methanol;
((1S,3r)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)methanol;
((1R,3s)-3-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)cyclobutyl)methanol;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-((S)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-((R)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-((S)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-((R)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((R)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((S)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(5-fluoro-2-((R)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((S)-tetrahydrofuran-3-yl)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(1,3,4-oxadiazol-2-yl)-7-(4-(2-((tetrahydro-2H-pyran-4-yl)methyl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(1R,4s)-4-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenyl)cyclohexan-1-ol;
(1S,4r)-4-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenyl)cyclohexan-1-ol;
(1R,4s)-4-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenyl)cyclohexan-1-ol;
(1S,4r)-4-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenyl)cyclohexan-1-ol;
(1R,4s)-4-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenyl)cyclohexan-1-ol;
(1S,4r)-4-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenyl)cyclohexan-1-ol;
(1R,4s)-4-(2-(1-((S)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenyl)cyclohexan-1-ol;
(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(oxazol-2-yl)-7-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;


(S)-2-(oxazol-2-yl)-7-(4-(2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(oxazol-2-yl)-7-(4-(2-(((S)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(oxazol-2-yl)-7-(4-(2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-1-(4-fluoro-2-(1-(2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(S)-7-(4-(5-fluoro-2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4,5-difluoro-2-(oxetan-3-ylmethoxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4,5-difluoro-2-((3-fluorooxetan-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4,5-difluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-2-(oxazol-2-yl)-7-(4-(2-(pyrimidin-5-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
2-((1R,3s)-3-(4-fluoro-2-(1-((S)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)cyclobutyl)propan-2-ol;
2-((1S,3r)-3-(4-fluoro-2-(1-((S)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)cyclobutyl)propan-2-ol;

2-((1R,3s)-3-(4-fluoro-2-(1-((S)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)cyclobutyl)propan-2-ol;
2-((1S,3r)-3-(4-fluoro-2-(1-((S)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)cyclobutyl)propan-2-ol;
(S)-2-(oxazol-2-yl)-7-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-2-(oxazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-chloro-2-methoxyphenyl)piperidin-1-yl)-2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-1-(2-(1-(2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylpropan-2-ol;
(S)-7-(4-(5-fluoro-2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-((5-methyl-1,2,4-oxadiazol-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((R)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(2-(((R)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;

(S)-7-(4-(2-(((S)-1,4-dioxan-2-yl)methoxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4,5-difluoro-2-(((R)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(3-methoxy-3-methylbutoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((S)-tetrahydrofuran-3-yl)oxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-4-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylbutan-2-ol;
(S)-7-(4-(2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane formate salt;
(S)-7-(4-(2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(2-methoxyethoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(4-fluoro-2-methoxyphenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-1-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-4-fluorophenoxy)-2-methylpropan-2-ol;
(S)-4-(2-(1-(2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)-5-fluorophenoxy)-2-methylbutan-2-ol;
(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-7-(4-(5-fluoro-2-(((S)-tetrahydrofuran-3-yl)methoxy)phenyl)piperidin-1-yl)-2-(1,3,4-thiadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane;
(S)-1-(2-(1-(2-(1,2,4-thiadiazol-5-yl)-5-oxa-2-azaspiro[3.4]octan-7-yl)piperidin-4-yl)phenoxy)-2-methylpropan-2-ol;
(S)-7-(4-(5-fluoro-2-((tetrahydro-2H-pyran-4-yl)oxy)phenyl)piperidin-1-yl)-2-(1,2,4-oxadiazol-3-yl)-5-oxa-2-azaspiro[3.4]octane;


(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,2,4-oxadiazol-3-yl)-5-oxa-2-azaspiro[3.4]octane; and
(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,2,4-oxadiazol-3-yl)-5-oxa-2-azaspiro[3.4]octane.

17. The compound according to claim 16, wherein the compound is selected from the group consisting of:
(S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:




;

(R)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:




;

(S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:




; and

(S)-2-(oxazol-2-yl)-7-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:




, or a pharmaceutically acceptable salt thereof.

18. The compound according to claim 16, wherein the compound is (S)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:




, or a pharmaceutically acceptable salt thereof.


19. The compound according to claim 16, wherein the compound is (R)-7-(4-(2-((2-oxaspiro[3.3]heptan-6-yl)oxy)-5-fluorophenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:


, or a pharmaceutically acceptable salt thereof.

20. The compound according to claim 16, wherein the compound is (S)-7-(4-(5-fluoro-2-(oxetan-3-yloxy)phenyl)piperidin-1-yl)-2-(1,3,4-oxadiazol-2-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:


, or a pharmaceutically acceptable salt thereof.

21. The compound according to claim 16, wherein the compound is (S)-2-(oxazol-2-yl)-7-(4-(2-(tetrahydro-2H-pyran-4-yl)phenyl)piperidin-1-yl)-5-oxa-2-azaspiro[3.4]octane, having the following structure:


, or a pharmaceutically acceptable salt thereof.

22. A pharmaceutical composition comprising a compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof.

23. ~~A method for the treatment of a M4 related condition, disease or disorder comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a M4

related condition, disease or disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

~~23.~~24. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a M4 related condition, disease or disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

25. ~~A method for the treatment of psychosis comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of psychosis, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

~~24.~~26. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of psychosis, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a patient in need of treatment thereof.

~~25.~~27. The ~~method~~ use according to claim ~~24~~26, wherein the psychosis is associated with schizophrenia, schizoaffective disorder, psychotic depression, bipolar disorder with psychotic features, Alzheimer's disease, or frontotemporal dementia.

~~26.~~28. The use ~~method~~ according to claim ~~25~~27, wherein the psychosis is associated with Alzheimer's disease.

29. ~~A method for the treatment of cognitive dysfunction comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of cognitive dysfunction,

wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

~~27.~~30. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of cognitive dysfunction, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

31. ~~A method for the treatment of a hyperkinetic movement disorder comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a hyperkinetic movement disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

~~28.~~32. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of a hyperkinetic movement disorder, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

33. ~~A method for treatment of substance use disorders comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of substance use disorders, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

~~29.~~34. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for the treatment of substance use disorders, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered to a subject in need of treatment thereof.

35. ~~A method of treating a condition, disease or disorder which is treated with a M4 receptor agonist comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof and an antidepressant for use in the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof and the antidepressant is to be administered to a subject in need of treatment thereof.

~~30.~~36. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof and an antidepressant in the manufacture of a medicament for the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof and the antidepressant is to be administered to a subject in need of treatment thereof.

37. ~~A method for the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist comprising administration of a therapeutically effective amount of a~~ The compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof for use in the treatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered in conjunction with computer-assisted psychosocial or behavioral therapy.

~~31.~~38. Use of the compound according to any one of claims 1-21 or a pharmaceutically acceptable salt thereof in the manufacture of a medicament for thetreatment of a condition, disease or disorder which is treated with a M4 receptor agonist, wherein a therapeutically effective amount of the compound or a pharmaceutically acceptable salt thereof is to be administered in conjunction with computer-assisted psychosocial or behavioral therapy.