

10A




FIG. 1A

10B




FIG. 1B

10C




FIG. 1C

10D




FIG. 1D

10E




FIG. 1E

10F




FIG. 1F

10G




FIG. 1G

10H




FIG. 1H

10I




FIG. 1I

10J




FIG. 1J

10K




FIG. 1K

10L




FIG. 1L

10M




FIG. 1M

10N




FIG. 1N




FIG. 2




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 3D




FIG. 4




FIG. 5A




FIG. 5B

100A

200D




FIG. 6




FIG. 7A




FIG. 7B

800B




FIG. 8B

800A




FIG. 8A




FIG. 9




FIG. 8C




FIG. 10B




FIG. 10A




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18A




FIG. 18C




FIG. 18B




FIG. 18D




FIG. 18E




FIG. 18F




FIG. 19A




FIG. 19C




FIG. 19B




FIG. 19D




FIG. 20A




FIG. 20B




FIG. 21A




FIG. 21B




FIG. 22A




FIG. 22B




FIG. 23A




FIG. 23B




FIG. 24A




FIG. 24B




FIG. 24C




FIG. 25




FIG. 26A




FIG. 26B




FIG. 26C




FIG. 27A




FIG. 27B




FIG. 27C




FIG. 28A




FIG. 28B


Anti-S1P₁ receptor antibody 10 μ g/ml

FIG. 29A




FIG. 29B




FIG. 30A




FIG. 30B




FIG. 30C




FIG. 31A




FIG. 32A




FIG. 31B




FIG. 31C




FIG. 32B




FIG. 33A




FIG. 33B




FIG. 34