

Fig. 1




Fig. 1

FIG.1D




FIG.1E




FIG.1F




Fig. 1





Fig. 1

FIG.1H


FIG.1I



5/24


FIG.2A

GrzB FACS




6/24

FIG.2B



7/24

Fig. 3



8/24

FIG.4A

Tconv + Treg
GrzB






FIG.4B




9/24

FIG.5A




10/24

FIG.5B



11/24

FIG.5C



12/24

FIG.5D




FIG.6A




FIG.6B




FIG.6C




FIG.6D




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 7D




FIG.7E




FIG.7F




FIG.8A




FIG.8B





Fig. 9A



18/24

Fig. 9B




Fig. 10A Fig. 10B Fig. 10C




Fig. 10D




Fig. 11

PD-1 and Treg co-blockade rescues Tconv effector functions from Treg suppression




Fig. 12

PD-1 and LAG-3 co-blockade enhances
Tumor Ag-specific T cell effector functions
in melanoma patient PBMCs




Fig. 13

CD4 & ARH77 coculture GrzB level

normalized to untreated




Fig. 14




Fig. 15A




Fig. 15B





Fig. 15C



24/24

Fig. 15D




Fig. 15E




Fig. 15F

