
CLAIMS:

1. Compound of general formula (I),



(I)

wherein

R_y and R_y' are independently selected from hydrogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl and substituted or unsubstituted C_{2-6} alkynyl;

alternatively, R_y and R_y' form, with the carbon atom to which they are attached, a substituted or unsubstituted cycloalkyl;

R_y'' is selected from hydrogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl and substituted or unsubstituted C_{2-6} alkynyl;

R_y''' and R_y'''' are independently selected from hydrogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl and substituted or unsubstituted C_{2-6} alkynyl;

alternatively, R_y''' and R_y'''' form, with the carbon atom to which they are attached, a substituted or unsubstituted cycloalkyl;

W is nitrogen or $–CR_w$-; wherein R_w is hydrogen or halogen;

alternatively, R_w and one of R_5, R_5', R_5'' or R_5''' form a double bond;

w1, w2, w3 and w4 are independently selected from the group consisting of nitrogen and carbon;

wherein w1, w2, w3 and w4 are all carbon, or wherein one or two of w1, w2, w3 and w4 are nitrogen while the others are carbon;

R_1 is selected from the group consisting of hydrogen, halogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl, substituted or unsubstituted C_{2-6} alkynyl, $-OR_8$, $-NR_8R_8$', $-NR_8C(O)R_8$', $-NR_8C(O)OR_8$', $-C(O)NR_8R_8$', $-C(O)OR_8$, $-OCHR_8R_8$', haloalkyl, haloalkoxy, -CN, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocyclyl, substituted or unsubstituted aryl, substituted or unsubstituted alkylcycloalkyl, substituted or unsubstituted alkylheterocyclyl and substituted or unsubstituted alkylaryl;

wherein

R_8 and R_8' are independently selected from the group consisting of hydrogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl, substituted or unsubstituted C_{2-6} alkynyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocyclyl, substituted or unsubstituted aryl, substituted or unsubstituted alkylcycloalkyl, substituted or unsubstituted alkylheterocyclyl and substituted or unsubstituted alkylaryl;

R_2 is selected from hydrogen, halogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl, substituted or unsubstituted C_{2-6} alkynyl, $-OR_{21}$, $-NO_2$, $-NR_{21}R_{21}$', $-NR_{21}C(O)R_{21}$', $-NR_{21}S(O)_2R_{21}$', $-S(O)_2NR_{21}R_{21}$', $-NR_{21}C(O)NR_{21}$'R_{21}'', $-SR_{21}$, $-S(O)R_{21}$, $-S(O)_2R_{21}$, –CN, haloalkyl, haloalkoxy, $-C(O)OR_{21}$, $-C(O)NR_{21}R_{21}$', $-NR_{21}S(O)_2NR_{21}$'R_{21}'' and $-C(CH_3)_2OR_{21}$;

wherein R_{21}, R_{21}' and R_{21}'' are independently selected from hydrogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl and substituted or unsubstituted C_{2-6} alkynyl;

R_3 is selected from hydrogen, halogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl, substituted or unsubstituted C_{2-6} alkynyl,-OR_{31}, $-NO_3$, $-NR_{31}R_{31}$', $-NR_{31}C(O)R_{31}$', $-NR_{31}S(O)_3R_{31}$', $-S(O)_3NR_{31}R_{31}$', -

$NR_{31}C(O)NR_{31}'R_{31}''$, $-SR_{31}$, $-S(O)R_{31}$, $-S(O)_3R_{31}$, –CN, haloalkyl, haloalkoxy, $-C(O)OR_{31}$, $-C(O)NR_{31}R_{31}'$, $-NR_{31}S(O)_3NR_{31}'R_{31}''$ and $-C(CH_3)_3OR_{31}$;

wherein R_{31}, R_{31}' and R_{31}'' are independently selected from hydrogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{3-6} alkenyl and substituted or unsubstituted C_{3-6} alkynyl;

R_4 is selected from hydrogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl, substituted or unsubstituted C_{2-6} alkynyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted alkylheterocyclyl, substituted or unsubstituted alkylaryl and substituted or unsubstituted alkylcycloalkyl;

R_4 and R_y taken together with the nitrogen and carbon atoms to which they are attached, respectively, may form a five or six atom members substituted or unsubstituted heterocyclyl;

R_4 and R_y''' taken together with the nitrogen and carbon atoms to which they are attached, respectively, may form a six atom members substituted or unsubstituted heterocyclyl;

R_5, R_5', R_5'' and R_5''' are independently selected from hydrogen, halogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl and substituted or unsubstituted C_{2-6} alkynyl;

alternatively, R_5 and R_5' and/or R_5'' and R_5''' taken together with the carbon atom to which they are attached form a carbonyl group;

R_6, R_6', R_6'' and R_6''' are independently selected from hydrogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl and substituted or unsubstituted C_{2-6} alkynyl;

R_7 is selected from the group consisting of hydrogen, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl, substituted or unsubstituted C_{2-6} alkynyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocyclyl, substituted or unsubstituted aryl, substituted or unsubstituted alkylcycloalkyl, substituted or unsubstituted alkylheterocyclyl and substituted or unsubstituted alkylaryl;

alternatively,

one of R_5 and R_5', taken together with R_7 form a $–[CH_2]_n$- bridge; or

one of R_5'' and R_5''', taken together with R_7 form a $–[CH_2]_n$- bridge; or

one of R_5 and R_5', taken together with one of R_5'' and R_5''' form a $–[CH_2]_n$- bridge; or

one of R_5 and R_5', taken together with one of R_6'' and R_6''' form a $–[CH_2]_n$- bridge; or

one of R_6 and R_6', taken together with one of R_6'' and R_6''' form a $–[CH_2]_n$- bridge; or

one of R_6 and R_6', taken together with one of R_5'' and R_5''' form a $–[CH_2]_n$- bridge; or

one of R_9 and R_9', taken together with R_7 form a $–[CH_2]_n$- bridge; or

one of R_9 and R_9', taken together with one of R_6'' and R_6''' form a $–[CH_2]_n$- bridge; or


one of R_9 and R_9', taken together with one of R_5'' and R_5''' form a $–[CH_2]_n$- bridge;

wherein n is 1, 2 or 3;

R_9 and R_9' are independently selected from the group consisting of hydrogen, halogen, $–OR_{91}$, substituted or unsubstituted C_{1-6} alkyl, substituted or unsubstituted C_{2-6} alkenyl, substituted or unsubstituted C_{2-6} alkynyl, substituted or unsubstituted cycloalkyl, substituted or unsubstituted heterocyclyl, substituted or unsubstituted aryl, substituted or unsubstituted alkylcycloalkyl, substituted or unsubstituted alkylheterocyclyl and substituted or unsubstituted alkylaryl;

optionally in form of one of the stereoisomers, preferably enantiomers or diastereomers, a racemate or in form of a mixture of at least two of the stereoisomers, preferably enantiomers and/or diastereomers, in any mixing ratio, or a corresponding salt thereof, or a corresponding solvate thereof;


2. Compound according to claim 1, wherein the compound of Formula (I) is a compound of Formula (I')



(I')

wherein R_1, R_2, R_3, R_4, R_5, R_5', R_5'', R_5''', R_6, R_6', R_6'', R_6''', R_7, R_9, R_9', W, w_1, w_2, w_3 and w_4 are as defined in claim 1.


3. Compound according to claim 1, wherein the compound of Formula (I) is a compound of Formula ($I^{2'}$)




($I^{2'}$),

wherein R_1, R_2, R_3, R_4, R_6, R_6', R_6'', R_6''', R_7, R_9, R_9', W, w_1, w_2, w_3 and w_4 are as defined in claim 1.


4. Compound according to claim 1, wherein the compound of Formula (I) is a compound of Formula ($I^{3'}$), ($I^{4'}$) or ($I^{5'}$)



($I^{3'}$),



($I^{4'}$),



($I^{5'}$),

wherein R_1, R_2, R_3, R_4, R_6, R_6'', R_7, R_9, W, w_1, w_2, w_3 and w_4 are as defined in claim 1.


5. Compound according to any one of claims 1 to 4 wherein R_7 is selected from hydrogen and substituted or unsubstituted C_{1-6} alkyl;

6. Compound according to claim 4 wherein R_7 is hydrogen while R_6, R_6'' and R_9 are substituted or unsubstituted C_{1-6} alkyl.

7. Compound according to claim 4 wherein R_7 is substituted or unsubstituted C_{1-6} alkyl while R_6, R_6'' and R_9 are hydrogen.

8. Compound according to claim 4 wherein R_7 is substituted or unsubstituted C_{1-6} alkyl while R_6, R_6'' and R_9 are substituted or unsubstituted C_{1-6} alkyl.

9. Compound according to claim 1, wherein the compound of Formula (I) is a compound of Formula ($I^{6'}$) or ($I^{7'}$)



($I^{6'}$) ($I^{7'}$),

wherein R_1, R_2, R_3, R_5, R_5', R_5'', R_5''', R_6, R_6', R_6'', R_6''', R_7, R_9, R_9', W, w_1, w_2, w_3 and w_4 are as defined in claim 1.

10. Compound according to any one of claims 1 to 9 wherein the compound of Formula (I) is selected from

1	6-bromo-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
2	2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-3-ethylquinazolin-4(3*H*)-one
3	7-bromo-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
4	2-(1-(1,4-diazepan-1-yl)butyl)-7-bromo-3-ethylquinazolin-4(3*H*)-one
5	6-bromo-3-ethyl-2-(1-(4-phenethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
6	2-(1-(4-benzyl-1,4-diazepan-1-yl)butyl)-6-bromo-3-ethylquinazolin-4(3*H*)-one
7	6-bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
8	3-ethyl-6-methyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
9	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-4-oxo-3,4-dihydroquinazoline-7-carbonitrile
10	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-4-oxo-3,4-dihydroquinazoline-6-carbonitrile
11	3-ethyl-7-methyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one

12	3-ethyl-6-iodo-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
13	6-bromo-3-ethyl-7-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
14	6-bromo-3-(2-methoxyethyl)-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
15	(*R*)-3-ethyl-6-methoxy-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
16	(*S*)-3-ethyl-6-methoxy-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
17	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[3,4-d]pyrimidin-4(3*H*)-one
18	6-bromo-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
19	6-chloro-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
20	6-bromo-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
21	3-ethyl-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
22	2-(1-(1,4-diazepan-1-yl)butyl)-6-chloro-3-ethylquinazolin-4(3*H*)-one
23	6-chloro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
24	6-bromo-3-ethyl-5-methyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
25	6-bromo-3-ethyl-8-methyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
26	6-bromo-7-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
27	2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
28	6-bromo-2-(1-(6,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
29	3-ethyl-6,7-difluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
30	6-bromo-3-ethyl-2-(1-(4,6,6-trimethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
31	7-bromo-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
32	2-(1-(1,4-diazepan-1-yl)butyl)-7-bromo-3-ethyl-6-fluoroquinazolin-4(3*H*)-one

33	7-bromo-3-ethyl-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
34	2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-7-fluoro-3-propylquinazolin-4(3*H*)-one
35	6-bromo-2-((*R*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
36	6-bromo-2-((*R*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
37	6-bromo-2-((*S*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
38	6-bromo-2-((*S*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
39	6-bromo-3-ethyl-7-methyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
40	6-bromo-3-ethyl-8-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
41	2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-3-ethyl-5-methylquinazolin-4(3*H*)-one
42	6-bromo-2-(1-(6,6-difluoro-4-methyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
43	6-fluoro-3-isobutyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
44	2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-3-ethyl-7-methylquinazolin-4(3*H*)-one
45	2-(1-(1,4-diazepan-1-yl)butyl)-3-ethyl-6,7-difluoroquinazolin-4(3*H*)-one
46	3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6,7-difluoroquinazolin-4(3*H*)-one
47	6-bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-5-methylquinazolin-4(3*H*)-one
48	6-bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-7-methylquinazolin-4(3*H*)-one
49	6-bromo-8-chloro-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
50	2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-3-isobutylquinazolin-4(3*H*)-one
51	6-bromo-3-ethyl-5-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
52	6-bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-5-fluoroquinazolin-4(3*H*)-one
53	5-bromo-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one

54	6-bromo-3-isobutyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
55	2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-3-ethyl-8-fluoroquinazolin-4(3*H*)-one
56	6-bromo-5-chloro-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
57	6-bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-8-fluoroquinazolin-4(3*H*)-one
58	6-bromo-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-3-isobutylquinazolin-4(3*H*)-one
59	2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-3-ethyl-5-fluoroquinazolin-4(3*H*)-one
60	6-bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-8-methylquinazolin-4(3*H*)-one
61	6-bromo-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-7-fluoro-3-propylquinazolin-4(3*H*)-one
62	7-bromo-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-3-propylquinazolin-4(3*H*)-one
63	7-bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoroquinazolin-4(3*H*)-one
64	8-chloro-3-ethyl-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
65	8-chloro-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoroquinazolin-4(3*H*)-one
66	(*R*)-2-(1-(1,4-diazabicyclo[3.2.2]nonan-4-yl)butyl)-6-bromo-3-ethylquinazolin-4(3*H*)-one
67	6-bromo-2-((*R*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
68	6-bromo-2-((*R*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
69	6-bromo-2-((*S*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
70	6-bromo-2-((*S*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
71	2-(1-(1,4-diazepan-1-yl)butyl)-8-chloro-3-ethyl-6-fluoroquinazolin-4(3*H*)-one
72	3-ethyl-5,6-difluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
73	6-chloro-2-((*S*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
74	6-chloro-2-((*S*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one

75	6-chloro-2-((*R*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
76	6-chloro-2-((*R*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
77	6-bromo-7-fluoro-3-methyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
78	3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-5,6-difluoroquinazolin-4(3*H*)-one
79	6-chloro-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
80	2-(1-(1,4-diazabicyclo[3.2.2]nonan-4-yl)butyl)-6-bromo-3-ethylquinazolin-4(3*H*)-one
81	2-(1-(1,4-diazepan-1-yl)butyl)-3-ethyl-5,6-difluoroquinazolin-4(3*H*)-one
82	2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-5-chloro-3-ethylquinazolin-4(3*H*)-one
83	6-bromo-5-chloro-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
84	6-bromo-3-methyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
85	6-bromo-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-3-methylquinazolin-4(3*H*)-one
86	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[3,2-d]pyrimidin-4(3*H*)-one
87	6,7-dichloro-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
88	3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)pyrido[3,2-d]pyrimidin-4(3*H*)-one
89	6-chloro-3-ethyl-7-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
90	2-(1-(1,4-diazepan-1-yl)butyl)-6-chloro-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
91	2-(1-(1,4-diazepan-1-yl)butyl)-6,7-dichloro-3-ethylquinazolin-4(3*H*)-one
92	6-bromo-3-ethyl-2-((*R*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
93	6-bromo-3-ethyl-2-((*R*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
94	6-bromo-3-ethyl-2-((*S*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
95	6-bromo-3-ethyl-2-((*S*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one

96	6-bromo-3-ethyl-7-fluoro-2-((*R*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
97	6-bromo-3-ethyl-7-fluoro-2-((*R*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
98	6-bromo-3-ethyl-7-fluoro-2-((*S*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
99	6-bromo-3-ethyl-7-fluoro-2-((*S*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
100	2-(1-(1,4-diazepan-1-yl)butyl)-3-ethylpyrido[3,2-d]pyrimidin-4(3*H*)-one
101	6-bromo-3-ethyl-2-((*S*)-1-((*S*)-6-ethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
102	6-bromo-3-ethyl-2-((*S*)-1-((*R*)-6-ethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
103	6-bromo-3-ethyl-2-((*R*)-1-((*R*)-6-ethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
104	6-bromo-3-ethyl-2-((*R*)-1-((*S*)-6-ethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
105	6-bromo-3-ethyl-2-((*R*)-1-((*S*)-6-(methoxymethyl)-4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
106	6-bromo-3-ethyl-2-((*R*)-1-((*R*)-6-(methoxymethyl)-4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
107	6-bromo-3-ethyl-2-((*S*)-1-((*S*)-6-(methoxymethyl)-4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
108	6-bromo-3-ethyl-2-((*S*)-1-((*R*)-6-(methoxymethyl)-4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
109	6,7-dichloro-3-ethyl-2-((*R*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
110	6,7-dichloro-3-ethyl-2-((*R*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
111	6,7-dichloro-3-ethyl-2-((*S*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
112	6,7-dichloro-3-ethyl-2-((*S*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
113	6-bromo-3-ethyl-2-((*S*)-1-((*R*)-6-hydroxy-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
114	6-bromo-3-ethyl-2-((*R*)-1-((*R*)-6-hydroxy-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
115	6-bromo-3-ethyl-2-((*S*)-1-((*S*)-6-hydroxy-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
116	6-bromo-3-ethyl-2-((*R*)-1-((*S*)-6-hydroxy-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one

117	3-ethyl-8-fluoro-6-methoxy-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
118	6-chloro-3-ethyl-7-fluoro-2-((*R*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
119	6-chloro-3-ethyl-7-fluoro-2-((*R*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
120	6-chloro-3-ethyl-7-fluoro-2-((*S*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
121	6-chloro-3-ethyl-7-fluoro-2-((*S*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
122	6-bromo-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
123	6-bromo-3-ethyl-2-((*R*)-1-((*S*)-6-(hydroxymethyl)-4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
124	6-bromo-3-ethyl-2-((*S*)-1-((*R*)-6-(hydroxymethyl)-4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
125	6-bromo-3-ethyl-2-((*R*)-1-((*R*)-6-(hydroxymethyl)-4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
126	6-bromo-3-ethyl-2-((*S*)-1-((*S*)-6-(hydroxymethyl)-4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
127	6-bromo-2-((*R*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
128	6-bromo-2-((*S*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
129	6-bromo-2-((*S*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
130	6-bromo-2-((*R*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
131	6,7-dichloro-2-((*R*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
132	6,7-dichloro-2-((*R*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
133	6,7-dichloro-2-((*S*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
134	6,7-dichloro-2-((*S*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
135	6-chloro-2-((*R*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
136	6-chloro-2-((*R*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
137	6-chloro-2-((*S*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoroquinazolin-4(3*H*)-one

138	6-chloro-2-((*S*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
139	6-bromo-3-ethyl-2-((*R*)-1-((*R*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
140	6-bromo-3-ethyl-2-((*S*)-1-((*S*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
141	6-bromo-3-ethyl-2-((*S*)-1-((*R*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
142	6-bromo-3-ethyl-2-((*R*)-1-((*S*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
143	3-ethyl-6-fluoro-2-((*R*)-1-((*R*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
144	3-ethyl-6-fluoro-2-((*S*)-1-((*S*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
145	3-ethyl-6-fluoro-2-((*R*)-1-((*S*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
146	3-ethyl-6-fluoro-2-((*S*)-1-((*R*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
147	6-chloro-3-methyl-2-((*R*)-1-((*R*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
148	6-chloro-3-methyl-2-((*R*)-1-((*S*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
149	6-chloro-3-methyl-2-((*S*)-1-((*S*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
150	6-chloro-3-methyl-2-((*S*)-1-((*R*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
151	(*R*)-6-bromo-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
152	(*S*)-6-bromo-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
153	(*R*)-6-Bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
154	(*S*)-6-bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
155	(*R*)-6-bromo-3-ethyl-7-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
156	(*S*)-6-bromo-3-ethyl-7-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
157	(*R*)-2-(1-(1,4-Diazepan-1-yl)butyl)-6-bromo-3-ethyl-7-fluoroquinazolin-4(3*H*)-one
158	(*S*)-2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-3-ethyl-7-fluoroquinazolin-4(3*H*)-one

159	(*R*)-6-chloro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
160	(*S*)-6-chloro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
161	(*R*)-6-bromo-3-ethyl-8-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
162	(*S*)-6-bromo-3-ethyl-8-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
163	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[4,3-d]pyrimidin-4(3*H*)-one
164	3-ethyl-2-((*R*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)pyrido[4,3-d]pyrimidin-4(3*H*)-one
165	3-ethyl-2-((*R*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)pyrido[4,3-d]pyrimidin-4(3*H*)-one
166	3-ethyl-2-((*S*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)pyrido[4,3-d]pyrimidin-4(3*H*)-one
167	3-ethyl-2-((*S*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)pyrido[4,3-d]pyrimidin-4(3*H*)-one
168	2-((*R*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylpyrido[4,3-d]pyrimidin-4(3*H*)-one
169	2-((*R*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylpyrido[4,3-d]pyrimidin-4(3*H*)-one
170	2-((*S*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylpyrido[4,3-d]pyrimidin-4(3*H*)-one
171	2-((*S*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylpyrido[4,3-d]pyrimidin-4(3*H*)-one
172	2-(1-(1,4-diazepan-1-yl)butyl)-3-ethylpyrido[4,3-d]pyrimidin-4(3*H*)-one
173	(*R*)-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[4,3-d]pyrimidin-4(3*H*)-one
174	(*S*)-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[4,3-d]pyrimidin-4(3*H*)-one
175	6-bromo-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
176	6-bromo-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
177	2-(1-(1,4-diazepan-1-yl)butyl)-6-bromo-3-ethylpyrido[2,3-d]pyrimidin-4(3*H)*-one
178	3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
179	2-(1-(1,4-diazepan-1-yl)butyl)-3-ethylpyrido[2,3-d]pyrimidin-4(3*H*)-one

180	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
181	6-bromo-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-3-propylpyrido[2,3-d]pyrimidin-4(3*H*)-one
182	3-ethyl-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
183	6-bromo-3-(cyclopropylmethyl)-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
184	3-(cyclopropylmethyl)-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
185	3-(cyclopropylmethyl)-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoropyrido[2,3-d]pyrimidin-4(3*H*)-one
186	6-bromo-2-((*R*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylpyrido[2,3-d]pyrimidin-4(3*H*)-one
187	6-bromo-2-((*R*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylpyrido[2,3-d]pyrimidin-4(3*H*)-one
188	6-bromo-2-((*S*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylpyrido[2,3-d]pyrimidin-4(3*H*)-one
189	6-bromo-2-((*S*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethylpyrido[2,3-d]pyrimidin-4(3*H*)-one
190	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-7-(trifluoromethyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
191	3-ethyl-6-methoxy-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[3,4-d]pyrimidin-4(3*H*)-one
192	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-6-(trifluoromethyl)pyrido[3,4-d]pyrimidin-4(3*H*)-one
193	3-(cyclopropylmethyl)-6-fluoro-2-((*S*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
194	3-(cyclopropylmethyl)-6-fluoro-2-((*S*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
195	3-(cyclopropylmethyl)-6-fluoro-2-((*R*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
196	3-(cyclopropylmethyl)-6-fluoro-2-((*R*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
197	6-bromo-3-ethyl-2-((*R*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
198	6-bromo-3-ethyl-2-((*S*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
199	6-bromo-3-ethyl-2-((*R*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
200	6-bromo-3-ethyl-2-((*S*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one

201	(*R*)-3-ethyl-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
202	(*S*)-3-ethyl-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)pyrido[2,3-d]pyrimidin-4(3*H*)-one
203	3-ethyl-6-hydroxy-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
204	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-6-phenylquinazolin-4(3*H*)-one
205	3,6-diethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
206	3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-6-((1-methylpiperidin-4-yl)amino)quinazolin-4(3*H*)-one
207	6-benzyl-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
208	2-(6-bromo-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-4-oxoquinazolin-3(4*H*)-yl)acetic acid
209	(*R*)-3-ethyl-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
210	(*R*)-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoroquinazolin-4(3*H*)-one
211	(*R*)-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-3-propylquinazolin-4(3*H*)-one
212	(*R*)-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-3-propylquinazolin-4(3*H*)-one
213	(*R*)-3-ethyl-6-iodo-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
214	(*R*)-6-fluoro-3-isobutyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
215	(*R*)-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-3-isobutylquinazolin-4(3*H*)-one
216	(*R*)-6-fluoro-3-methyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
217	(*R*)-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-3-methylquinazolin-4(3*H*)-one
218	(*R*)-3-(cyclopropylmethyl)-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoroquinazolin-4(3*H*)-one
219	(*R*)-3-(cyclopropylmethyl)-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
220	(*R*)-3-ethyl-7-fluoro-6-methoxy-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
221	(*R*)-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-3-isopentylquinazolin-4(3*H*)-one


222	(*R*)-6-fluoro-3-isopropyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
223	(*R*)-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-3-isopropylquinazolin-4(3*H*)-one
224	(*R*)-3-butyl-6-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
225	(*R*)-3-butyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoroquinazolin-4(3*H*)-one
226	(*R*)-6-fluoro-3-isopentyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
227	((*R*)-6-fluoro-3-(furan-3-ylmethyl)-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
228	(*R*)-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-3-(furan-3-ylmethyl)quinazolin-4(3*H*)-one
229	(*R*)-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-3-propylquinazolin-4(3*H*)-one
230	(*R*)-3-ethyl-6-fluoro-7-methoxy-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
231	(*R*)-3-ethyl-2-(1-(4-ethyl-1,4-diazepan-1-yl)butyl)-6-fluoro-7-methoxyquinazolin-4(3*H*)-one
232	(*R*)-3-ethyl-6,7-difluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
233	(*R*)-3-ethyl-5,6-difluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
234	(*R*)-6-chloro-3-ethyl-8-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
235	3-ethyl-6-fluoro-2-((*R*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
236	3-ethyl-6-fluoro-2-((*R*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
237	2-((*R*)-1-((*R*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoro-6-methoxyquinazolin-4(3*H*)-one
238	2-((*R*)-1-((*S*)-4,6-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-7-fluoro-6-methoxyquinazolin-4(3*H*)-one
239	3-ethyl-5,6-difluoro-2-((*R*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
240	3-ethyl-5,6-difluoro-2-((*R*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
241	3-ethyl-6,7-difluoro-2-((*R*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
242	3-ethyl-6,7-difluoro-2-((*R*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one

243	3-ethyl-7-fluoro-6-methoxy-2-((*R*)-1-((*R*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
244	3-ethyl-7-fluoro-6-methoxy-2-((*R*)-1-((*S*)-6-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
245	6-chloro-3-methyl-2-((*R*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
246	6-chloro-3-methyl-2-((*R*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
247	(*R*)-3-ethyl-6,8-difluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
248	(*R*)-3-ethyl-8-fluoro-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
249	(*R*)-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-6-(trifluoromethoxy)quinazolin-4(3*H*)-one
250	3-ethyl-6,8-difluoro-2-((*R*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
251	3-ethyl-6,8-difluoro-2-((*R*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
252	(*R*)-3-ethyl-2-(1-(4-methyl-1,4-diazepan-1-yl)butyl)-6-(trifluoromethyl)quinazolin-4(3*H*)-one
253	(*R*)-2-(1-(3,3-dimethyl-1,4-diazepan-1-yl)butyl)-3-ethyl-6-fluoroquinazolin-4(3*H*)-one
254	6-chloro-2-((*R*)-1-((*S*)-4,5-dimethyl-1,4-diazepan-1-yl)butyl)-3-methylquinazolin-4(3*H*)-one
255	6-fluoro-3-methyl-2-((*R*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
256	6-fluoro-3-methyl-2-((*R*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
257	6-chloro-2-((*R*)-1-((*R*)-4,5-dimethyl-1,4-diazepan-1-yl)butyl)-3-methylquinazolin-4(3*H*)-one
258	3-ethyl-2-((*R*)-1-((*R*)-5-methyl-1,4-diazepan-1-yl)butyl)-6-(trifluoromethyl)quinazolin-4(3*H*)-one
259	3-ethyl-2-((*R*)-1-((*S*)-5-methyl-1,4-diazepan-1-yl)butyl)-6-(trifluoromethyl)quinazolin-4(3*H*)-one
260	3-ethyl-6,7-difluoro-2-((*R*)-1-((*S*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
261	3-ethyl-6,7-difluoro-2-((*R*)-1-((*R*)-3-methyl-1,4-diazepan-1-yl)butyl)quinazolin-4(3*H*)-one
262	6-bromo-2-((*S*)-1-((4*S*,7*S*)-1,7-dimethylazepan-4-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
263	6-bromo-2-((*R*)-1-((4*R*,7*S*)-1,7-dimethylazepan-4-yl)butyl)-3-ethylquinazolin-4(3*H*)-one

264	6-bromo-2-((*S*)-1-((4*S*,7*R*)-1,7-dimethylazepan-4-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
265	6-bromo-2-((*R*)-1-((4*R*,7*R*)-1,7-dimethylazepan-4-yl)butyl)-3-ethylquinazolin-4(3*H*)-one
266	2-(1-(azepan-4-yl)butyl)-3-ethyl-6-fluoroquinazolin-4(3*H*)-one
267	3-ethyl-6-fluoro-2-(1-(1-methylazepan-4-yl)butyl)quinazolin-4(3*H*)-one
268	3-ethyl-2-(1-(1-ethylazepan-4-yl)butyl)-6-fluoroquinazolin-4(3*H*)-one
269	(6*S*,7*R*)-2-bromo-7-ethyl-6-(4-methyl-1,4-diazepan-1-yl)-8,9-dihydro-6*H*-pyrido[2,1-*b*]quinazolin-11(7*H*)-one
270	(6*R*,7*S*)-2-bromo-7-ethyl-6-(4-methyl-1,4-diazepan-1-yl)-8,9-dihydro-6*H*-pyrido[2,1-*b*]quinazolin-11(7*H*)-one


11. Process for the preparation of compounds of Formula (I) as defined in any one of claims 1 to 9, said process comprises

- when W is nitrogen, reacting a compound of formula VIII



VIII

with a suitable amine of formula IX,




IX

in a suitable solvent, such as acetonitrile or dimethylformamide, in the presence of a base such as triethylamine, K_2CO_3 or *N*,*N*-diisopropylethylamine, at a suitable

temperature comprised between room temperature and the reflux temperature, preferably heating,


or

- when W is carbon, said process comprises the alkylation of a compound of formula XIV



XIV

with a compound of formula XV,




XV

using a suitable base, such as lithium bis(trimethylsilyl)amide, in a suitable solvent, such as tetrahydrofuran at a suitable temperature, such as room temperature,


wherein R_1, R_2, R_3, R_4, R_5, R_5', R_5'', R_5''', R_6, R_6', R_6'', R_6''', R_7, R_9, R_9', R_y, R_y', R_y'', R_y''', R_y'''', w_1, w_2, w_3 and w_4 have the meanings as defined in claim 1, LG represents a leaving group such as chloro, bromo, iodo, mesylate, tosylate, nosylate or triflate, for the preparation of compounds of Formula (I) as defined in any one of claims 1 to 10.

12. Use of the compounds of Formula IIa, IIb, IV, IX, XII, XIII or XIV,




IIa

,




IIb

,




IV

, , ,




IX

,




XII

,



XIII


,



XIV


, ,

and the compound of Formula V, XV, XVI or XIX,




XV

,




XVI

,



V

or




XIX


wherein Y_2-Y_3 means –CHR_y''CHR_y'''R_y'''', and R_1, R_2, R_3, R_4, R_5, R_5', R_5'', R_5''', R_6, R_6', R_6'', R_6''', R_7, R_9, R_9', R_y, R_y', R_y'', R_y''', R_y'''', W, w_1, w_2, w_3 and w_4 have the meanings as defined in the preceding claims, LG represents a leaving group such as chloro, bromo, iodo, mesylate, tosylate, nosylate or triflate,

and Z is halogen or OH, for the preparation of compounds of Formula (I) as defined in any one of claims 1 to 10.


13. Use of the compounds of Formula VI, VII, VIIa, VIII, XIII, XIV, XVII or XVIII,




VI ,




VII ,




VIIa ,




VIII , , ,




XIII ,



XIV ,



XVII ,



XVIII ,

wherein Y_2-Y_3 means –CHR_y''CHR_y'''R_y'''', and R_1, R_2, R_3, R_4, R_5, R_5', R_5'', R_5''', R_6, R_6', R_6'', R_6''', R_7, R_9, R_9', R_y, R_y', R_y'', R_y''', R_y'''', W, w_1, w_2, w_3 and w_4 have the meanings as defined in the preceding claims, and LG represents a leaving group

such as chloro, bromo, iodo, mesylate, tosylate, nosylate or triflate, for the preparation of compounds of Formula (I) as defined in any one of claims 1 to 10.

14. A pharmaceutical composition which comprises a compound of Formula (I) as defined in any one of claims 1 to 10 or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier, adjuvant or vehicle.

15. A compound of Formula (I) as defined in any one of claims 1 to 10 for use as a medicament.

16. A compound of Formula (I) as defined in any one of claims 1 to 10 for use as a medicament in the treatment of pain, especially medium to severe pain, visceral pain, chronic pain, cancer pain, migraine, inflammatory pain, acute pain or neuropathic pain, allodynia or hyperalgesia.