




[Fig. 1A]



Rule 91,
31.10.2024




[Fig. 1B]



- bottom
- peripheral wall
- interior cover
- exterior cover
- Material in compartment

Rule 91,
31.10.2024


[Fig. 1C]




Rule 91,
31.10.2024

- bottom
- peripheral wall
- interior cover
- exterior cover
- Material in compartment


[Fig. 1D]



Rule 91,
31.10.2024





[Fig. 2A]




- | | |
|---|-------------------------|
|  | bottom |
|  | peripheral wall |
|  | interior cover |
|  | Material in compartment |

Rule 91,
31.10.2024

[Fig. 2B]




[Fig. 3A]




Rule 91,
31.10.2024

Rule 91,
31.10.2024


[Fig. 3B]




[Fig. 3C]




[Fig. 4A]



[Fig. 4B]



[Fig. 4C]



Rule 91,
31.10.2024


Rule 91,
31.10.2024

Rule 91,
31.10.2024


Rule 91,
31.10.2024

Rule 91,
31.10.2024


[Fig. 4D]



[Fig. 4E]



[Fig. 4F]




Rule 91,
31.10.2024


Rule 91,
31.10.2024

Rule 91,
31.10.2024


[Fig. 5A]




Rule 91,
31.10.2024




[Fig. 5B]




Rule 91,
31.10.2024





[Fig. 6A]



Rule 91,
31.10.2024




[Fig. 6B]



Rule 91,
31.10.2024



[Fig. 7A]



	bottom
	peripheral wall
	exterior cover


Rule 91,
31.10.2024

[Fig. 7B]



Rule 91,
31.10.2024


[Fig. 8]




Rule 91,
31.10.2024

[Fig. 9]

Rule 91,
31.10.2024



[Fig. 10]




	bottom
	peripheral wall
	exterior cover
	Material in compartment


Rule 91,
31.10.2024

[Fig. 11A]

1101


Rule 91,
31.10.2024

[Fig. 11B]



Rule 91,
31.10.2024


[Fig. 11C]




[Fig. 12A]



[Fig. 12B]



[Fig. 12C]




Rule 91,
31.10.2024

Rule 91,
31.10.2024

Rule 91,
31.10.2024


Rule 91,
31.10.2024

[Fig. 12D]



[Fig. 13]


1300




Rule 91,
31.10.2024

Rule 91,
31.10.2024

[Fig. 14A]





[Fig. 14B]



Rule 91,
31.10.2024



Rule 91,
31.10.2024

[Fig. 15A]





Rule 91,
31.10.2024

[Fig. 15B]




Rule 91,
31.10.2024

[Fig. 15C]



Rule 91,
31.10.2024


[Fig. 15D]



Rule 91,
31.10.2024

	Bottom
	Peripheral wall
	Exterior cover
	Material in compartment


[Fig. 16A]



- Bottom
- Peripheral wall
- Interior cover
- Exterior cover
- Material in compartment

Rule 91,
31.10.2024


[Fig. 16B]



- Bottom
- Peripheral wall
- Interior cover
- Exterior cover
- Material in compartment

Rule 91,
31.10.2024


[Fig. 16C]



	Bottom
	Peripheral wall
	Exterior cover
	Material in compartment

Rule 91,
31.10.2024

[Fig. 16D]





Rule 91,
31.10.2024

	Bottom
	Peripheral wall
	Exterior cover
	Material in compartment

[Fig. 17A]

Intermediate1



Rule 91,
31.10.2024



[Fig. 17B]


Intermediate2

Rule 91,
31.10.2024



[Fig. 17C]
Intermediate3



Rule 91,
31.10.2024




	bottom
	peripheral wall
	interior cover
	Material in compartment

[Fig. 17D]
Intermediate4


Rule 91,
31.10.2024



[Fig. 18A]



[Fig. 18B]



Rule 91,
31.10.2024

Rule 91,
31.10.2024