

FIG. 1




FIG. 2




FIG. 3

SELECTION OF MANAGEMENT TARGET BUILDING

CONTRACTOR NAME

XXXXXXX

▼

BUILDING NAME

▼

ADDRESS

TOKYO

SEARCH

SELECTION OF MANAGEMENT BUILDING

No.	BUILDING NAME	ADDRESS	SELECT
1	AA SHINAGAWA BUILDING	XXXXXXXXXX, SHINAGAWA, TOKYO	☒
2	BB KANDA ANNEX BUILDING	XXXXXXXXXX, CHIYODA, TOKYO	☐
3	CC LIFE BUILDING	XXXXXXXXXX, ADACHI, TOKYO	☐
4	DD REAL ESTATE BUILDING	XXXXXXXXXX, FUCHU, TOKYO	☐
:	:	:	:

SELECT BUILDING

FIG. 4

SELECTION OF MANAGEMENT TARGET ELEVATOR (BANK)

201				202	
No.	BUILDING NAME	BANK NAME	TARGET UNIT	SELECT	
1	AA SHINAGAWA BUILDING	A BANK (LOW FLOOR, OFFICE)	UNIT 1, UNIT 2, UNIT 3, UNIT 4	☒	
2	AA SHINAGAWA BUILDING	B BANK (MIDDLE FLOOR, OFFICE)	UNIT 5, UNIT 6, UNIT 7, UNIT 8	☐	
3	AA SHINAGAWA BUILDING	C BANK (HIGH FLOOR, RESIDENCE)	UNIT 9, UNIT 10	☐	
:	:	:		:	

203

SELECT BANK

[illegible]

[illegible]

FIG. 7A

111-1 BUILDING ID	112-1 BANK ID	113-1 BUILDING NAME	114-1 BANK NAME	115-1 BUILDING USE	116-1 NUMBER OF FLOORS	117-1 DELIVERED NUMBER	118-1 RATED SPEED (m/min)	119-1 TRANSPORT AMOUNT (PERSONS/MIN)	11-1 ...
00001	00001-001	XX BUILDING I	LOW FLOOR	OFFICE BUILDING	18	6	60	120	...

FIG. 7B

111-2 BUILDING ID	112-2 BANK ID	113-2 BUILDING NAME	114-2 BANK NAME	115-2 BUILDING USE	116-2 NUMBER OF FLOORS	117-2 DELIVERED NUMBER	118-2 RATED SPEED (m/min)	119-2 TRANSPORT AMOUNT (PERSONS/MIN)	11-2 ...
10001	10001-001	AA BUILDING I	LOW FLOOR	OFFICE BUILDING	20	6	60	120	...
10001	10002-002	AA BUILDING I	MIDDLE-HIGH FLOOR	OFFICE BUILDING	20	6	60	120	...
10002	10002-001	BB BUILDING BEFORE STATION	A-LINE ON EAST	COMMERCIAL BUILDING	10	4	50	80	...
10003	10003-001	CC REAL ESTATE BUILDING	LOW FLOOR	OFFICE BUILDING	18	6	60	120	...
10003	10003-002	CC REAL ESTATE BUILDING	HIGH FLOOR	OFFICE BUILDING	18	6	60	120	...
10004	10004-001	EE TOWER	FOR CUSTOMER	COMMERCIAL BUILDING	25	4	50	90	...
10005	10005-001	DD HOTEL	FOR CUSTOMER	HOTEL	15	4	65	110	...
...	...	...	...	...	...	...	...	..	...

FIG. 8

DETERMINATION	DURING OFFICE ATTENDANCE OR LUNCH	DURING USUAL TIME	DISPLAY FORM
FAVORABLE	40s OR LESS	30s OR LESS	A
CAUTION	40 TO 50s	30 TO 40s	B
SLIGHTLY CONGESTED	50 TO 60s	40 TO 50s	C
CONGESTED	60s OR MORE	50s OR MORE	D


FIG. 9

FIG. 10

801 EVALUATION CONTENT	802 RELATIVE EVALUATION CRITERIA	803 DISPLAY FORM
EVEN BETTER THAN AVERAGE	−20s OR LESS	A+
BETTER THAN AVERAGE	−5 TO −20s	A−
SLIGHTLY BETTER AS COMPARED WITH AVERAGE	WITHIN −5s	B+ 804
SLIGHTLY WORSE AS COMPARED WITH AVERAGE	WITHIN +5s	B−
WORSE THAN AVERAGE	+5 TO +20s	C+
EVEN WORSE THAN AVERAGE	+20s OR MORE	C−

FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

151 BUILDING ID	152 BANK ID	153 BUILDING NAME	154 BANK NAME	155 UNIT	156 FLOOR	157 ARRIVAL TIME	158 DEPARTURE TIME
10001	10001-001	AA BUILDING I	LOW FLOOR	1	1	2020/5/1 8:01:10	2020/5/1 8:01:30
10001	10001-001	AA BUILDING I	LOW FLOOR	1	1	2020/5/1 8:05:30	2020/5/1 8:05:45
...	...	...	...			...	...
10001	10001-001	AA BUILDING I	LOW FLOOR	2	1	2020/5/1 8:01:35	2020/5/1 8:01:45
10001	10001-001	AA BUILDING I	LOW FLOOR	2	1	2020/5/1 8:09:00	2020/5/1 8:09:10
...	...	...	...			...	...

FIG. 16

161 BUILDING ID	162 BANK ID	163 BUILDING NAME	164 BANK NAME	165 UNIT	166 FLOOR	167 PERSON	168 LOBBY ARRIVAL TIME	169 BOARDING TIME
10001	10001-001	AA BUILDING I	LOW FLOOR	1	1	A	2020/5/1 8:00:00	2020/5/1 8:01:05
10001	10001-001	AA BUILDING I	LOW FLOOR	1	1	B	2020/5/1 8:00:10	2020/5/1 8:01:05
...	...	...	...				...	...

FIG. 17

181 BUILDING ID	182 BANK ID	183 BUILDING NAME	184 BANK NAME	185 UNIT	186 FLOOR	187 DATE AND TIME	188 AVERAGE WAITING TIME	189 NUMBER OF USERS
10001	10001-001	AA BUILDING I	LOW FLOOR	2	1	2020/5/1 8:00-9:00	52	50
10001	10001-001	AA BUILDING I	LOW FLOOR	2	1	2020/5/1 9:00-10:00	47	40
10001	10001-001	AA BUILDING I	LOW FLOOR	2	1	2020/5/1 10:00-11:00	42	38
10001	10001-001	AA BUILDING I	LOW FLOOR	2	1	2020/5/1 11:00-12:00	43	39
10001	10001-001	AA BUILDING I	LOW FLOOR	2	1	2020/5/1 12:00-13:00	45	42
...	...	...	...	...	...	...	...	...

FIG. 18